

R 3850 -1.9

Length of Stay in PAS Hospitals,

by Diagnosis,

United States, Northeastern Region,

1979

**Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980**

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

- . . . by Diagnosis, United States, 1979
- . . . by Diagnosis, United States, North Central Region, 1979
- . . . by Diagnosis, United States, Northeastern Region, 1979
- . . . by Diagnosis, United States, Southern Region, 1979
- . . . by Diagnosis, United States, Western Region, 1979
- . . . by Diagnosis, Canada, 1979

- . . . by Operation, United States, 1979
- . . . by Operation, United States, North Central Region, 1979
- . . . by Operation, United States, Northeastern Region, 1979
- . . . by Operation, United States, Southern Region, 1979
- . . . by Operation, United States, Western Region, 1979
- . . . by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF 1979 LENGTH OF STAY BOOKS

Walt Woud, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface	iii
Discussion of the Data	1
Source of the Data	1
Data Quality	3
Coverage	4
Organization of Length of Stay Tables	7
<i>ICD-9-CM</i> List A: Hospital Diagnosis Groups	7
Definition of Multiple Dx Patients	7
Definition of Operated Patients	8
Explanation of Statistics	8
Exclusions	9
Defining the Extended Stay Case	10
Length of Stay Tables	21
Summary of All Patients	22
Summary of All Patients Except Newborn	23
Diagnosis Groups 1-398	24
Distribution Tables	223
Table 1: Distribution of U.S. Patients and Days of Care by <i>ICD-9-CM</i> List A Hospital Diagnosis Groups	225
Table 2: Ranking of <i>ICD-9-CM</i> List A Diagnosis Groups by Live Discharges	244
Table 3: Ranking of <i>ICD-9-CM</i> List A Diagnosis Groups by Days of Care	268
Appendix: <i>ICD-9-CM</i> Codes for Selected Diagnosis Groups	293
Index to Length of Stay Tables	297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, non-governmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.




FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.

The image shows a sample of a PAS 1979 Case Abstract form. It is a complex grid of boxes designed for data entry. The form is titled "PAS 1979 CASE ABSTRACT" and "SAMPLE". It includes various sections for patient information, admission details, medical history, and discharge information. The form is divided into several columns and rows, with some sections containing sub-sections. The form is labeled "79" in the bottom right corner.

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 2,078,742 patients discharged during 1979 from 249 nonfederal, short-term* hospitals participating in PAS in the Northeastern Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 2,233,201 discharges.

Characteristics of all hospitals in the Northeastern Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.



FIG. 3. Census Divisions and Regions in the United States

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

**Bed Size, Region, and Census Division: PAS Hospitals
Compared with All Short-Term Nonfederal Hospitals¹ in the U.S.
January-December 1979**

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Total ² (2)	Number in PAS (3)	Percent in PAS (4)	Total ² (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25,666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

¹Hospitals with average stay less than 30 days, excluding psychiatric hospitals

²Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

**Teaching Type, Region, and Census Division: PAS Hospitals
Compared with all Short-Term Nonfederal Hospitals¹ in the U.S.
January-December 1979**

Region and Census Division (1)	Hospitals with Residencies			Hospitals with Medical School Affiliation		
	Total ² (2)	Number in PAS (3)	Percent in PAS (4)	Total ² (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

¹Hospitals with average stay less than 30 days, excluding psychiatric hospitals

²Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups*.¹ Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, *CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups*, which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM List A* groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM*.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

- 1) Manifestation codes
- 2) Codes V27.0-V27.9 (outcome of delivery)
- 3) E codes (external causes of injury and poisoning)

¹*ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS² Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM*.

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^N (X_i - \bar{X})^2 / (N - 1)$, where the

X_i 's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

²Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

- (1) patients who died
- (2) patients admitted from other short-term hospitals
- (3) patients discharged to other short-term hospitals
- (4) patients discharged against medical advice
- (5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay¹ Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

¹ Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.² With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*³) that contains the admission diagnosis in one of the following ways:

- a. Usually the diagnosis can be found in *Concurrent Review Screening*,⁴ developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.
- b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.
- c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.⁵ That code can then be located in List A or in the heading of the length of stay table.
- d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

²*Length of Stay in PAS Hospitals, by Diagnosis*, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979

U.S., North Central Region, 1979

U.S., Southern Region, 1979

U.S., Northeastern Region, 1979

U.S., Western Region, 1979

Canada, 1979

United States Geriatric, 1979

United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979

U.S., North Central Region, 1979

U.S., Southern Region, 1979

U.S., Northeastern Region, 1979

U.S., Western Region, 1979

Canada, 1979

United States Geriatric, 1979

United States Pediatric, 1979

³*ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

⁴*Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

⁵*International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

- Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.
- Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).
- Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.
- Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.
- Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a hospital in the Northeastern Region for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

- a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

- b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis

INDEX TO DISEASES

Cholangitis (acute) (ascending) (catarrhal)
(chronic) (infective) (malignant)
(primary) (recurrent) (sclerosing)
(secondary) (stenosing) (suppurative)
576.1
chronic nonsuppurative destructive 571.6
nonsuppurative destructive (chronic)
571.6

Cholecystocholelithiasis — see
Cholelithiasis

Cholecystitis (chronic) 575.1

*Note — Use the following fifth-digit
subclassification with category 574:*

0 without mention of obstruction

1 with obstruction

with
calculus, stones in
bile duct (common) (hepatic) 574.4
gallbladder 574.1
choledocholithiasis 574.4
cholelithiasis 574.1
acute 575.0
with
calculus, stones in
bile duct (common) (hepatic)
574.3
gallbladder 574.0
choledocholithiasis 574.3
cholelithiasis 574.0
emphysematous (acute) (see also
Cholecystitis, acute) 575.0
gangrenous (see also Cholecystitis, acute)
575.0
paratyphoidal, current (see also Fever,
paratyphoid) 002.9
suppurative (see also cholecystitis, acute)
575.0
typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — see Cholelithiasis

Choledocholithiasis 574.5

*Note — Use the following fifth-digit
subclassification with category 574:*

0 without mention of obstruction

1 with obstruction

with cholecystitis (chronic) 574.4
acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

*Note — Use the following fifth-digit
subclassification with category 574:*

0 without mention of obstruction

1 with obstruction

with cholecystitis (chronic) 574.1
acute 574.0

Cholemia (see also Jaundice) 782.4

familial 277.4

Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — see Cholelithiasis

Choleperitoneum, choleperitonitis (see also
Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic)
(epidemic) (gravis) (Indian) (malignant)
(morbus) (pestilential) (spasmodic)
001.9

antimonial 985.4

carrier (suspected) of V02.0

classical 001.0

contact V01.0

due to

Vibrio

cholerae (Inaba, Ogawa, Hikojima
serotypes) 001.0

El Tor 001.1

El Tor 001.1

exposure to V01.0

vaccination, prophylactic (against) V03.0

Cholerine (see also Cholera) 001.9

Cholestasis (see also Disease, gallbladder)
575.8

Cholesteatoma (ear) 385.30

attic (primary) 385.31

diffuse 385.35

external ear (canal) 380.21

marginal (middle ear) 385.32

with involvement of mastoid cavity

385.33

secondary (with middle ear involvement)

385.33

mastoid cavity 385.30

middle ear 385.30

secondary 385.32

with involvement of mastoid cavity

385.33

postmastoidectomy cavity (recurrent)

383.32

primary 385.31

recurrent, postmastoidectomy cavity

383.32

secondary (middle ear) 385.32

with involvement of mastoid cavity

385.33

Cholesteatosis (middle ear) (see also

Cholesteatoma) 385.30

diffuse 385.35

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, Northeastern Region, 1979*.

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	4.3	7	1	1	4	5	8	10	12
20-34	231	3.8	7	1	1	3	5	7	9	13
35-49	208	4.1	7	1	1	4	5	8	9	13
50-64	287	4.5	8	1	1	4	6	8	9	13
65+	246	6.7	17	1	2	6	9	11	15	20
B. Operated										
0-19 YRS	209	8.4	14	5	5	8	10	13	15	25
20-34	2472	8.2	10	5	6	7	9	12	14	20
35-49	2575	8.6	13	5	6	8	9	12	15	20
50-64	2854	9.3	13	6	6	8	10	14	16	24
65+	1320	11.4	26	6	7	10	14	18	21	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	5.0	11	<1	1	5	7	9	12	14
20-34	207	5.1	16	1	2	4	7	9	13	20
35-49	288	6.3	28	1	2	5	8	11	14	30
50-64	661	6.6	22	2	2	6	8	12	15	22
65+	1355	9.2	42	3	4	8	11	16	20	35
B. Operated										
0-19 YRS	94	10.9	27	5	6	10	13	16	22	30
20-34	1335	10.3	33	5	6	9	12	16	19	30
35-49	1905	10.8	35	6	6	9	13	17	20	32
50-64	3507	12.3	44	6	7	10	15	20	24	37
65+	3710	16.7	95	7	8	14	20	28	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1003	4.8	11	1	1	4	6	9	11	16
B. Operated	9430	9.1	15	5	6	8	10	14	16	24
2. MULTIPLE DX										
A. Not Operated	2534	7.8	35	2	3	7	10	14	17	30
B. Operated	10551	13.3	66	6	7	11	16	23	28	45
1. SINGLE DX	10433	8.7	16	4	5	8	10	13	16	23
2. MULTIPLE DX	13085	12.3	64	4	6	10	15	21	27	44
A. NOT OPERATED	3537	7.0	30	1	2	6	9	13	16	28
B. OPERATED	19981	11.3	46	6	6	9	13	19	24	38
TOTAL										
0-19 YRS	357	8.5	20	2	4	8	11	14	16	26
20-34	4245	8.5	20	3	5	8	10	13	16	25
35-49	4976	9.1	25	4	5	8	10	14	17	27
50-64	7309	10.3	33	4	6	9	12	17	21	32
65+	6631	13.8	80	5	6	11	17	24	30	48
GRAND TOTAL	23518	10.7	46	4	5	9	13	18	23	37

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).

215: Gallbladder disease with calculus (574.0-574.2)													216: Gallbladder disease without mention of calculus (575)															
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES										TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES										
				5th	10th	50th	75th	90th	95th	99th	99.5th	99.9th	5th					10th	50th	75th	90th	95th	99th	99.5th	99.9th			
1. SINGLE DX																												
A. Not Operated																												
0-19 YRS	31	4.3	7	1	1	4	5	8	8	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
20-34	231	3.8	7	1	1	3	5	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
35-49	208	4.1	7	1	1	4	5	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
50-64	287	4.5	8	1	1	4	6	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
65+	246	6.7	17	1	2	6	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
B. Operated																												
0-19 YRS	209	8.4	14	5	5	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
20-34	2472	8.2	10	5	5	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
35-49	2575	8.6	13	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
50-64	2854	9.3	13	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
65+	1320	11.4	26	6	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
2. SINGLE DX																												
A. Not Operated																												
0-19 YRS	31	4.3	7	1	1	4	5	8	8	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
20-34	231	3.8	7	1	1	3	5	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
35-49	208	4.1	7	1	1	4	5	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
50-64	287	4.5	8	1	1	4	6	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
65+	246	6.7	17	1	2	6	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
B. Operated																												
0-19 YRS	209	8.4	14	5	5	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
20-34	2472	8.2	10	5	5	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
35-49	2575	8.6	13	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
50-64	2854	9.3	13	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
65+	1320	11.4	26	6	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
3. SINGLE DX																												
A. Not Operated																												
0-19 YRS	31	4.3	7	1	1	4	5	8	8	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
20-34	231	3.8	7	1	1	3	5	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
35-49	208	4.1	7	1	1	4	5	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
50-64	287	4.5	8	1	1	4	6	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
65+	246	6.7	17	1	2	6	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
B. Operated																												
0-19 YRS	209	8.4	14	5	5	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
20-34	2472	8.2	10	5	5	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
35-49	2575	8.6	13	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
50-64	2854	9.3	13	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
65+	1320	11.4	26	6	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
4. SINGLE DX																												
A. Not Operated																												
0-19 YRS	31	4.3	7	1	1	4	5	8	8	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
20-34	231	3.8	7	1	1	3	5	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
35-49	208	4.1	7	1	1	4	5	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
50-64	287	4.5	8	1	1	4	6	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
65+	246	6.7	17	1	2	6	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
B. Operated																												
0-19 YRS	209	8.4	14	5	5	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
20-34	2472	8.2	10	5	5	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
35-49	2575	8.6	13	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
50-64	2854	9.3	13	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
65+	1320	11.4	26	6	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.

249 PAS Hospitals, Northeastern Region, January-December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES				
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)

1. SINGLE DX A. Not Operated								
0-19 YRS	31	4.3	7	1	1	4	5	8
20-34	231	3.8	7	1	1	3	5	7
35-49	208	4.1	7	1	1	4	5	7
50-64	287	4.5	8	1	1	4	6	8
65+	246	6.7	17	1	2	6	9	1

216: Gallbladder disease without mention of calculus (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES				
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)

1. SINGLE DX A. Not Operated								
0-19 YRS	44	3.9	4	1	1	4	5	8
20-34	218	4.8	8	1	1	4	5	8
35-49	276	4.3	7	1	1	4	5	7
50-64	279	7.4	12	1	1	4	5	8
65+	171	7.8	12	1	1	4	5	8

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES				
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX A. Not Operated								
0-19 YRS	31	4.3	7	1	1	4	5	8
20-34	231	3.8	7	1	1	3	5	7
35-49	208	4.1	7	1	1	4	5	7
50-64	287	4.5	8	1	1	4	6	8
65+	246	6.7	17	1	2	6	9	1
B. Operated								
0-19 YRS	209	8.4	14	5	5	8	10	12
20-34	2472	8.2	10	5	6	7	8	9
35-49	2575	8.6	13	5	6	8	9	10
50-64	2854	9.3	13	6	6	8	9	10
65+	1320	11.4	26	6	7	10	11	12
ALL DX	23	5.0	1.1					

131

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.

249 PAS Hospitals, Northeastern Region, January-December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES				
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)

1. SINGLE DX

A. Not Operated

0-19 YRS

20-34

35-49

50-64

65+

The patient was admitted on 3 November; therefore the eighth day will fall on 11 November. Prior to or on 11 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	205678	3.9	13	1	2	3	4	6	8	16
20-34	122264	4.6	28	1	1	3	5	8	12	29
35-49	45196	6.6	46	1	1	5	8	14	18	34
50-64	40034	7.6	54	1	2	6	10	16	20	38
65+	33648	9.2	84	1	2	7	12	19	25	52
B. Operated										
0-19 YRS	96146	3.2	16	<1	<1	2	4	6	8	20
20-34	169145	3.9	15	<1	1	3	5	7	9	19
35-49	79329	5.1	30	<1	1	3	7	11	15	27
50-64	76458	6.4	45	1	2	4	8	14	19	33
65+	60977	8.5	79	1	2	5	11	19	25	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120593	5.5	37	1	2	4	6	9	14	34
20-34	68898	6.8	54	1	1	5	8	14	20	40
35-49	71320	8.3	58	1	2	6	10	16	22	40
50-64	130683	9.6	69	2	3	7	12	19	24	44
65+	234009	12.1	111	2	3	9	15	23	32	67
B. Operated										
0-19 YRS	50978	5.4	69	<1	1	3	6	12	19	51
20-34	119911	6.0	51	1	1	4	7	11	17	41
35-49	88553	7.9	78	1	2	6	10	17	24	50
50-64	113542	11.3	136	2	2	8	15	25	34	69
65+	151380	15.3	196	2	3	12	20	33	46	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	446820	5.1	32	1	1	4	5	10	14	30
B. Operated	482055	4.9	34	<1	1	3	6	10	15	29
2. MULTIPLE DX										
A. Not Operated	625503	9.3	82	2	2	7	12	19	26	52
B. Operated	524364	10.1	133	1	2	6	13	23	33	68
1. SINGLE DX	928875	5.0	33	<1	1	3	6	10	15	29
2. MULTIPLE DX	1149867	9.7	105	1	2	7	12	21	29	60
A. NOT OPERATED	1072323	7.5	65	1	2	5	9	16	22	44
B. OPERATED	1006419	7.6	92	<1	1	4	9	18	26	54
TOTAL 0-19 YRS	473395	4.4	27	1	1	3	5	7	11	28
20-34	480218	5.0	34	<1	1	4	6	9	14	31
35-49	284398	7.0	56	1	1	5	9	15	20	39
50-64	360717	9.2	87	1	2	7	12	19	26	51
65+	480014	12.4	137	2	3	9	16	26	36	72
GRAND TOTAL	2078742	7.6	78	1	2	5	9	17	24	49

249 PAS Hospitals, Northeastern Region, January-December 1979

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84748	4.2	28	1	1	3	5	8	11	28
20-34	122264	4.6	28	1	1	3	5	8	12	29
35-49	45196	6.6	46	1	1	5	8	14	18	34
50-64	40034	7.6	54	1	2	6	10	16	20	38
65+	33648	9.2	84	1	2	7	12	19	25	52
B. Operated										
0-19 YRS	96071	3.2	16	<1	<1	2	4	6	8	20
20-34	169145	3.9	15	<1	1	3	5	7	9	19
35-49	79329	5.1	30	<1	1	3	7	11	15	27
50-64	76458	6.4	45	1	2	4	8	14	19	33
65+	60977	8.5	79	1	2	5	11	19	25	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63191	5.4	39	1	1	4	6	10	14	35
20-34	68898	6.8	54	1	1	5	8	14	20	40
35-49	71320	8.3	58	1	2	6	10	16	22	40
50-64	130683	9.6	69	2	3	7	12	19	24	44
65+	234009	12.1	111	2	3	9	15	23	32	67
B. Operated										
0-19 YRS	49658	5.1	59	<1	1	3	6	11	18	46
20-34	119911	6.0	51	1	1	4	7	11	17	41
35-49	88553	7.9	78	1	2	6	10	17	24	50
50-64	113542	11.3	136	2	2	8	15	25	34	69
65+	151380	15.3	196	2	3	12	20	33	46	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325890	5.6	43	1	1	4	6	12	17	34
B. Operated	481980	4.9	34	<1	1	3	6	10	15	29
2. MULTIPLE DX										
A. Not Operated	568101	9.7	85	1	2	7	12	19	26	53
B. Operated	523044	10.1	132	1	2	6	13	23	33	67
1. SINGLE DX	807870	5.2	37	<1	1	3	6	11	16	31
2. MULTIPLE DX	1091145	9.9	108	1	2	7	12	21	30	61
A. NOT OPERATED	893991	8.2	74	1	2	6	10	17	23	47
B. OPERATED	1005024	7.6	92	<1	1	4	9	18	26	54
TOTAL										
0-19 YRS	293668	4.3	33	<1	1	3	5	8	12	31
20-34	480218	5.0	34	<1	1	4	6	9	14	31
35-49	284398	7.0	56	1	1	5	9	15	20	39
50-64	360717	9.2	87	1	2	7	12	19	26	51
65+	480014	12.4	137	2	3	9	16	26	36	72
GRAND TOTAL	1899015	7.9	83	1	1	5	10	17	25	51

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1927	3.7	9	1	1	3	5	7	9	15
20-34	601	3.8	10	1	1	3	5	7	10	15
35-49	231	4.7	47	1	1	3	6	9	12	17
50-64	160	4.2	7	1	1	4	6	8	9	14
65+	134	5.6	20	1	2	4	7	11	14	25
<i>B. Operated</i>										
0-19 YRS	42	6.0	13	2	3	5	8	10	14	17
20-34	43	7.7	22	3	4	6	9	16	20	22
35-49	13	9.1	30	3	4	8	11	18	21	22
50-64	7	11.9	38	3	4	12	15	21	22	22
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1627	4.6	11	1	2	4	5	9	11	18
20-34	512	4.5	16	1	1	3	5	8	10	23
35-49	293	5.3	16	1	2	4	6	10	13	18
50-64	428	6.7	27	2	2	5	8	12	16	32
65+	580	8.1	49	2	3	6	10	15	20	51
<i>B. Operated</i>										
0-19 YRS	57	8.1	31	2	3	6	10	16	19	29
20-34	46	8.0	49	2	3	6	10	16	23	38
35-49	30	10.6	45	4	4	8	16	19	20	30
50-64	36	12.9	161	2	3	8	14	38	42	55
65+	68	14.9	141	3	5	11	23	37	48	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	3053	3.9	13	1	1	3	5	7	9	15
<i>B. Operated</i>	106	7.5	22	3	3	6	9	15	18	22
2. MULTIPLE DX										
<i>A. Not Operated</i>	3440	5.5	23	1	2	4	7	10	14	25
<i>B. Operated</i>	237	11.1	95	3	3	8	15	24	37	60
1. SINGLE DX	3159	4.0	13	1	1	3	5	7	10	16
2. MULTIPLE DX	3677	5.9	29	1	2	4	7	11	15	29
A. NOT OPERATED	6493	4.8	18	1	2	4	6	9	12	21
B. OPERATED	343	10.0	75	3	3	7	12	21	30	52
TOTAL 0-19 YRS	3653	4.2	11	1	2	3	5	8	10	17
20-34	1202	4.4	15	1	1	3	5	8	11	21
35-49	567	5.4	32	1	2	4	7	10	14	20
50-64	631	6.5	34	1	2	5	8	12	16	36
65+	783	8.2	57	2	2	6	10	15	23	52
GRAND TOTAL	6836	5.0	23	1	2	4	6	9	13	24

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	17	8.2	35	2	2	6	11	19	20	21
20-34	60	15.8	196	3	5	12	16	34	63	97
35-49	56	18.5	249	2	4	15	21	37	49	90
50-64	36	20.9	331	3	4	18	32	43	47	91
65+	27	15.7	128	3	4	12	21	28	42	51
<i>B. Operated</i>										
0-19 YRS										
20-34	23	10.7	40	2	3	10	13	22	24	25
35-49	29	14.6	127	4	5	12	23	44	97	99+
50-64	27	15.4	170	3	4	10	23	31	48	54
65+	16	14.7	115	3	4	13	19	27	40	45
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	10	13.9	165	1	2	10	18	34	45	45
20-34	51	24.5	487	4	5	17	35	70	90	99+
35-49	76	22.5	288	4	5	21	30	49	89	99+
50-64	105	18.6	227	4	6	14	26	43	52	99+
65+	94	22.1	289	4	6	18	28	51	60	94
<i>B. Operated</i>										
0-19 YRS	3	15.3	9	12	12	16	17	18	18	18
20-34	23	15.9	257	2	7	13	17	22	46	85
35-49	41	20.2	278	2	3	16	26	57	64	99+
50-64	66	22.3	291	4	5	16	34	46	69	99+
65+	76	23.8	265	6	8	19	36	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	196	15.8	220	3	4	13	20	35	48	92
<i>B. Operated</i>	95	13.9	116	3	4	10	20	30	45	99+
2. MULTIPLE DX										
<i>A. Not Operated</i>	336	21.3	298	4	6	17	29	51	67	99+
<i>B. Operated</i>	209	21.6	274	3	7	16	29	48	65	99+
1. SINGLE DX	291	15.9	187	3	4	12	20	33	46	97
2. MULTIPLE DX	545	21.4	288	4	6	17	29	50	66	99+
A. NOT OPERATED	532	19.6	274	3	5	15	26	44	61	99+
B. OPERATED	304	19.2	237	3	5	15	25	45	60	99+
TOTAL 0-19 YRS	30	10.8	80	2	2	9	16	20	24	45
20-34	157	17.9	296	3	5	13	19	45	68	99+
35-49	202	19.8	256	3	5	16	27	45	63	99+
50-64	234	19.6	256	4	5	15	29	44	53	99+
65+	213	21.3	255	4	6	17	28	48	60	99+
GRAND TOTAL	836	19.5	260	3	5	15	26	44	60	99+

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	3	15.7	82	6	6	17	22	24	24	24
35-49	7	8.6	21	3	4	7	11	16	17	17
50-64	5	6.6	15	2	2	6	10	11	11	11
65+										
B. Operated										
0-19 YRS	10	4.1	12	<1	<1	3	7	9	10	10
20-34	10	8.8	145	<1	1	6	7	26	42	42
35-49	8	3.4	7	<1	<1	2	4	8	9	9
50-64	8	15.6	571	2	2	6	15	57	73	73
65+	6	19.3	411	2	2	12	35	49	51	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	5	16.6	135	3	4	18	33	93	99+	99+
35-49	8	12.8	101	1	2	10	18	29	32	32
50-64	7	28.3	356	5	6	27	36	57	62	62
65+	18	18.8	149	6	7	14	25	46	76	99+
B. Operated										
0-19 YRS	4	10.3	75	2	2	9	17	20	20	20
20-34	24	13.9	195	1	2	9	20	51	64	99+
35-49	16	25.6	179	8	12	25	36	52	83	99+
50-64	28	21.1	493	2	3	16	33	97	99+	99+
65+	29	23.8	353	3	4	20	39	56	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	8.6	34	2	2	7	11	17	21	24
B. Operated	42	9.5	219	<1	<1	4	8	25	46	73
2. MULTIPLE DX										
A. Not Operated	39	19.2	182	4	6	14	27	45	79	99+
B. Operated	101	20.4	328	2	3	17	30	60	99+	99+
1. SINGLE DX	60	9.2	162	<1	1	5	9	20	38	71
2. MULTIPLE DX	140	20.1	286	2	3	17	29	52	99+	99+
A. NOT OPERATED	57	15.8	158	2	4	12	24	38	55	99+
B. OPERATED	143	17.2	319	2	2	11	26	51	74	99+
TOTAL 0-19 YRS	18	6.8	48	<1	<1	4	9	18	23	25
20-34	42	13.1	165	1	2	9	20	43	66	99+
35-49	39	15.3	178	1	2	12	24	36	52	99+
50-64	48	19.7	448	2	3	15	29	70	99+	99+
65+	53	21.6	284	3	4	18	36	47	70	99+
GRAND TOTAL	200	16.8	273	2	2	12	25	47	72	99+

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	199	3.2	4	1	1	3	4	5	7	13
20-34	63	3.5	5	1	2	3	4	5	7	15
35-49	17	3.9	2	2	2	4	5	7	7	7
50-64	7	4.9	5	1	1	5	7	8	8	8
65+	3	6.7	9	4	4	6	9	10	10	10
B. Operated										
0-19 YRS	15	2.2		1	2	2	2	3	4	4
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	326	3.8	5	1	2	3	5	7	7	11
20-34	58	5.1	13	2	2	4	6	9	11	24
35-49	23	4.9	9	2	2	4	6	10	11	13
50-64	16	8.1	57	2	4	6	8	14	28	34
65+	9	3.9	5	1	1	4	5	7	9	9
B. Operated										
0-19 YRS	16	2.8	4	1	1	2	3	5	8	9
20-34	4	13.0	73	5	5	11	18	25	25	25
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	6	9.0	30	2	2	9	14	16	16	16
65+	3	17.3	60	11	11	15	23	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	3.4	4	1	2	3	4	6	7	13
B. Operated	15	2.2		1	2	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	432	4.2	9	1	2	4	5	7	9	14
B. Operated	31	7.0	45	1	1	4	10	15	25	26
1. SINGLE DX	304	3.4	4	1	2	3	4	6	7	12
2. MULTIPLE DX	463	4.4	12	1	2	4	5	7	10	22
A. NOT OPERATED	721	3.9	7	1	2	3	5	7	8	13
B. OPERATED	46	5.4	35	1	1	3	9	14	18	26
TOTAL 0-19 YRS	556	3.5	5	1	2	3	4	6	7	12
20-34	125	4.5	13	1	2	4	5	8	10	25
35-49	42	4.6	7	2	2	4	6	9	10	13
50-64	29	7.5	39	1	2	6	8	15	17	34
65+	15	7.1	42	1	2	4	10	15	23	26
GRAND TOTAL	767	4.0	9	1	2	3	5	7	9	15

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	175	7.3	28	2	2	6	9	13	18	29
20-34	22	7.5	25	2	2	7	11	14	17	20
35-49	7	15.7	198	2	2	13	28	37	38	38
50-64	19	10.5	63	4	5	9	11	17	30	40
65+	45	10.0	40	3	4	8	13	19	23	29
<i>B. Operated</i>										
0-19 YRS	12	17.3	344	4	6	10	14	48	66	69
20-34	2	8.0	32	4	4	8	12	12	12	12
35-49	2	23.0	288	11	11	23	35	35	35	35
50-64	2	12.0	2	11	11	12	13	13	13	13
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	196	8.7	36	2	3	7	12	16	19	32
20-34	56	14.7	151	2	3	10	19	32	40	59
35-49	83	12.1	61	3	4	11	16	25	29	35
50-64	263	14.3	74	5	6	12	18	27	31	55
65+	873	16.5	122	6	7	14	20	29	38	85
<i>B. Operated</i>										
0-19 YRS	37	17.9	265	5	6	12	19	45	60	66
20-34	32	22.3	349	4	7	16	31	47	72	75
35-49	28	23.6	276	8	8	20	32	65	99+	99+
50-64	102	23.2	352	6	9	16	31	59	75	99+
65+	259	27.9	341	9	10	23	39	58	82	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	268	8.2	39	2	2	7	10	15	20	32
<i>B. Operated</i>	19	16.0	245	4	5	11	14	37	55	69
2. MULTIPLE DX										
<i>A. Not Operated</i>	1471	14.7	106	4	5	12	18	27	35	68
<i>B. Operated</i>	458	25.4	341	7	9	19	34	58	78	99+
1. SINGLE DX	287	8.7	55	2	2	7	11	16	21	39
2. MULTIPLE DX	1929	17.3	183	4	6	14	21	34	48	99+
A. NOT OPERATED	1739	13.7	102	3	4	12	17	26	33	63
B. OPERATED	477	25.0	340	7	9	19	34	58	75	99+
TOTAL										
0-19 YRS	420	9.1	70	2	3	7	11	16	23	49
20-34	112	15.3	205	2	3	11	18	36	46	75
35-49	120	15.2	141	3	4	13	19	32	40	99+
50-64	386	16.4	163	5	6	13	19	32	45	99+
65+	1178	18.7	192	6	7	15	23	37	52	99+
GRAND TOTAL	2216	16.1	174	4	5	13	19	33	45	98

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	172	8.7	30	2	2	8	12	16	18	29	
20-34	30	6.1	13	2	2	5	8	11	13	16	
35-49	19	9.6	60	2	4	7	12	16	27	36	
50-64	40	8.1	22	3	3	7	11	14	18	22	
65+	21	8.3	33	3	4	7	10	18	23	23	
B. Operated											
0-19 YRS	15	11.7	59	1	3	12	15	20	27	30	
20-34	6	12.0	405	2	2	4	41	91	99+	99+	
35-49	11	14.7	286	2	2	9	22	40	56	58	
50-64	10	10.2	102	<1	<1	8	13	26	34	34	
65+	2	18.0	288	6	6	18	30	30	30	30	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	110	9.9	51	2	3	8	14	19	23	36	
20-34	35	11.7	60	3	3	10	15	24	26	30	
35-49	37	8.1	30	2	4	6	11	16	20	25	
50-64	57	11.4	105	3	4	9	13	20	38	97	
65+	88	12.8	74	4	5	10	15	25	31	43	
B. Operated											
0-19 YRS	8	18.5	204	2	3	14	28	41	44	44	
20-34	10	12.6	169	1	1	8	13	35	43	43	
35-49	10	19.4	261	3	4	20	28	74	98	99+	
50-64	22	19.0	152	2	3	16	30	35	39	43	
65+	32	26.5	316	5	7	20	38	56	61	69	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	282	8.3	29	2	3	7	12	15	18	28	
B. Operated	44	12.5	165	1	2	9	17	30	54	99+	
2. MULTIPLE DX											
A. Not Operated	327	10.9	67	3	4	9	14	21	26	45	
B. Operated	82	21.1	248	2	4	18	31	43	58	90	
1. SINGLE DX	326	8.9	49	2	3	7	12	16	22	54	
2. MULTIPLE DX	409	13.0	119	3	4	10	17	27	37	63	
A. NOT OPERATED	609	9.7	51	2	3	8	13	18	23	42	
B. OPERATED	126	18.1	235	2	3	14	28	42	57	99+	
TOTAL 0-19 YRS	305	9.5	45	2	3	9	13	17	22	38	
20-34	81	9.7	83	2	3	7	13	24	28	85	
35-49	77	10.9	113	2	3	7	14	25	33	88	
50-64	129	11.6	98	3	3	9	14	23	34	72	
65+	143	15.3	160	4	5	11	19	32	40	62	
GRAND TOTAL	735	11.2	92	2	3	9	14	23	30	60	

249 PAS Hospitals, Northeastern Region, January-December 1979

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	613	4.5	10	1	2	4	5	8	10	17	
20-34	327	5.1	11	2	2	4	7	10	11	19	
35-49	69	5.0	7	2	2	5	7	9	11	83	
50-64	10	8.8	26	2	2	9	13	15	15	15	
65+	4	13.5	62	8	8	10	18	25	25	25	
<i>B. Operated</i>											
0-19 YRS	8	7.1	26	2	2	6	9	15	18	18	
20-34	2	5.5	1	5	5	5	6	6	6	6	
35-49	2	4.0	18	1	1	4	7	7	7	7	
50-64											
65+											
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	159	6.1	17	2	2	5	8	12	14	20	
20-34	111	6.0	10	2	3	5	8	10	14	16	
35-49	21	8.7	59	2	2	8	10	14	25	38	
50-64	19	9.8	49	2	2	7	13	21	26	28	
65+	14	16.1	390	1	2	11	19	30	69	80	
<i>B. Operated</i>											
0-19 YRS	7	6.3	8	4	4	6	7	11	12	12	
20-34	8	21.9	837	7	7	12	16	70	93	93	
35-49	2	9.0	50	4	4	9	14	14	14	14	
50-64	2	8.5	25	5	5	8	12	12	12	12	
65+	4	32.5	116	21	21	31	39	47	47	47	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	1023	4.8	11	1	2	4	6	9	11	18	
<i>B. Operated</i>	12	6.3	20	1	2	6	8	12	17	18	
2. MULTIPLE DX											
<i>A. Not Operated</i>	324	6.9	39	2	2	5	9	12	16	26	
<i>B. Operated</i>	23	16.7	389	4	4	12	16	35	63	93	
1. SINGLE DX	1035	4.8	11	1	2	4	6	9	11	18	
2. MULTIPLE DX	347	7.6	67	2	2	6	9	14	17	38	
A. NOT OPERATED	1347	5.3	18	1	2	4	7	10	13	19	
B. OPERATED	35	13.1	283	2	4	7	14	30	43	93	
TOTAL											
0-19 YRS	787	4.8	12	1	2	4	6	9	12	18	
20-34	448	5.6	28	2	2	5	7	10	12	19	
35-49	94	5.9	21	2	2	5	8	11	13	72	
50-64	31	9.4	38	2	2	7	13	16	24	28	
65+	22	18.6	313	2	3	14	24	36	60	80	
GRAND TOTAL	1382	5.5	26	1	2	4	7	10	13	21	

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	338	4.3	24	1	2	3	5	7	9	24	
20-34	68	5.6	16	2	2	4	7	9	16	21	
35-49	35	5.3	10	1	2	5	7	10	13	14	
50-64	64	7.0	24	2	3	6	9	16	20	88	
65+	103	8.1	35	2	3	7	10	14	20	34	
<i>B. Operated</i>											
0-19 YRS	6	3.7	11	<1	<1	3	4	9	10	10	
20-34	6	4.3	3	2	2	4	6	6	6	6	
35-49	5	4.2	8	2	2	3	5	9	9	9	
50-64	7	6.7	37	1	2	5	6	17	20	20	
65+	7	8.7	27	3	3	7	14	15	15	15	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	377	4.5	28	1	2	4	5	8	10	18	
20-34	96	6.4	14	2	2	5	8	11	14	19	
35-49	43	6.6	15	2	3	5	8	11	13	23	
50-64	159	9.3	56	2	4	8	10	15	27	48	
65+	477	12.1	129	2	3	9	15	23	33	81	
<i>B. Operated</i>											
0-19 YRS	7	3.7	5	1	1	4	4	7	8	8	
20-34	15	9.7	58	3	4	7	15	27	78	99+	
35-49	7	13.1	289	3	3	9	31	85	99+	99+	
50-64	28	14.3	130	3	6	9	18	30	38	51	
65+	59	20.2	306	4	4	15	27	48	70	98	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	608	5.5	26	1	2	4	6	10	14	25	
<i>B. Operated</i>	31	5.7	20	1	2	5	6	13	15	20	
2. MULTIPLE DX											
<i>A. Not Operated</i>	1152	8.5	83	2	2	6	10	16	23	51	
<i>B. Operated</i>	116	16.0	232	3	4	10	23	42	61	99+	
1. SINGLE DX	639	5.5	26	1	2	4	6	10	14	25	
2. MULTIPLE DX	1268	9.2	101	2	2	6	11	18	28	68	
A. NOT OPERATED	1760	7.5	66	2	2	5	9	15	21	46	
B. OPERATED	147	13.8	204	2	3	9	18	33	51	99+	
TOTAL											
0-19 YRS	728	4.4	26	1	2	4	5	7	10	20	
20-34	185	6.3	19	2	2	5	8	12	16	26	
35-49	90	6.5	35	2	2	5	8	11	14	80	
50-64	258	9.2	59	2	3	7	10	18	27	51	
65+	646	12.2	137	3	3	9	15	25	33	76	
GRAND TOTAL	1907	8.0	79	2	2	5	9	16	23	54	

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	7.6	27	2	3	7	9	14	20	25
20-34	450	8.9	29	2	3	8	11	16	20	29
35-49	136	9.7	35	3	4	8	12	16	22	35
50-64	79	12.1	53	3	5	10	16	23	27	32
65+	25	15.2	77	5	6	11	22	29	30	32
B. Operated										
0-19 YRS	3	18.3	65	11	11	17	24	27	27	27
20-34	23	7.7	23	1	2	7	12	14	16	17
35-49	17	15.5	104	2	3	15	20	33	36	36
50-64	16	8.1	51	1	2	7	10	19	25	27
65+	7	12.9	16	7	8	12	16	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	8.3	45	1	2	8	10	16	22	38
20-34	165	9.1	40	2	3	8	11	19	21	32
35-49	99	11.9	55	4	5	10	15	21	24	43
50-64	89	11.5	60	3	4	9	14	23	29	37
65+	60	14.0	90	4	5	12	17	23	31	56
B. Operated										
0-19 YRS	7	11.7	44	2	3	11	17	21	21	21
20-34	24	16.2	182	2	2	11	18	43	48	52
35-49	15	20.7	493	3	5	15	21	36	80	95
50-64	24	16.0	122	1	3	15	18	36	39	43
65+	28	19.3	103	7	7	17	26	32	39	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	844	9.3	36	2	3	8	11	17	22	29
B. Operated	66	10.8	63	1	2	10	15	20	27	36
2. MULTIPLE DX										
A. Not Operated	466	10.7	57	3	4	9	14	21	24	38
B. Operated	98	17.4	181	2	5	15	21	35	43	74
1. SINGLE DX	910	9.4	38	2	3	8	12	18	22	30
2. MULTIPLE DX	564	11.9	84	3	4	9	15	22	29	45
A. NOT OPERATED	1310	9.8	44	3	3	8	12	19	23	32
B. OPERATED	164	14.8	143	2	3	12	18	29	37	51
TOTAL 0-19 YRS	217	8.1	33	2	3	7	9	16	21	28
20-34	662	9.2	39	2	3	8	11	17	21	30
35-49	267	11.5	78	3	4	9	15	21	24	38
50-64	208	12.0	66	3	4	10	16	24	29	38
65+	120	15.4	89	4	6	14	20	29	32	49
GRAND TOTAL	1474	10.3	57	2	3	8	13	20	24	36

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	626	5.0	10	2	2	4	6	9	10	15
20-34	244	5.5	10	2	2	5	7	10	11	14
35-49	39	6.8	19	1	2	7	10	12	15	21
50-64	7	6.4	4	4	4	6	8	10	10	10
65+										
B. Operated										
0-19 YRS	4	7.0	38	2	2	5	11	16	16	16
20-34	8	7.4	6	4	4	7	9	11	11	11
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	489	5.6	13	2	2	5	7	9	12	18
20-34	169	6.0	14	2	2	5	8	11	13	17
35-49	42	7.7	21	2	3	7	10	14	17	19
50-64	13	8.0	33	3	3	6	10	18	20	20
65+	1	3.0	3	3	3	3	3	3	3	3
B. Operated										
0-19 YRS	17	8.4	13	3	4	8	10	15	16	16
20-34	15	12.4	64	3	6	11	14	27	31	32
35-49	2	14.0	98	7	7	14	21	21	21	21
50-64	1	7.0	7	7	7	7	7	7	7	7
65+	1	7.0	7	7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	916	5.2	10	2	2	4	7	9	11	15
B. Operated	14	7.7	16	2	4	7	10	15	16	16
2. MULTIPLE DX										
A. Not Operated	714	5.9	14	2	2	5	7	10	13	19
B. Operated	36	10.3	39	3	6	9	12	17	25	32
1. SINGLE DX	930	5.3	11	2	2	4	7	10	11	16
2. MULTIPLE DX	750	6.1	16	2	2	5	7	11	13	20
A. NOT OPERATED	1630	5.5	12	2	2	5	7	10	12	17
B. OPERATED	50	9.6	34	3	4	8	11	16	21	32
TOTAL 0-19 YRS	1136	5.3	12	2	2	5	7	9	11	16
20-34	436	6.0	15	2	2	5	8	11	13	17
35-49	85	7.5	22	2	2	7	10	13	17	21
50-64	21	7.4	21	3	3	6	8	16	19	20
65+	2	5.0	8	3	3	5	7	7	7	7
GRAND TOTAL	1680	5.6	13	2	2	5	7	10	12	18

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.8	1	<1	<1	2	2	3	4	4
20-34	17	2.4	3	<1	<1	2	4	4	6	7
35-49	8	2.3	6	1	1	1	2	6	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	323	2.0	3	<1	<1	2	2	3	4	7
20-34	751	2.3	3	<1	<1	2	3	4	5	9
35-49	189	2.8	5	<1	<1	2	3	5	7	13
50-64	51	2.4	1	<1	<1	2	3	4	5	5
65+	19	2.5	5	<1	<1	2	3	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.2	14	<1	<1	4	6	11	12	12
20-34	7	5.9	54	<1	<1	4	6	19	22	22
35-49	3	11.3	90	2	2	11	18	21	21	21
50-64	2	5.0	8	3	3	5	7	7	7	7
65+										
B. Operated										
0-19 YRS	55	3.3	7	<1	1	2	4	6	9	13
20-34	180	3.2	6	<1	1	2	4	6	8	16
35-49	82	3.1	3	<1	1	3	4	5	7	10
50-64	42	4.0	12	<1	1	3	5	9	15	99+
65+	20	6.0	25	1	2	4	8	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.1	3	<1	<1	1	3	4	6	8
B. Operated	1333	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	18	6.4	40	<1	<1	4	7	18	22	22
B. Operated	379	3.4	7	<1	1	3	4	6	10	17
1. SINGLE DX	1373	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	397	3.6	9	<1	1	3	4	6	10	20
A. NOT OPERATED	58	3.4	18	<1	<1	2	4	7	12	22
B. OPERATED	1712	2.6	4	<1	<1	2	3	5	6	12
TOTAL										
0-19 YRS	395	2.2	4	<1	<1	2	3	4	5	11
20-34	955	2.5	4	<1	<1	2	3	4	6	11
35-49	282	3.0	6	<1	<1	2	3	5	7	14
50-64	97	3.1	6	<1	<1	3	4	6	8	60
65+	41	4.1	17	<1	<1	3	6	10	14	18
GRAND TOTAL	1770	2.6	5	<1	<1	2	3	5	6	13

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1497	3.4	10	1	1	3	4	6	7	10
20-34	326	4.1	32	1	1	3	5	7	10	15
35-49	129	4.4	10	1	2	4	6	8	11	16
50-64	83	5.1	11	2	2	4	7	10	11	18
65+	55	6.1	94	1	2	4	6	8	13	67
B. Operated										
0-19 YRS	39	3.6	12	<1	<1	2	4	9	12	15
20-34	15	6.1	31	<1	<1	5	9	14	18	19
35-49	8	5.3	11	2	2	5	8	9	9	9
50-64	8	10.1	42	2	3	8	16	19	19	19
65+	5	6.8	6	4	4	7	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1284	4.1	15	1	2	3	5	7	9	18
20-34	414	4.8	13	1	2	4	6	9	12	17
35-49	228	5.2	9	2	2	5	7	9	11	15
50-64	271	6.0	13	2	2	5	8	11	14	19
65+	427	7.7	86	2	3	5	8	14	18	52
B. Operated										
0-19 YRS	26	5.8	29	1	1	5	7	10	15	28
20-34	26	7.7	66	1	2	5	9	13	31	36
35-49	25	10.2	107	2	3	8	12	18	27	54
50-64	32	14.3	143	2	3	11	18	32	41	47
65+	32	18.2	306	4	4	9	26	47	55	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2090	3.7	16	1	1	3	4	6	8	13
B. Operated	75	5.2	21	<1	<1	4	7	12	15	19
2. MULTIPLE DX										
A. Not Operated	2624	5.1	27	1	2	4	6	9	12	21
B. Operated	141	11.7	156	2	2	7	14	30	44	57
1. SINGLE DX	2165	3.8	16	1	1	3	4	6	8	14
2. MULTIPLE DX	2765	5.4	36	1	2	4	6	10	13	30
A. NOT OPERATED	4714	4.5	23	1	2	3	5	8	10	18
B. OPERATED	216	9.4	118	1	2	6	11	19	35	55
TOTAL										
0-19 YRS	2846	3.7	13	1	1	3	4	6	8	14
20-34	781	4.7	24	1	2	4	6	9	11	17
35-49	390	5.3	17	2	2	4	7	9	12	18
50-64	394	6.6	29	2	2	5	8	12	16	30
65+	519	8.2	106	2	3	5	8	14	22	58
GRAND TOTAL	4930	4.7	28	1	2	4	5	8	11	22

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	35	6.0	12	2	3	5	8	10	15	17
20-34	36	5.1	10	2	2	4	6	10	12	14
35-49	17	6.2	13	3	3	5	7	13	14	14
50-64	4	6.0	3	4	4	6	7	8	8	8
65+	4	6.5	12	3	3	6	9	11	11	11
<i>B. Operated</i>										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	16	6.6	10	3	4	6	8	10	14	16
20-34	22	6.8	11	2	3	7	9	12	13	13
35-49	17	6.6	19	2	2	5	10	13	15	16
50-64	7	5.3	5	2	2	5	7	8	8	8
65+	6	8.5	24	4	4	7	13	15	15	15
<i>B. Operated</i>										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	1	16.0		16	16	16	16	16	16	16
50-64	3	23.3	297	8	8	20	36	42	42	42
65+										
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	96	5.7	11	2	3	5	7	10	13	17
<i>B. Operated</i>	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
<i>A. Not Operated</i>	68	6.7	13	2	3	6	9	12	14	16
<i>B. Operated</i>	5	19.6	177	8	8	16	25	42	42	42
1. SINGLE DX	99	5.6	11	2	3	5	7	10	13	17
2. MULTIPLE DX	73	7.6	33	2	3	6	9	13	16	37
A. NOT OPERATED	164	6.1	12	2	3	5	8	11	13	16
B. OPERATED	8	13.8	167	3	3	10	18	35	42	42
TOTAL										
0-19 YRS	54	6.2	12	2	3	5	8	10	15	17
20-34	58	5.7	11	2	2	5	8	10	13	14
35-49	35	6.7	18	2	3	5	10	13	15	16
50-64	15	9.1	99	2	4	6	8	20	36	42
65+	10	7.7	18	3	3	6	11	14	15	15
GRAND TOTAL	172	6.5	21	2	3	5	8	12	14	19

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	80	6.2	15	2	3	5	7	13	15	75
20-34	109	5.9	17	2	2	5	7	11	12	26
35-49	42	5.6	32	<1	1	4	7	12	22	22
50-64	16	6.9	31	1	1	6	11	15	18	19
65+	10	7.7	49	1	1	5	14	18	19	19
<i>B. Operated</i>										
0-19 YRS	25	3.8	8	1	2	2	4	9	10	11
20-34	78	2.9	7	<1	<1	2	3	5	7	15
35-49	27	4.5	47	<1	<1	2	4	10	16	35
50-64	9	3.6	7	<1	1	3	4	8	10	10
65+	7	4.0	4	2	2	3	6	7	7	7
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	47	6.4	15	2	3	5	7	11	14	21
20-34	97	5.9	12	1	2	5	8	11	13	17
35-49	34	8.1	42	1	2	6	10	18	21	28
50-64	19	12.9	129	2	3	12	16	24	39	50
65+	32	8.7	30	1	2	8	12	16	18	23
<i>B. Operated</i>										
0-19 YRS	9	7.1	104	2	2	4	5	23	34	34
20-34	42	6.9	63	1	1	4	9	16	24	38
35-49	17	7.5	76	<1	1	3	10	20	28	32
50-64	8	8.6	63	2	2	4	16	20	21	21
65+	16	15.5	548	1	2	10	26	82	98	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	257	6.1	21	1	2	5	7	12	16	22
<i>B. Operated</i>	146	3.4	15	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
<i>A. Not Operated</i>	229	7.3	32	1	2	6	9	14	17	26
<i>B. Operated</i>	92	8.7	156	1	2	4	11	22	34	97
1. SINGLE DX	403	5.1	20	1	1	4	6	11	14	22
2. MULTIPLE DX	321	7.7	68	1	2	5	10	16	21	41
A. NOT OPERATED	486	6.7	27	1	2	5	8	13	17	24
B. OPERATED	238	5.5	76	<1	1	3	5	12	20	44
TOTAL										
0-19 YRS	161	6.0	19	2	2	5	7	11	14	32
20-34	326	5.3	21	1	1	4	7	11	13	24
35-49	120	6.3	45	<1	1	4	8	17	21	33
50-64	52	8.8	77	1	2	5	13	19	23	49
65+	65	9.7	163	1	2	7	12	19	30	99
GRAND TOTAL	724	6.3	43	1	1	5	7	13	17	34

249 PAS Hospitals, Northeastern Region, January-December 1979

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.6	8	1	1	3	6	8	9	9
20-34	14	3.6	6	<1	<1	3	5	6	9	10
35-49	4	4.8	6	3	3	4	6	8	8	8
50-64	6	4.8	35	<1	<1	2	13	83	99+	99+
65+	6	11.3	107	1	1	10	15	28	29	29
B. Operated										
0-19 YRS	4	6.3	43	2	2	3	10	16	16	16
20-34	13	6.6	35	1	2	5	10	14	20	22
35-49	17	14.5	526	<1	<1	7	14	39	76	94
50-64	20	9.8	217	<1	*1	4	11	28	46	62
65+	7	19.6	458	2	3	12	20	57	66	66
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	5.7	31	1	2	5	6	10	17	35
20-34	21	5.1	14	<1	<1	4	8	11	12	12
35-49	17	12.5	242	2	3	8	10	43	54	55
50-64	40	10.4	157	1	2	8	11	14	35	68
65+	42	11.1	44	4	4	9	15	22	25	29
B. Operated										
0-19 YRS	11	15.5	338	1	2	9	15	51	55	55
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	15	9.9	78	<1	1	10	14	25	26	26
50-64	23	17.0	409	2	3	7	34	52	85	99+
65+	24	18.7	405	2	2	12	29	49	63	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	4.7	25	<1	1	3	7	11	15	98
B. Operated	61	11.3	282	<1	1	5	12	24	52	91
2. MULTIPLE DX										
A. Not Operated	174	8.7	87	1	2	7	10	15	23	55
B. Operated	75	15.6	322	1	2	8	23	48	56	95
1. SINGLE DX	113	8.3	173	<1	1	4	10	17	30	96
2. MULTIPLE DX	249	10.8	167	1	2	7	12	25	47	78
A. NOT OPERATED	226	7.8	76	1	1	6	9	15	21	58
B. OPERATED	136	13.7	306	1	1	7	17	37	56	95
TOTAL 0-19 YRS	91	6.4	72	1	1	4	7	11	18	52
20-34	50	5.1	17	<1	1	4	8	11	12	22
35-49	53	11.8	265	<1	1	8	12	25	50	93
50-64	89	11.6	233	<1	1	7	12	36	62	99+
65+	79	14.2	199	2	3	10	17	29	42	76
GRAND TOTAL	362	10.0	170	1	1	6	11	22	39	80

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.8	6	1	1	3	4	8	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	7.4	19	2	2	8	11	12	12	12
50-64										
65+	2	10.0	72	4	4	10	16	16	16	16
B. Operated										
0-19 YRS	5	5.4	10	3	3	4	6	11	11	11
20-34	14	7.7	38	2	3	5	10	17	21	22
35-49	7	9.6	100	2	2	4	17	25	27	27
50-64	4	3.8	24	<1	<1	1	6	11	11	11
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	6.3	27	1	1	4	10	15	16	16
20-34	7	5.0	3	3	3	5	6	8	8	8
35-49	5	8.2	22	4	4	6	12	15	15	15
50-64	8	8.6	19	2	2	9	12	13	14	14
65+	3	12.7	100	5	5	9	20	24	24	24
B. Operated										
0-19 YRS	9	5.8	7	2	2	5	7	10	11	11
20-34	9	6.6	37	<1	1	4	10	16	19	19
35-49	12	14.5	320	<1	2	8	22	70	94	99+
50-64	1	9.0	146	2	2	4	16	27	27	27
65+	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	5.6	18	1	2	4	8	12	15	16
B. Operated	30	7.2	45	1	2	4	11	18	22	27
2. MULTIPLE DX										
A. Not Operated	39	7.3	27	1	2	5	11	15	16	24
B. Operated	36	9.1	139	1	2	5	11	25	54	99+
1. SINGLE DX	47	6.6	35	1	2	4	10	16	19	27
2. MULTIPLE DX	75	8.2	80	1	2	5	11	16	26	90
A. NOT OPERATED	56	6.8	24	1	2	5	10	14	16	24
B. OPERATED	66	8.3	96	1	2	5	11	19	29	94
TOTAL 0-19 YRS	39	5.5	16	1	2	4	8	11	15	16
20-34	31	6.6	28	2	2	5	9	16	19	22
35-49	29	11.0	162	2	2	7	13	31	63	99+
50-64	16	7.5	48	<1	1	6	11	14	23	27
65+	7	9.4	61	3	3	5	14	22	24	24
GRAND TOTAL	122	7.6	63	1	2	5	11	16	23	73

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	23	5.5	10	1	2	4	8	10	12	13	
20-34	66	5.8	18	1	1	5	7	12	14	21	
35-49	35	6.1	13	1	2	6	9	11	13	15	
50-64	17	10.1	263	<1	1	2	10	38	50	55	
65+	6	9.0	64	4	4	4	16	21	22	22	
B. Operated											
0-19 YRS	7	5.1	14	<1	<1	3	9	10	10	10	
20-34	190	6.2	27	1	2	5	8	12	18	33	
35-49	86	7.6	40	1	2	6	11	16	20	29	
50-64	31	5.4	23	1	1	3	7	14	17	17	
65+	8	4.1	6	1	1	4	6	7	7	7	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	37	6.2	17	2	3	5	8	12	19	99+	
20-34	64	7.4	79	1	2	5	8	12	22	59	
35-49	82	9.4	80	2	3	7	11	16	34	48	
50-64	61	9.3	35	3	3	8	12	17	18	34	
65+	39	16.1	266	2	3	12	23	34	68	99+	
B. Operated											
0-19 YRS	7	15.4	214	2	3	12	15	41	47	47	
20-34	110	10.1	49	2	2	9	13	20	23	33	
35-49	84	11.7	92	2	3	9	16	25	27	50	
50-64	58	12.7	154	2	3	9	17	24	41	66	
65+	26	14.3	166	2	3	12	17	26	46	58	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	147	6.4	46	1	1	5	8	12	16	42	
B. Operated	322	6.4	30	1	2	5	8	13	17	29	
2. MULTIPLE DX											
A. Not Operated	283	9.4	95	2	3	7	11	18	31	80	
B. Operated	285	11.6	98	2	3	9	15	23	27	54	
1. SINGLE DX	469	6.4	35	1	2	5	8	13	17	30	
2. MULTIPLE DX	568	10.5	97	2	3	8	14	22	29	58	
A. NOT OPERATED	430	8.4	80	1	2	6	10	16	24	57	
B. OPERATED	607	8.9	68	2	2	7	12	19	24	45	
TOTAL 0-19 YRS	74	6.7	39	2	2	5	9	12	15	87	
20-34	430	7.3	42	1	2	6	9	15	20	31	
35-49	287	9.1	67	2	2	7	12	18	25	40	
50-64	167	9.8	102	1	2	7	13	20	24	54	
65+	79	13.7	202	1	2	10	18	31	45	97	
GRAND TOTAL	1037	8.7	73	1	2	6	11	18	24	51	

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4	
20-34											
35-49	3	5.0	37	1	1	2	9	12	12	12	
50-64	2	10.5	85	4	4	10	17	17	17	17	
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1	
B. Operated											
0-19 YRS											
20-34	3	22.3	850	5	5	6	43	56	56	56	
35-49											
50-64	4	1.8	1	1	1	2	2	3	3	3	
65+	3	5.7	2	4	4	6	7	7	7	7	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	21.0		21	21	21	21	21	21	21	
20-34	5	10.2	128	3	3	5	14	30	30	30	
35-49	3	7.0	27	4	4	4	11	13	13	13	
50-64	9	9.1	33	3	3	7	13	18	21	21	
65+	17	13.4	116	2	4	12	15	23	39	48	
B. Operated											
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5	
20-34	4	5.5	10	2	2	5	8	9	9	9	
35-49	7	17.0	355	2	2	10	34	45	46	46	
50-64	5	10.8	410	1	1	2	13	47	47	47	
65+	5	22.2	489	7	7	15	29	61	61	61	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	8	5.4	35	<1	<1	3	8	15	17	17	
B. Operated	10	9.1	276	1	1	4	6	31	56	56	
2. MULTIPLE DX											
A. Not Operated	35	11.5	87	3	3	9	14	22	28	48	
B. Operated	25	12.6	292	1	1	5	13	46	50	61	
1. SINGLE DX	18	7.4	164	<1	1	4	6	15	40	56	
2. MULTIPLE DX	60	12.0	169	1	2	8	14	26	46	60	
A. NOT OPERATED	43	10.3	82	1	2	8	13	21	25	48	
B. OPERATED	35	11.6	282	1	1	5	10	46	54	61	
TOTAL 0-19 YRS	7	5.1	51	1	1	2	5	18	21	21	
20-34	12	11.7	250	2	3	6	9	38	53	56	
35-49	13	11.9	221	1	2	4	12	43	45	46	
50-64	20	8.2	116	1	1	4	10	19	34	47	
65+	26	13.7	181	1	4	11	15	23	51	61	
GRAND TOTAL	78	10.9	169	1	1	7	13	23	47	60	

249 PAS Hospitals, Northeastern Region, January-December 1979

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2	
20-34	6	5.3	22	1	1	4	7	13	14	14	
35-49	22	7.0	37	1	1	5	10	15	22	23	
50-64	91	7.3	117	1	2	4	7	13	27	68	
65+	58	7.3	60	1	2	5	8	15	19	49	
B. Operated											
0-19 YRS	9	3.8	6	1	1	3	6	7	8	8	
20-34	22	11.2	425	1	2	5	9	26	63	95	
35-49	91	7.5	114	1	2	4	7	16	29	89	
50-64	321	9.2	130	1	2	5	11	21	29	66	
65+	289	8.1	93	1	2	4	9	20	27	48	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2	
20-34	4	4.0	2	2	2	4	5	5	5	5	
35-49	40	11.1	151	1	2	7	12	27	41	58	
50-64	210	8.7	65	1	2	6	11	18	28	69	
65+	164	13.0	179	1	2	9	18	31	45	78	
B. Operated											
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10	
20-34	15	8.2	35	<1	2	8	12	15	21	23	
35-49	99	18.4	354	2	3	12	27	57	83	99+	
50-64	461	16.0	248	2	2	11	23	42	58	99+	
65+	456	16.7	302	2	2	11	21	39	62	99	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	181	7.0	83	1	1	4	8	14	21	52	
B. Operated											
	732	8.5	120	1	2	5	10	20	29	71	
2. MULTIPLE DX											
A. Not Operated											
	420	10.6	121	1	2	7	14	23	36	76	
B. Operated											
	1034	16.4	280	2	2	11	22	42	61	99+	
1. SINGLE DX	913	8.2	113	1	2	5	9	19	27	66	
2. MULTIPLE DX	1454	14.7	241	2	2	10	20	37	52	99+	
A. NOT OPERATED	601	9.5	112	1	2	6	12	21	33	66	
B. OPERATED	1766	13.2	229	2	2	8	18	33	48	95	
TOTAL 0-19 YRS											
	18	3.4	8	<1	<1	2	6	8	9	10	
20-34	47	8.9	214	1	2	5	9	15	26	95	
35-49	252	12.3	232	2	2	7	15	37	57	99+	
50-64	1083	11.9	180	2	2	7	16	28	44	79	
65+	967	13.0	219	2	2	8	17	32	46	91	
GRAND TOTAL	2367	12.2	202	2	2	7	16	30	46	93	

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4,	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	4.0	4	<1	<1	5	5	5	5	5
35-49	29	10.8	156	2	3	7	13	24	28	64
50-64	32	13.8	154	2	2	8	24	32	39	42
65+										
B. Operated										
0-19 YRS										
20-34										
35-49	13	10.5	79	2	2	7	16	25	30	31
50-64	84	20.1	302	2	2	17	29	43	63	93
65+	87	16.9	183	2	2	13	24	35	41	65
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	9	13.7	126	4	4	11	19	33	36	36
50-64	64	12.4	130	2	3	9	13	30	41	51
65+	105	13.5	169	2	3	10	17	38	51	99+
B. Operated										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	29	24.9	617	2	2	18	31	66	72	91
50-64	154	21.2	259	3	5	17	29	48	57	99
65+	197	22.7	369	3	5	18	28	52	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	11.9	149	2	2	6	15	29	37	61
B. Operated	184	17.9	235	2	2	15	26	37	49	77
2. MULTIPLE DX										
A. Not Operated	178	13.1	152	2	3	9	16	33	44	89
B. Operated	381	22.2	341	3	4	17	28	50	70	99+
1. SINGLE DX	249	16.3	219	2	2	12	24	36	43	72
2. MULTIPLE DX	559	19.3	299	3	4	15	26	45	64	99+
A. NOT OPERATED	243	12.8	151	2	3	8	15	31	42	66
B. OPERATED	565	20.8	310	2	3	17	28	46	65	99
TOTAL 0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	55	18.1	413	2	2	11	25	52	66	90
50-64	331	18.3	250	2	3	13	26	42	52	83
65+	421	18.6	280	2	3	15	24	41	62	99+
GRAND TOTAL	808	18.4	276	2	3	14	25	41	59	99

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.0	2	<1	<1	3	4	4	4	4
20-34	3	17.7	417	3	3	9	33	41	41	41
35-49	38	7.7	64	<1	1	5	10	17	25	40
50-64	58	9.4	131	1	2	6	9	17	38	58
65+										
B. Operated										
0-19 YRS	3	21.7	184	9	9	20	32	36	36	36
20-34	19	17.3	164	<1	3	16	19	35	50	55
35-49	102	16.4	68	3	6	15	21	26	33	41
50-64	151	18.5	121	2	7	18	23	35	40	99
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	16.8	532	2	2	9	21	58	67	67
35-49	30	11.3	81	3	3	8	17	20	30	41
50-64	101	10.1	53	2	3	8	12	22	25	35
65+	289	12.2	110	2	3	9	15	27	34	49
B. Operated										
0-19 YRS	10	25.3	146	10	13	21	33	44	49	49
20-34	59	20.7	213	7	9	18	25	34	44	92
35-49	277	23.0	241	7	9	18	29	44	56	84
50-64	661	24.9	233	8	10	21	31	47	60	94
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	8.7	108	<1	2	6	9	18	35	55
B. Operated	275	17.7	105	2	6	17	22	32	39	64
2. MULTIPLE DX										
A. Not Operated	430	11.8	103	2	3	9	15	25	32	49
B. Operated	1007	24.1	234	7	10	20	30	45	60	93
1. SINGLE DX	379	15.2	122	1	3	14	21	29	38	58
2. MULTIPLE DX	1437	20.4	227	3	5	17	26	41	51	82
A. NOT OPERATED	534	11.2	106	2	3	8	14	24	33	49
B. OPERATED	1282	22.7	213	6	9	19	28	42	55	91
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	27	17.9	295	1	2	13	26	43	52	67
35-49	111	17.5	184	3	4	15	21	32	41	78
50-64	518	18.0	190	3	4	15	24	35	44	75
65+	1159	20.1	217	3	5	17	26	40	51	83
GRAND TOTAL	1816	19.3	209	3	4	16	25	39	49	78

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	4	3.5		3	3	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	14.0		14	14	14	14	14	14	14
35-49	2	16.5	1	16	16	16	17	17	17	17
50-64	10	23.1	207	10	10	16	38	45	49	49
65+	8	14.5	41	2	4	16	18	22	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	26.0	1250	1	1	26	51	51	51	51
20-34	9	2.9	4	1	1	2	4	6	7	7
35-49	9	15.0	213	3	3	6	34	35	35	35
50-64	20	14.8	180	3	4	9	21	37	43	48
65+										
B. Operated										
0-19 YRS	5	25.8	139	13	13	26	37	38	38	38
20-34	8	21.1	22	15	15	22	24	27	28	28
35-49	45	26.0	370	6	9	19	40	72	78	99+
50-64	49	24.5	246	8	11	20	28	46	58	84
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.0	14	3	3	4	5	11	14	14
B. Operated	22	18.0	134	1	7	16	18	39	45	49
2. MULTIPLE DX										
A. Not Operated	40	12.7	199	1	2	6	18	35	43	51
B. Operated	107	24.9	273	8	11	20	29	51	72	99+
1. SINGLE DX	30	14.5	134	2	3	14	17	30	42	49
2. MULTIPLE DX	147	21.6	281	2	4	18	28	47	68	99+
A. NOT OPERATED	48	11.4	175	1	2	5	13	35	39	51
B. OPERATED	129	23.7	255	6	10	19	28	47	71	99+
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	23.2	253	1	6	15	37	46	51	51
35-49	19	12.0	91	1	1	15	21	25	27	28
50-64	67	23.1	332	4	5	17	34	57	73	99+
65+	81	20.1	229	3	4	18	23	40	48	79
GRAND TOTAL	177	20.4	263	2	4	16	26	44	59	95

249 PAS Hospitals, Northeastern Region, January-December 1979

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	12	12.6	126	2	2	7	20	33	34	34
50-64	37	10.1	138	1	1	6	11	24	41	49
65+	94	7.9	66	1	1	5	10	21	26	35
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	13.8	57	1	4	13	16	21	31	33
35-49	94	12.7	28	4	8	12	16	19	21	33
50-64	411	14.4	48	2	8	13	17	22	28	38
65+	818	17.5	107	2	9	15	21	29	38	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	9.5	35	5	5	7	13	18	18	18
35-49	50	8.9	133	1	1	5	10	18	27	59
50-64	282	9.9	80	1	2	7	13	22	28	46
65+	767	13.2	145	3	4	9	17	28	35	60
B. Operated										
0-19 YRS	15	21.5	106	10	10	19	30	39	40	41
20-34	23	13.0	41	4	6	11	19	23	49	99+
35-49	207	18.3	106	3	8	16	24	32	40	50
50-64	1147	19.6	153	7	10	16	23	34	45	71
65+	3244	23.4	170	9	11	20	28	41	51	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	147	8.7	88	1	1	5	10	23	29	45
B. Operated										
	1336	16.2	86	2	8	14	19	26	33	48
2. MULTIPLE DX										
A. Not Operated										
	1104	12.1	130	2	3	9	15	26	34	55
B. Operated										
	4636	22.2	166	8	11	19	27	39	49	75
1. SINGLE DX	1483	15.4	91	2	4	14	19	26	33	48
2. MULTIPLE DX	5740	20.2	175	4	7	17	25	37	47	72
A. NOT OPERATED	1251	11.7	126	2	3	8	15	26	33	53
B. OPERATED	5972	20.8	154	8	10	18	25	37	46	72
TOTAL										
0-19 YRS	17	19.8	117	5	10	15	29	37	40	41
20-34	43	12.0	47	3	4	11	16	22	29	99+
35-49	363	15.4	102	2	4	13	19	28	33	51
50-64	1877	16.8	133	3	5	14	21	30	39	67
65+	4923	20.5	172	4	7	18	26	37	47	72
GRAND TOTAL	7223	19.2	161	4	6	16	24	35	45	71

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	15	8.5	91	<1	1	5	12	19	32	37
50-64	57	8.5	77	1	1	5	12	19	31	38
65+	76	11.7	223	2	2	7	10	31	44	84
B. Operated										
0-19 YRS	2	23.5	61	18	18	23	29	29	29	29
20-34	8	11.1	88	2	3	8	17	26	29	29
35-49	63	14.2	87	2	5	14	17	22	30	54
50-64	372	15.9	90	3	3	15	20	27	31	54
65+	573	16.9	126	3	4	16	22	29	37	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	25	11.3	91	1	1	9	17	22	32	38
50-64	167	9.7	97	1	1	7	13	20	27	55
65+	397	13.2	161	2	3	9	17	32	42	92
B. Operated										
0-19 YRS	5	11.6	94	4	4	9	16	28	28	28
20-34	14	19.4	68	4	11	20	26	30	32	32
35-49	105	18.3	82	4	8	18	23	30	33	48
50-64	736	20.5	147	5	8	18	25	37	42	80
65+	1598	23.7	216	5	8	21	30	43	55	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	148	10.1	154	1	2	6	11	24	37	61
B. Operated										
	1018	16.4	110	3	4	15	21	28	34	59
2. MULTIPLE DX										
A. Not Operated										
	590	12.1	142	2	3	9	16	27	39	79
B. Operated										
	2458	22.5	191	5	8	20	29	40	50	83
1. SINGLE DX										
	1166	15.6	120	2	3	15	20	28	35	59
2. MULTIPLE DX										
	3048	20.5	198	4	5	18	27	38	49	83
A. NOT OPERATED										
	738	11.7	145	1	2	8	15	27	38	76
B. OPERATED										
	3476	20.7	175	4	6	18	26	37	47	76
TOTAL										
0-19 YRS	7	15.0	107	4	4	12	25	29	29	29
20-34	23	16.5	85	2	3	18	22	29	31	32
35-49	208	15.5	94	2	3	15	20	27	32	50
50-64	1332	17.3	139	2	4	16	22	31	39	60
65+	2644	20.3	207	3	5	18	27	39	50	82
GRAND TOTAL										
	4214	19.1	182	3	4	17	25	36	45	76

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	3	10.3	54	2	2	13	15	16	16	16	
35-49	7	9.6	46	2	2	7	15	19	20	20	
50-64	26	8.2	68	1	1	6	11	18	23	39	
65+	29	9.3	37	1	2	8	13	19	21	22	
B. Operated											
0-19 YRS											
20-34	6	17.2	277	5	5	12	16	47	50	50	
35-49	19	18.2	85	4	8	16	24	32	35	35	
50-64	46	19.2	155	2	8	17	25	32	39	64	
65+	60	18.4	123	5	8	17	23	38	42	96	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34	7	7.3	13	3	3	9	10	12	12	12	
35-49	27	8.7	51	1	2	6	13	21	23	27	
50-64	86	9.4	98	1	2	6	12	21	37	81	
65+	159	14.7	241	2	3	10	18	28	42	96	
B. Operated											
0-19 YRS	1	13.0		13	13	13	13	13	13	13	
20-34	15	18.5	299	1	3	13	25	47	59	63	
35-49	48	22.5	293	1	4	18	30	49	55	64	
50-64	148	21.8	155	6	8	20	28	39	45	64	
65+	342	24.8	211	7	10	21	31	47	57	81	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	65	9.0	49	1	2	7	13	18	20	36	
B. Operated	131	18.6	132	4	8	17	24	34	41	70	
2. MULTIPLE DX											
A. Not Operated	280	12.2	179	2	2	8	16	25	37	95	
B. Operated	554	23.6	207	6	9	21	30	45	54	76	
1. SINGLE DX	196	15.4	125	2	3	14	20	29	38	63	
2. MULTIPLE DX	834	19.8	226	3	4	17	26	40	50	77	
A. NOT OPERATED	345	11.6	156	2	2	8	15	22	33	92	
B. OPERATED	685	22.7	196	6	8	20	29	43	52	74	
TOTAL 0-19 YRS											
20-34	2	7.5	61	2	2	7	13	13	13	13	
35-49	31	14.9	215	2	3	10	16	37	50	63	
50-64	101	17.1	206	2	3	13	24	39	49	61	
65+	306	16.8	165	2	3	15	23	35	42	64	
65+	590	20.7	228	4	5	18	27	41	52	94	
GRAND TOTAL	1030	19.0	210	3	4	16	25	39	49	76	

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	6	4.3	4	1	1	4	6	7	7	7
50-64	40	7.9	46	1	2	5	10	19	22	28
65+	46	10.4	78	1	2	8	13	24	33	36
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	9	13.0	103	1	1	14	18	28	32	32
50-64	53	17.8	109	2	5	17	24	31	37	51
65+	79	26.1	237	5	11	24	29	51	60	75
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	5.8	19	1	1	5	7	13	13	13
35-49	32	11.5	209	2	3	6	11	30	55	61
50-64	162	13.5	190	2	3	9	16	29	40	75
65+	243	13.7	134	2	3	10	19	27	38	69
B. Operated										
0-19 YRS	3	14.0	73	6	6	13	20	23	23	23
20-34	5	13.6	13	10	10	13	16	19	19	19
35-49	48	22.8	179	9	10	21	27	36	40	90
50-64	276	22.7	145	7	10	20	28	40	47	69
65+	474	25.6	164	9	12	23	33	43	50	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	8.7	62	1	2	6	11	20	26	35
B. Operated	142	22.0	199	2	6	20	27	40	52	71
2. MULTIPLE DX										
A. Not Operated	443	13.4	159	2	3	9	17	28	39	69
B. Operated	806	24.3	160	8	11	22	31	41	48	74
1. SINGLE DX	236	16.8	186	1	2	14	24	33	43	63
2. MULTIPLE DX	1249	20.4	187	3	5	18	27	39	47	69
A. NOT OPERATED	537	12.5	144	2	3	9	16	27	38	69
B. OPERATED	948	24.0	166	7	11	22	30	41	49	73
TOTAL 0-19 YRS	5	12.4	43	6	6	12	15	23	23	23
20-34	12	8.3	37	<1	1	8	13	16	19	19
35-49	95	16.9	206	2	4	14	23	34	39	77
50-64	531	18.3	172	2	4	16	25	36	45	70
65+	842	21.4	193	3	6	19	28	40	49	69
GRAND TOTAL	1485	19.8	188	3	5	16	26	38	46	69

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	6	5.5	12	<1	<1	5	7	11	11	11	
35-49	100	6.6	76	1	1	3	8	16	21	49	
50-64	293	7.7	74	1	1	4	10	19	25	44	
65+	254	9.5	127	1	2	5	12	21	35	51	
B. Operated											
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10	
20-34	8	8.9	37	1	2	8	14	17	17	17	
35-49	171	12.3	67	2	3	12	17	22	26	42	
50-64	729	14.3	92	2	3	13	19	26	32	43	
65+	712	14.3	134	2	3	12	19	29	38	55	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	9.3	20	5	5	9	13	14	14	14	
20-34	18	10.7	118	<1	1	7	15	21	35	45	
35-49	252	9.4	94	1	1	7	12	20	31	45	
50-64	1321	10.7	117	1	1	8	14	24	32	60	
65+	1614	12.7	137	2	3	9	17	27	35	58	
B. Operated											
0-19 YRS	4	28.8	869	7	7	18	47	72	72	72	
20-34	25	14.8	204	2	2	13	18	20	43	74	
35-49	373	17.2	140	3	5	15	23	31	44	62	
50-64	1958	17.7	158	3	5	15	23	33	42	68	
65+	2403	19.1	189	4	5	16	25	37	47	74	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	653	8.2	96	1	1	5	10	19	28	47	
B. Operated											
	1622	14.0	108	2	3	12	18	27	34	49	
2. MULTIPLE DX											
A. Not Operated											
	3208	11.6	127	1	2	9	15	25	33	59	
B. Operated											
	4763	18.4	174	3	5	15	24	35	45	70	
1. SINGLE DX											
	2275	12.4	111	1	2	10	17	26	33	49	
2. MULTIPLE DX											
	7971	15.7	166	2	3	13	21	31	41	66	
A. NOT OPERATED											
	3861	11.0	123	1	2	8	15	24	33	58	
B. OPERATED											
	6385	17.3	161	3	4	15	22	33	43	66	
TOTAL 0-19 YRS											
	9	17.9	437	5	6	10	16	52	72	72	
20-34	57	11.7	139	1	2	9	16	20	29	72	
35-49	896	12.9	121	1	2	10	18	26	34	57	
50-64	4301	14.3	141	1	2	12	19	28	37	62	
65+	4983	15.9	172	2	3	13	21	32	42	65	
GRAND TOTAL											
	10246	14.9	155	2	3	12	20	30	39	64	

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	1.0		1	1	1	1	1	1	1	1
20-34	7	8.9	42	2	2	9	11	19	21	21	
35-49	17	6.9	43	1	2	5	9	18	22	24	
50-64	66	5.3	31	1	2	4	6	9	18	30	
65+	40	6.0	57	1	1	4	6	12	24	39	
B. Operated											
0-19 YRS	4	4.0	16	2	2	2	6	10	10	10	
20-34	13	11.5	121	2	3	7	15	27	38	41	
35-49	89	8.5	104	1	1	2	12	22	32	43	
50-64	359	9.5	116	1	1	4	14	22	30	54	
65+	290	8.7	113	1	2	3	13	25	33	87	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8	
20-34	6	9.7	184	1	1	4	8	34	37	37	
35-49	21	6.6	15	2	2	6	10	13	14	14	
50-64	99	9.6	130	1	2	6	11	22	40	54	
65+	99	10.4	86	2	2	7	13	26	31	43	
B. Operated											
0-19 YRS											
20-34	9	14.7	100	<1	4	12	17	30	38	38	
35-49	82	15.7	201	2	2	12	23	33	48	90	
50-64	333	19.0	341	2	2	15	25	50	68	99+	
65+	297	17.5	254	2	2	14	25	41	56	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	131	5.9	41	1	1	4	6	12	21	32	
B. Operated											
	755	9.1	113	1	2	3	14	24	32	54	
2. MULTIPLE DX											
A. Not Operated											
	228	9.6	100	1	2	6	11	21	35	49	
B. Operated											
	721	18.0	287	2	2	14	25	42	61	99+	
1. SINGLE DX											
	886	8.6	104	1	2	3	13	22	31	52	
2. MULTIPLE DX											
	949	16.0	255	2	2	12	22	39	55	99+	
A. NOT OPERATED											
	359	8.2	82	1	2	5	10	18	29	43	
B. OPERATED											
	1476	13.4	217	1	2	9	20	32	48	99	
TOTAL 0-19 YRS											
	8	4.4	11	1	1	4	7	9	10	10	
20-34	35	11.5	105	1	2	9	14	24	38	41	
35-49	209	11.0	142	1	2	6	17	30	35	61	
50-64	857	12.9	223	1	2	7	19	32	49	80	
65+	726	12.4	183	2	2	8	18	31	43	99+	
GRAND TOTAL											
	1835	12.4	195	1	2	7	18	31	43	86	

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	22	3.7	3	<1	1	4	5	6	7	7
20-34	7	3.7	6	1	1	3	6	7	7	7
35-49	14	5.7	14	<1	2	5	7	10	15	16
50-64	28	7.3	46	<1	<1	6	9	15	24	30
65+	13	4.3	32	<1	<1	1	5	16	17	17
<i>B. Operated</i>										
0-19 YRS	53	9.3	56	<1	2	8	13	19	26	34
20-34	58	9.8	74	1	3	8	12	19	25	45
35-49	69	9.0	48	2	2	7	12	19	23	36
50-64	99	10.2	97	1	2	9	13	21	25	58
65+	94	10.0	98	1	2	5	15	24	30	47
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	35	6.1	34	2	2	4	7	10	17	32
20-34	22	10.3	264	2	2	5	8	21	47	78
35-49	32	6.6	22	2	2	5	8	14	15	21
50-64	51	11.4	173	1	2	7	13	26	37	75
65+	73	12.7	98	3	3	9	17	31	36	86
<i>B. Operated</i>										
0-19 YRS	20	13.3	254	1	2	10	14	29	54	71
20-34	23	17.0	253	1	2	14	25	32	54	70
35-49	44	14.1	123	2	3	13	19	32	42	99+
50-64	97	17.5	271	2	2	13	25	41	55	96
65+	176	19.5	288	2	3	15	28	41	61	70
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>										
	84	5.3	25	<1	1	4	7	12	16	28
<i>B. Operated</i>										
	373	9.8	78	1	2	8	13	20	25	43
2. MULTIPLE DX										
<i>A. Not Operated</i>										
	213	10.1	116	2	2	6	13	23	32	76
<i>B. Operated</i>										
	360	17.8	261	2	3	13	25	39	57	88
1. SINGLE DX										
	457	8.9	71	1	2	6	12	19	24	40
2. MULTIPLE DX										
	573	14.9	220	2	2	10	20	33	45	77
A. NOT OPERATED										
	297	8.8	95	1	2	6	11	19	30	61
B. OPERATED										
	733	13.7	184	2	2	10	18	30	41	70
TOTAL										
0-19 YRS	130	8.1	79	1	2	5	10	17	24	45
20-34	110	11.0	152	1	2	8	13	25	29	73
35-49	159	9.6	69	2	2	7	13	21	25	52
50-64	275	12.7	179	1	2	9	16	29	41	74
65+	356	15.0	210	1	2	11	21	32	44	68
GRAND TOTAL										
	1030	12.3	163	1	2	8	16	29	37	70

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3	
20-34	2	8.5	25	5	5	8	12	12	12	12	
35-49	7	5.3	9	1	1	5	8	9	9	9	
50-64	14	10.3	93	1	1	6	18	26	31	32	
65+	14	10.4	89	<1	1	10	16	20	32	35	
B. Operated											
0-19 YRS	9	7.9	70	<1	<1	6	11	21	27	27	
20-34	74	5.1	18	1	2	4	7	10	14	22	
35-49	126	6.5	24	1	2	5	9	12	17	23	
50-64	178	6.5	25	1	2	5	9	13	16	24	
65+	129	8.3	53	1	1	6	11	18	23	37	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	11	7.4	17	3	4	6	10	14	15	15	
35-49	16	8.9	116	1	2	5	11	18	36	44	
50-64	58	10.5	166	2	2	7	13	18	33	76	
65+	38	10.6	121	3	3	7	12	19	30	64	
B. Operated											
0-19 YRS	1	7.0		7	7	7	7	7	7	7	
20-34	31	9.9	43	3	4	8	13	18	27	28	
35-49	66	8.9	71	1	2	6	11	18	21	49	
50-64	142	12.6	125	2	3	9	15	25	36	59	
65+	149	11.8	97	2	2	8	17	27	30	47	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	39	8.9	71	1	1	6	13	20	29	35	
B. Operated											
	516	6.8	32	1	2	5	9	14	18	26	
2. MULTIPLE DX											
A. Not Operated											
	123	10.0	131	2	3	7	12	17	30	67	
B. Operated											
	389	11.4	99	2	2	8	15	25	30	48	
1. SINGLE DX											
	555	7.0	35	1	2	5	9	14	19	27	
2. MULTIPLE DX											
	512	11.1	107	2	3	8	14	23	30	54	
A. NOT OPERATED											
	162	9.7	116	1	2	6	12	18	30	63	
B. OPERATED											
	905	8.8	66	1	2	6	11	19	25	40	
TOTAL											
0-19 YRS	12	6.8	56	<1	<1	5	9	17	26	27	
20-34	118	6.7	28	1	2	5	9	14	16	27	
35-49	215	7.4	45	1	2	5	10	14	18	40	
50-64	392	9.4	91	1	2	7	11	20	25	51	
65+	330	10.3	84	1	2	7	14	23	29	41	
GRAND TOTAL											
	1067	8.9	74	1	2	6	11	19	25	42	

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	9	4.4	6	2	2	4	6	8	9	9
65+	19	7.8	43	1	2	7	12	19	20	21
B. Operated										
0-19 YRS	9	1.6		<1	<1	2	2	2	2	2
20-34	49	2.6	5	<1	<1	2	3	6	7	12
35-49	161	2.8	8	<1	<1	2	3	5	9	11
50-64	465	3.1	9	<1	<1	2	3	7	9	16
65+	685	3.5	14	<1	<1	2	4	8	11	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	27.8	1458	7	7	9	47	85	85	85
50-64	31	6.5	34	1	1	4	9	16	19	22
65+	47	12.5	275	1	1	7	14	34	63	99+
B. Operated										
0-19 YRS	4	8.3	98	1	1	5	15	22	22	22
20-34	10	8.3	93	1	1	3	19	23	26	26
35-49	78	5.1	49	<1	<1	2	5	10	19	41
50-64	322	5.0	47	<1	1	3	5	11	19	38
65+	842	7.3	91	1	2	3	9	17	26	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	6.5	32	2	2	4	8	16	19	21
B. Operated	1369	3.3	11	<1	<1	2	3	7	10	19
2. MULTIPLE DX										
A. Not Operated	84	10.8	242	1	1	6	12	26	52	95
B. Operated	1256	6.6	78	<1	1	3	8	15	24	57
1. SINGLE DX	1399	3.3	12	<1	<1	2	3	7	10	20
2. MULTIPLE DX	1340	6.8	89	1	1	3	8	16	25	58
A. NOT OPERATED	114	9.7	189	1	2	6	12	20	34	90
B. OPERATED	2625	4.8	46	<1	1	2	5	11	17	41
TOTAL 0-19 YRS	14	3.5	33	<1	<1	2	2	10	19	22
20-34	61	3.5	22	<1	<1	2	3	7	15	25
35-49	244	3.9	50	<1	<1	2	3	8	11	29
50-64	827	4.0	26	<1	<1	2	4	9	13	25
65+	1593	5.8	67	<1	1	3	6	13	21	57
GRAND TOTAL	2739	5.0	53	<1	1	3	5	12	18	46

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	8	6.3	80	<1	<1	2	7	22	27	27
35-49	52	7.2	75	<1	1	5	8	17	21	49
50-64	109	6.8	62	<1	1	5	7	14	18	46
65+	76	10.7	124	1	3	8	12	25	34	58
B. Operated										
0-19 YRS	5	2.2	5	<1	<1	1	3	6	6	6
20-34	131	7.5	14	1	2	8	10	12	14	33
35-49	842	7.8	18	2	2	8	10	12	14	25
50-64	1331	8.6	18	2	4	8	10	13	15	23
65+	1240	9.4	23	3	4	9	11	14	17	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	19	9.6	194	<1	<1	4	13	46	77	99+
35-49	205	11.9	152	1	2	9	15	26	31	64
50-64	586	11.9	122	1	2	9	15	27	36	64
65+	673	14.3	191	2	2	10	18	32	43	85
B. Operated										
0-19 YRS	5	16.0	88	5	5	17	24	26	26	26
20-34	102	9.4	32	2	4	8	12	15	17	35
35-49	767	10.3	42	3	5	9	12	17	22	45
50-64	1687	11.7	71	3	5	10	13	19	26	51
65+	2239	13.6	104	4	6	11	16	25	34	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	8.1	86	<1	1	5	9	17	27	50
B. Operated	3549	8.6	20	2	3	8	10	13	16	25
2. MULTIPLE DX										
A. Not Operated	1485	13.0	159	1	2	9	17	29	39	79
B. Operated	4800	12.3	83	4	5	10	14	22	29	58
1. SINGLE DX	3794	8.6	24	2	3	8	10	13	16	27
2. MULTIPLE DX	6285	12.5	101	3	4	10	14	24	32	63
A. NOT OPERATED	1730	12.3	152	1	2	9	16	28	38	74
B. OPERATED	8349	10.7	59	3	4	9	12	17	24	49
TOTAL 0-19 YRS	12	9.7	80	<1	<1	7	16	25	26	26
20-34	260	8.3	36	1	2	8	11	14	16	32
35-49	1866	9.2	46	2	3	8	11	15	20	40
50-64	3713	10.4	62	2	4	9	12	18	25	47
65+	4228	12.4	99	3	4	10	14	23	32	64
GRAND TOTAL	10079	11.0	76	2	4	9	13	19	27	55

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	11	4.8	2	3	3	4	6	7	8	8
35-49	78	6.2	38	1	2	4	5	16	24	27
50-64	99	5.6	27	2	2	4	5	11	18	29
65+	70	6.7	137	1	1	4	5	14	24	76
B. Operated										
0-19 YRS	6	5.2	7	3	3	4	6	10	10	10
20-34	172	5.8	33	1	1	4	8	11	17	25
35-49	183	7.0	35	2	2	5	9	15	21	27
50-64	215	6.4	48	2	2	4	7	13	18	42
65+	108	7.8	101	2	2	5	8	13	22	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	51	99+	99+	99+	99+
20-34	13	5.4	18	1	1	4	8	12	14	15
35-49	74	12.0	164	1	3	6	14	34	41	55
50-64	115	10.3	133	1	2	7	12	26	34	62
65+	103	13.8	167	2	3	9	18	36	42	56
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	89	9.0	98	1	2	7	10	19	26	59
35-49	147	11.6	90	2	2	9	16	24	31	44
50-64	223	14.3	237	2	2	9	18	32	54	74
65+	191	13.9	205	2	3	9	18	34	47	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	6.1	59	1	2	4	5	13	21	35
B. Operated	684	6.6	49	2	2	4	8	13	19	43
2. MULTIPLE DX										
A. Not Operated	306	11.7	150	1	2	7	15	29	39	59
B. Operated	651	12.8	178	2	2	8	16	29	44	72
1. SINGLE DX	942	6.5	52	1	2	4	7	13	20	41
2. MULTIPLE DX	957	12.4	169	2	2	8	16	29	42	71
A. NOT OPERATED	564	9.1	116	1	2	5	10	22	34	54
B. OPERATED	1335	9.6	121	2	2	6	11	22	31	63
TOTAL 0-19 YRS	8	4.8	6	3	3	4	7	64	99+	99+
20-34	285	6.8	53	1	2	5	8	13	20	41
35-49	482	9.0	78	2	2	6	11	20	28	42
50-64	652	9.7	137	2	2	5	11	22	34	69
65+	472	11.4	172	2	2	6	14	28	42	72
GRAND TOTAL	1899	9.5	120	2	2	6	11	22	32	60

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	17	4.3	9	1	2	3	5	10	12	12
50-64	88	5.6	58	2	2	4	5	10	19	49
65+	97	5.9	36	1	2	4	6	11	19	36
B. Operated										
0-19 YRS	4	18.0	719	<1	<1	6	33	58	58	58
20-34	18	7.7	23	1	2	7	9	12	19	23
35-49	99	6.1	26	<1	1	6	8	10	15	28
50-64	537	6.7	22	1	2	7	9	12	14	24
65+	414	8.1	52	2	2	7	11	14	18	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	17	1	1	7	8	9	9	9
20-34	3	5.3	14	1	1	7	8	8	8	8
35-49	22	4.5	19	<1	1	4	5	10	16	17
50-64	139	7.7	71	1	2	5	9	16	22	47
65+	184	11.3	140	1	2	6	16	28	35	65
B. Operated										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	24	5.9	21	<1	1	4	9	11	14	20
35-49	136	9.1	66	1	2	8	11	19	22	41
50-64	774	10.0	79	2	2	8	12	18	25	46
65+	754	13.0	131	2	3	10	16	26	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	5.6	42	2	2	4	5	10	19	44
B. Operated	1072	7.2	37	1	2	7	9	13	16	29
2. MULTIPLE DX										
A. Not Operated	351	9.3	107	1	2	5	11	22	31	57
B. Operated	1691	11.2	103	2	2	9	13	21	30	58
1. SINGLE DX	1279	7.0	38	1	2	6	9	13	16	30
2. MULTIPLE DX	2042	10.9	104	2	2	8	13	21	31	57
A. NOT OPERATED	558	8.0	86	1	2	5	8	19	27	52
B. OPERATED	2763	9.6	81	2	2	8	12	18	25	48
TOTAL 0-19 YRS	11	10.2	258	<1	1	6	8	29	56	58
20-34	49	6.4	20	1	1	7	8	11	12	23
35-49	274	7.4	47	1	1	7	9	15	20	33
50-64	1538	8.4	60	1	2	7	10	15	21	44
65+	1449	10.9	109	2	2	8	13	22	31	61
GRAND TOTAL	3321	9.4	82	2	2	8	11	18	26	48

249 PAS Hospitals, Northeastern Region, January-December 1979

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7	
20-34	6	3.8	7	1	1	3	7	7	7	7	
35-49	50	3.8	12	<1	1	3	5	9	11	17	
50-64	195	3.2	12	<1	1	2	4	7	10	19	
65+	96	5.6	64	1	1	3	6	12	20	48	
B. Operated											
0-19 YRS	8	9.3	13	5	5	9	12	14	14	14	
20-34	29	8.8	10	5	6	8	10	12	16	19	
35-49	56	11.8	44	6	7	9	13	24	26	32	
50-64	121	13.1	66	4	6	11	16	23	33	43	
65+	60	15.5	68	6	8	14	20	24	29	52	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	4	9.8	91	4	4	5	15	24	24	24	
20-34	13	3.3	21	1	1	2	3	8	16	18	
35-49	111	5.3	46	1	1	3	6	15	24	58	
50-64	321	6.7	79	1	1	4	7	17	23	50	
65+	288	9.1	115	1	2	5	11	21	30	61	
B. Operated											
0-19 YRS	5	14.6	120	7	7	11	17	34	34	34	
20-34	48	13.1	161	4	6	10	14	22	29	80	
35-49	147	16.8	165	7	7	13	20	31	48	85	
50-64	364	17.8	138	6	8	14	22	34	44	61	
65+	327	21.8	184	7	9	19	27	40	51	80	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	349	4.0	27	<1	1	2	5	8	12	24	
B. Operated											
	274	12.8	58	5	6	10	16	23	27	41	
2. MULTIPLE DX											
A. Not Operated											
	737	7.4	89	1	1	4	8	18	25	53	
B. Operated											
	891	18.8	166	7	8	16	23	35	47	76	
1. SINGLE DX											
	623	7.8	60	1	1	6	11	17	23	37	
2. MULTIPLE DX											
	1628	13.7	164	1	2	10	19	29	41	70	
A. NOT OPERATED											
	1086	6.3	72	1	1	3	7	16	22	49	
B. OPERATED											
	1165	17.4	147	6	7	14	21	32	43	71	
TOTAL 0-19 YRS											
	19	10.3	57	3	4	8	11	20	29	34	
20-34	96	9.9	99	1	2	8	11	17	22	67	
35-49	364	10.7	119	1	1	8	14	24	31	67	
50-64	1001	10.8	121	1	1	8	15	24	33	54	
65+	771	14.5	178	1	2	11	21	32	42	72	
GRAND TOTAL											
	2251	12.0	142	1	2	9	17	26	35	63	

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	4	4.0	2	2	2	4	5	5	5	5	
35-49	2	6.0	50	1	1	11	78	99+	99+	99+	
50-64	13	3.2	8	1	1	2	3	8	10	11	
65+	18	5.4	53	1	1	3	5	15	25	30	
B. Operated											
0-19 YRS											
20-34	11	2.7	2	<1	<1	3	4	5	5	5	
35-49	17	13.8	258	<1	<1	5	20	44	50	52	
50-64	34	7.4	58	1	2	5	11	16	21	37	
65+	85	10.2	110	2	2	7	14	23	27	86	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	14.5	313	2	2	14	27	27	27	27	
20-34	4	12.5	108	6	6	8	18	28	28	28	
35-49	4	1.3		1	1	1	2	2	2	2	
50-64	20	9.1	65	1	2	7	15	26	62	99+	
65+	31	14.7	273	1	3	8	20	45	70	99+	
B. Operated											
0-19 YRS	1	4.0		4	4	4	4	4	4	4	
20-34	5	10.4	56	3	3	8	16	21	21	21	
35-49	15	12.7	113	2	2	8	20	27	33	35	
50-64	57	16.6	276	3	3	12	20	40	57	99+	
65+	147	20.6	278	2	4	17	27	48	62	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	37	4.5	30	1	1	3	5	11	25	99+	
B. Operated	147	9.4	112	1	2	5	13	22	28	61	
2. MULTIPLE DX											
A. Not Operated	61	11.8	182	1	2	7	16	33	57	99+	
B. Operated	225	18.8	267	2	3	15	25	42	56	99+	
1. SINGLE DX	184	8.4	99	1	2	5	11	22	28	85	
2. MULTIPLE DX	286	17.3	256	2	3	13	24	42	56	99+	
A. NOT OPERATED	98	9.1	137	1	1	5	12	29	46	99+	
B. OPERATED	372	15.1	226	2	2	11	20	36	52	98	
TOTAL 0-19 YRS	3	11.0	193	2	2	4	21	27	27	27	
20-34	24	6.2	42	<1	<1	4	7	16	23	28	
35-49	38	11.6	172	<1	1	6	20	34	50	99+	
50-64	124	11.5	177	2	2	8	15	26	44	99+	
65+	281	15.9	239	2	2	11	22	41	55	99+	
GRAND TOTAL	470	13.8	213	2	2	9	19	35	51	99+	

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	4	4.0	16	2	2	2	6	10	10	10
50-64	30	7.0	171	1	1	3	7	14	19	72
65+	122	7.3	38	1	2	6	10	15	18	36
B. Operated										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49	11	9.3	57	1	1	10	12	20	25	26
50-64	350	8.5	38	2	2	7	11	16	22	32
65+	1182	9.8	51	2	3	9	12	18	21	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.7	17	4	4	10	11	12	12	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	5.2	16	1	1	5	6	12	14	14
50-64	168	9.4	77	1	1	8	13	19	27	49
65+	889	12.4	149	2	3	9	16	28	38	83
B. Operated										
0-19 YRS	4	25.5	134	12	12	25	33	40	40	40
20-34	1	11.0		11	11	11	11	11	11	11
35-49	15	15.9	158	3	3	14	18	28	46	52
50-64	535	13.1	99	2	4	11	17	25	34	73
65+	2836	14.3	110	3	5	12	18	27	35	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	157	7.2	62	1	1	5	10	15	18	40
B. Operated	1544	9.5	48	2	3	8	12	17	21	34
2. MULTIPLE DX										
A. Not Operated	1070	11.9	138	1	2	9	15	27	37	80
B. Operated	3391	14.1	109	3	5	12	18	27	34	59
1. SINGLE DX	1701	9.3	50	2	2	8	12	17	21	35
2. MULTIPLE DX	4461	13.6	117	2	4	11	17	27	35	61
A. NOT OPERATED	1227	11.3	130	1	2	8	14	25	35	73
B. OPERATED	4935	12.7	94	2	4	10	16	24	31	54
TOTAL										
0-19 YRS	8	17.5	137	4	6	12	25	36	40	40
20-34	3	12.7	134	2	2	11	21	25	25	25
35-49	39	10.3	101	1	1	8	14	23	28	52
50-64	1083	10.9	82	2	2	9	14	22	29	53
65+	5029	12.7	105	2	4	10	16	25	33	56
GRAND TOTAL	6162	12.4	102	2	3	10	16	24	32	55

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.3	5	4	4	6	8	9	9	9
20-34	41	5.1	9	1	1	5	6	9	10	16
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	4	3.5	3	2	2	3	5	5	5	5
65+										
B. Operated										
0-19 YRS	19	6.3	32	1	2	4	7	17	20	21
20-34	123	8.4	40	2	3	7	10	17	24	29
35-49	45	8.0	21	3	3	8	10	13	15	28
50-64	27	7.3	25	2	3	5	10	16	18	20
65+	17	16.9	406	3	4	11	20	30	69	89
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.8	27	3	3	5	8	16	16	16
20-34	43	7.3	28	1	2	7	10	15	17	24
35-49	4	7.5	9	5	5	7	10	11	11	11
50-64	7	7.9	14	4	4	7	11	13	13	13
65+										
B. Operated										
0-19 YRS	5	11.0	142	1	1	3	23	25	25	25
20-34	48	15.2	207	4	5	12	17	23	48	82
35-49	24	12.0	55	3	3	10	16	25	26	27
50-64	25	14.5	92	3	5	13	19	30	34	38
65+	39	15.3	245	2	3	10	20	24	53	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	4.9	8	1	1	5	6	9	10	16
B. Operated	231	8.7	65	2	3	7	10	17	23	33
2. MULTIPLE DX										
A. Not Operated	59	7.4	24	2	2	6	10	15	17	23
B. Operated	141	14.4	167	3	4	11	17	24	35	81
1. SINGLE DX	283	8.0	57	2	3	6	9	16	21	31
2. MULTIPLE DX	200	12.3	135	2	3	9	16	23	28	72
A. NOT OPERATED	111	6.2	18	1	2	5	8	12	16	20
B. OPERATED	372	10.8	111	2	3	8	14	21	25	62
TOTAL										
0-19 YRS	33	7.1	43	1	2	5	8	19	23	25
20-34	255	9.0	74	2	3	7	10	17	24	45
35-49	76	9.0	35	3	3	8	11	16	24	28
50-64	63	10.0	62	2	3	7	14	19	30	37
65+	56	15.8	288	3	4	11	20	24	53	89
GRAND TOTAL	483	9.8	93	2	3	7	12	19	24	53

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	30	4.7	25	1	1	3	6	11	17	22
65+	103	7.5	94	1	1	4	8	24	30	47
B. Operated										
0-19 YRS	5	6.0	6	2	2	6	8	8	8	8
20-34	27	4.4	24	1	2	3	5	7	12	27
35-49	169	6.0	42	1	2	4	6	15	24	29
50-64	1020	5.9	40	1	2	4	7	12	19	32
65+	1804	7.1	52	2	2	5	8	14	20	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	4.0	7	<1	<1	5	6	6	6	6
35-49	4	6.3	44	2	2	4	10	16	16	16
50-64	88	7.5	61	1	1	5	9	18	24	39
65+	290	12.7	188	1	2	8	17	28	43	82
B. Operated										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	12	12.7	113	1	2	11	22	28	29	29
35-49	73	8.8	79	2	2	6	11	20	28	43
50-64	819	10.4	118	2	2	6	14	23	31	58
65+	2631	11.8	134	2	2	8	15	26	35	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	6.8	78	1	1	3	7	18	27	44
B. Operated	3025	6.6	47	1	2	5	8	14	20	36
2. MULTIPLE DX										
A. Not Operated	386	11.4	161	1	2	7	15	26	38	73
B. Operated	3538	11.4	130	2	2	8	15	25	34	62
1. SINGLE DX	3161	6.6	48	1	2	4	8	14	21	36
2. MULTIPLE DX	3924	11.4	133	2	2	8	15	25	35	63
A. NOT OPERATED	522	10.2	143	1	2	6	13	24	35	67
B. OPERATED	6563	9.2	97	2	2	6	11	21	29	53
TOTAL 0-19 YRS	9	4.9	7	<1	1	6	7	8	8	8
20-34	43	6.7	59	1	1	3	6	21	27	29
35-49	248	6.8	54	1	2	4	7	16	24	38
50-64	1957	7.8	78	1	2	5	9	19	25	47
65+	4828	10.0	111	2	2	7	12	22	31	58
GRAND TOTAL	7085	9.3	101	2	2	6	11	21	29	54

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	8	3.6	4	<1	<1	4	5	6	7	7
35-49	16	2.1	4	1	1	1	2	5	7	8
50-64	13	5.6	18	2	2	4	7	11	16	17
65+	14	9.3	37	2	3	9	12	18	22	23
B. Operated										
0-19 YRS	6	16.0	96	8	8	12	20	33	34	34
20-34	6	13.8	58	4	4	13	21	24	24	24
35-49	58	11.6	24	2	5	11	14	19	20	25
50-64	154	14.1	60	2	5	13	17	24	29	40
65+	138	15.5	64	3	5	14	20	26	32	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.4	10	<1	<1	4	6	9	10	10
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	22	14.4	275	1	2	10	20	34	53	70
50-64	122	9.2	77	1	2	7	13	18	24	49
65+	108	16.8	192	3	4	14	23	36	43	99+
B. Operated										
0-19 YRS	8	13.3	99	2	2	12	17	29	33	33
20-34	7	17.3	33	10	10	16	20	26	27	27
35-49	65	17.9	193	4	9	14	20	34	43	81
50-64	272	19.5	172	4	7	17	24	34	45	91
65+	397	22.4	237	5	9	18	28	40	57	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	5.2	24	1	1	4	7	12	17	23
B. Operated	362	14.3	57	3	5	13	18	24	29	38
2. MULTIPLE DX										
A. Not Operated	265	12.5	151	1	2	9	18	29	37	80
B. Operated	749	20.8	209	5	8	17	25	37	52	91
1. SINGLE DX	413	13.2	62	2	3	12	17	23	28	37
2. MULTIPLE DX	1014	18.6	207	2	4	16	24	36	47	89
A. NOT OPERATED	316	11.3	138	1	2	8	15	24	36	79
B. OPERATED	1111	18.7	169	4	7	16	23	34	42	81
TOTAL 0-19 YRS	33	8.5	69	<1	1	5	11	20	31	34
20-34	15	14.5	48	4	4	14	20	24	26	27
35-49	161	13.6	144	1	1	11	17	25	34	70
50-64	561	15.5	136	2	3	14	20	29	37	73
65+	657	19.7	200	4	6	17	24	36	47	91
GRAND TOTAL	1427	17.0	171	2	4	14	22	33	41	79

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34	1	1.0		1	1	1	1	1	1	1	
35-49	1	2.0		2	2	2	2	2	2	2	
50-64	7	5.9	8	2	2	6	7	10	11	11	
65+	2	5.0	32	1	1	5	9	9	9	9	
B. Operated											
0-19 YRS	5	5.8	10	2	2	7	8	9	9	9	
20-34	7	4.9	5	1	2	5	7	8	8	8	
35-49	10	3.7	6	1	1	3	5	7	9	9	
50-64	26	4.4	14	1	2	4	4	7	11	21	
65+	24	5.2	12	1	2	4	6	9	15	16	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	2.0		2	2	2	2	2	2	2	
20-34	1	4.0		4	4	4	4	4	4	4	
35-49	3	13.0	13	9	9	14	15	16	16	16	
50-64	8	4.8	11	2	2	4	7	10	11	11	
65+	13	9.4	46	2	3	6	15	20	22	23	
B. Operated											
0-19 YRS											
20-34	2	12.0	200	2	2	12	22	22	22	22	
35-49	2	5.0	2	4	4	5	6	6	6	6	
50-64	13	4.6	6	1	2	4	6	8	9	9	
65+	22	13.5	211	3	3	7	17	34	47	64	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	12	4.7	11	1	1	4	7	10	11	11	
B. Operated											
	72	4.7	11	1	2	4	6	8	9	20	
2. MULTIPLE DX											
A. Not Operated											
	27	7.7	36	2	2	5	12	16	20	23	
B. Operated											
	39	10.1	143	2	2	6	10	21	35	64	
1. SINGLE DX	84	4.7	11	1	2	4	6	8	10	19	
2. MULTIPLE DX	66	9.1	99	2	2	6	11	19	25	59	
A. NOT OPERATED	39	6.7	29	1	2	5	9	15	18	23	
B. OPERATED	111	6.6	63	1	2	4	7	14	20	47	
TOTAL 0-19 YRS											
	8	4.4	9	2	2	3	7	9	9	9	
20-34	11	5.7	34	1	1	4	7	14	21	22	
35-49	16	5.5	20	1	1	4	7	14	15	16	
50-64	54	4.7	11	2	2	4	6	8	10	21	
65+	61	9.1	102	2	3	6	11	19	27	61	
GRAND TOTAL	150	6.6	54	1	2	4	7	14	19	36	

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	4.4	12	<1	<1	3	7	9	11	11
20-34	19	6.5	17	1	1	6	10	12	13	13
35-49	29	14.3	346	2	2	7	14	45	63	75
50-64	78	11.0	238	1	2	5	13	31	52	99
65+	36	17.6	200	2	2	15	26	34	48	57
B. Operated										
0-19 YRS	28	15.4	46	5	8	14	19	26	28	30
20-34	40	18.1	86	7	8	16	22	32	36	44
35-49	47	18.8	190	3	7	16	22	27	53	76
50-64	90	22.2	220	6	8	20	27	42	57	73
65+	57	26.6	416	4	7	22	32	62	82	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	8.0	119	<1	1	4	18	50	99+	99+
20-34	24	8.1	146	1	1	4	8	19	37	55
35-49	49	10.4	143	2	2	6	14	21	29	72
50-64	88	17.5	342	1	2	11	19	45	58	86
65+	85	23.3	436	4	5	17	35	66	84	99+
B. Operated										
0-19 YRS	27	22.1	305	5	7	17	29	45	64	79
20-34	28	22.5	312	2	4	18	31	53	62	62
35-49	35	30.5	551	8	11	23	55	88	99+	99+
50-64	87	30.8	449	7	9	26	41	61	75	92
65+	70	33.0	282	11	15	31	43	64	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	11.6	212	1	2	7	14	29	50	89
B. Operated	262	21.2	228	6	8	18	25	39	57	89
2. MULTIPLE DX										
A. Not Operated	267	16.4	331	1	2	10	21	46	71	99+
B. Operated	247	29.5	395	6	9	24	41	63	78	99+
1. SINGLE DX	445	17.3	244	2	2	13	23	34	54	91
2. MULTIPLE DX	514	22.7	403	2	3	17	33	56	73	99+
A. NOT OPERATED	450	14.5	288	1	2	9	18	40	56	99+
B. OPERATED	509	25.2	326	6	8	21	32	55	69	99+
TOTAL 0-19 YRS	97	13.3	169	1	1	10	20	30	43	99+
20-34	111	15.1	181	1	2	12	19	33	44	62
35-49	160	18.0	332	2	3	13	22	54	71	99+
50-64	343	20.6	361	2	3	15	27	48	62	91
65+	248	26.0	376	4	6	22	35	56	77	99+
GRAND TOTAL	959	20.2	336	2	3	15	27	49	66	99+

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	6	12.7	383	<1	<1	2	19	47	50	50	
20-34											
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1	
50-64	2	26.0	512	10	10	26	42	42	42	42	
65+	3	11.3	32	5	5	13	15	16	16	16	
B. Operated											
0-19 YRS	2	46.0	3872	2	2	46	90	90	90	90	
20-34	1	48.0		48	48	48	48	48	48	48	
35-49	5	18.6	49	10	10	17	24	28	28	28	
50-64	10	22.3	418	4	6	16	23	54	75	75	
65+	4	10.8	124	2	2	7	17	27	27	27	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	4.3		4	4	4	5	5	5	5	
20-34	4	27.8	675	8	8	18	42	66	66	66	
35-49	3	25.3	804	7	7	11	46	58	58	58	
50-64	3	13.0	31	8	8	12	17	19	19	19	
65+	12	21.0	479	2	5	11	24	63	70	71	
B. Operated											
0-19 YRS	5	10.8	109	2	2	10	15	28	28	28	
20-34	3	18.3	129	9	9	15	27	31	31	31	
35-49	6	27.5	230	9	9	30	42	43	43	43	
50-64	10	24.6	115	4	10	31	51	99+	99+	99+	
65+	13	22.5	234	2	2	31	35	99+	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	12	13.6	271	<1	<1	7	17	44	49	50	
B. Operated	22	22.7	504	2	3	16	27	56	81	90	
2. MULTIPLE DX											
A. Not Operated	25	19.6	424	3	4	11	19	59	67	71	
B. Operated	37	21.9	184	2	3	27	35	99+	99+	99+	
1. SINGLE DX	34	19.5	431	<1	1	14	23	48	70	90	
2. MULTIPLE DX	62	21.0	277	2	3	19	34	65	99+	99+	
A. NOT OPERATED	37	17.7	374	<1	1	11	19	56	64	71	
B. OPERATED	59	22.2	297	2	3	23	34	76	99+	99+	
TOTAL 0-19 YRS	16	14.7	574	<1	<1	4	15	48	78	90	
20-34	8	26.8	422	8	8	18	39	61	66	66	
35-49	15	22.3	262	2	7	17	34	43	54	58	
50-64	25	22.4	238	4	8	22	34	92	99+	99+	
65+	32	19.4	295	2	2	15	31	60	94	99+	
GRAND TOTAL	96	20.5	328	1	3	17	32	58	94	99+	

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	23	1.8	4	<1	<1	<1	1	4	6	9	
20-34	9	3.2	2	1	1	3	4	6	6	6	
35-49	12	5.2	41	2	2	3	5	14	23	24	
50-64	12	4.0	13	1	1	3	4	8	14	15	
65+	5	5.4	16	1	1	6	8	11	11	11	
B. Operated											
0-19 YRS	20	7.0	24	1	2	5	9	12	18	22	
20-34	67	5.3	5	3	3	5	6	8	9	14	
35-49	68	6.8	29	3	3	5	7	14	18	32	
50-64	63	8.7	48	3	4	6	11	15	24	40	
65+	37	7.8	19	2	3	7	10	13	16	22	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	15	2.9	5	<1	<1	3	5	6	7	8	
20-34	11	9.5	77	3	3	6	12	24	31	32	
35-49	14	7.4	112	1	2	4	8	13	36	43	
50-64	32	8.5	27	2	3	7	13	16	18	20	
65+	31	10.8	208	2	2	6	15	57	95	99+	
B. Operated											
0-19 YRS	14	15.1	123	1	2	11	25	34	36	36	
20-34	65	8.1	44	2	3	6	10	15	19	38	
35-49	77	8.1	43	2	3	7	9	14	20	38	
50-64	78	9.7	75	2	3	6	10	23	29	41	
65+	98	15.9	171	3	4	12	23	30	40	75	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	61	3.4	15	<1	<1	2	4	7	10	23	
B. Operated	255	7.0	27	3	3	5	8	13	16	29	
2. MULTIPLE DX											
A. Not Operated	103	8.3	99	1	2	5	11	18	35	99+	
B. Operated	332	11.1	102	2	3	8	13	25	32	44	
1. SINGLE DX	316	6.3	26	1	2	5	8	12	15	28	
2. MULTIPLE DX	435	10.4	103	2	3	7	13	24	32	68	
A. NOT OPERATED	164	6.5	73	<1	<1	4	8	15	20	94	
B. OPERATED	587	9.3	73	3	3	6	11	19	27	42	
TOTAL 0-19 YRS	72	6.0	55	<1	<1	3	8	13	25	36	
20-34	152	6.7	29	3	3	5	7	12	16	32	
35-49	171	7.4	43	2	3	5	8	14	19	39	
50-64	185	8.8	55	2	3	6	10	17	26	40	
65+	171	12.9	152	2	3	9	17	27	42	94	
GRAND TOTAL	751	8.7	75	2	3	6	10	18	26	44	

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	10	2.7	5	<1	<1	2	5	6	7	7	
20-34	30	4.1	16	<1	1	3	4	11	14	16	
35-49	76	8.1	105	1	1	5	9	19	31	53	
50-64	240	8.8	74	1	1	6	11	20	29	40	
65+	286	11.0	127	1	2	8	13	22	33	66	
B. Operated											
0-19 YRS	14	7.1	89	<1	1	2	13	23	26	27	
20-34	35	5.4	37	<1	1	4	9	13	16	32	
35-49	116	9.7	104	1	1	8	13	20	25	56	
50-64	354	11.8	142	1	2	9	16	24	33	69	
65+	409	11.9	152	1	2	9	16	24	32	74	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	35	7.3	56	1	1	6	9	13	20	41	
20-34	114	11.5	176	1	2	7	13	25	31	65	
35-49	631	11.7	117	1	2	8	16	26	34	53	
50-64	2290	11.8	137	2	2	8	15	26	35	62	
65+	3341	14.0	154	2	3	10	18	29	39	68	
B. Operated											
0-19 YRS	15	11.3	160	1	2	6	23	38	81	99+	
20-34	124	11.7	109	1	2	10	15	26	28	55	
35-49	616	15.3	183	2	3	12	20	33	44	77	
50-64	2043	16.2	201	2	3	12	22	34	46	77	
65+	2634	17.9	196	2	4	15	24	37	46	76	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	642	9.4	101	1	1	7	12	21	30	57	
B. Operated											
	928	11.3	138	1	2	9	15	24	32	70	
2. MULTIPLE DX											
A. Not Operated											
	6411	12.9	145	2	3	9	17	28	37	63	
B. Operated											
	5432	16.8	196	2	3	13	23	35	46	76	
1. SINGLE DX											
	1570	10.5	124	1	2	8	14	23	31	62	
2. MULTIPLE DX											
	11843	14.7	172	2	3	11	19	31	42	71	
A. NOT OPERATED											
	7053	12.6	142	2	2	9	16	27	37	63	
B. OPERATED											
	6360	16.0	191	2	3	12	22	34	44	75	
TOTAL 0-19 YRS											
	4	7.5	80	<1	1	5	9	21	34	85	
20-34	303	10.2	123	1	2	7	12	23	31	51	
35-49	1439	12.9	148	1	2	9	17	28	39	64	
50-64	4927	13.5	166	2	2	10	18	29	39	69	
65+	6670	15.3	174	2	3	12	20	32	42	73	
GRAND TOTAL											
	13413	14.2	168	2	3	11	19	31	41	70	

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.5	16	<1	1	2	4	8	11	19
20-34	92	3.8	41	<1	<1	2	4	7	12	40
35-49	42	6.2	58	<1	1	3	9	15	31	99+
50-64	27	6.4	74	<1	<1	4	7	17	21	42
65+	21	4.7	17	<1	1	3	6	9	14	19
B. Operated										
0-19 YRS	86	8.9	69	1	2	7	13	17	22	48
20-34	226	9.7	74	1	2	7	13	22	26	41
35-49	92	9.2	70	2	2	8	11	18	22	52
50-64	68	12.3	111	2	2	10	18	24	38	45
65+	41	14.7	134	2	3	13	19	26	38	62
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	8.7	32	1	1	8	14	16	18	18
20-34	54	6.7	40	1	1	4	10	15	20	24
35-49	42	9.6	106	<1	1	7	13	19	28	57
50-64	48	9.9	131	1	2	8	12	16	28	99+
65+	52	10.4	102	1	1	7	13	22	32	47
B. Operated										
0-19 YRS	24	8.7	31	1	2	9	13	17	18	19
20-34	84	13.7	142	3	4	10	16	30	38	64
35-49	52	14.8	142	3	4	9	21	29	39	56
50-64	93	15.4	107	2	4	13	21	28	37	49
65+	56	22.5	253	3	6	18	31	47	56	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	206	4.7	44	<1	<1	2	5	10	18	46
B. Operated										
	515	10.2	84	1	2	8	14	21	26	47
2. MULTIPLE DX										
A. Not Operated										
	207	9.1	90	1	1	7	12	19	24	66
B. Operated										
	311	15.6	156	2	4	13	20	32	42	59
1. SINGLE DX										
	721	8.6	79	1	1	6	12	19	25	47
2. MULTIPLE DX										
	518	13.0	140	1	2	10	17	28	38	59
A. NOT OPERATED										
	413	6.9	72	<1	1	4	9	16	22	53
B. OPERATED										
	826	12.3	118	2	2	9	16	26	35	56
TOTAL 0-19 YRS										
	147	8.0	55	1	1	6	11	17	19	34
20-34	456	8.9	86	1	1	6	12	20	26	49
35-49	228	10.0	98	1	1	8	13	22	29	57
50-64	236	12.3	117	1	2	10	17	26	37	57
65+	172	14.8	186	1	2	10	20	33	44	62
GRAND TOTAL										
	1239	10.5	109	1	1	8	14	22	31	56

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	161	4.3	34	<1	<1	1	6	11	17	31
20-34	16	7.9	88	<1	<1	2	14	23	27	29
35-49	11	9.4	59	<1	1	6	17	20	24	24
50-64	29	6.2	56	<1	1	3	8	14	22	35
65+	48	9.3	73	1	1	7	13	21	31	32
B. Operated										
0-19 YRS	49	10.1	154	<1	1	4	15	29	40	52
20-34	17	13.6	89	1	2	12	18	26	32	34
35-49	9	8.2	47	1	2	5	12	20	21	21
50-64	24	11.8	282	2	3	7	12	23	48	83
65+	34	9.9	114	1	2	8	12	17	37	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	6.8	140	<1	<1	2	8	15	28	69
20-34	9	14.3	225	1	1	8	24	38	44	44
35-49	15	5.8	13	<1	2	5	7	12	13	13
50-64	104	11.5	121	1	2	8	15	28	42	72
65+	240	11.8	107	2	3	9	15	23	28	58
B. Operated										
0-19 YRS	36	17.2	188	1	3	12	28	35	43	53
20-34	11	24.5	549	2	3	22	31	65	73	74
35-49	8	19.9	131	6	7	18	28	37	39	39
50-64	61	15.2	177	3	4	12	18	33	44	97
65+	153	17.2	219	4	5	13	20	36	45	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	5.9	51	<1	<1	3	8	16	21	32
B. Operated	133	10.7	149	1	1	7	12	27	34	57
2. MULTIPLE DX										
A. Not Operated	430	10.9	117	1	1	8	14	23	32	59
B. Operated	269	17.1	215	3	4	13	23	36	47	79
1. SINGLE DX	398	7.5	89	<1	<1	4	10	19	28	41
2. MULTIPLE DX	699	13.3	164	1	2	10	17	28	40	73
A. NOT OPERATED	695	9.0	98	<1	1	6	12	21	29	46
B. OPERATED	402	15.0	202	2	3	11	19	33	42	78
TOTAL 0-19 YRS	308	7.3	108	<1	<1	3	9	21	30	49
20-34	53	14.3	228	<1	1	10	22	30	42	74
35-49	43	9.8	75	1	2	6	14	22	27	39
50-64	218	11.8	151	1	2	8	15	28	41	88
65+	475	13.2	148	2	3	10	16	27	36	71
GRAND TOTAL	1097	11.2	144	<1	1	8	14	27	35	70

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	5.5	83	<1	<1	1	6	13	22	36
20-34	28	10.6	182	1	1	6	9	35	40	36
35-49	56	7.7	71	<1	1	5	9	20	29	35
50-64	59	12.0	221	<1	<1	6	12	37	46	60
65+	105	6.2	119	<1	<1	3	8	13	18	63
B. Operated										
0-19 YRS	15	14.9	306	1	1	5	25	43	53	57
20-34	22	18.1	310	<1	1	10	30	40	53	51
35-49	46	16.8	341	2	3	9	23	45	57	51
50-64	51	14.8	278	1	1	7	20	44	56	54
65+	56	16.1	305	3	4	10	20	38	55	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	6.3	50	<1	<1	5	7	10	22	36
20-34	33	11.3	152	2	2	8	12	32	38	53
35-49	53	9.2	109	1	2	6	10	26	39	42
50-64	105	10.6	139	1	1	7	15	28	38	30
65+	327	9.5	95	1	1	7	13	21	26	57
B. Operated										
0-19 YRS	19	20.0	227	1	3	18	28	44	52	53
20-34	33	29.7	370	5	6	32	40	60	75	99+
35-49	44	24.6	308	5	6	24	33	46	56	35
50-64	115	24.9	389	3	5	21	36	52	60	99
65+	198	20.9	346	3	5	14	31	49	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	302	7.9	134	<1	<1	4	9	20	32	57
B. Operated	190	16.1	302	1	2	9	23	40	56	30
2. MULTIPLE DX										
A. Not Operated	553	9.6	106	1	1	6	12	22	33	56
B. Operated	409	23.1	355	4	5	18	34	51	66	99+
1. SINGLE DX	492	11.1	214	<1	1	6	12	30	45	51
2. MULTIPLE DX	962	15.3	256	1	2	9	21	39	52	51
A. NOT OPERATED	855	9.0	116	<1	1	6	11	21	33	57
B. OPERATED	599	20.9	348	2	4	14	31	48	60	97
TOTAL 0-19 YRS	123	9.1	149	<1	<1	5	10	25	35	57
20-34	116	17.7	310	1	2	10	31	40	55	53
35-49	199	14.0	237	1	2	8	20	34	45	73
50-64	330	16.5	300	1	2	10	25	43	56	95
65+	686	12.8	219	1	1	8	16	32	45	89
GRAND TOTAL	1454	13.9	246	1	1	8	18	36	46	88

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	5.5	57	<1	<1	2	7	14	22	39
20-34	48	4.0	26	<1	<1	2	4	10	11	29
35-49	73	6.8	122	<1	1	4	8	13	19	75
50-64	190	7.1	82	<1	<1	3	9	19	24	40
65+	228	8.7	88	<1	1	6	12	18	25	45
B. Operated										
0-19 YRS	20	5.6	18	<1	1	5	8	11	14	17
20-34	65	10.5	85	1	1	9	14	22	34	40
35-49	134	9.2	82	2	2	7	12	19	25	55
50-64	294	10.1	79	1	2	7	14	23	30	43
65+	338	13.2	121	2	2	11	17	28	37	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	8.5	80	<1	<1	6	11	20	34	35
20-34	46	7.7	48	1	1	6	12	19	22	28
35-49	117	9.8	161	<1	1	6	12	22	33	70
50-64	459	10.4	107	1	1	7	15	24	32	60
65+	813	12.1	167	1	2	9	16	28	38	68
B. Operated										
0-19 YRS	24	19.3	377	2	4	14	29	61	88	99+
20-34	52	17.1	219	3	4	13	22	37	50	78
35-49	123	16.4	248	3	3	11	20	43	63	99+
50-64	464	17.8	221	3	3	14	24	39	49	91
65+	755	21.1	276	3	5	17	29	45	57	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	583	7.3	85	<1	1	4	10	16	23	44
B. Operated	851	11.1	98	1	2	9	15	24	33	47
2. MULTIPLE DX										
A. Not Operated	1466	11.6	144	1	2	8	15	26	35	65
B. Operated	1418	19.5	258	3	4	15	26	43	56	92
1. SINGLE DX	1434	9.6	96	1	1	7	13	22	30	46
2. MULTIPLE DX	2884	15.5	215	1	2	11	21	35	47	84
A. NOT OPERATED	2049	10.4	131	1	1	7	14	24	32	61
B. OPERATED	2269	16.3	214	2	3	12	22	36	48	83
TOTAL 0-19 YRS	119	9.1	146	<1	<1	5	11	24	34	89
20-34	211	10.0	117	<1	1	7	13	23	33	52
35-49	447	11.0	166	1	2	7	13	24	39	76
50-64	1407	12.4	151	1	2	9	17	28	39	69
65+	2134	15.4	209	2	3	11	20	34	46	78
GRAND TOTAL	4318	13.5	183	1	2	10	18	31	42	77

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	62	3.3	10	<1	<1	2	4	7	10	16
20-34	152	3.9	7	<1	2	3	5	6	7	20
35-49	183	3.8	5	1	2	4	5	6	7	11
50-64	236	4.1	13	1	2	4	5	6	8	14
65+	136	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	16.0		16	16	16	16	16	16	16
65+	3	7.3	32	<1	<1	9	11	12	12	12
B. Operated										
0-19 YRS	14	3.3	5	2	2	2	4	6	9	10
20-34	28	3.3	4	<1	2	3	4	6	8	10
35-49	47	5.4	16	1	1	4	7	12	14	17
50-64	120	6.5	88	2	2	4	7	11	16	48
65+	94	6.4	15	2	2	5	8	12	15	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.4	4	<1	1	3	4	6	7	7
B. Operated	769	3.9	8	1	2	4	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	5	8.0	42	<1	<1	9	13	16	16	16
B. Operated	303	5.8	43	2	2	4	7	11	14	24
1. SINGLE DX	777	3.9	8	1	2	4	5	6	8	13
2. MULTIPLE DX	308	5.9	43	2	2	4	7	11	14	24
A. NOT OPERATED	13	5.2	21	<1	<1	3	7	13	15	16
B. OPERATED	1072	4.5	19	1	2	4	5	8	10	18
TOTAL 0-19 YRS	78	3.4	9	<1	<1	2	4	7	10	15
20-34	181	3.8	7	<1	2	3	5	6	7	18
35-49	233	4.1	8	1	2	4	5	7	9	15
50-64	359	4.9	39	1	2	4	5	8	11	26
65+	234	5.1	10	2	2	4	6	9	12	16
GRAND TOTAL	1085	4.5	19	1	2	4	5	8	10	18

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.1	7	1	1	2	4	7	9	9
20-34	7	5.7	54	1	1	2	8	19	21	21
35-49	51	2.4	4	<1	<1	2	3	4	5	12
50-64	105	3.1	16	<1	<1	2	3	5	8	28
65+	118	3.7	9	<1	1	2	5	8	10	14
B. Operated										
0-19 YRS	42	5.1	28	<1	1	3	7	12	18	23
20-34	73	5.7	37	<1	1	3	9	13	15	33
35-49	212	4.2	21	<1	1	2	5	10	13	23
50-64	742	3.7	18	<1	1	2	3	10	13	21
65+	836	4.1	25	1	1	2	4	11	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.0	7	1	1	4	5	8	9	9
20-34	13	7.7	50	1	2	6	9	22	22	22
35-49	27	5.2	30	<1	1	3	6	14	18	22
50-64	114	4.4	39	1	1	3	6	8	11	34
65+	220	6.9	51	1	1	5	9	14	21	33
B. Operated										
0-19 YRS	15	10.3	133	<1	2	9	13	21	39	45
20-34	62	8.3	53	1	2	7	10	18	23	39
35-49	141	9.1	81	1	2	6	12	22	29	52
50-64	711	7.6	65	1	1	4	11	17	23	36
65+	1131	9.1	93	1	2	6	13	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291	3.3	12	<1	1	2	4	7	9	18
B. Operated	1905	4.0	22	<1	1	2	4	11	14	22
2. MULTIPLE DX										
A. Not Operated	382	6.0	46	1	1	4	7	12	18	32
B. Operated	2060	8.6	82	1	2	5	12	19	25	43
1. SINGLE DX	2196	3.9	21	<1	1	2	4	10	14	22
2. MULTIPLE DX	2442	8.2	77	1	2	5	12	18	24	42
A. NOT OPERATED	673	4.8	33	<1	1	3	6	10	14	28
B. OPERATED	3965	6.4	58	1	1	3	9	16	21	36
TOTAL										
0-19 YRS	75	5.7	48	<1	1	3	8	14	19	39
20-34	155	6.9	46	1	1	5	9	15	22	34
35-49	431	5.6	45	<1	1	3	7	14	20	36
50-64	1672	5.4	43	<1	1	2	7	13	18	30
65+	2305	6.8	66	1	1	3	10	16	21	37
GRAND TOTAL	4638	6.2	55	1	1	3	8	15	20	35

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.1	1	<1	<1	2	3	4	4	4
20-34	4	3.5	9	2	2	2	5	8	8	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	2.0	2	2	2	2	2	2	2	2
65+	4	2.8	6	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	82	3.0	16	<1	<1	2	3	7	12	22
20-34	65	3.5	12	<1	1	2	3	9	12	15
35-49	74	3.6	16	1	1	2	4	7	10	22
50-64	126	4.5	20	1	1	2	5	12	15	18
65+	68	4.7	31	1	2	2	5	12	16	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	4.2	10	<1	<1	3	7	8	8	8
50-64	4	2.0	4	1	1	1	3	5	5	5
65+	6	7.5	33	<1	<1	8	13	14	14	14
B. Operated										
0-19 YRS	16	5.5	27	<1	<1	3	9	14	15	15
20-34	22	7.1	17	2	2	6	10	13	14	15
35-49	38	5.3	54	1	1	2	6	13	25	32
50-64	73	8.5	91	2	2	5	13	19	22	56
65+	62	11.0	99	1	2	8	16	28	32	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.6	3	<1	1	2	3	5	7	8
B. Operated	415	3.9	19	<1	1	2	4	10	14	21
2. MULTIPLE DX										
A. Not Operated	19	4.5	17	<1	<1	3	7	12	14	14
B. Operated	211	8.3	78	1	2	5	12	19	25	55
1. SINGLE DX	436	3.9	19	<1	1	2	4	10	13	21
2. MULTIPLE DX	230	7.9	74	1	2	5	12	19	25	36
A. NOT OPERATED	40	3.5	11	<1	1	2	4	8	11	14
B. OPERATED	626	5.4	43	1	1	2	7	14	18	31
TOTAL										
0-19 YRS	111	3.3	17	<1	<1	2	3	9	12	21
20-34	92	4.4	15	<1	1	2	6	11	13	15
35-49	119	4.1	28	1	1	2	4	9	15	32
50-64	204	5.9	48	1	1	3	8	15	19	25
65+	140	7.5	69	1	2	3	11	18	28	36
GRAND TOTAL	666	5.3	41	<1	1	2	7	13	18	30

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.1	15	<1	1	2	6	11	12	12
20-34	19	3.3	12	<1	<1	2	4	9	12	13
35-49	21	3.2	13	<1	1	2	3	8	14	14
50-64	20	2.6	5	<1	<1	2	3	5	8	10
65+	9	2.2	1	<1	<1	2	3	4	4	4
B. Operated										
0-19 YRS	695	3.4	5	<1	1	3	4	6	8	13
20-34	854	2.9	7	<1	<1	2	3	5	7	14
35-49	954	2.8	9	<1	<1	2	3	5	6	16
50-64	1010	3.0	6	<1	<1	2	3	5	7	13
65+	359	3.3	9	<1	<1	2	4	6	9	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	10	7.6	161	1	1	3	7	25	43	43
35-49	13	3.2	14	1	1	2	4	8	13	14
50-64	18	7.5	49	<1	1	5	11	20	21	21
65+	20	9.4	97	1	2	5	11	26	33	36
B. Operated										
0-19 YRS	100	4.6	25	1	1	3	5	9	14	30
20-34	226	4.8	66	<1	1	3	5	9	12	37
35-49	346	4.6	27	<1	1	3	5	9	13	23
50-64	528	4.8	23	<1	1	3	5	10	14	25
65+	319	7.0	69	2	2	4	8	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	3.1	10	<1	<1	2	3	7	11	14
B. Operated	3872	3.0	7	<1	<1	2	4	5	7	14
2. MULTIPLE DX										
A. Not Operated	66	6.8	73	<1	1	4	7	19	23	42
B. Operated	1519	5.2	41	1	2	3	6	11	16	35
1. SINGLE DX	3953	3.0	7	<1	<1	2	4	5	7	14
2. MULTIPLE DX	1585	5.3	42	1	1	3	6	11	16	35
A. NOT OPERATED	147	4.7	41	<1	<1	2	5	12	19	36
B. OPERATED	5391	3.7	18	<1	1	3	4	7	10	21
TOTAL 0-19 YRS	812	3.6	8	<1	1	3	4	7	9	14
20-34	1109	3.4	21	<1	<1	2	4	6	8	20
35-49	1334	3.3	14	<1	<1	2	3	6	9	19
50-64	1576	3.6	13	<1	1	2	4	7	10	20
65+	707	5.1	42	<1	1	3	5	11	16	35
GRAND TOTAL	5538	3.7	18	<1	1	3	4	7	10	21

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.7	13	<1	<1	1	2	6	9	18
20-34	5	1.8	2	<1	<1	1	2	4	4	4
35-49	8	2.6	7	<1	<1	2	3	7	9	9
50-64	11	4.9	38	<1	<1	3	6	15	20	21
65+	7	7.9	70	1	1	4	12	22	24	24
B. Operated										
0-19 YRS	773	2.4	17	<1	<1	2	2	4	5	14
20-34	420	2.9	18	<1	<1	2	3	5	9	21
35-49	328	3.1	34	<1	<1	2	3	6	7	25
50-64	326	2.8	9	<1	<1	2	3	5	8	18
65+	167	4.2	43	<1	<1	2	3	9	14	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	5.7	191	1	1	2	4	8	42	57
20-34	8	14.4	243	<1	1	7	27	39	41	41
35-49	11	3.2	5	<1	<1	3	5	6	7	7
50-64	8	5.9	56	<1	<1	3	8	19	22	22
65+	20	8.7	33	<1	1	7	13	17	19	21
B. Operated										
0-19 YRS	109	3.2	13	<1	<1	2	4	7	9	21
20-34	178	3.1	16	<1	<1	2	3	5	15	21
35-49	187	3.6	14	<1	<1	2	4	8	10	22
50-64	277	4.9	57	<1	1	3	5	10	16	32
65+	159	8.3	165	1	2	4	8	21	27	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.6	24	<1	<1	2	3	9	16	24
B. Operated	2014	2.8	21	<1	<1	2	3	5	8	21
2. MULTIPLE DX										
A. Not Operated	63	7.3	102	<1	1	4	8	18	26	55
B. Operated	910	4.7	57	<1	<1	3	5	10	17	30
1. SINGLE DX	2071	2.8	21	<1	<1	2	3	5	8	21
2. MULTIPLE DX	973	4.9	60	<1	<1	3	5	10	18	33
A. NOT OPERATED	120	5.6	68	<1	<1	2	6	14	21	46
B. OPERATED	2924	3.4	33	<1	<1	2	3	6	10	27
TOTAL 0-19 YRS	924	2.5	19	<1	<1	2	2	4	7	18
20-34	611	3.1	22	<1	<1	2	3	5	10	22
35-49	534	3.3	26	<1	<1	2	4	6	9	22
50-64	622	3.8	32	<1	<1	2	4	8	12	27
65+	353	6.4	102	<1	1	3	7	15	24	49
GRAND TOTAL	3044	3.5	34	<1	<1	2	3	7	11	27

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.6	4	<1	1	2	2	5	8	8
20-34	24	2.0	1	<1	<1	2	3	3	4	5
35-49	15	2.9	3	2	2	2	3	5	7	8
50-64	3	1.7	1	1	1	2	2	2	2	2
65+	1	2.0	2	2	2	2	2	2	2	2
B. Operated										
0-19 YRS	445	2.3	18	<1	<1	2	2	3	4	5
20-34	1127	2.1	3	<1	<1	2	2	3	3	6
35-49	606	2.4	3	<1	1	2	3	3	4	7
50-64	264	2.7	2	1	2	2	3	4	4	8
65+	122	2.9	2	2	2	3	3	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	5.0	35	1	1	2	7	15	17	17
35-49	5	2.6	2	<1	<1	2	4	4	4	4
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	6	6.2	16	2	2	6	10	11	11	11
B. Operated										
0-19 YRS	54	2.3	1	1	1	2	3	4	4	5
20-34	227	2.8	5	<1	1	2	3	4	6	14
35-49	293	3.2	6	1	2	2	3	6	8	15
50-64	163	3.5	6	2	2	3	4	6	8	14
65+	107	5.9	41	2	2	4	7	12	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.4	2	<1	1	2	3	4	5	8
B. Operated	2564	2.3	5	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated	23	4.1	17	<1	1	2	4	10	13	17
B. Operated	850	3.4	11	1	2	3	4	6	9	17
1. SINGLE DX	2617	2.3	5	<1	1	2	3	3	4	7
2. MULTIPLE DX	873	3.4	11	1	2	3	4	6	9	17
A. NOT OPERATED	76	2.9	7	<1	1	2	3	5	9	15
B. OPERATED	3414	2.6	7	<1	1	2	3	4	5	11
TOTAL										
0-19 YRS	510	2.3	16	<1	1	2	2	3	4	6
20-34	1385	2.3	3	<1	1	2	2	3	4	9
35-49	919	2.6	4	1	1	2	3	4	5	11
50-64	400	3.0	4	1	2	2	3	5	6	14
65+	236	4.4	22	2	2	3	4	8	11	27
GRAND TOTAL	3490	2.6	7	<1	1	2	3	4	5	12

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	28	3.9	7	1	1	3	6	8	9	9
35-49	82	3.5	8	<1	<1	2	5	8	9	11
50-64	22	3.3	10	<1	<1	2	4	8	10	13
65+	3	4.3	10	2	2	3	7	8	8	8
B. Operated										
0-19 YRS	4	4.8	7	2	2	5	7	7	7	7
20-34	542	5.7	11	1	1	6	8	9	10	15
35-49	2042	6.3	14	1	2	7	8	10	11	16
50-64	452	6.1	15	<1	1	7	8	10	12	17
65+	37	7.9	34	2	2	8	11	15	26	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	52	3.7	5	1	1	3	5	7	7	9
35-49	194	5.4	35	<1	1	4	8	10	13	35
50-64	44	5.7	48	<1	1	3	7	11	18	38
65+	15	15.9	195	6	6	12	16	39	52	56
B. Operated										
0-19 YRS	12	5.9	13	1	2	6	9	11	12	12
20-34	1177	6.6	18	1	2	7	9	11	13	21
35-49	6329	7.6	22	1	2	8	9	12	14	23
50-64	1723	8.0	28	1	2	8	10	13	16	26
65+	171	10.7	53	2	3	9	12	20	25	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	3.6	8	<1	1	2	5	8	9	11
B. Operated	3077	6.2	14	1	2	7	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	307	5.7	44	<1	1	4	8	10	14	41
B. Operated	9412	7.6	23	1	2	8	9	12	15	24
1. SINGLE DX	3212	6.1	14	1	1	7	8	10	11	16
2. MULTIPLE DX	9719	7.5	24	1	2	8	9	12	15	24
A. NOT OPERATED	442	5.0	34	<1	1	3	7	10	12	38
B. OPERATED	12489	7.3	21	1	2	7	9	11	14	23
TOTAL										
0-19 YRS	18	5.7	10	1	2	6	8	10	11	12
20-34	1799	6.2	16	1	2	7	8	10	12	19
35-49	8647	7.2	21	1	2	7	9	11	13	22
50-64	2241	7.5	26	1	2	8	9	12	15	26
65+	226	10.5	62	2	3	9	12	21	26	48
GRAND TOTAL	12931	7.2	22	1	2	7	9	11	14	23

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	41	3.2	7	<1	<1	2	5	7	8	11
35-49	70	3.8	10	<1	<1	2	7	9	10	13
50-64	45	2.4	4	<1	<1	2	2	3	8	11
65+	12	3.9	23	<1	<1	2	4	10	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	5	6.8	16	<1	<1	7	9	12	12	12
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	13.5	145	5	5	13	22	22	22	22
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	49	4.1	11	<1	<1	2	7	9	10	14
35-49	167	6.2	19	<1	1	7	9	12	14	20
50-64	64	5.0	37	<1	1	2	8	10	13	39
65+	20	7.7	41	2	2	5	13	18	20	21
SU/TOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3		2	2	2	3	3	3	3
B. Operated	172	3.3	9	<1	<1	2	4	7	10	13
2. MULTIPLE DX										
A. Not Operated	9	7.0	46	<1	<1	6	9	18	22	22
B. Operated	302	5.7	23	<1	1	4	8	12	14	20
1. SINGLE DX	176	3.2	8	<1	<1	2	4	7	10	13
2. MULTIPLE DX	311	5.7	24	<1	1	4	8	12	14	21
A. NOT OPERATED	13	5.5	36	<1	1	3	7	14	20	22
B. OPERATED	474	4.8	19	<1	<1	2	8	10	13	19
TOTAL 0-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
20-34	92	3.7	9	<1	<1	2	6	8	10	13
35-49	243	5.5	17	<1	1	6	8	11	13	17
50-64	110	3.9	25	<1	1	2	4	9	11	27
65+	34	6.7	42	<1	1	4	9	18	21	22
GRAND TOTAL	487	4.8	20	<1	<1	2	8	10	13	20

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	4	5.0	10	<1	<1	5	7	8	8	8
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	94	6.5	2	4	5	6	7	8	9	12
20-34	425	6.3	5	4	5	6	7	8	9	11
35-49	130	7.2	6	4	5	7	8	9	10	16
50-64	111	8.1	9	5	6	7	9	11	15	21
65+	42	10.6	20	6	6	9	12	16	19	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.6	8	<1	<1	2	6	8	8	8
20-34	9	4.1	14	<1	<1	2	6	10	12	12
35-49	7	6.3	10	1	2	7	7	10	11	11
50-64	3	10.0	1	9	9	10	11	11	11	11
65+	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	86	7.0	5	4	5	7	7	10	12	14
20-34	364	7.3	16	4	5	7	8	10	12	17
35-49	229	8.4	12	4	5	8	9	13	15	21
50-64	214	10.5	57	6	7	9	11	15	21	35
65+	142	14.1	71	7	8	11	16	23	33	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.9	15	<1	<1	5	7	10	13	13
B. Operated	802	7.0	7	4	5	7	8	9	11	17
2. MULTIPLE DX										
A. Not Operated	25	5.7	16	<1	<1	6	8	11	12	14
B. Operated	1032	9.1	35	5	5	8	10	14	18	34
1. SINGLE DX	812	6.9	8	4	5	7	8	9	11	17
2. MULTIPLE DX	1057	9.0	35	4	5	8	10	14	18	34
A. NOT OPERATED	35	5.5	15	<1	<1	6	8	11	13	14
B. OPERATED	1834	8.2	24	4	5	7	9	12	15	26
TOTAL 0-19 YRS	187	6.6	4	4	5	6	7	8	11	14
20-34	802	6.7	10	4	5	6	7	9	10	15
35-49	368	7.9	10	4	5	7	9	11	14	21
50-64	326	9.7	41	6	6	8	10	14	17	30
65+	186	13.2	62	6	8	11	16	22	27	61
GRAND TOTAL	1869	8.1	24	4	5	7	9	12	15	26

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	9	3.2	4	1	1	3	4	7	7	7
20-34	32	4.7	37	<1	<1	3	6	8	12	34
35-49	23	2.6	4	<1	<1	2	3	5	7	10
50-64	26	3.2	5	<1	1	2	4	8	8	9
65+	10	6.2	41	1	1	4	7	17	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	1	15.0		15	15	15	15	15	15	15
B. Operated										
0-19 YRS	4	4.8	24	2	2	3	7	12	12	12
20-34	23	5.0	8	<1	<1	5	7	8	10	11
35-49	32	4.7	13	1	1	2	8	9	12	13
50-64	22	5.4	24	<1	<1	3	7	13	16	19
65+	9	8.1	53	2	2	4	11	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		<1	<1	<1	1	1	1	1
B. Operated	100	3.8	19	<1	<1	3	4	8	10	28
2. MULTIPLE DX										
A. Not Operated	4	7.8	33	1	1	7	11	15	15	15
B. Operated	90	5.3	19	<1	1	4	8	11	13	22
1. SINGLE DX	102	3.8	19	<1	<1	2	4	7	10	28
2. MULTIPLE DX	94	5.4	19	<1	1	4	8	11	13	22
A. NOT OPERATED	6	5.5	32	<1	<1	4	8	14	15	15
B. OPERATED	190	4.5	19	<1	1	3	7	9	12	23
TOTAL 0-19 YRS	13	3.7	9	1	1	3	4	8	11	12
20-34	58	4.6	24	<1	<1	3	7	8	10	32
35-49	55	3.8	10	<1	1	2	6	9	10	13
50-64	50	4.3	14	<1	1	3	7	9	12	19
65+	20	7.5	46	1	2	4	11	18	23	24
GRAND TOTAL	196	4.5	20	<1	1	3	7	9	12	23

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	11	3.3	7	<1	<1	2	4	8	8	8
20-34	26	2.8	3	<1	<1	3	4	6	6	6
35-49	26	3.1	3	1	1	3	4	6	6	6
50-64	13	2.5	2	<1	1	2	3	4	6	6
65+	6	6.3	13	2	2	7	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	2	15.0	18	12	12	15	18	18	18	18
65+										
B. Operated										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	8	4.6	13	2	2	3	5	11	13	13
35-49	7	6.6	11	2	2	7	9	10	10	10
50-64	9	3.9	8	1	1	2	6	8	9	9
65+	13	13.9	170	1	2	8	22	34	40	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	82	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	2	15.0	18	12	12	15	18	18	18	18
B. Operated	39	7.9	80	1	2	5	9	18	30	42
1. SINGLE DX	83	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	41	8.3	78	1	2	6	10	19	30	42
A. NOT OPERATED	3	10.3	74	1	1	12	16	18	18	18
B. OPERATED	121	4.7	33	<1	1	3	6	9	13	35
TOTAL 0-19 YRS	13	3.5	9	<1	<1	2	5	8	9	9
20-34	34	3.3	5	<1	<1	3	4	6	6	13
35-49	34	3.8	6	1	1	3	5	7	9	10
50-64	22	3.0	4	<1	1	2	3	6	8	9
65+	21	11.9	119	1	2	8	16	30	36	42
GRAND TOTAL	124	4.8	34	<1	1	3	6	9	14	35

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	3	8.3	50	2	2	7	14	16	16	16
65+	5	2.6	1	<1	<1	3	3	4	4	4
B. Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	19	3.6	14	<1	1	3	4	5	12	18
35-49	28	4.1	16	<1	<1	3	5	10	14	16
50-64	95	3.7	12	1	1	2	4	9	13	64
65+	93	3.8	8	1	1	3	5	7	8	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	6	4.7	9	<1	<1	5	7	8	8	8
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	3.4	1	2	2	3	4	5	6	6
35-49	21	4.9	20	1	2	2	8	12	14	15
50-64	58	6.3	40	2	2	4	7	12	21	34
65+	104	6.2	27	2	2	4	8	12	18	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.8	24	<1	1	3	5	13	16	16
B. Operated	238	3.8	11	1	1	3	5	7	11	20
2. MULTIPLE DX										
A. Not Operated	11	3.7	7	<1	1	3	6	8	8	8
B. Operated	193	5.9	29	2	2	4	8	12	17	30
1. SINGLE DX	246	3.8	11	1	1	3	5	7	12	20
2. MULTIPLE DX	204	5.8	28	1	2	4	8	12	16	30
A. NOT OPERATED	19	4.2	13	<1	1	3	6	8	12	16
B. OPERATED	431	4.7	20	1	2	3	5	10	14	25
TOTAL 0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	29	3.5	9	1	2	3	4	5	7	18
35-49	50	4.4	17	<1	1	2	6	12	14	16
50-64	159	4.7	24	1	2	3	5	11	15	33
65+	208	5.0	19	1	2	4	6	10	14	21
GRAND TOTAL	450	4.7	20	1	2	3	5	10	14	24

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	3	4
20-34	15	2.8	4	<1	<1	2	3	7	8	8
35-49	8	2.3	2	<1	<1	2	3	4	4	4
50-64	10	3.0	2	2	2	3	3	5	6	6
65+	12	2.1	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	3	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	3.7	5	<1	<1	5	5	5	5	5
65+	7	3.0	8	<1	<1	2	6	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	85	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	2	4.5	25	1	1	4	8	8	8	8
B. Operated	19	2.6	4	<1	<1	2	3	7	54	99+
1. SINGLE DX	85	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	21	2.8	5	<1	<1	2	3	8	45	99+
A. NOT OPERATED	2	4.5	25	1	1	4	8	8	8	8
B. OPERATED	104	2.2	2	<1	<1	2	3	4	5	50
TOTAL 0-19 YRS	45	1.6	1	<1	<1	1	2	3	3	4
20-34	18	2.7	4	<1	<1	2	3	6	8	8
35-49	11	2.7	4	<1	<1	2	4	6	8	8
50-64	13	3.2	2	<1	1	3	4	5	6	6
65+	19	2.4	3	<1	1	2	3	6	54	99+
GRAND TOTAL	106	2.2	2	<1	<1	2	3	4	6	48

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	12.0	242	<1	<1	11	23	23	23	23
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	6.5	9	3	3	7	9	9	9	9
50-64	6	7.7	49	3	3	6	8	20	21	21
65+	12	9.5	59	1	2	8	18	41	89	99+
B. Operated										
0-19 YRS	8	12.3	84	<1	1	10	17	27	29	29
20-34	33	11.4	43	2	2	12	14	21	24	26
35-49	56	18.3	237	2	3	14	24	36	50	76
50-64	87	17.8	108	3	5	17	23	32	39	49
65+	61	19.7	254	3	5	17	24	34	51	89
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	11.0	175	<1	<1	6	21	26	26	26
20-34	4	7.8	10	5	5	8	10	11	11	11
35-49	6	21.0	874	1	1	6	34	72	76	76
50-64	19	11.6	184	2	2	6	17	25	44	58
65+	47	15.3	213	3	4	11	18	40	54	99+
B. Operated										
0-19 YRS	6	25.7	45	16	17	26	28	35	36	36
20-34	12	18.6	190	4	5	16	25	36	51	54
35-49	30	22.1	250	3	7	18	28	44	52	77
50-64	78	27.3	533	2	4	21	40	74	99	99+
65+	93	32.9	511	4	5	29	47	67	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	8.7	51	1	2	7	10	23	41	99+
B. Operated	245	17.3	169	2	4	15	22	32	40	74
2. MULTIPLE DX										
A. Not Operated	79	14.3	237	2	3	10	18	35	54	94
B. Operated	219	28.4	468	4	5	23	42	67	83	99+
1. SINGLE DX	270	16.5	164	2	3	14	22	31	40	76
2. MULTIPLE DX	298	24.7	445	3	4	19	37	63	79	99+
A. NOT OPERATED	104	12.9	197	2	3	9	17	26	52	99+
B. OPERATED	464	22.6	340	3	4	17	30	50	69	99+
TOTAL 0-19 YRS	19	16.3	121	<1	<1	16	25	29	33	36
20-34	50	12.7	83	2	3	11	16	24	26	54
35-49	96	19.2	270	2	3	15	25	40	52	77
50-64	190	20.7	321	2	3	17	27	46	71	99+
65+	213	23.9	412	3	5	18	34	60	78	99+
GRAND TOTAL	568	20.8	328	3	4	16	27	47	67	99+

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	9	4.6	2	3	3	4	5	7	8	8
35-49	5	4.0	7	1	1	4	6	7	7	7
50-64	6	6.3	31	<1	<1	5	6	16	17	17
65+										
B. Operated										
0-19 YRS	43	4.3	2	2	3	4	5	6	7	7
20-34	292	4.5	3	3	3	4	5	6	7	13
35-49	336	4.6	2	3	3	4	5	6	6	11
50-64	312	5.0	6	3	3	4	6	7	9	15
65+	94	6.3	20	3	4	5	6	10	14	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	6	4.5	20	<1	<1	3	5	12	13	13
35-49	4	1.3				1	1	2	2	2
50-64	5	10.4	56	1	1	13	16	18	18	18
65+	8	12.5	152	3	3	10	24	76	99+	99+
B. Operated										
0-19 YRS	5	6.2	9	2	2	6	8	10	10	10
20-34	70	5.4	11	3	3	5	6	8	10	24
35-49	126	5.9	10	3	3	5	7	9	11	20
50-64	143	7.5	50	3	4	5	7	14	18	40
65+	86	9.9	109	3	4	7	11	18	26	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	5.0	11	<1	1	4	6	7	12	17
B. Operated	1077	4.8	5	3	3	4	5	6	7	14
2. MULTIPLE DX										
A. Not Operated	23	8.0	84	<1	1	5	13	21	58	99+
B. Operated	430	7.1	46	3	3	5	8	12	17	39
1. SINGLE DX	1097	4.8	5	3	3	4	5	6	7	15
2. MULTIPLE DX	453	7.2	47	3	3	5	8	13	18	40
A. NOT OPERATED	43	6.6	51	<1	1	4	7	17	25	99+
B. OPERATED	1507	5.5	18	3	3	5	6	8	11	25
TOTAL 0-19 YRS	48	4.5	3	2	3	4	5	7	7	10
20-34	377	4.6	5	3	3	4	5	6	7	14
35-49	471	4.9	5	3	3	4	5	7	8	16
50-64	466	5.9	22	3	3	5	6	8	13	30
65+	188	8.2	69	3	4	6	9	15	20	95
GRAND TOTAL	1550	5.5	19	3	3	5	6	8	11	25

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.7	7	<1	<1	2	3	7	8	8
20-34	4	14.8	272	3	3	9	26	38	38	38
35-49	6	8.0	8	4	4	8	9	12	12	12
50-64	7	5.9	37	<1	<1	5	6	16	19	19
65+										
B. Operated										
0-19 YRS	5	14.4	170	4	4	10	19	37	37	37
20-34	40	11.4	33	4	5	11	13	17	25	29
35-49	27	11.5	73	3	4	9	14	24	33	37
50-64	45	8.9	24	3	4	8	12	16	18	22
65+	19	13.3	149	4	5	7	18	26	44	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	9.4	34	2	4	8	11	19	23	23
35-49	11	6.5	34	<1	1	5	8	15	21	22
50-64	11	6.5	20	4	4	5	6	14	19	19
65+	14	12.9	113	3	4	8	16	31	36	38
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	19	10.4	37	2	4	10	13	18	24	28
35-49	24	16.1	146	4	6	12	22	31	42	56
50-64	77	13.3	156	4	4	10	17	26	33	79
65+	48	17.8	231	5	5	14	20	42	52	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	7.1	67	<1	1	5	9	16	26	38
B. Operated	136	10.9	59	4	4	9	13	18	26	40
2. MULTIPLE DX										
A. Not Operated	46	8.9	60	2	3	6	10	22	25	28
B. Operated	169	14.6	166	4	5	11	18	28	36	71
1. SINGLE DX	159	10.4	61	2	4	9	13	18	26	38
2. MULTIPLE DX	215	13.4	148	3	4	10	17	26	35	65
A. NOT OPERATED	69	8.3	62	1	1	6	9	19	24	38
B. OPERATED	305	13.0	121	4	4	10	17	24	31	58
TOTAL										
0-19 YRS	7	11.7	138	2	2	8	12	32	37	37
20-34	74	10.2	36	1	3	10	12	17	24	29
35-49	66	12.5	110	3	4	9	18	25	36	53
50-64	139	11.1	102	4	4	8	15	20	27	43
65+	88	15.1	188	4	4	12	18	30	49	69
GRAND TOTAL	374	12.1	113	3	4	9	15	23	30	56

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	3.3		<1	<1	3	4	7	9	10
35-49	4	9.8	22	5	5	9	13	16	16	16
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. Operated										
0-19 YRS	7	2.3	1	1	1	2	3	4	4	4
20-34	745	4.2	9	1	1	3	6	8	10	13
35-49	376	5.3	12	1	2	5	8	10	11	17
50-64	111	5.1	10	1	2	4	8	9	11	13
65+	32	7.4	49	2	2	6	9	15	23	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	3.9	15	<1	<1	2	5	10	13	14
35-49	15	5.2	12	1	1	6	7	11	12	12
50-64	1	35.0	35	35	35	35	35	35	35	35
65+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	8	3.0	9	1	1	2	3	8	10	10
20-34	435	5.7	24	1	2	5	8	10	12	19
35-49	340	7.7	41	2	2	7	9	13	16	27
50-64	85	7.5	29	2	2	7	9	15	21	74
65+	49	8.8	33	2	3	8	10	18	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	4.6	14	<1	1	3	7	10	13	16
B. Operated	1271	4.7	11	1	2	3	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	34	5.3	40	<1	1	3	6	11	14	35
B. Operated	917	6.8	33	2	2	6	9	12	15	26
1. SINGLE DX	1293	4.7	11	1	2	3	7	9	10	16
2. MULTIPLE DX	951	6.7	33	2	2	6	9	12	15	27
A. NOT OPERATED	56	5.0	29	<1	1	3	7	10	13	34
B. OPERATED	2188	5.5	21	1	2	4	8	10	12	21
TOTAL										
0-19 YRS	17	2.9	5	1	1	2	3	6	9	10
20-34	1211	4.7	15	1	2	3	7	9	10	16
35-49	735	6.4	27	1	2	6	8	11	14	22
50-64	198	6.3	23	1	2	6	8	11	15	31
65+	83	8.1	39	2	2	7	9	16	21	34
GRAND TOTAL	2244	5.5	21	1	2	4	8	10	12	21

249 PAS Hospitals, Northeastern Region, January-December 1979

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.5	5	4	4	5	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	4.0	12	<1	<1	3	6	9	9	9
65+	6	1.7		1	1	2	2	2	2	2
<i>B. Operated</i>										
0-19 YRS	6	2.3		<1	<1	2	3	5	5	5
20-34	19	5.0	14	<1	1	3	8	10	12	13
35-49	64	5.6	19	<1	2	4	8	11	13	25
50-64	156	5.8	71	<1	<1	3	6	12	18	37
65+	146	6.0	87	1	2	3	7	11	17	42
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS										
20-34	3	8.7	54	3	3	6	14	17	17	17
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	7	5.1	18	<1	<1	4	8	12	13	13
65+	20	9.0	54	2	3	6	12	27	61	99+
<i>B. Operated</i>										
0-19 YRS										
20-34	21	7.2	29	2	2	7	9	12	18	26
35-49	71	8.9	119	2	2	6	10	17	31	62
50-64	164	8.3	63	1	2	7	10	18	24	52
65+	207	10.8	107	2	2	8	14	27	35	53
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	16	3.0	7	<1	1	2	5	7	8	9
<i>B. Operated</i>	391	5.8	65	<1	1	3	7	11	17	36
2. MULTIPLE DX										
<i>A. Not Operated</i>	32	8.0	44	2	2	6	11	19	29	99+
<i>B. Operated</i>	463	9.5	91	2	2	7	12	21	31	53
1. SINGLE DX	407	5.7	63	<1	1	3	7	11	16	36
2. MULTIPLE DX	495	9.4	88	2	2	7	12	21	31	56
A. NOT OPERATED	48	6.3	36	1	1	5	9	15	26	99+
B. OPERATED	854	7.8	82	1	2	5	9	17	26	49
TOTAL 0-19 YRS	7	2.3	2	<1	<1	2	3	5	5	5
20-34	45	6.3	23	1	2	6	8	11	14	26
35-49	138	7.3	73	1	2	5	9	13	18	54
50-64	333	7.0	66	<1	1	4	9	15	23	49
65+	379	8.7	100	1	2	5	11	21	30	55
GRAND TOTAL	902	7.7	80	1	2	5	9	17	26	51

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	50	3.3	8	<1	<1	3	4	7	9	14
20-34	53	3.5	7	<1	1	3	4	8	10	12
35-49	56	4.3	21	<1	<1	3	5	9	15	23
50-64	125	6.1	53	<1	1	4	7	14	19	42
65+	137	7.6	89	<1	1	4	9	17	24	56
<i>B. Operated</i>										
0-19 YRS	179	4.6	29	<1	1	3	5	10	14	31
20-34	325	4.5	15	<1	1	3	6	10	13	20
35-49	336	5.3	41	<1	1	3	6	13	19	32
50-64	521	5.4	41	<1	1	3	6	12	17	31
65+	545	5.5	36	1	1	3	8	11	16	32
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	29	3.3	8	<1	1	2	4	8	9	12
20-34	57	6.8	39	<1	1	5	9	15	22	26
35-49	88	6.5	36	<1	1	5	9	13	26	99+
50-64	211	7.2	42	1	1	5	10	15	21	34
65+	464	11.3	113	2	2	9	14	23	32	70
<i>B. Operated</i>										
0-19 YRS	45	8.4	65	2	2	4	11	22	27	30
20-34	136	7.7	59	1	2	7	9	15	23	69
35-49	235	8.5	78	1	2	7	10	15	21	41
50-64	489	11.5	130	2	2	8	15	26	33	59
65+	811	12.9	143	2	2	10	18	27	38	61
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	421	5.7	52	<1	1	4	7	13	18	42
<i>B. Operated</i>	1906	5.2	34	<1	1	3	6	11	16	30
2. MULTIPLE DX										
<i>A. Not Operated</i>	849	9.2	84	1	1	7	12	20	28	63
<i>B. Operated</i>	1716	11.4	125	2	2	8	15	25	34	57
1. SINGLE DX	2327	5.3	37	<1	1	3	6	11	16	31
2. MULTIPLE DX	2565	10.7	113	1	2	8	14	24	31	59
A. NOT OPERATED	1270	8.1	76	1	1	5	11	18	25	52
B. OPERATED	3622	8.1	87	1	2	5	10	19	26	49
TOTAL 0-19 YRS	303	4.8	31	<1	1	3	5	11	15	30
20-34	571	5.4	29	<1	1	4	7	11	15	26
35-49	715	6.4	53	<1	1	4	8	14	19	39
50-64	1346	8.0	82	1	2	5	10	18	26	43
65+	1957	10.1	112	1	2	7	13	23	31	56
GRAND TOTAL	4892	8.1	84	1	1	5	10	19	26	49

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	9.7	234	<1	1	6	9	15	52	62
35-49	8	6.3	16	1	1	7	9	11	12	12
50-64	15	6.9	82	<1	2	4	7	11	31	38
65+	14	5.6	17	1	1	5	9	11	15	16
B. Operated										
0-19 YRS	20	4.3	1	3	3	4	5	6	6	6
20-34	132	4.4	2	3	3	4	5	6	7	10
35-49	219	4.9	4	3	3	5	5	7	9	13
50-64	227	5.3	6	3	3	5	6	8	10	15
65+	102	6.6	46	3	3	5	7	9	11	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.6	10	1	1	3	6	9	11	11
20-34	12	4.8	16	<1	<1	4	7	10	13	14
35-49	25	5.6	13	1	1	5	8	12	12	13
50-64	31	7.2	36	<1	1	6	9	13	19	30
65+	47	8.3	61	2	3	7	10	12	19	46
B. Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	57	5.8	14	3	3	5	6	9	16	21
35-49	90	6.7	19	3	4	5	8	12	17	25
50-64	143	7.4	27	3	4	6	8	14	20	26
65+	91	10.1	80	4	4	7	13	20	26	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	7.2	92	1	1	5	9	11	16	61
B. Operated	700	5.2	11	3	3	5	6	7	9	14
2. MULTIPLE DX										
A. Not Operated	124	6.9	38	1	1	6	9	12	15	39
B. Operated	383	7.6	38	3	4	5	8	15	20	30
1. SINGLE DX	752	5.3	16	3	3	5	6	8	10	16
2. MULTIPLE DX	507	7.4	38	2	3	5	8	14	18	31
A. NOT OPERATED	176	6.9	54	1	1	5	9	12	15	44
B. OPERATED	1083	6.0	22	3	3	5	6	9	14	25
TOTAL										
0-19 YRS	32	4.4	3	2	3	4	5	6	7	11
20-34	215	5.2	22	2	3	4	5	7	9	19
35-49	342	5.5	9	2	3	5	6	9	12	18
50-64	416	6.2	19	3	3	5	7	10	14	25
65+	254	8.1	61	3	3	6	9	14	21	46
GRAND TOTAL	1259	6.2	26	3	3	5	7	10	14	28

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	5.2	21	1	1	4	7	11	13	25
20-34	101	5.8	12	1	2	5	8	11	13	16
35-49	85	6.6	17	2	2	6	8	11	12	26
50-64	59	8.2	28	1	3	7	11	14	16	29
65+	49	8.6	29	2	3	8	12	16	20	26
B. Operated										
0-19 YRS	56	6.0	28	2	3	5	6	8	13	37
20-34	195	5.8	8	3	4	5	6	9	12	18
35-49	154	5.9	14	3	3	5	6	8	13	29
50-64	105	5.9	10	3	3	5	7	8	10	21
65+	29	7.9	15	4	4	7	10	14	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	8.2	50	1	2	6	9	19	22	34
20-34	137	7.7	49	1	2	6	10	14	18	40
35-49	203	8.3	27	2	3	7	10	15	20	27
50-64	307	10.6	71	3	4	8	12	21	27	53
65+	447	14.1	139	3	5	11	17	26	37	68
B. Operated										
0-19 YRS	19	10.4	128	4	4	6	10	24	41	50
20-34	76	8.7	48	4	4	6	10	18	25	36
35-49	107	8.7	57	3	4	6	10	17	19	43
50-64	115	10.3	112	3	4	6	13	20	29	80
65+	106	15.6	105	4	5	14	20	31	36	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	6.7	21	1	2	6	9	12	15	26
B. Operated	539	6.0	13	3	3	5	7	9	13	22
2. MULTIPLE DX										
A. Not Operated	1132	11.1	93	3	3	9	14	20	28	55
B. Operated	423	10.9	93	3	4	7	14	21	30	57
1. SINGLE DX	878	6.3	16	2	3	5	7	11	14	25
2. MULTIPLE DX	1555	11.1	93	3	4	8	14	21	29	56
A. NOT OPERATED	1471	10.1	80	2	3	8	12	19	25	52
B. OPERATED	962	8.2	54	3	4	6	9	17	21	44
TOTAL										
0-19 YRS	158	6.8	45	1	2	5	7	13	20	38
20-34	509	6.7	27	2	3	5	8	12	15	33
35-49	549	7.4	29	2	3	6	9	14	18	29
50-64	586	9.4	67	3	4	7	11	18	25	56
65+	631	13.6	123	3	4	11	17	25	36	56
GRAND TOTAL	2433	9.3	70	2	3	7	11	18	24	50

249 PAS Hospitals, Northeastern Region, January-December 1979

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	448	7.0	15	2	3	7	9	11	13	23	
20-34	341	7.0	18	2	3	6	8	11	14	21	
35-49	479	8.3	28	2	3	7	10	14	18	30	
50-64	656	7.9	20	3	3	7	10	14	16	22	
65+	451	9.2	43	3	4	8	11	15	19	31	
B. Operated											
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1	
20-34	3	14.3	329	1	1	7	28	35	35	35	
35-49	4	12.8	111	<1	<1	12	20	26	26	26	
50-64	16	12.3	45	4	5	11	15	20	28	31	
65+	10	12.7	92	<1	<1	14	19	26	27	27	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	291	6.8	22	1	2	6	9	13	15	24	
20-34	574	8.1	37	2	3	7	10	14	19	30	
35-49	1375	8.9	37	3	3	8	11	15	20	33	
50-64	3148	9.9	48	3	4	8	12	17	21	38	
65+	4181	11.8	73	3	4	10	14	21	28	53	
B. Operated											
0-19 YRS	12	13.2	85	4	4	11	21	26	29	30	
20-34	74	16.9	321	2	4	11	18	44	59	88	
35-49	215	13.9	94	3	4	12	18	27	34	52	
50-64	547	16.6	166	4	5	13	21	34	45	80	
65+	694	19.4	201	5	6	16	25	41	60	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	2375	7.9	25	2	3	7	10	13	16	25	
B. Operated											
	34	12.3	80	<1	1	11	16	26	30	35	
2. MULTIPLE DX											
A. Not Operated											
	9569	10.4	58	3	4	9	13	18	24	42	
B. Operated											
	1542	17.5	182	4	5	14	22	35	51	99+	
1. SINGLE DX											
	2409	8.0	26	2	3	7	10	14	17	26	
2. MULTIPLE DX											
	11111	11.4	81	3	4	9	14	21	29	57	
A. NOT OPERATED											
	11944	9.9	52	3	4	8	12	17	22	39	
B. OPERATED											
	1576	17.4	180	4	5	14	22	35	50	99+	
TOTAL 0-19 YRS											
	752	7.0	19	2	2	6	9	12	14	24	
20-34	992	8.4	58	2	3	7	10	14	20	43	
35-49	2073	9.3	43	3	3	8	11	16	22	35	
50-64	4367	10.4	65	3	4	9	12	18	25	45	
65+	5336	12.6	95	3	5	10	15	24	31	70	
GRAND TOTAL											
	13520	10.8	73	3	4	9	13	20	27	52	

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	445	6.0	21	1	2	5	8	11	15	26	
20-34	274	5.9	23	1	2	5	7	11	13	25	
35-49	112	8.1	29	2	2	7	11	16	19	26	
50-64	131	8.3	26	3	4	7	10	14	18	54	
65+	100	11.8	82	2	3	10	15	21	23	54	
B. Operated											
0-19 YRS	3	12.7	24	7	7	15	16	16	16	16	
20-34	1	7.0		7	7	7	7	7	7	7	
35-49	1	5.0		5	5	5	5	5	5	5	
50-64	1	31.0		31	31	31	31	31	31	31	
65+	3	11.3	36	5	5	12	16	17	17	17	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	284	7.1	34	2	2	6	9	14	19	33	
20-34	337	7.5	26	2	3	6	10	13	16	27	
35-49	292	10.2	63	3	4	9	13	18	22	44	
50-64	380	11.6	69	4	5	10	14	19	27	48	
65+	461	14.5	129	4	5	12	17	27	35	62	
B. Operated											
0-19 YRS	12	12.6	91	4	4	11	14	28	35	36	
20-34	35	12.8	117	2	4	11	17	22	24	64	
35-49	39	17.2	161	6	7	14	23	27	46	64	
50-64	63	24.4	415	6	9	19	29	70	89	99+	
65+	73	25.5	201	7	10	23	30	56	61	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	1062	7.0	32	2	2	6	9	13	17	27	
B. Operated											
	9	12.8	69	5	5	12	16	25	31	31	
2. MULTIPLE DX											
A. Not Operated											
	1754	10.6	78	2	3	9	13	19	26	47	
B. Operated											
	222	21.1	259	5	7	17	27	45	63	99+	
1. SINGLE DX	1071	7.1	32	2	2	6	9	13	17	27	
2. MULTIPLE DX	1976	11.8	109	3	3	9	14	23	30	62	
A. NOT OPERATED	2816	9.3	64	2	3	7	12	17	22	42	
B. OPERATED	231	20.7	254	5	6	17	27	44	63	99+	
TOTAL											
0-19 YRS	744	6.6	28	2	2	5	8	13	17	28	
20-34	647	7.1	32	2	2	6	9	13	17	26	
35-49	444	10.3	68	2	3	8	13	18	24	47	
50-64	575	12.3	117	4	4	9	14	22	32	80	
65+	637	15.4	143	4	5	12	19	29	39	66	
GRAND TOTAL	3047	10.1	87	2	3	8	12	19	27	57	

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	6.5	11	2	2	6	9	11	13	15
20-34	131	7.0	16	2	3	6	9	12	13	23
35-49	179	8.1	15	3	4	8	10	13	15	21
50-64	321	8.4	33	3	3	7	10	15	18	27
65+	278	9.7	34	3	4	8	12	17	21	37
B. Operated										
0-19 YRS	6	4.3	12	2	2	3	5	10	11	11
20-34	26	2.7	8	<1	<1	2	4	5	10	12
35-49	44	5.6	48	1	1	3	7	13	17	39
50-64	113	7.0	81	1	1	3	7	24	27	35
65+	75	9.2	111	2	2	5	13	23	28	58
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	6.7	30	1	2	5	8	13	16	30
20-34	326	9.1	67	2	3	7	11	17	24	55
35-49	764	10.0	53	3	4	8	12	18	23	35
50-64	1794	10.7	59	3	4	9	13	19	24	40
65+	2149	12.3	92	3	5	10	15	22	28	72
B. Operated										
0-19 YRS	8	10.8	97	5	5	7	11	27	34	34
20-34	112	14.6	124	3	4	12	19	29	37	83
35-49	249	18.9	276	3	4	14	26	41	57	99+
50-64	874	22.2	339	3	5	17	32	51	70	99+
65+	1168	25.1	360	4	7	20	35	58	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	992	8.4	27	3	3	7	10	14	18	26
B. Operated	264	6.9	78	1	1	3	8	18	26	39
2. MULTIPLE DX										
A. Not Operated	5141	11.1	74	3	4	9	14	20	25	56
B. Operated	2411	22.9	339	3	5	18	32	53	71	99+
1. SINGLE DX	1256	8.1	38	2	2	7	10	15	19	33
2. MULTIPLE DX	7552	14.8	189	3	4	11	18	32	47	90
A. NOT OPERATED	6133	10.6	67	3	4	9	13	19	24	50
B. OPERATED	2675	21.3	336	2	3	16	30	51	68	99+
TOTAL										
0-19 YRS	205	6.7	25	2	2	6	8	12	14	30
20-34	595	9.4	72	2	3	7	11	19	25	49
35-49	1236	11.4	108	3	4	8	13	22	31	60
50-64	3102	13.6	166	3	4	10	16	29	41	83
65+	3670	16.1	212	3	5	12	20	35	53	99+
GRAND TOTAL	8808	13.9	173	3	4	10	17	29	43	86

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	5.0	11							
20-34	19	4.4	17	<1	1	3	7	10	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
B. Operated										
0-19 YRS	49	3.9	9	<1	1	3	5	8	10	99+
20-34	186	4.4	26	<1	1	3	6	7	8	14
35-49	9	3.3	6	<1	<1	3	5	7	8	8
50-64	13	2.4	13	2	2	4	7	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	8.0	55	3	3	5	12	19	19	19
20-34	30	7.3	299	<1	1	4	6	9	9	98
35-49	6	6.5	14	<1	<1	7	8	12	12	12
50-64										
65+										
B. Operated										
0-19 YRS	36	6.9	20	2	2	7	8	15	18	20
20-34	236	4.8	11	<1	1	5	7	8	11	15
35-49	34	4.1	7	<1	1	4	7	8	8	11
50-64	2	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	4.7	15	1	1	3	8	11	12	15
B. Operated	248	4.3	21	<1	1	3	6	7	8	18
2. MULTIPLE DX										
A. Not Operated	40	7.3	229	<1	1	4	6	9	15	98
B. Operated	308	5.0	12	<1	1	5	7	8	11	18
1. SINGLE DX	275	4.3	21	<1	1	3	6	8	9	17
2. MULTIPLE DX	348	5.2	37	<1	1	5	7	9	11	19
A. NOT OPERATED	67	6.2	143	<1	1	4	7	9	13	84
B. OPERATED	556	4.7	16	<1	1	4	6	8	11	18
TOTAL										
0-19 YRS	96	5.3	17	1	2	4	7	10	17	62
20-34	471	4.8	35	<1	1	4	6	8	11	15
35-49	50	4.4	9	<1	<1	4	7	8	9	12
50-64	4	3.3	6	2	2	2	5	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	623	4.8	30	<1	1	4	6	8	11	18

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus
(251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	4.6	30	<1	1	3	6	11	12	31
20-34	153	4.8	10	1	2	4	6	9	11	16
35-49	85	6.0	20	1	2	4	8	12	15	23
50-64	85	6.4	32	1	2	5	8	13	21	26
65+	73	6.1	19	<1	1	6	8	13	15	20
B. Operated										
0-19 YRS	15	5.1	9	<1	1	4	8	9	9	9
20-34	32	6.5	16	2	2	5	9	13	14	17
35-49	23	10.8	129	2	3	6	12	24	43	45
50-64	26	8.0	52	2	3	6	9	10	30	33
65+	11	11.8	88	3	5	9	14	25	36	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	4.8	29	1	1	3	5	9	12	23
20-34	270	6.2	28	1	2	5	8	12	14	33
35-49	325	7.5	42	1	2	6	9	15	17	24
50-64	465	8.5	46	2	2	7	11	17	21	41
65+	759	10.1	67	2	3	8	13	19	26	49
B. Operated										
0-19 YRS	13	9.8	231	1	2	4	8	29	52	57
20-34	49	8.7	56	2	2	7	12	19	22	36
35-49	74	13.2	149	2	3	11	16	26	30	70
50-64	106	15.0	231	3	4	11	18	32	52	95
65+	116	20.8	254	5	5	16	27	40	51	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	529	5.4	22	1	1	4	7	11	14	22
B. Operated	107	8.1	58	2	2	5	9	14	20	43
2. MULTIPLE DX										
A. Not Operated	1980	8.3	53	1	2	7	11	16	21	37
B. Operated	358	15.4	213	2	4	12	21	32	46	79
1. SINGLE DX	636	5.8	29	1	1	4	7	12	15	28
2. MULTIPLE DX	2338	9.4	84	1	2	7	12	19	26	52
A. NOT OPERATED	2509	7.7	47	1	2	6	10	16	20	34
B. OPERATED	465	13.8	187	2	3	9	17	30	42	77
TOTAL										
0-19 YRS	322	4.9	37	1	1	3	6	9	12	33
20-34	504	6.0	26	1	2	5	8	12	14	31
35-49	507	8.2	63	1	2	6	11	16	20	43
50-64	682	9.3	80	2	2	7	12	18	25	52
65+	959	11.1	99	2	3	8	14	22	31	60
GRAND TOTAL	2974	8.7	74	1	2	6	11	17	23	47

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	6.8	28	2	2	6	8	15	20	20
20-34	4	4.3	7	2	2	3	6	8	8	8
35-49	6	6.3	14	3	3	5	8	12	13	13
50-64	4	18.5	154	7	7	15	26	36	36	36
65+	10	16.7	238	4	5	9	26	43	47	47
B. Operated										
0-19 YRS	2	8.5	25	5	5	8	12	12	12	12
20-34	1	6.0	6	6	6	6	6	6	6	6
35-49	3	12.3	261	3	3	3	24	31	31	31
50-64										
65+	5	6.8	13	3	3	8	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	11.2	115	2	3	6	18	27	30	49
20-34	22	10.1	41	3	4	9	13	20	25	26
35-49	26	13.5	172	2	3	9	18	28	42	60
50-64	84	15.3	234	4	5	10	18	33	38	94
65+	263	17.7	218	3	4	15	22	38	63	99+
B. Operated										
0-19 YRS	6	21.5	283	8	8	13	42	44	44	44
20-34	7	19.4	502	2	2	7	36	56	59	59
35-49	7	15.3	213	<1	1	12	35	82	99+	99+
50-64	20	20.2	164	5	6	19	29	47	72	99+
65+	72	25.3	511	4	6	17	33	62	88	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	10.6	118	2	3	7	12	26	39	47
B. Operated	11	8.5	66	3	3	6	10	20	30	31
2. MULTIPLE DX										
A. Not Operated	435	16.0	204	3	4	12	21	32	49	99+
B. Operated	112	23.2	416	4	5	15	33	53	88	99+
1. SINGLE DX	46	10.1	105	2	3	7	11	25	37	47
2. MULTIPLE DX	547	17.5	256	3	4	13	22	39	59	99+
A. NOT OPERATED	470	15.6	200	3	4	11	21	32	48	99
B. OPERATED	123	21.9	402	3	4	15	31	50	87	99+
TOTAL										
0-19 YRS	59	11.3	122	2	3	8	15	27	37	49
20-34	34	11.2	140	2	3	8	13	25	39	59
35-49	42	12.7	158	2	3	8	17	33	46	99+
50-64	108	16.3	219	4	5	12	21	35	43	98
65+	350	19.1	286	4	4	15	24	43	66	99+
GRAND TOTAL	593	16.9	248	3	4	12	22	37	54	99+

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	12.3	37	1	5	13	15	21	23	31
20-34	26	13.5	35	6	7	14	18	21	23	28
35-49	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	8.7	22	5	5	7	12	14	14	14
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	5	4.2	19	2	2	2	5	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	11.7	65	2	3	10	14	19	26	45
20-34	53	13.2	114	3	4	11	15	25	29	66
35-49	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	15	18.7	105	5	8	15	27	36	36	36
20-34	5	7.2	61	1	1	4	12	20	20	20
35-49	4	2.3		2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	12.5	37	1	6	13	15	21	22	30
B. Operated	10	7.1	26	2	2	6	12	14	15	15
2. MULTIPLE DX										
A. Not Operated	155	12.2	81	2	3	11	14	20	28	51
B. Operated	24	13.6	123	1	2	11	20	32	36	36
1. SINGLE DX	120	12.1	38	2	4	12	15	21	22	29
2. MULTIPLE DX	179	12.4	86	2	3	11	15	21	30	48
A. NOT OPERATED	265	12.3	62	2	4	12	15	21	25	42
B. OPERATED	34	11.7	102	2	2	10	15	29	35	36
TOTAL 0-19 YRS	202	12.4	58	2	4	12	15	21	28	39
20-34	86	12.9	85	2	4	11	16	21	28	58
35-49	11	4.2	17	2	2	2	3	12	13	13
GRAND TOTAL	299	12.3	67	2	3	11	15	21	28	41

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	19.3	765	1	1	8	24	56	97	98
20-34	13	7.2	15	2	2	7	10	13	13	13
35-49	8	11.6	179	1	1	5	20	33	38	38
50-64	5	5.2	3	2	2	6	6	91	99+	99+
65+	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	6	19.8	379	2	3	10	37	50	51	51
20-34	68	12.5	75	7	8	10	14	20	28	94
35-49	37	10.4	14	5	7	10	11	17	18	21
50-64	8	14.9	60	6	6	13	21	26	27	27
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	16.3	565	2	3	7	12	62	76	88
20-34	35	6.4	76	1	1	4	8	10	19	50
35-49	52	6.7	34	<1	1	5	9	13	17	28
50-64	67	11.1	120	2	3	7	15	19	34	63
65+	30	10.2	58	2	3	8	13	23	29	30
B. Operated										
0-19 YRS	3	9.7	25	5	5	9	13	15	15	15
20-34	54	14.7	107	7	8	11	17	24	30	59
35-49	74	16.6	168	5	7	12	21	36	45	96
50-64	26	15.7	102	3	4	13	23	29	33	46
65+	4	15.3	132	2	2	14	22	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	13.3	408	1	1	6	14	37	93	99+
B. Operated	119	12.4	71	6	7	10	13	20	27	80
2. MULTIPLE DX										
A. Not Operated	205	9.6	133	1	2	7	11	18	28	66
B. Operated	161	15.6	132	5	7	12	19	30	38	81
1. SINGLE DX	169	12.7	169	2	4	10	14	23	37	99
2. MULTIPLE DX	366	12.3	141	2	3	10	15	25	34	67
A. NOT OPERATED	255	10.3	188	1	2	7	11	20	36	96
B. OPERATED	280	14.3	108	5	7	11	16	26	36	80
TOTAL 0-19 YRS	53	17.7	584	1	2	8	17	53	85	98
20-34	170	11.5	90	2	3	10	13	20	29	68
35-49	171	12.0	110	2	3	10	14	25	36	77
50-64	106	12.3	111	2	4	8	16	25	34	81
65+	35	10.7	64	2	2	9	14	28	30	30
GRAND TOTAL	535	12.4	150	2	3	10	14	25	36	89

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	164	3.1	25	<1	<1	1	3	6	12	28
20-34	50	3.7	6	1	1	3	5	7	7	14
35-49	42	8.3	157	1	2	5	9	15	24	79
50-64	37	5.7	25	1	1	5	8	13	67	99+
65+	27	7.3	30	2	3	6	9	16	18	26
B. Operated										
0-19 YRS	25	5.1	15	<1	1	4	7	12	13	14
20-34	52	5.0	22	<1	2	4	6	10	16	25
35-49	99	4.0	19	<1	<1	2	5	10	13	21
50-64	105	3.1	18	<1	<1	1	3	8	11	23
65+	31	6.9	41	<1	1	5	9	16	22	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	134	5.6	47	<1	<1	3	6	12	19	32
20-34	101	7.0	37	<1	1	5	9	14	21	31
35-49	149	7.7	26	2	3	6	10	14	18	27
50-64	159	9.9	83	3	3	8	11	21	26	51
65+	208	10.4	68	2	3	8	14	21	30	72
B. Operated										
0-19 YRS	32	9.6	92	<1	1	7	13	19	35	43
20-34	61	10.3	97	2	3	6	13	25	33	45
35-49	93	10.6	153	1	2	6	12	22	36	85
50-64	121	10.9	154	1	2	6	15	27	36	60
65+	119	16.2	272	2	2	11	22	31	61	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	4.6	43	<1	<1	3	5	10	16	44
B. Operated	312	4.2	22	<1	<1	2	5	10	13	23
2. MULTIPLE DX										
A. Not Operated	751	8.4	58	1	2	6	10	17	23	47
B. Operated	426	12.1	179	1	2	8	15	28	39	70
1. SINGLE DX	632	4.4	33	<1	<1	3	5	10	15	28
2. MULTIPLE DX	1177	9.8	105	1	2	7	12	22	29	63
A. NOT OPERATED	1071	7.3	57	<1	1	5	9	16	22	46
B. OPERATED	738	8.8	128	<1	<1	5	11	22	30	65
TOTAL										
0-19 YRS	355	4.8	42	<1	<1	3	5	12	17	30
20-34	264	6.7	47	1	2	5	8	15	22	36
35-49	383	7.5	74	<1	1	5	10	14	22	63
50-64	422	8.1	92	<1	<1	5	10	20	27	58
65+	385	11.7	136	2	2	9	15	25	31	71
GRAND TOTAL	1809	7.9	86	<1	<1	5	10	17	26	57

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	5.1	7	1	2	5	7	9	10	10
20-34	37	4.9	4	2	2	5	6	8	9	9
35-49	43	6.0	18	2	3	5	7	11	13	25
50-64	45	6.1	11	1	2	6	8	9	11	17
B. Operated										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	11	3.2	9	1	1	2	3	7	12	12
65+	10	11.6	126	2	2	9	9	30	40	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.8	1	2	2	4	5	5	5	5
20-34	67	6.5	48	2	3	5	7	9	15	49
35-49	163	8.1	30	2	3	7	10	15	19	30
50-64	260	8.9	50	3	3	7	11	16	22	31
B. Operated										
0-19 YRS	1	2.0	2	2	2	2	2	2	2	2
20-34	1	10.0	10	10	10	10	10	10	10	10
35-49	11	12.6	71	2	4	11	17	25	32	33
50-64	33	10.4	37	2	3	9	17	18	22	23
65+	40	14.3	117	3	4	11	17	32	38	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	5.6	11	1	2	5	7	9	11	17
B. Operated	29	6.5	62	2	2	3	9	13	22	40
2. MULTIPLE DX										
A. Not Operated	501	8.2	43	2	3	7	10	15	19	31
B. Operated	86	12.4	81	2	3	10	17	23	33	42
1. SINGLE DX	174	5.8	19	1	2	5	7	10	11	24
2. MULTIPLE DX	587	8.8	51	2	3	7	11	17	22	36
A. NOT OPERATED	646	7.7	37	2	3	6	9	13	18	30
B. OPERATED	115	10.9	82	2	2	8	15	21	32	41
TOTAL										
0-19 YRS	3	5.7	40	2	2	2	10	13	13	13
20-34	35	4.7	6	1	2	4	6	9	10	10
35-49	118	6.5	39	2	2	5	7	10	16	40
50-64	250	7.8	30	2	3	6	10	16	19	28
65+	355	9.3	58	2	3	7	11	17	24	40
GRAND TOTAL	761	8.1	45	2	3	6	10	15	20	33

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	4.0	11	1	2	3	4	8	11	20
20-34	20	3.6	5	<1	<1	3	5	6	8	10
35-49	32	6.1	34	1	2	4	8	12	16	30
50-64	36	6.1	19	1	2	5	8	14	16	19
65+	84	9.6	82	2	3	7	12	20	27	48
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	12.3		12	12	12	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	388	4.8	18	1	1	4	6	9	14	22
20-34	214	6.2	37	1	2	4	7	12	19	33
35-49	281	6.7	31	2	2	5	8	12	16	30
50-64	599	9.1	68	2	3	7	11	18	23	46
65+	2509	13.4	153	3	4	10	16	27	38	86
B. Operated										
0-19 YRS	26	13.1	164	2	3	9	14	38	42	52
20-34	22	8.8	33	1	2	8	13	16	20	21
35-49	48	11.8	161	1	2	9	15	21	25	77
50-64	85	19.4	340	2	3	14	26	52	78	99+
65+	265	24.1	291	6	8	20	32	54	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	6.7	47	1	2	4	8	14	19	40
B. Operated	5	8.6	28	1	1	12	12	13	13	13
2. MULTIPLE DX										
A. Not Operated	3991	11.0	122	2	3	8	13	22	32	72
B. Operated	446	20.5	291	3	5	16	28	48	65	99+
1. SINGLE DX	232	6.7	46	1	2	4	8	14	19	39
2. MULTIPLE DX	4437	12.0	147	2	3	8	14	25	37	79
A. NOT OPERATED	4218	10.8	119	2	3	8	13	22	31	71
B. OPERATED	451	20.4	289	3	5	15	28	48	65	99+
TOTAL										
0-19 YRS	470	5.1	29	1	1	4	6	10	15	33
20-34	256	6.2	35	1	2	4	7	12	19	33
35-49	361	7.3	51	2	2	5	9	14	19	33
50-64	721	10.2	109	2	3	7	12	21	27	60
65+	2861	14.2	174	3	4	10	17	30	43	89
GRAND TOTAL	4669	11.7	144	2	3	8	14	25	36	78

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	5.0	16	<1	1	4	7	10	13	20
20-34	18	5.6	11	1	2	5	7	9	13	16
35-49	35	5.8	9	1	2	5	8	9	11	15
50-64	34	5.0	9	1	1	5	7	8	10	15
65+	79	6.9	74	<1	1	5	9	12	20	55
B. Operated										
0-19 YRS	12	4.6	13	1	1	4	6	11	12	12
20-34	6	5.5	3	3	3	5	6	8	8	8
35-49	21	6.6	18	1	2	6	8	12	16	19
50-64	18	8.1	13	2	3	8	10	13	15	16
65+	43	10.1	31	2	3	10	13	19	22	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	6.2	21	1	2	5	8	12	18	21
20-34	54	7.4	25	2	2	6	9	15	18	23
35-49	133	6.9	15	2	3	6	9	12	15	19
50-64	262	8.6	40	2	2	7	11	15	20	31
65+	1049	9.9	54	2	3	8	13	18	23	40
B. Operated										
0-19 YRS	17	7.9	12	3	4	8	10	13	15	15
20-34	33	8.8	28	2	3	8	11	16	21	25
35-49	127	10.7	46	3	4	10	13	17	19	40
50-64	163	13.5	119	4	5	11	15	23	34	61
65+	573	14.0	81	5	6	12	17	24	32	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	5.9	35	1	1	5	7	10	14	25
B. Operated	100	8.1	25	1	2	7	10	14	18	23
2. MULTIPLE DX										
A. Not Operated	1566	9.2	47	2	3	8	12	17	21	36
B. Operated	913	13.1	82	4	5	11	15	22	31	51
1. SINGLE DX	318	6.6	32	1	1	5	8	12	15	24
2. MULTIPLE DX	2479	10.6	63	2	3	9	13	19	24	45
A. NOT OPERATED	1784	8.8	47	2	3	7	11	16	20	36
B. OPERATED	1013	12.6	78	3	5	11	15	22	29	50
TOTAL										
0-19 YRS	149	5.8	18	1	1	5	8	11	15	20
20-34	111	7.4	23	2	2	6	9	15	18	24
35-49	316	8.3	31	2	3	7	11	14	17	29
50-64	477	10.0	71	2	3	8	12	19	23	46
65+	1744	11.1	67	2	4	9	14	20	26	48
GRAND TOTAL	2797	10.2	62	2	3	8	13	19	24	44

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	212	4.7	13	<1	1	4	6	9	11	18
20-34	289	6.2	23	<1	1	6	8	12	15	27
35-49	113	6.5	36	<1	<1	5	9	13	20	31
50-64	10	8.8	22	2	2	7	15	18	19	19
65+	1	4.0	22	4	4	4	4	4	4	4
B. Operated										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	3	15.0	43	9	9	14	20	22	22	22
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	164	7.3	54	1	2	6	10	13	17	31
20-34	262	8.3	33	2	3	7	11	15	21	32
35-49	83	10.9	79	2	3	8	14	21	29	47
50-64	22	10.6	99	2	3	7	14	22	33	45
65+	5	7.4	22	2	2	8	14	91	99+	99+
B. Operated										
0-19 YRS	10	15.3	63	4	6	14	19	27	34	34
20-34	29	20.1	431	3	3	14	22	48	76	89
35-49	10	20.9	317	3	4	17	30	48	62	62
50-64	3	13.3	20	9	9	13	17	18	18	18
65+	2	26.5	545	10	10	26	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	625	5.8	23	<1	1	5	8	11	15	25
B. Operated	7	10.7	47	4	4	9	15	21	22	22
2. MULTIPLE DX										
A. Not Operated	536	8.5	50	2	2	7	11	16	22	43
B. Operated	54	19.2	311	3	4	14	20	41	60	88
1. SINGLE DX	632	5.9	23	<1	1	5	8	11	15	25
2. MULTIPLE DX	590	9.5	83	2	2	7	12	18	26	58
A. NOT OPERATED	1161	7.0	37	<1	1	6	9	14	18	33
B. OPERATED	61	18.2	287	3	4	14	20	37	56	87
TOTAL 0-19 YRS	388	6.1	36	1	1	5	8	12	16	28
20-34	583	7.9	56	1	2	6	10	15	20	41
35-49	208	9.0	76	<1	1	7	11	19	25	46
50-64	35	10.3	74	2	3	7	14	20	24	45
65+	8	11.8	175	2	3	9	21	77	99+	99+
GRAND TOTAL	1222	7.6	55	<1	1	6	10	15	20	41

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	452	1.7	9	<1	<1	<1	1	3	5	10
20-34	81	3.0	20	<1	<1	1	3	7	10	28
35-49	63	5.3	19	1	1	4	8	11	14	21
50-64	111	5.2	27	<1	<1	3	8	14	16	20
65+	334	4.9	32	<1	<1	3	6	12	16	26
B. Operated										
0-19 YRS	31	7.0	24	2	3	6	8	9	18	28
20-34	22	8.8	28	2	3	8	11	16	19	23
35-49	30	6.8	15	2	2	6	10	12	13	16
50-64	42	11.5	68	3	4	10	12	23	34	36
65+	103	9.9	39	2	3	10	13	19	23	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	149	4.1	33	<1	<1	2	5	9	12	27
20-34	133	6.2	35	<1	<1	5	9	13	18	26
35-49	202	8.5	108	<1	1	6	10	16	22	60
50-64	501	7.8	65	1	1	6	10	16	23	37
65+	1937	9.4	83	1	2	7	12	19	26	53
B. Operated										
0-19 YRS	46	8.6	80	2	2	6	11	15	27	49
20-34	63	11.3	76	1	2	10	15	25	29	36
35-49	134	13.9	120	3	4	11	18	24	32	65
50-64	271	13.4	100	2	4	11	18	26	34	58
65+	939	16.8	172	3	5	13	21	32	44	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1041	3.4	22	<1	<1	1	4	9	12	23
B. Operated	228	9.3	40	2	3	8	12	17	22	34
2. MULTIPLE DX										
A. Not Operated	2922	8.7	79	1	1	6	11	18	24	50
B. Operated	1453	15.4	151	3	4	12	20	30	38	73
1. SINGLE DX	1269	4.5	30	<1	<1	2	6	11	16	26
2. MULTIPLE DX	4375	10.9	113	1	2	8	14	23	30	62
A. NOT OPERATED	3963	7.3	69	<1	<1	5	10	16	22	43
B. OPERATED	1681	14.6	140	3	4	11	19	29	37	70
TOTAL 0-19 YRS	678	2.9	24	<1	<1	1	3	7	10	27
20-34	299	6.6	47	<1	<1	4	9	15	22	32
35-49	429	9.6	101	1	2	7	12	20	24	54
50-64	925	9.3	79	1	1	7	12	20	25	43
65+	3313	11.1	117	1	2	8	14	23	31	64
GRAND TOTAL	5644	9.5	101	<1	1	7	13	21	28	55

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	24	2.7	4	<1	1	2	4	5	8	8
20-34	5	2.6	2	1	1	3	4	4	4	4
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64										
65+										
<i>B. Operated</i>										
0-19 YRS										
20-34	2	15.0	50	10	10	15	20	20	20	20
35-49										
50-64										
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	45	5.8	51	1	1	4	8	9	11	48
20-34	25	7.0	30	<1	1	6	9	14	17	25
35-49	8	9.9	92	2	2	5	16	25	26	26
50-64	13	7.1	17	1	3	6	9	13	16	17
65+	12	15.1	145	4	5	11	16	39	41	41
<i>B. Operated</i>										
0-19 YRS	6	8.2	49	3	3	6	8	21	22	22
20-34	5	8.0	46	3	3	5	12	19	19	19
35-49	5	11.2	54	3	3	10	17	21	21	21
50-64	3	12.0	49	4	4	15	16	17	17	17
65+	1	48.0		48	48	48	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	32	2.8	4	1	1	2	4	5	8	8
<i>B. Operated</i>	2	15.0	50	10	10	15	20	20	20	20
2. MULTIPLE DX										
<i>A. Not Operated</i>	103	7.6	62	1	1	6	9	14	24	44
<i>B. Operated</i>	20	11.5	116	3	3	7	16	21	35	48
1. SINGLE DX	34	3.5	14	1	1	3	4	8	10	20
2. MULTIPLE DX	123	8.2	72	1	1	6	9	16	24	48
A. NOT OPERATED	135	6.5	52	1	1	4	8	13	17	42
B. OPERATED	22	11.8	108	3	3	9	17	21	32	48
TOTAL 0-19 YRS	75	5.0	38	1	1	4	7	9	11	41
20-34	37	6.9	33	<1	1	5	10	14	20	25
35-49	16	9.2	65	2	2	6	13	24	25	26
50-64	16	8.0	24	2	4	6	11	17	17	17
65+	13	17.6	217	4	6	13	22	42	47	48
GRAND TOTAL	157	7.2	63	1	1	5	9	16	22	47

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	218	5.5	23	1	2	4	7	11	14	31
20-34	41	5.6	27	<1	1	4	7	12	17	24
35-49	62	3.9	34	1	1	1	4	10	14	35
50-64	54	6.7	68	<1	<1	3	9	15	20	49
65+	56	6.5	83	1	1	5	8	12	16	62
<i>B. Operated</i>										
0-19 YRS	100	7.4	31	1	2	7	9	13	17	32
20-34	78	8.7	21	2	3	8	11	14	18	25
35-49	37	9.9	42	1	2	9	13	16	22	33
50-64	67	11.0	131	<1	1	8	12	25	35	61
65+	63	13.9	99	3	5	11	17	31	36	44
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	137	5.8	41	1	1	4	7	12	16	27
20-34	90	6.6	29	1	2	5	8	14	16	27
35-49	115	6.6	21	1	2	6	9	12	15	23
50-64	231	8.2	51	1	2	6	11	16	20	35
65+	482	9.6	91	1	2	7	12	19	27	51
<i>B. Operated</i>										
0-19 YRS	68	12.1	222	2	2	8	13	26	36	84
20-34	80	11.5	86	2	3	8	14	24	28	48
35-49	94	12.5	105	3	4	9	17	26	34	54
50-64	167	16.6	171	4	5	13	21	33	35	90
65+	314	16.8	202	4	5	13	20	32	47	99
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	431	5.5	39	1	1	4	7	12	16	32
<i>B. Operated</i>	345	9.8	66	1	2	8	12	18	27	41
2. MULTIPLE DX										
<i>A. Not Operated</i>	1055	8.2	65	1	2	6	10	16	22	42
<i>B. Operated</i>	723	15.2	175	3	4	11	19	31	39	89
1. SINGLE DX	776	7.5	55	1	1	6	9	15	20	39
2. MULTIPLE DX	1778	11.1	121	2	2	8	14	23	32	63
A. NOT OPERATED	1486	7.4	59	1	1	5	9	16	21	40
B. OPERATED	1068	13.5	146	2	4	10	17	28	35	80
TOTAL 0-19 YRS	523	6.8	59	1	2	5	8	13	17	35
20-34	289	8.4	46	1	2	7	11	16	22	33
35-49	308	8.3	62	1	1	7	10	17	23	38
50-64	519	11.1	116	1	2	8	14	24	33	61
65+	915	12.2	142	2	2	9	16	26	35	68
GRAND TOTAL	2554	10.0	104	1	2	7	12	21	30	58

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1027	2.6	14	1	1	2	3	4	6	8
20-34	172	2.8	3	1	1	2	3	5	6	10
35-49	22	3.0	4	1	1	3	3	6	7	9
50-64	11	2.9	3	1	1	2	4	6	6	6
65+	4	3.3	4	2	2	3	4	6	6	6
<i>B. Operated</i>										
0-19 YRS	291	5.0	32	2	3	4	5	7	9	17
20-34	82	6.1	18	3	3	5	6	10	12	28
35-49	12	5.7	4	3	3	5	7	9	10	10
50-64	3	7.3	10	5	5	6	10	11	11	11
65+	1	9.0	9	9	9	9	9	9	9	9
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	360	3.2	4	1	1	3	4	6	7	10
20-34	61	3.5	15	1	1	3	4	6	8	28
35-49	13	4.4	6	2	2	3	6	8	9	9
50-64	5	5.4	7	3	3	5	6	10	10	10
65+	1	3.0	3	3	3	3	3	3	3	3
<i>B. Operated</i>										
0-19 YRS	120	6.0	8	3	3	6	7	9	12	17
20-34	36	5.8	5	3	3	5	7	9	10	12
35-49	9	7.3	11	4	4	7	10	12	12	12
50-64	4	11.0	97	2	2	9	19	23	23	23
65+	5	7.8	6	5	5	8	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	1236	2.6	12	1	1	2	3	4	6	9
<i>B. Operated</i>	389	5.3	28	3	3	4	5	7	10	21
2. MULTIPLE DX										
<i>A. Not Operated</i>	440	3.3	6	1	1	3	4	6	7	10
<i>B. Operated</i>	174	6.2	10	3	3	6	7	9	12	19
1. SINGLE DX	1625	3.3	17	1	1	3	4	6	7	12
2. MULTIPLE DX	614	4.1	9	1	1	3	5	7	9	15
A. NOT OPERATED	1676	2.8	11	1	1	2	3	5	6	10
B. OPERATED	563	5.5	23	3	3	5	6	9	11	21
TOTAL 0-19 YRS	1798	3.3	16	1	1	3	4	6	7	12
20-34	351	4.0	11	1	1	3	5	7	9	21
35-49	56	4.6	8	1	2	4	6	9	10	12
50-64	23	5.4	26	1	2	4	6	12	18	23
65+	11	5.8	10	2	2	6	9	10	11	11
GRAND TOTAL	2239	3.5	15	1	1	3	4	6	8	13

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	122	4.7	8	1	2	4	6	8	10	14
20-34	18	3.9	22	<1	1	3	4	6	16	22
35-49	8	3.8	3	1	1	4	5	6	7	7
50-64	7	9.1	91	<1	<1	3	19	22	22	22
65+	3	6.7	21	4	4	4	10	12	12	12
<i>B. Operated</i>										
0-19 YRS	139	3.3	10	<1	<1	2	3	8	10	14
20-34	112	3.5	11	<1	<1	2	4	7	12	18
35-49	44	3.3	9	<1	1	2	4	7	8	17
50-64	42	3.7	11	1	1	3	5	8	12	15
65+	21	3.6	9	<1	<1	3	5	9	11	12
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	83	4.8	7	2	2	4	6	9	10	13
20-34	20	5.5	9	1	2	5	8	10	11	11
35-49	8	5.3	7	1	2	5	7	8	8	8
50-64	7	7.4	25	3	3	7	8	16	18	18
65+	4	13.0	146	5	5	8	20	31	31	31
<i>B. Operated</i>										
0-19 YRS	46	5.0	17	<1	1	4	7	10	15	17
20-34	42	7.2	110	1	2	4	8	14	19	66
35-49	32	6.8	26	2	2	6	9	12	19	24
50-64	38	6.4	22	1	2	5	9	12	17	20
65+	27	9.5	85	2	3	6	12	21	28	44
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	158	4.8	14	1	2	4	6	9	11	22
<i>B. Operated</i>	358	3.4	10	<1	1	2	4	8	10	16
2. MULTIPLE DX										
<i>A. Not Operated</i>	122	5.4	14	2	2	5	7	9	11	22
<i>B. Operated</i>	185	6.8	52	1	2	5	9	13	19	37
1. SINGLE DX	516	3.8	12	<1	1	3	5	8	10	19
2. MULTIPLE DX	307	6.2	37	1	2	5	8	11	16	28
A. NOT OPERATED	280	5.1	14	1	2	4	7	9	11	22
B. OPERATED	543	4.6	27	<1	1	3	6	10	13	21
TOTAL 0-19 YRS	390	4.3	10	<1	1	3	6	9	10	15
20-34	192	4.5	35	<1	1	3	5	10	13	23
35-49	92	4.7	17	1	1	3	7	9	11	22
50-64	94	5.5	24	1	1	4	7	12	17	22
65+	55	7.3	63	1	1	4	8	16	24	43
GRAND TOTAL	823	4.7	22	<1	1	3	6	10	12	22

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	9.6	166	1	1	4	14	29	42	44
20-34	39	13.3	139	1	2	10	18	25	41	55
35-49	10	14.0	149	2	2	10	20	34	35	35
50-64	7	11.4	27	5	6	11	17	77	99+	99+
65+	13	19.0	489	<1	2	14	27	83	96	99+
B. Operated										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	22.0		22	22	22	22	22	22	22
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	13.6	157	<1	1	12	21	34	50	99+
20-34	47	13.1	117	2	3	8	16	32	36	39
35-49	21	12.0	158	2	2	7	16	27	43	53
50-64	30	16.9	91	4	5	15	26	35	94	99+
65+	84	16.0	179	2	4	12	21	34	47	89
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	46.0	162	37	37	46	55	55	55	55
35-49										
50-64	3	39.0	364	27	27	29	53	61	61	61
65+	17	34.0	343	11	13	31	54	66	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	13.6	188	1	1	10	18	33	52	99+
B. Operated	2	12.0	200	2	2	12	22	22	22	22
2. MULTIPLE DX										
A. Not Operated	212	14.8	148	2	3	12	21	34	42	99+
B. Operated	23	35.0	316	12	13	31	54	65	77	99+
1. SINGLE DX	83	13.6	186	1	1	10	18	33	51	99+
2. MULTIPLE DX	235	16.7	199	2	4	13	25	38	55	99+
A. NOT OPERATED	293	14.4	159	1	2	12	20	34	44	99+
B. OPERATED	25	33.2	338	8	13	28	54	65	74	99+
TOTAL 0-19 YRS	43	12.6	156	<1	1	10	19	31	46	99+
20-34	88	14.0	148	1	3	10	18	32	38	55
35-49	32	12.3	150	2	2	7	18	34	35	53
50-64	40	17.6	133	4	5	15	27	43	99+	99+
65+	115	19.0	270	2	4	14	26	44	66	99+
GRAND TOTAL	318	15.9	197	1	2	12	22	37	55	99+

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135	3.9	52	1	1	2	4	6	10	44
20-34	150	5.6	39	1	1	4	8	11	14	57
35-49	86	7.8	81	1	1	5	8	19	27	44
50-64	100	16.6	323	1	3	11	21	50	67	99+
65+	520	19.7	387	2	3	13	28	52	75	99+
B. Operated										
0-19 YRS	5	17.4	57	10	10	17	24	26	26	26
20-34	5	7.4	5	5	5	8	9	10	10	10
35-49	4	22.0	941	6	6	7	38	68	68	68
50-64	3	8.3	1	7	7	9	9	9	9	9
65+	14	14.1	106	2	3	12	18	29	36	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	157	6.8	79	1	1	4	7	17	30	96
20-34	308	8.1	88	2	2	5	8	16	27	78
35-49	233	9.2	121	2	3	7	10	17	26	58
50-64	310	15.0	188	3	4	11	21	33	48	99+
65+	2131	21.3	394	4	5	15	29	62	93	99+
B. Operated										
0-19 YRS	6	31.3	1608	3	3	13	89	99+	99+	99+
20-34	17	18.9	374	1	2	18	44	99+	99+	99+
35-49	15	8.9	16	2	4	9	12	16	75	99+
50-64	38	21.2	400	3	4	15	25	50	86	99+
65+	206	28.5	496	6	8	24	53	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	991	14.0	301	1	1	8	18	41	61	99+
B. Operated	31	14.0	169	3	4	10	17	27	37	68
2. MULTIPLE DX										
A. Not Operated	3139	17.7	337	2	4	12	24	50	83	99+
B. Operated	282	26.0	492	4	7	21	49	98	99+	99+
1. SINGLE DX	1022	14.0	297	1	1	8	17	40	61	99+
2. MULTIPLE DX	3421	18.4	355	2	4	12	25	54	89	99+
A. NOT OPERATED	4130	16.9	331	2	3	11	22	48	77	99+
B. OPERATED	313	24.8	472	3	6	19	44	92	99+	99+
TOTAL 0-19 YRS	303	6.2	108	1	1	3	6	16	28	99
20-34	480	7.7	87	1	2	5	8	16	28	99+
35-49	338	9.0	115	1	2	6	10	17	28	71
50-64	451	15.8	236	3	4	11	21	37	57	99+
65+	2871	21.5	403	3	5	15	31	63	93	99+
GRAND TOTAL	4443	17.4	345	2	3	11	24	51	83	99+

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
20-34 YRS										
35-49										
50-64	4	9.0	17	3	3	10	11	12	12	12
65+	37	16.1	231	2	3	11	19	31	56	70
B. Operated										
20-34 YRS										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
20-34 YRS										
35-49										
50-64	15	16.9	222	3	4	13	26	59	89	99+
65+	266	18.0	297	4	5	13	23	50	73	99+
B. Operated										
20-34 YRS										
35-49	1	56.0		56	56	56	56	56	56	56
50-64										
65+	21	25.0	238	7	9	25	40	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	15.4	213	2	3	11	18	30	54	70
B. Operated										
2. MULTIPLE DX										
A. Not Operated	281	17.9	292	4	5	13	23	50	73	99+
B. Operated	22	26.5	270	7	9	25	44	67	99+	99+
1. SINGLE DX	41	15.4	213	2	3	11	18	30	54	70
2. MULTIPLE DX	303	18.5	295	4	5	13	25	53	74	99+
A. NOT OPERATED	322	17.6	282	4	4	13	22	50	70	99+
B. OPERATED	22	26.5	270	7	9	25	44	67	99+	99+
TOTAL										
20-34 YRS										
35-49	1	56.0		56	56	56	56	56	56	56
50-64	19	15.2	186	3	4	12	20	46	81	99+
65+	324	18.2	288	4	5	13	23	51	71	99+
GRAND TOTAL	344	18.2	285	4	5	13	23	51	71	99+

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.7	4	<1	<1	2	5	5	5	5
20-34	173	5.5	26	1	2	5	6	7	9	23
35-49	309	6.0	36	2	3	5	6	8	11	35
50-64	201	7.1	55	2	3	5	7	12	20	46
65+	57	6.9	31	2	2	7	8	14	22	95
B. Operated										
0-19 YRS										
20-34										
35-49	5	10.0	22	5	5	10	14	16	16	16
50-64	3	11.3	26	7	7	10	15	17	17	17
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	7.7	38	<1	1	8	12	20	80	99+
20-34	361	7.6	55	1	2	6	8	13	17	36
35-49	750	8.3	43	2	3	7	9	14	21	37
50-64	557	9.6	96	2	3	7	11	19	24	84
65+	194	12.0	104	3	4	9	15	24	31	92
B. Operated										
0-19 YRS										
20-34	19	12.5	83	2	3	8	22	26	29	29
35-49	47	11.3	57	2	5	10	13	20	26	42
50-64	43	17.0	258	3	5	13	20	31	77	99+
65+	17	28.6	358	7	10	27	41	70	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	746	6.2	38	2	2	5	7	9	14	39
B. Operated	8	10.5	20	5	5	10	14	17	17	17
2. MULTIPLE DX										
A. Not Operated	1876	8.9	69	2	3	7	10	16	23	52
B. Operated	126	15.8	198	3	5	11	20	33	44	99+
1. SINGLE DX	754	6.3	38	2	2	5	7	9	14	39
2. MULTIPLE DX	2002	9.4	80	2	3	8	10	18	25	59
A. NOT OPERATED	2622	8.2	62	2	3	6	9	15	21	48
B. OPERATED	134	15.5	188	3	5	11	19	32	42	99+
TOTAL										
0-19 YRS	20	6.2	32	<1	<1	5	10	19	56	99+
20-34	553	7.1	49	1	2	5	8	12	17	36
35-49	1111	7.8	43	2	3	6	8	13	19	37
50-64	804	9.4	99	2	3	7	10	19	24	79
65+	268	12.0	127	2	4	8	15	26	39	99+
GRAND TOTAL	2756	8.5	70	2	3	6	9	16	23	52

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	9.1	116	<1	<1	3	15	25	28	45
20-34	41	8.8	126	1	2	5	11	16	28	67
35-49	10	12.2	91	1	1	9	20	27	27	27
50-64	7	8.6	36	1	1	7	14	16	16	16
65+	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	9.4	62	1	2	8	15	25	35	99+
20-34	133	10.0	117	1	2	7	11	22	37	53
35-49	33	7.6	25	2	2	7	10	15	17	19
50-64	28	13.0	58	1	3	12	19	25	27	27
65+	44	12.7	157	2	3	8	15	26	37	70
B. Operated										
0-19 YRS										
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	1	23.0		23	23	23	23	23	23	23
50-64	2	9.5	1	9	9	9	10	10	10	10
65+	2	10.5	41	6	6	10	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	9.2	107	<1	1	6	13	23	27	59
B. Operated										
2. MULTIPLE DX										
A. Not Operated	288	10.3	99	1	2	8	13	23	31	63
B. Operated	7	11.1	40	4	4	10	14	21	23	23
1. SINGLE DX	87	9.2	107	<1	1	6	13	23	27	59
2. MULTIPLE DX	295	10.4	97	1	2	8	13	23	30	62
A. NOT OPERATED	375	10.1	101	1	2	7	13	24	29	63
B. OPERATED	7	11.1	40	4	4	10	14	21	23	23
TOTAL										
0-19 YRS	77	9.3	80	<1	1	6	15	25	33	99+
20-34	176	9.7	117	1	2	6	11	22	33	53
35-49	44	9.0	46	2	2	7	14	19	24	27
50-64	37	12.0	53	1	3	12	16	24	25	27
65+	48	12.3	146	2	3	8	15	25	36	70
GRAND TOTAL	382	10.1	99	1	2	7	13	23	29	62

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	187	23.9	403	2	3	19	35	59	69	99+
20-34	1281	17.3	187	2	4	14	24	35	44	71
35-49	586	17.9	205	1	4	15	23	39	49	69
50-64	221	18.3	185	3	4	16	23	34	42	73
65+	65	31.6	479	4	7	28	42	61	85	98
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	19.2	73	10	10	20	24	32	32	32
35-49	2	23.5	5	22	22	23	25	25	25	25
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	27.6	503	2	5	22	35	63	84	99+
20-34	392	19.0	231	3	5	16	26	38	45	96
35-49	256	18.0	222	2	3	14	24	35	45	74
50-64	160	20.6	215	3	6	19	29	42	52	99+
65+	51	31.2	486	8	13	25	45	91	99+	99+
B. Operated										
0-19 YRS	3	38.0	1327	15	15	19	65	80	80	80
20-34	28	32.6	388	13	14	27	40	52	88	90
35-49	13	37.2	496	9	17	35	44	61	92	99
50-64	12	27.8	550	4	7	21	35	61	85	89
65+	3	44.3	816	17	17	42	66	74	74	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2340	18.5	224	2	4	15	25	38	50	84
B. Operated	9	18.2	59	10	10	20	23	29	32	32
2. MULTIPLE DX										
A. Not Operated	912	20.2	266	3	5	16	27	42	60	99+
B. Operated	59	33.5	478	9	13	27	43	66	89	98
1. SINGLE DX	2349	18.5	223	2	4	15	25	38	50	84
2. MULTIPLE DX	971	21.0	289	3	5	17	28	43	61	99+
A. NOT OPERATED	3252	19.0	236	2	4	15	26	39	52	93
B. OPERATED	68	31.5	449	10	11	26	39	53	88	97
TOTAL										
0-19 YRS	244	24.8	432	2	4	20	35	61	75	99+
20-34	1706	17.9	204	2	4	15	25	36	45	87
35-49	857	18.3	219	2	4	15	24	39	49	70
50-64	393	19.5	210	3	5	17	27	36	48	87
65+	120	31.6	483	7	11	26	43	74	93	99+
GRAND TOTAL	3320	19.2	244	2	4	15	26	39	53	93

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	43	24.1	427	3	6	17	35	63	98	99+	
20-34	131	14.8	196	1	2	11	22	32	46	84	
35-49	42	12.3	43	2	4	12	15	19	24	37	
50-64	9	14.4	76	6	7	12	17	29	34	34	
65+	1	12.0		12	12	56	99+	99+	99+	99+	
B. Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	20	27.9	464	3	4	24	35	55	76	90	
20-34	60	17.6	119	4	6	16	24	34	39	47	
35-49	27	20.6	238	2	7	18	26	38	50	75	
50-64	7	25.9	332	7	8	24	50	86	99+	99+	
65+	3	19.3	224	7	7	15	31	36	36	36	
B. Operated											
0-19 YRS	2	37.0	578	20	20	54	88	99+	99+	99+	
20-34	3	38.0	229	21	21	43	48	50	50	50	
35-49											
50-64											
65+	1	34.0		34	34	34	34	34	34	34	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	226	16.1	220	1	2	12	22	36	52	99+	
B. Operated											
2. MULTIPLE DX											
A. Not Operated	117	20.6	226	4	6	17	28	40	49	93	
B. Operated	6	37.0	210	20	20	43	53	91	99+	99+	
1. SINGLE DX	226	16.1	220	1	2	12	22	36	52	99+	
2. MULTIPLE DX	123	21.4	236	4	7	18	29	46	52	99+	
A. NOT OPERATED	343	17.6	226	2	3	14	24	38	52	99+	
B. OPERATED	6	37.0	210	20	20	43	53	91	99+	99+	
TOTAL 0-19 YRS	65	25.6	435	3	5	21	36	63	98	99+	
20-34	194	16.0	180	1	2	12	23	34	43	73	
35-49	69	15.6	133	2	5	14	18	28	37	69	
50-64	16	19.4	207	6	7	15	30	51	83	99+	
65+	5	20.8	177	7	7	24	36	94	99+	99+	
GRAND TOTAL	349	17.9	231	2	3	14	25	40	52	99+	

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	369	21.9	378	2	5	17	29	50	75	99+	
20-34	2263	17.4	230	1	3	14	24	37	51	96	
35-49	1137	16.4	153	2	3	14	22	31	39	70	
50-64	487	18.7	205	2	4	16	26	36	45	90	
65+	112	22.3	256	2	5	19	30	47	54	92	
B. Operated											
0-19 YRS	3	21.7	10	18	18	23	24	24	24	24	
20-34	6	23.2	45	14	15	22	27	33	34	34	
35-49	2	24.5	41	20	20	24	29	29	29	29	
50-64	2	23.5	85	17	17	23	30	30	30	30	
65+	1	45.0		45	45	45	45	45	45	45	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	132	22.1	359	2	4	17	35	60	97	99+	
20-34	938	19.2	251	2	4	15	26	42	59	99+	
35-49	637	17.6	205	3	4	14	23	36	49	81	
50-64	430	20.6	208	4	6	17	27	41	53	86	
65+	151	26.3	353	5	7	23	38	53	87	99+	
B. Operated											
0-19 YRS	12	31.2	407	9	12	28	44	60	75	77	
20-34	69	27.7	422	6	7	23	40	68	80	99+	
35-49	38	28.0	266	7	12	24	35	56	60	63	
50-64	27	28.5	295	8	11	26	33	51	63	86	
65+	14	37.4	527	12	14	29	62	76	77	77	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	4368	17.8	223	2	3	14	24	37	49	94	
B. Operated	14	24.6	64	15	17	22	29	35	43	45	
2. MULTIPLE DX											
A. Not Operated	2288	19.7	247	3	5	16	27	43	57	99+	
B. Operated	160	29.0	369	7	9	24	39	62	75	98	
1. SINGLE DX	4382	17.8	222	2	3	14	24	37	49	94	
2. MULTIPLE DX	2448	20.3	260	3	5	16	28	44	59	99+	
A. NOT OPERATED	6656	18.4	232	2	4	15	25	39	52	99	
B. OPERATED	174	28.7	346	7	9	24	37	61	75	96	
TOTAL 0-19 YRS	516	22.2	372	2	5	17	31	52	80	99+	
20-34	3276	18.1	242	2	3	14	25	39	53	99+	
35-49	1814	17.1	176	2	4	15	23	34	44	76	
50-64	946	19.9	211	3	5	16	27	39	49	90	
65+	278	25.3	331	3	7	21	35	51	75	99+	
GRAND TOTAL	6830	18.7	237	2	4	15	25	40	53	99+	

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	27.3	622	<1	1	39	93	99+	99+	99+
B. Operated										
0-19 YRS	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	27.2	463	2	4	38	99+	99+	99+	99+
B. Operated										
0-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	27.3	622	<1	1	39	93	99+	99+	99+
B. Operated	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. Not Operated	9	27.2	463	2	4	38	99+	99+	99+	99+
B. Operated										
1. SINGLE DX	27	28.6	648	<1	1	39	89	99+	99+	99+
2. MULTIPLE DX	9	27.2	463	2	4	38	99+	99+	99+	99+
A. NOT OPERATED	35	27.3	567	1	2	39	98	99+	99+	99+
B. OPERATED	1	64.0		64	64	64	64	64	64	64
TOTAL 0-19 YRS	36	28.3	588	1	2	39	96	99+	99+	99+
GRAND TOTAL	36	28.3	588	1	2	39	96	99+	99+	99+

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	21.2	354	1	3	17	27	47	65	80
20-34	307	13.4	120	1	2	11	18	26	39	65
35-49	431	15.9	147	2	4	13	22	30	39	59
50-64	577	19.4	172	3	5	17	25	37	48	68
65+	545	23.8	230	4	7	21	31	45	53	75
B. Operated										
0-19 YRS										
20-34	6	28.3	291	2	4	28	35	52	54	54
35-49	7	23.1	146	11	12	16	36	40	40	40
50-64	3	36.3	584	14	14	33	55	62	62	62
65+	4	26.5	200	15	15	24	38	44	44	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	15.2	226	2	3	13	21	27	50	83
20-34	295	13.2	117	1	3	11	19	27	36	88
35-49	342	15.7	204	3	4	12	19	33	51	75
50-64	497	19.2	203	4	5	16	25	38	50	72
65+	762	26.9	364	4	7	23	38	57	76	99+
B. Operated										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	21	17.6	161	3	7	14	24	29	45	60
35-49	24	24.8	315	8	9	18	29	60	64	70
50-64	49	27.2	283	9	12	21	35	58	60	69
65+	68	30.8	317	7	12	29	44	65	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1898	18.9	192	2	4	16	25	38	47	69
B. Operated	20	27.4	236	6	12	25	37	49	58	62
2. MULTIPLE DX										
A. Not Operated	1953	20.6	282	3	4	16	28	45	60	99+
B. Operated	163	27.1	298	8	10	22	37	60	66	99+
1. SINGLE DX	1918	19.0	193	2	4	16	25	38	47	69
2. MULTIPLE DX	2116	21.1	287	3	5	17	29	46	62	99+
A. NOT OPERATED	3851	19.8	238	3	4	16	26	41	53	86
B. OPERATED	183	27.1	290	8	10	23	37	59	65	99+
TOTAL 0-19 YRS	96	17.7	280	2	3	13	23	39	53	83
20-34	629	13.6	123	1	3	11	19	27	39	71
35-49	804	16.2	179	2	4	13	21	32	43	67
50-64	1126	19.7	194	4	5	17	25	38	51	69
65+	1379	25.8	311	4	7	22	36	52	67	99+
GRAND TOTAL	4034	20.1	243	3	4	17	27	42	55	88

249 PAS Hospitals, Northeastern Region, January-December 1979

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	53	15.6	271	1	1	11	20	42	64	99
20-34	503	16.1	155	2	3	14	21	31	39	71
35-49	420	16.2	136	2	4	14	22	31	42	55
50-64	277	17.4	150	3	5	15	23	32	41	65
65+	123	22.3	287	3	6	19	28	51	59	88
<i>B. Operated</i>										
0-19 YRS										
20-34										
35-49										
50-64	2	21.0		21	21	21	21	21	21	21
65+	1	50.0		50	50	50	50	50	50	50
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	17	20.5	322	5	5	19	21	69	92	99+
20-34	225	17.7	186	2	4	15	24	33	43	70
35-49	210	18.2	202	3	5	14	24	39	43	81
50-64	238	17.5	179	3	5	15	23	37	47	71
65+	176	25.3	285	5	7	22	34	53	72	99+
<i>B. Operated</i>										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	14	38.6	372	7	18	34	53	65	67	67
35-49	14	15.9	136	5	7	12	19	32	44	47
50-64	24	22.7	239	6	8	19	29	51	58	58
65+	17	39.4	499	13	15	34	52	87	97	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	1376	16.9	167	2	4	14	22	33	43	73
<i>B. Operated</i>	3	30.7	280	21	21	21	43	50	50	50
2. MULTIPLE DX										
<i>A. Not Operated</i>	866	19.4	219	3	5	16	25	40	53	90
<i>B. Operated</i>	70	28.3	392	7	8	24	45	59	67	99
1. SINGLE DX	1379	16.9	167	2	4	14	22	33	43	73
2. MULTIPLE DX	936	20.0	237	3	5	17	26	42	54	93
A. NOT OPERATED	2242	17.9	188	2	4	15	23	36	48	76
B. OPERATED	73	28.4	383	7	8	24	47	59	67	98
TOTAL										
0-19 YRS	71	16.7	281	1	2	12	21	42	74	99+
20-34	742	17.0	178	2	3	15	22	32	43	70
35-49	644	16.8	158	3	4	14	22	33	42	67
50-64	541	17.7	166	3	5	15	23	35	46	67
65+	317	24.9	310	4	7	21	34	53	73	99+
GRAND TOTAL	2315	18.2	198	2	4	15	24	37	50	77

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	112	14.7	234	1	1	11	20	33	45	83
20-34	416	12.9	131	1	2	10	18	27	35	77
35-49	237	14.1	138	2	3	11	19	29	41	75
50-64	222	17.0	153	2	4	15	22	33	38	73
65+	207	19.0	193	2	4	16	26	37	47	74
<i>B. Operated</i>										
0-19 YRS	2	17.5	365	4	4	17	31	31	31	31
20-34	3	7.3	36	1	1	8	12	13	13	13
35-49	4	10.3	85	3	3	7	17	23	23	23
50-64	2	22.5	41	18	18	22	27	27	27	27
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	69	15.8	280	1	1	11	22	39	51	79
20-34	298	15.3	178	1	3	12	20	34	45	89
35-49	231	15.8	124	2	4	14	21	31	39	76
50-64	245	18.0	205	3	4	14	23	36	47	71
65+	421	18.5	240	3	4	14	26	40	55	95
<i>B. Operated</i>										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	19.5	245	1	2	19	28	41	55	56
35-49	8	23.6	172	8	9	22	33	42	45	45
50-64	21	22.6	200	3	5	20	34	42	49	51
65+	39	31.6	606	6	8	22	52	71	89	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	1194	15.2	162	1	2	12	21	31	40	75
<i>B. Operated</i>	12	12.3	105	1	2	9	20	28	31	31
2. MULTIPLE DX										
<i>A. Not Operated</i>	1264	17.0	201	2	4	13	23	37	47	79
<i>B. Operated</i>	80	26.4	421	3	6	21	35	62	71	99+
1. SINGLE DX	1206	15.1	161	1	2	12	21	31	39	75
2. MULTIPLE DX	1344	17.6	219	2	4	14	23	38	50	80
A. NOT OPERATED	2458	16.1	183	2	3	13	22	34	44	77
B. OPERATED	92	24.6	402	3	4	19	33	58	69	99+
TOTAL										
0-19 YRS	184	15.1	250	1	1	11	20	36	45	78
20-34	728	14.0	153	1	2	11	19	30	39	78
35-49	480	15.1	133	2	3	13	21	31	40	72
50-64	490	17.8	181	3	4	15	23	36	45	72
65+	668	19.4	255	3	4	15	26	41	56	98
GRAND TOTAL	2550	16.4	193	2	3	13	22	35	45	78

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.7	5	1	1	3	5	6	8	10
20-34	246	6.4	31	1	1	4	8	14	18	25
35-49	206	6.4	44	1	2	4	7	14	19	39
50-64	123	6.1	32	1	2	4	7	13	16	32
65+	40	6.4	44	<1	1	4	10	15	20	30
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.5	4	3	3	5	7	8	8	8
35-49	5	7.0	24	2	2	7	10	14	14	14
50-64	3	6.0	39	1	1	4	11	13	13	13
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	5.0	50	<1	1	3	5	9	15	46
20-34	370	7.4	55	1	1	5	9	17	25	35
35-49	397	6.8	40	1	2	5	8	14	19	27
50-64	392	6.7	40	1	2	5	8	13	18	33
65+	265	8.0	81	1	2	6	9	16	21	70
B. Operated										
0-19 YRS	3	3.3	10	1	1	4	53	99+	99+	99+
20-34	113	2.8	22	<1	1	2	2	4	9	27
35-49	81	5.7	50	1	1	2	7	15	22	33
50-64	28	13.8	145	2	2	9	22	37	38	41
65+	15	19.9	456	3	4	10	40	52	59	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	682	6.1	34	1	1	4	8	13	18	30
B. Operated										
	13	5.9	17	1	2	5	8	13	14	14
2. MULTIPLE DX										
A. Not Operated										
	1512	7.0	52	1	2	5	8	14	20	35
B. Operated										
	240	6.2	94	1	1	2	6	15	28	53
1. SINGLE DX										
	695	6.1	34	1	1	4	8	13	18	30
2. MULTIPLE DX										
	1752	6.9	57	1	2	5	8	15	21	38
A. NOT OPERATED										
	2194	6.7	46	1	2	5	8	14	19	34
B. OPERATED										
	253	6.1	90	1	1	2	7	15	26	52
TOTAL										
0-19 YRS	159	4.4	30	1	1	3	5	8	10	56
20-34	733	6.4	44	1	1	4	8	15	19	31
35-49	689	6.6	42	1	2	5	8	14	19	32
50-64	546	6.9	45	1	2	5	8	13	21	37
65+	320	8.4	99	1	2	6	10	17	23	66
GRAND TOTAL	2447	6.7	51	1	1	5	8	14	20	36

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	226	13.7	263	1	1	8	16	34	54	98
20-34	1141	11.0	105	1	2	8	15	23	29	52
35-49	800	11.2	93	1	2	9	15	22	29	49
50-64	480	13.1	131	2	3	11	17	25	33	61
65+	258	16.7	129	2	4	15	23	31	39	83
B. Operated										
0-19 YRS										
20-34	9	21.3	202	2	4	20	35	41	41	41
35-49	3	23.0	604	5	5	13	41	51	51	51
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	42.0	2312	8	8	42	76	76	76	76
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	15.6	308	1	2	10	21	46	68	99+
20-34	1098	12.2	122	1	3	9	15	26	33	59
35-49	973	12.3	111	2	3	10	16	24	33	57
50-64	785	13.6	106	3	4	11	19	26	33	59
65+	570	15.9	174	4	4	12	21	33	45	85
B. Operated										
0-19 YRS	7	13.6	90	1	2	19	22	77	99+	99+
20-34	86	17.3	186	2	3	14	24	34	43	72
35-49	64	17.5	114	5	7	14	21	33	42	52
50-64	61	21.4	166	7	8	20	29	42	60	99+
65+	39	22.3	179	6	7	22	28	42	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	2905	12.1	123	1	2	9	16	25	33	60
B. Operated										
	15	23.7	430	3	5	18	38	51	70	76
2. MULTIPLE DX										
A. Not Operated										
	3645	13.3	137	2	3	10	18	27	37	71
B. Operated										
	257	19.0	162	4	6	16	26	38	49	99+
1. SINGLE DX										
	2920	12.2	125	1	2	9	16	25	33	60
2. MULTIPLE DX										
	3902	13.7	140	2	3	10	18	28	38	72
A. NOT OPERATED										
	6550	12.8	131	2	3	10	17	26	35	65
B. OPERATED										
	272	19.3	177	4	6	16	26	40	50	99+
TOTAL										
0-19 YRS	452	14.6	282	1	2	9	18	41	61	99+
20-34	2334	11.8	118	1	2	9	15	25	33	57
35-49	1840	12.0	105	2	3	10	16	24	32	54
50-64	1327	13.8	120	2	3	11	19	27	34	61
65+	869	16.4	166	3	4	13	22	33	44	87
GRAND TOTAL										
	6822	13.0	134	2	3	10	17	27	36	67

249 PAS Hospitals, Northeastern Region, January-December 1979

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	232	13.6	342	1	1	7	17	43	83	99+	
20-34	478	10.3	152	1	1	6	13	27	35	77	
35-49	191	10.4	107	1	2	8	14	21	28	74	
50-64	92	10.2	104	1	2	6	14	24	32	51	
65+	39	9.1	159	1	1	7	9	17	30	73	
B. Operated											
0-19 YRS	4	4.8	18	2	2	3	7	11	11	11	
20-34	21	7.0	68	<1	1	6	9	13	26	38	
35-49	14	6.2	13	2	2	5	8	11	13	14	
50-64	6	12.2	162	3	3	8	13	35	37	37	
65+	10	4.8	10	1	1	4	8	9	10	10	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	262	15.2	356	1	2	9	20	43	85	99+	
20-34	815	11.9	147	1	2	6	15	27	37	63	
35-49	350	11.3	117	1	2	8	15	24	32	50	
50-64	180	11.8	123	1	2	8	16	25	40	51	
65+	122	11.2	120	2	3	8	15	22	30	61	
B. Operated											
0-19 YRS	9	27.4	556	1	2	26	46	88	99+	99+	
20-34	41	18.4	316	1	2	13	27	49	60	70	
35-49	29	18.2	371	2	3	13	25	44	98	99+	
50-64	29	14.6	224	4	4	9	16	36	60	60	
65+	15	15.3	274	2	4	11	18	23	58	70	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1032	11.0	184	1	1	7	14	27	39	96	
B. Operated	55	6.8	50	1	2	5	9	11	15	38	
2. MULTIPLE DX											
A. Not Operated	1729	12.2	169	1	2	8	16	28	40	85	
B. Operated	123	17.7	318	2	3	12	24	47	68	99+	
1. SINGLE DX	1087	10.8	178	1	1	7	14	27	38	95	
2. MULTIPLE DX	1852	12.6	181	1	2	8	16	29	42	86	
A. NOT OPERATED	2761	11.8	175	1	2	7	15	28	40	87	
B. OPERATED	178	14.4	260	1	2	9	18	36	56	99	
TOTAL 0-19 YRS	507	14.6	353	1	2	8	19	45	85	99+	
20-34	1355	11.4	155	1	1	7	14	27	37	65	
35-49	584	11.3	126	1	2	8	15	24	32	69	
50-64	307	11.6	127	1	2	8	16	25	37	57	
65+	186	10.8	137	1	2	7	14	21	29	67	
GRAND TOTAL	2939	11.9	180	1	2	8	15	28	41	88	

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	153	2.9	12	<1	<1	1	3	7	11	19	
20-34	1425	6.2	16	1	2	6	7	10	14	22	
35-49	2049	6.5	25	1	2	6	7	10	14	24	
50-64	1001	6.5	23	1	2	6	7	12	14	25	
65+	217	7.2	31	1	2	6	8	13	16	30	
B. Operated											
0-19 YRS	9	12.4	302	4	4	7	10	40	58	58	
20-34	17	8.7	15	4	5	8	11	15	15	15	
35-49	6	19.3	589	1	1	10	21	62	67	67	
50-64	2	10.5	5	9	9	10	12	12	12	12	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	195	7.9	83	<1	1	5	11	21	23	48	
20-34	2796	8.6	48	2	3	7	10	17	22	35	
35-49	4580	8.9	51	2	3	7	10	18	22	34	
50-64	3252	9.5	55	2	3	7	12	21	23	38	
65+	920	11.0	88	2	4	8	14	21	27	55	
B. Operated											
0-19 YRS	5	12.2	70	<1	<1	10	20	21	21	21	
20-34	144	13.3	73	2	5	11	18	24	26	43	
35-49	231	15.4	166	4	5	12	19	29	42	79	
50-64	227	16.3	128	5	6	13	21	28	42	57	
65+	91	19.1	143	6	8	17	25	33	42	67	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	4845	6.3	22	1	2	6	7	10	14	24	
B. Operated	34	11.7	185	4	4	8	12	16	51	67	
2. MULTIPLE DX											
A. Not Operated	11743	9.1	55	2	3	7	11	20	23	37	
B. Operated	698	15.7	133	4	6	13	20	28	39	65	
1. SINGLE DX	4879	6.3	23	1	2	6	7	10	14	25	
2. MULTIPLE DX	12441	9.5	62	2	3	7	11	20	24	42	
A. NOT OPERATED	16588	8.3	47	2	3	7	10	16	21	34	
B. OPERATED	732	15.5	136	4	5	13	20	28	39	67	
TOTAL 0-19 YRS	353	5.8	58	<1	<1	2	7	16	21	34	
20-34	4374	8.0	41	1	2	7	9	15	21	33	
35-49	6877	8.4	50	2	3	7	9	16	21	34	
50-64	4486	9.2	56	2	3	7	11	20	23	41	
65+	1230	11.0	89	2	3	8	14	21	28	55	
GRAND TOTAL	17320	8.6	53	2	3	7	10	18	22	37	

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	12.8	20	5	6	13	15	18	20	20
20-34	184	11.1	32	2	4	11	15	19	20	26
35-49	32	13.5	27	7	7	12	18	20	21	25
50-64	6	13.8	20	9	9	13	14	21	22	22
65+	1	24.0		24	24	24	24	24	24	24
B. Operated										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	15.7	508	3	3	6	18	44	78	81
20-34	1279	12.4	22	4	7	13	15	17	20	23
35-49	592	13.1	18	7	8	13	16	18	20	23
50-64	81	14.0	46	8	9	13	17	20	20	52
65+	9	11.3	46	1	2	13	17	19	20	20
B. Operated										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	134	14.1	15	7	9	14	17	19	20	23
35-49	40	14.8	48	8	9	14	17	19	28	45
50-64	2	17.0	72	11	11	17	23	23	23	23
65+	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	233	11.6	31	2	4	12	15	20	21	25
B. Operated	2	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	1972	12.7	25	5	7	13	15	18	20	23
B. Operated	179	14.3	23	7	9	14	17	19	20	33
1. SINGLE DX	235	11.7	31	2	4	12	15	20	21	25
2. MULTIPLE DX	2151	12.8	25	5	7	13	16	18	20	24
A. NOT OPERATED	2205	12.6	25	4	7	13	15	18	20	24
B. OPERATED	181	14.3	23	8	9	14	17	19	20	33
TOTAL										
0-19 YRS	23	14.2	243	3	4	12	17	20	41	81
20-34	1598	12.4	23	4	6	13	15	18	20	24
35-49	665	13.3	20	7	8	13	16	18	20	25
50-64	89	14.0	44	8	9	13	17	20	22	49
65+	11	13.3	56	1	2	14	19	22	24	24
GRAND TOTAL	2386	12.7	25	5	7	13	15	18	20	25

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	8.3	42	3	3	7	9	20	22	22
20-34	96	9.4	78	<1	1	8	13	17	18	55
35-49	21	10.5	62	2	3	8	14	23	28	31
50-64	9	11.4	58	1	1	14	16	21	23	23
65+	3	11.0	19	8	8	9	14	16	16	16
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	10.4	85	1	2	7	16	22	29	37
20-34	342	13.3	53	2	3	14	19	23	24	36
35-49	136	14.3	75	1	4	14	19	23	27	51
50-64	19	16.2	96	3	5	15	18	31	40	42
65+	10	13.3	125	1	2	8	21	31	33	33
B. Operated										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	24	16.3	66	6	8	15	19	26	32	44
35-49	5	14.0	33	10	10	12	16	24	24	24
50-64	3	30.3	422	17	17	20	45	54	54	54
65+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	9.7	69	1	1	8	14	18	21	44
B. Operated										
2. MULTIPLE DX										
A. Not Operated	537	13.5	64	2	3	13	19	23	25	40
B. Operated	34	18.0	104	7	9	15	20	28	42	54
1. SINGLE DX	140	9.7	69	1	1	8	14	18	21	44
2. MULTIPLE DX	571	13.7	67	2	3	14	19	23	26	42
A. NOT OPERATED	677	12.7	67	1	3	13	18	22	25	41
B. OPERATED	34	18.0	104	7	9	15	20	28	42	54
TOTAL										
0-19 YRS	42	10.4	86	1	2	7	16	22	31	37
20-34	462	12.6	62	2	3	13	18	22	24	41
35-49	162	13.8	73	1	4	13	19	23	27	48
50-64	31	16.2	128	1	3	15	19	29	42	54
65+	14	13.6	99	1	3	9	21	30	32	33
GRAND TOTAL	711	12.9	70	1	3	13	18	23	25	42

249 PAS Hospitals, Northeastern Region, January-December 1979

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	265	1.5	1	<1	<1	1	2	3	3	6
20-34	89	2.2	5	<1	<1	1	2	5	7	12
35-49	31	3.4	11	<1	<1	2	6	8	11	14
50-64	27	2.3	3	<1	<1	2	3	5	6	6
65+	12	3.9	9	<1	<1	3	6	8	11	11
<i>B. Operated</i>										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	142	3.3	29	<1	<1	2	3	7	12	28
20-34	175	4.5	25	<1	<1	3	7	9	12	30
35-49	139	5.4	22	<1	1	4	8	9	11	28
50-64	101	6.1	43	1	1	4	8	14	18	37
65+	54	7.6	84	1	1	5	9	14	29	51
<i>B. Operated</i>										
0-19 YRS	11	2.0	3	<1	<1	1	3	5	5	5
20-34	7	3.0	9	<1	<1	2	4	8	9	9
35-49	6	6.7	31	1	1	6	9	15	16	16
50-64	6	11.7	19	5	5	13	15	16	16	16
65+	2	13.5	145	5	5	13	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	424	1.9	3	<1	<1	1	2	4	6	11
<i>B. Operated</i>	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
<i>A. Not Operated</i>	611	5.0	35	<1	1	3	7	10	14	32
<i>B. Operated</i>	32	5.6	33	<1	1	3	8	15	16	22
1. SINGLE DX	426	1.9	3	<1	<1	1	2	4	6	11
2. MULTIPLE DX	643	5.0	35	<1	1	3	7	10	15	31
A. NOT OPERATED	1035	3.7	24	<1	<1	2	5	8	11	27
B. OPERATED	34	5.4	32	<1	1	3	8	15	16	22
TOTAL										
0-19 YRS	419	2.1	11	<1	<1	1	2	4	6	18
20-34	272	3.7	19	<1	<1	2	5	8	10	19
35-49	176	5.1	21	<1	1	4	8	9	11	27
50-64	134	5.6	38	1	1	4	8	14	17	27
65+	68	7.1	73	1	1	5	8	14	27	49
GRAND TOTAL	1069	3.8	25	<1	<1	2	5	8	11	27

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	27	6.1	48	1	1	2	10	14	22	29
20-34	31	6.2	26	1	1	5	10	13	13	22
35-49	8	7.1	32	<1	1	5	10	16	18	18
50-64										
65+										
<i>B. Operated</i>										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	50	6.5	48	<1	1	3	11	18	20	27
20-34	174	9.0	49	2	3	7	10	21	26	39
35-49	48	11.3	80	2	2	9	16	23	26	40
50-64	15	8.9	50	1	1	10	11	14	25	29
65+	14	9.3	100	2	3	6	10	17	36	42
<i>B. Operated</i>										
0-19 YRS										
20-34	3	15.3	121	4	4	16	23	26	26	26
35-49	2	11.5	5	10	10	11	13	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	66	6.3	35	1	1	4	10	13	19	28
<i>B. Operated</i>	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
<i>A. Not Operated</i>	301	8.9	57	1	2	7	11	21	25	40
<i>B. Operated</i>	5	13.8	66	4	4	13	18	26	26	26
1. SINGLE DX	67	6.3	34	1	1	4	10	13	18	28
2. MULTIPLE DX	306	9.0	57	1	2	7	12	21	25	40
A. NOT OPERATED	367	8.5	54	1	2	6	11	19	24	39
B. OPERATED	6	12.8	59	4	4	11	16	25	26	26
TOTAL										
0-19 YRS	77	6.4	47	<1	1	3	10	17	20	28
20-34	208	8.7	47	2	2	7	11	19	25	36
35-49	58	10.7	72	1	2	9	14	23	25	40
50-64	15	8.9	50	1	1	10	11	14	25	29
65+	15	9.2	93	2	3	6	10	14	35	42
GRAND TOTAL	373	8.5	54	1	2	6	11	19	24	39

109: Psychophysiological disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	4.6	9	1	1	4	5	9	11	14
20-34	78	5.4	21	1	1	4	7	11	15	23
35-49	76	5.3	26	<1	1	4	6	12	17	25
50-64	51	4.7	14	1	1	3	6	10	13	17
65+	24	6.1	22	1	2	5	8	12	16	20
B. Operated										
0-19 YRS	6	8.7	76	2	2	5	14	23	24	24
20-34	9	7.8	31	1	1	7	11	16	16	16
35-49	3	8.7	34	2	2	11	12	13	13	13
50-64	8	3.3	4	1	1	3	4	6	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	5.6	33	1	1	4	7	12	14	37
20-34	153	5.4	28	1	1	4	7	11	13	33
35-49	145	6.1	34	1	2	4	7	12	15	32
50-64	158	6.5	21	2	2	5	8	12	14	26
65+	182	7.4	29	2	3	6	10	13	17	30
B. Operated										
0-19 YRS	8	11.9	66	5	6	8	15	26	28	28
20-34	13	6.7	22	1	2	6	9	14	16	17
35-49	13	8.2	13	2	2	9	10	13	15	15
50-64	27	10.7	67	3	3	7	14	22	29	34
65+	20	12.5	61	1	3	10	18	23	28	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	5.1	18	1	1	4	6	10	14	21
B. Operated	28	6.4	33	1	2	4	9	15	17	24
2. MULTIPLE DX										
A. Not Operated	708	6.3	29	1	2	5	8	12	14	31
B. Operated	81	10.2	52	2	3	9	13	20	27	33
1. SINGLE DX	339	5.2	19	1	1	4	6	11	15	22
2. MULTIPLE DX	789	6.7	32	1	2	5	9	13	17	32
A. NOT OPERATED	1019	6.0	26	1	2	5	7	12	14	26
B. OPERATED	109	9.2	49	2	2	7	12	19	24	32
TOTAL										
0-19 YRS	166	5.5	26	1	2	4	7	11	14	27
20-34	253	5.6	25	1	1	4	7	11	15	24
35-49	237	6.0	30	1	2	4	7	12	16	28
50-64	244	6.5	26	1	2	5	8	13	16	28
65+	228	7.7	33	2	2	6	10	14	19	30
GRAND TOTAL	1128	6.3	29	1	2	5	8	12	16	28

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	520	13.7	235	1	1	8	19	36	56	99+
20-34	352	6.8	62	<1	1	4	9	15	20	38
35-49	202	7.5	63	<1	1	5	9	17	23	37
50-64	72	8.7	146	<1	1	6	11	17	21	79
65+	39	10.2	55	1	1	10	15	18	26	33
B. Operated										
0-19 YRS	4	28.5	1820	1	1	10	53	92	92	92
20-34	18	1.9	7	1	1	1	2	2	8	12
35-49	8	1.4	1	1	1	1	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	302	15.1	300	1	2	9	20	45	71	99+
20-34	397	8.7	64	1	2	6	12	19	25	36
35-49	243	8.6	60	1	2	6	12	19	24	38
50-64	133	9.7	79	1	1	6	13	24	28	36
65+	105	10.0	65	1	2	8	13	21	28	99+
B. Operated										
0-19 YRS	13	24.5	505	1	1	25	40	61	63	63
20-34	42	7.4	98	<1	1	2	10	24	31	39
35-49	20	5.1	48	1	1	2	6	16	23	26
50-64	6	18.8	48	12	12	18	23	28	29	29
65+	4	28.3	213	9	9	31	39	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1185	10.2	152	1	1	6	13	25	36	83
B. Operated	32	5.8	270	1	1	1	2	13	22	92
2. MULTIPLE DX										
A. Not Operated	1180	10.6	132	1	2	7	14	24	34	96
B. Operated	85	11.2	203	1	1	3	16	32	40	62
1. SINGLE DX	1217	10.1	155	1	1	6	13	25	36	86
2. MULTIPLE DX	1265	10.6	137	1	1	7	14	25	36	91
A. NOT OPERATED	2365	10.4	142	1	1	7	14	25	35	89
B. OPERATED	117	9.8	225	1	1	2	12	29	39	73
TOTAL										
0-19 YRS	839	14.4	269	1	2	8	20	41	60	99+
20-34	809	7.7	65	1	1	5	10	17	23	37
35-49	473	7.9	61	1	1	5	11	17	24	37
50-64	212	9.6	102	1	1	6	13	22	28	38
65+	149	10.6	74	1	2	9	14	22	29	99
GRAND TOTAL	2482	10.3	146	1	1	6	14	25	36	89

249 PAS Hospitals, Northeastern Region, January-December 1979

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	333	16.6	398	1	2	8	25	50	79	99+
20-34	379	9.5	109	1	2	6	13	22	31	59
35-49	247	8.8	87	1	1	6	11	19	25	38
50-64	171	12.6	176	2	3	8	16	27	34	80
65+	124	15.6	133	1	3	14	22	32	40	45
B. Operated										
0-19 YRS	11	12.6	641	<1	<1	3	6	51	82	85
20-34	4	9.3	46	2	2	9	15	16	16	16
35-49	4	7.5	42	2	2	6	12	16	16	16
50-64	4	11.8	166	4	4	6	19	31	31	31
65+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	343	16.0	363	1	2	9	24	48	81	99+
20-34	566	10.3	92	1	2	7	14	23	32	82
35-49	414	10.2	82	2	2	7	13	23	29	44
50-64	382	11.9	144	2	3	8	15	25	32	66
65+	422	14.4	158	3	3	11	19	31	44	99+
B. Operated										
0-19 YRS	17	33.2	870	4	5	18	53	83	91	93
20-34	33	18.9	407	1	3	13	22	53	65	90
35-49	41	16.9	325	2	3	11	19	37	53	91
50-64	38	20.2	334	4	5	14	25	53	76	99+
65+	42	24.4	304	7	9	19	34	63	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1254	12.3	203	1	2	7	16	30	41	89
B. Operated	24	11.5	321	1	1	5	15	29	47	85
2. MULTIPLE DX										
A. Not Operated	2127	12.3	161	2	3	8	16	28	38	98
B. Operated	171	21.5	404	3	5	15	27	57	72	99+
1. SINGLE DX	1278	12.3	205	1	2	7	16	30	41	89
2. MULTIPLE DX	2298	13.0	185	2	3	8	17	29	42	99+
A. NOT OPERATED	3381	12.3	176	1	2	8	16	29	40	94
B. OPERATED	195	20.3	403	2	4	14	26	55	71	99+
TOTAL										
0-19 YRS	704	16.7	400	1	2	8	24	50	82	99+
20-34	982	10.3	111	1	2	7	14	23	33	67
35-49	706	10.1	100	1	2	7	13	22	29	47
50-64	595	12.6	168	2	3	8	16	27	34	79
65+	589	15.3	169	3	3	12	21	34	44	99+
GRAND TOTAL	3576	12.7	192	1	2	8	17	29	41	95

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	11.6	248	<1	<1	4	21	37	41	42
20-34	17	9.1	106	<1	1	3	12	28	34	36
35-49	6	5.3	15	<1	<1	4	9	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	17.1	398	1	2	9	23	60	69	98
20-34	79	17.4	288	2	3	10	25	49	71	99+
35-49	21	15.4	208	5	6	11	19	28	47	70
50-64	11	8.5	43	1	2	8	11	17	24	25
65+	1	24.0		24	24	24	24	24	24	24
B. Operated										
0-19 YRS	6	11.0	238	2	2	4	14	38	41	41
20-34	4	34.0	1355	2	2	23	56	87	87	87
35-49	1	20.0		20	20	20	20	20	20	20
50-64	1	61.0		61	61	61	61	61	61	61
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	9.1	131	<1	<1	4	10	34	36	42
B. Operated	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	177	16.5	303	2	3	10	23	46	69	99+
B. Operated	12	23.6	732	2	2	17	33	69	84	87
1. SINGLE DX	39	8.7	126	<1	<1	3	10	33	36	42
2. MULTIPLE DX	189	17.0	330	2	2	10	23	49	70	99+
A. NOT OPERATED	214	15.2	281	1	2	9	22	36	65	99+
B. OPERATED	14	20.6	678	2	2	9	26	64	82	87
TOTAL										
0-19 YRS	83	15.9	364	<1	1	8	23	43	67	96
20-34	101	16.5	307	2	2	10	24	45	71	99+
35-49	29	13.0	173	2	3	9	16	25	31	70
50-64	13	12.6	247	1	2	9	11	32	56	61
65+	2	13.0	242	2	2	13	24	24	24	24
GRAND TOTAL	228	15.6	304	1	2	9	22	40	66	99+

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	273	11.8	47	2	3	12	15	18	23	42	
20-34	57	7.2	38	2	2	6	9	14	18	39	
35-49	52	9.8	74	1	2	8	14	18	26	46	
50-64	33	11.5	164	2	2	7	11	30	46	53	
65+	14	16.4	111	6	6	16	18	24	43	49	
<i>B. Operated</i>											
0-19 YRS	34	16.2	112	3	8	14	18	24	54	99+	
20-34	29	8.1	45	2	2	6	12	18	20	28	
35-49	38	12.1	168	2	2	7	16	28	43	57	
50-64	31	16.7	400	2	3	11	19	29	79	90	
65+	8	18.9	105	4	6	17	27	33	35	35	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	172	13.0	48	2	5	13	16	21	29	86	
20-34	57	12.0	106	2	3	11	15	21	30	53	
35-49	54	12.5	85	2	3	11	16	24	34	42	
50-64	57	15.3	159	2	3	14	17	30	46	60	
65+	43	21.4	167	3	8	20	31	38	46	60	
<i>B. Operated</i>											
0-19 YRS	48	17.5	151	2	5	14	21	36	42	57	
20-34	34	17.2	250	2	2	13	23	33	49	78	
35-49	41	21.1	303	3	6	16	32	60	86	99+	
50-64	43	28.8	480	3	4	25	41	67	83	99+	
65+	39	30.0	445	3	6	26	40	61	75	89	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>											
	429	11.1	63	2	2	11	14	18	24	48	
<i>B. Operated</i>											
	140	13.7	184	2	2	11	18	25	42	91	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
	383	14.1	98	2	4	13	17	27	35	59	
<i>B. Operated</i>											
	205	22.9	346	2	4	18	32	51	73	99+	
1. SINGLE DX											
	569	11.7	94	2	2	11	15	20	28	55	
2. MULTIPLE DX											
	588	17.2	202	2	4	13	21	36	50	88	
A. NOT OPERATED											
	812	12.5	82	2	3	12	16	22	31	51	
B. OPERATED											
	345	19.2	300	2	3	14	24	43	58	99+	
TOTAL 0-19 YRS											
	527	13.0	64	2	3	12	16	21	29	56	
20-34	177	10.8	114	2	2	7	14	21	31	53	
35-49	185	13.6	162	2	2	10	18	32	42	92	
50-64	164	18.3	326	2	3	13	24	45	58	90	
65+	104	23.8	280	4	6	20	32	47	58	83	
GRAND TOTAL											
	1157	14.5	156	2	3	12	17	30	41	81	

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VAR- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	5	15.8	115	2	2	21	23	27	27	27	
35-49	6	12.3	28	5	5	13	15	19	20	20	
50-64	79	11.8	81	3	4	10	14	22	30	52	
65+	162	12.6	91	3	4	10	16	22	28	50	
B. Operated											
0-19 YRS											
20-34	1	1.0		1	1	1	1	1	1	1	
35-49	4	14.3	10	10	10	15	16	17	17	17	
50-64	12	18.1	102	6	9	15	23	34	41	42	
65+	8	14.9	48	7	7	15	20	24	25	25	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	8.3	50	2	2	7	14	16	16	16	
20-34	11	8.9	57	1	2	7	12	20	26	27	
35-49	20	11.1	63	3	3	10	16	23	27	29	
50-64	155	14.5	123	4	5	11	19	28	36	58	
65+	849	16.5	200	4	5	13	20	35	52	99+	
B. Operated											
0-19 YRS	2	44.5	3785	1	1	44	88	88	88	88	
20-34	2	15.0	98	8	8	15	22	22	22	22	
35-49	2	31.5	925	10	10	31	53	53	53	53	
50-64	34	19.2	134	5	6	18	27	48	99+	99+	
65+	149	23.1	298	6	8	18	29	49	77	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	252	12.4	86	3	4	10	15	22	28	52	
B. Operated	25	15.8	74	5	7	14	19	25	33	42	
2. MULTIPLE DX											
A. Not Operated	1038	16.0	185	4	5	12	20	34	46	99+	
B. Operated	189	22.6	293	5	8	18	29	49	85	99+	
1. SINGLE DX	277	12.7	86	3	4	11	16	23	29	52	
2. MULTIPLE DX	1227	17.0	207	4	5	13	21	36	52	99+	
A. NOT OPERATED	1290	15.3	168	4	5	12	19	31	42	97	
B. OPERATED	214	21.8	272	6	7	17	28	48	80	99+	
TOTAL 0-19 YRS	5	22.8	1364	1	1	7	34	88	88	88	
20-34	19	10.9	79	1	1	8	20	25	27	27	
35-49	32	13.0	99	3	4	11	16	22	29	53	
50-64	280	14.5	116	4	5	12	18	30	40	93	
65+	1168	16.8	203	4	5	13	21	35	52	99+	
GRAND TOTAL	1504	16.2	187	4	5	13	20	34	48	99+	

249 PAS Hospitals, Northeastern Region, January-December 1979

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	9.0	77	1	1	6	17	22	22	22
20-34	178	9.6	75	1	2	8	12	18	24	49
35-49	170	11.6	129	1	2	9	15	23	31	69
50-64	67	12.5	155	1	3	11	14	20	29	78
65+	9	10.2	67	1	1	8	17	20	22	22
B. Operated										
0-19 YRS	2	16.0	128	8	8	16	24	24	24	24
20-34	39	9.2	101	2	2	7	11	20	27	56
35-49	36	9.7	94	1	2	6	14	22	27	46
50-64	17	12.6	74	1	2	10	17	24	31	35
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	10.7	45	4	4	9	16	20	21	21
20-34	120	11.8	107	2	3	9	15	25	32	80
35-49	203	12.9	116	3	4	10	17	24	32	99+
50-64	179	15.2	155	3	4	14	19	31	56	99+
65+	41	10.1	36	1	3	10	12	18	22	26
B. Operated										
0-19 YRS										
20-34	37	20.2	408	2	3	16	29	86	99+	99+
35-49	72	17.8	229	3	4	14	27	75	99+	99+
50-64	90	20.2	327	2	3	15	27	46	76	99+
65+	13	26.7	380	4	8	22	41	74	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	432	10.8	109	1	2	9	14	21	27	63
B. Operated										
	94	10.1	93	2	2	7	14	22	27	52
2. MULTIPLE DX										
A. Not Operated										
	549	13.2	122	2	4	11	17	25	36	99+
B. Operated										
	212	19.8	311	3	3	16	27	57	99+	99+
1. SINGLE DX										
	526	10.7	106	1	2	8	14	21	27	59
2. MULTIPLE DX										
	761	15.0	183	2	4	12	20	34	59	99+
A. NOT OPERATED										
	981	12.1	118	2	3	10	16	23	32	99
B. OPERATED										
	306	16.8	263	2	3	13	24	47	84	99+
TOTAL 0-19 YRS										
	16	10.5	65	1	2	8	18	22	23	24
20-34	374	11.3	129	2	2	8	14	24	36	97
35-49	481	12.9	140	2	3	10	17	27	47	99+
50-64	353	15.8	202	2	4	13	20	34	56	99+
65+	63	13.5	151	2	3	10	18	26	45	96
GRAND TOTAL										
	1287	13.2	156	2	3	10	17	27	45	99+

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	381	4.1	11	1	1	3	5	8	10	18
20-34	296	5.2	68	1	1	4	6	9	13	91
35-49	141	5.0	19	1	1	4	6	10	12	22
50-64	116	5.1	13	1	1	4	7	11	13	45
65+	71	6.6	31	1	1	6	9	13	17	32
B. Operated										
0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	9	7.4	92	1	1	4	8	22	32	32
35-49	9	6.3	62	1	1	3	6	20	25	25
50-64	7	6.6	39	2	2	3	13	16	16	16
65+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	373	5.8	68	1	1	4	6	10	19	56
20-34	398	6.5	36	1	2	5	9	14	17	40
35-49	333	7.7	73	1	2	5	9	15	21	40
50-64	401	8.5	55	2	2	7	10	18	24	39
65+	445	10.6	97	2	3	8	13	21	29	67
B. Operated										
0-19 YRS	28	11.0	269	2	2	6	11	22	43	84
20-34	45	13.7	304	2	2	7	17	48	92	99+
35-49	48	11.0	67	2	3	9	14	24	36	99+
50-64	50	20.1	353	2	4	13	28	61	85	99+
65+	41	14.9	90	3	5	14	19	31	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1005	4.8	31	1	1	4	6	9	12	30
B. Operated	31	6.5	51	1	2	3	8	15	25	32
2. MULTIPLE DX										
A. Not Operated	1950	7.9	69	1	2	6	10	16	22	51
B. Operated	212	14.4	224	2	3	10	18	39	61	99+
1. SINGLE DX	1036	4.9	32	1	1	4	6	9	13	32
2. MULTIPLE DX	2162	8.6	88	1	2	6	10	18	25	67
A. NOT OPERATED	2955	6.9	58	1	1	5	8	14	19	49
B. OPERATED	243	13.4	209	2	2	9	17	36	54	99+
TOTAL 0-19 YRS										
	786	5.1	49	1	1	3	6	9	14	44
20-34	748	6.5	69	1	1	4	8	13	18	91
35-49	531	7.2	61	1	1	5	9	14	20	37
50-64	574	8.8	86	1	2	6	11	18	27	65
65+	559	10.4	91	2	3	8	13	21	29	65
GRAND TOTAL	3198	7.4	73	1	2	5	9	15	21	62

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	234	5.1	27	<1	<1	4	7	10	15	27	
20-34	263	6.8	57	1	1	4	8	15	20	46	
35-49	192	7.5	60	2	2	5	9	15	20	58	
50-64	208	9.3	106	1	2	6	11	18	27	70	
65+	243	11.5	118	2	3	8	15	28	35	71	
<i>B. Operated</i>											
0-19 YRS	189	8.7	101	1	1	5	9	24	30	48	
20-34	185	9.5	85	1	2	7	12	23	30	39	
35-49	186	8.9	78	1	2	6	11	20	29	54	
50-64	202	9.1	87	2	2	6	11	20	29	48	
65+	172	14.7	254	2	3	10	18	31	46	90	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	293	7.0	67	1	1	4	8	17	27	81	
20-34	281	8.4	71	1	2	6	10	17	25	55	
35-49	259	11.6	138	2	3	8	15	23	35	90	
50-64	648	13.9	164	3	4	10	17	31	43	99+	
65+	1515	15.0	166	3	4	12	19	31	44	99+	
<i>B. Operated</i>											
0-19 YRS	228	11.0	168	2	2	6	14	27	49	99+	
20-34	224	16.6	258	2	2	12	21	46	61	99+	
35-49	286	14.8	215	2	3	10	21	38	56	99+	
50-64	463	17.0	266	2	3	12	25	44	65	99+	
65+	664	21.3	273	3	5	17	30	45	56	95	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	1140	8.0	78	1	1	5	10	17	25	55	
<i>B. Operated</i>	934	10.1	123	1	2	6	13	24	32	60	
2. MULTIPLE DX											
<i>A. Not Operated</i>	2996	13.1	152	2	3	10	16	28	40	99	
<i>B. Operated</i>	1865	17.4	259	2	3	12	24	43	58	99+	
1. SINGLE DX	2074	9.0	99	1	2	6	11	20	29	58	
2. MULTIPLE DX	4861	14.7	197	2	3	11	19	34	48	99+	
A. NOT OPERATED	4136	11.7	137	2	2	8	15	25	36	89	
B. OPERATED	2799	15.0	225	2	2	10	20	37	50	99+	
TOTAL											
0-19 YRS	944	7.8	93	1	1	5	9	18	28	65	
20-34	953	10.1	127	1	2	6	12	23	33	80	
35-49	923	11.2	141	2	2	7	14	26	39	99+	
50-64	1521	13.6	185	2	3	9	17	32	46	99+	
65+	2594	16.3	204	3	4	12	21	36	48	99	
GRAND TOTAL	6935	13.0	175	2	2	9	17	30	44	99	

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	175	3.4	6	1	1	3	4	6	7	14	
20-34	332	4.2	8	1	1	3	5	8	10	13	
35-49	193	5.1	20	1	2	4	6	10	13	27	
50-64	70	4.1	7	<1	1	3	6	9	10	81	
65+	11	4.5	7	2	2	4	6	9	11	11	
<i>B. Operated</i>											
0-19 YRS	5	5.4	25	2	2	4	7	14	14	14	
20-34	20	6.8	20	2	2	5	10	13	15	17	
35-49	20	5.9	16	1	2	5	8	11	14	17	
50-64	8	3.1	3	2	2	2	4	6	6	6	
65+											
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	87	4.1	5	2	2	3	5	7	8	12	
20-34	262	5.6	25	1	2	5	7	9	13	22	
35-49	203	6.3	17	2	2	5	8	12	14	22	
50-64	156	5.7	12	1	3	5	7	10	12	20	
65+	48	6.5	13	1	2	6	10	12	13	15	
<i>B. Operated</i>											
0-19 YRS	3	11.3	86	5	5	7	18	22	22	22	
20-34	28	8.0	36	2	2	7	11	16	20	22	
35-49	30	10.5	180	3	4	7	11	16	19	78	
50-64	16	7.8	14	2	3	8	10	13	14	15	
65+	4	8.0	45	2	2	7	13	16	16	16	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	781	4.2	11	1	1	3	5	8	10	17	
<i>B. Operated</i>	53	5.8	17	2	2	4	7	12	14	17	
2. MULTIPLE DX											
<i>A. Not Operated</i>	756	5.7	18	1	2	5	7	10	13	21	
<i>B. Operated</i>	81	9.0	86	2	3	7	11	16	19	61	
1. SINGLE DX	834	4.3	11	1	1	3	5	8	11	17	
2. MULTIPLE DX	837	6.0	25	1	2	5	7	11	14	22	
A. NOT OPERATED	1537	4.9	15	1	2	4	6	9	11	20	
B. OPERATED	134	7.7	61	2	2	6	10	14	18	31	
TOTAL											
0-19 YRS	270	3.7	7	1	1	3	5	7	8	15	
20-34	642	5.0	17	1	2	4	6	9	11	19	
35-49	446	6.0	31	1	2	5	8	11	14	25	
50-64	250	5.3	12	1	2	5	7	10	11	20	
65+	63	6.3	14	1	2	5	10	12	13	16	
GRAND TOTAL	1671	5.2	19	1	2	4	6	10	12	20	

249 PAS Hospitals, Northeastern Region, January-December 1979

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	5	5.0	6	3	3	4	6	9	9	9
35-49	22	3.5	7	<1	1	3	4	6	10	12
50-64	14	2.6	5	1	1	2	4	5	8	9
65+	10	3.3	4	1	1	3	4	6	8	8
B. Operated										
0-19 YRS	20	4.0	28	<1	1	3	4	5	16	26
20-34	489	2.4	2	<1	<1	2	3	4	5	9
35-49	847	2.4	3	<1	<1	2	3	4	4	9
50-64	1118	2.5	2	<1	1	2	3	4	5	9
65+	562	3.0	19	<1	1	2	3	4	5	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	4.4		3	3	4	6	6	6	6
35-49	15	4.3	16	<1	<1	2	6	10	14	15
50-64	27	5.3	18	1	1	4	7	11	16	18
65+	24	7.8	42	1	1	6	10	17	24	25
B. Operated										
0-19 YRS	16	3.1	5	1	1	3	4	6	9	10
20-34	121	3.0	13	<1	<1	2	3	5	6	20
35-49	302	3.9	16	<1	1	3	4	7	12	24
50-64	519	3.7	8	1	2	3	4	7	10	16
65+	372	4.4	26	1	2	3	4	8	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	3.4	6	1	1	3	4	6	9	12
B. Operated	3036	2.6	6	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	74	5.8	25	1	1	5	7	13	16	25
B. Operated	1330	3.9	16	1	2	3	4	7	11	21
1. SINGLE DX	3087	2.6	6	<1	1	2	3	4	5	10
2. MULTIPLE DX	1404	4.0	16	1	2	3	4	7	11	22
A. NOT OPERATED	125	4.8	18	1	1	4	6	9	14	23
B. OPERATED	4366	3.0	9	<1	1	2	3	5	6	14
TOTAL 0-19 YRS	37	3.6	17	1	1	3	4	5	9	26
20-34	622	2.5	5	<1	<1	2	3	4	5	10
35-49	1186	2.8	7	<1	1	2	3	4	6	15
50-64	1678	2.9	5	<1	1	2	3	5	7	13
65+	968	3.6	23	1	1	3	4	6	9	23
GRAND TOTAL	4491	3.0	9	<1	1	2	3	5	7	14

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	8.4	61	1	2	6	12	17	21	43
20-34	176	7.6	92	1	2	5	8	16	24	53
35-49	201	6.5	33	1	2	5	8	13	19	30
50-64	192	8.1	56	1	2	6	11	16	21	40
65+	135	8.0	55	2	2	6	10	17	24	60
B. Operated										
0-19 YRS	102	3.8	11	1	2	3	4	6	9	22
20-34	491	4.4	21	1	2	3	5	8	10	24
35-49	527	5.0	28	1	2	3	6	10	14	32
50-64	553	4.8	24	1	2	3	5	10	14	25
65+	205	6.2	44	2	2	4	8	13	18	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	6.1	29	<1	2	5	7	9	17	30
20-34	158	9.4	161	1	2	6	10	17	31	95
35-49	272	9.0	69	2	2	7	10	18	24	49
50-64	498	9.8	81	2	3	7	12	19	26	53
65+	582	11.8	111	3	3	9	14	25	31	70
B. Operated										
0-19 YRS	57	7.1	212	1	2	3	5	15	21	88
20-34	205	7.4	106	1	2	4	8	15	22	62
35-49	275	8.0	88	2	2	5	9	19	28	69
50-64	445	9.8	159	2	2	5	11	23	39	75
65+	303	12.0	154	2	3	8	15	28	36	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	767	7.6	58	1	2	5	9	16	21	43
B. Operated	1878	4.9	26	1	2	3	5	10	14	28
2. MULTIPLE DX										
A. Not Operated	1546	10.3	99	2	3	8	13	22	28	66
B. Operated	1285	9.5	139	2	2	5	11	22	32	73
1. SINGLE DX	2645	5.6	37	1	2	4	7	12	17	32
2. MULTIPLE DX	2831	9.9	117	2	2	7	12	22	30	68
A. NOT OPERATED	2313	9.4	87	2	2	7	12	20	27	54
B. OPERATED	3163	6.7	77	2	2	4	7	14	22	55
TOTAL 0-19 YRS	258	6.0	73	1	2	4	6	12	18	43
20-34	1030	6.3	75	1	2	4	7	12	18	55
35-49	1275	6.8	53	2	2	4	8	14	20	38
50-64	1688	8.0	85	2	2	5	10	17	24	56
65+	1225	10.5	109	2	2	8	13	23	31	65
GRAND TOTAL	5476	7.9	83	2	2	5	9	17	25	54

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	5	2.6	4	1	1	2	4	6	6	6
35-49	4	3.8	2	2	2	4	5	5	5	5
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	3	2.3	2	1	1	2	3	4	4	4
<i>B. Operated</i>										
0-19 YRS	91	6.3	15	1	2	6	9	11	13	21
20-34	135	6.0	16	1	2	5	7	10	14	20
35-49	153	5.9	10	2	2	5	8	10	12	16
50-64	559	6.2	13	1	2	6	8	10	12	19
65+	399	6.4	11	1	2	6	8	11	11	17
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	3.7	5	1	1	3	5	5	5	5
50-64	9	3.0	2	1	1	3	4	5	6	6
65+	17	5.5	16	1	1	4	9	12	13	13
<i>B. Operated</i>										
0-19 YRS	41	7.7	25	3	3	6	9	13	19	25
20-34	83	6.8	13	2	3	6	9	12	14	73
35-49	99	7.7	19	2	3	6	10	12	17	25
50-64	464	6.5	14	2	3	6	8	12	14	20
65+	552	7.9	26	2	3	7	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	21	2.2	2	<1	<1	2	3	5	6	6
<i>B. Operated</i>	1337	6.2	12	1	2	6	8	10	12	17
2. MULTIPLE DX										
<i>A. Not Operated</i>	32	4.4	11	1	1	3	6	9	12	13
<i>B. Operated</i>	1239	7.3	20	2	3	6	9	13	15	24
1. SINGLE DX	1358	6.2	12	1	2	6	8	10	12	17
2. MULTIPLE DX	1271	7.2	20	2	3	6	9	12	15	24
A. NOT OPERATED	53	3.5	9	<1	1	3	5	8	10	13
B. OPERATED	2576	6.7	16	2	2	6	8	11	14	21
TOTAL 0-19 YRS	139	6.4	19	1	2	6	9	12	13	25
20-34	224	6.2	14	1	2	6	8	11	14	22
35-49	259	6.5	14	2	2	6	8	11	13	20
50-64	1036	6.3	13	2	2	6	8	11	13	19
65+	971	7.2	20	2	3	6	9	12	15	25
GRAND TOTAL	2629	6.7	16	2	2	6	8	11	14	21

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	5.7	14	3	3	4	8	10	10	10
50-64	14	2.4	1	1	1	2	3	4	4	4
65+	31	3.2	9	1	1	2	4	8	11	12
<i>B. Operated</i>										
0-19 YRS	3	6.7	14	4	4	5	9	11	11	11
20-34	20	3.4	5	<1	1	3	4	5	8	11
35-49	60	4.1	7	2	2	3	5	7	10	13
50-64	255	4.0	16	1	2	3	4	8	9	17
65+	444	3.9	8	1	2	3	5	7	9	14
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	3.7	9	1	1	2	7	8	8	8
50-64	18	5.1	17	<1	1	4	7	13	14	14
65+	51	5.7	38	1	2	3	7	12	19	31
<i>B. Operated</i>										
0-19 YRS	5	4.4	5	2	2	4	6	8	8	8
20-34	10	5.8	74	2	2	3	5	21	29	29
35-49	35	6.1	61	2	2	3	7	10	27	38
50-64	201	5.6	21	2	2	4	7	11	14	26
65+	555	5.2	33	2	2	4	7	12	15	30
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	49	3.1	7	1	1	2	4	7	10	12
<i>B. Operated</i>	782	4.0	10	1	2	3	5	7	9	15
2. MULTIPLE DX										
<i>A. Not Operated</i>	77	5.4	30	1	1	3	7	12	15	29
<i>B. Operated</i>	806	6.0	31	2	2	4	7	12	15	30
1. SINGLE DX	831	3.9	10	1	2	3	5	7	9	14
2. MULTIPLE DX	883	6.0	31	2	2	4	7	12	15	30
A. NOT OPERATED	126	4.5	22	1	1	3	5	11	13	26
B. OPERATED	1588	5.0	22	2	2	4	6	10	13	26
TOTAL 0-19 YRS	9	5.1	8	2	2	4	6	10	11	11
20-34	32	4.4	27	<1	2	3	4	7	14	29
35-49	104	4.8	26	2	2	3	5	9	11	34
50-64	488	4.7	18	2	2	3	5	9	11	23
65+	1081	5.1	24	2	2	4	6	10	13	26
GRAND TOTAL	1714	5.0	22	2	2	4	6	10	13	26

249 PAS Hospitals, Northeastern Region, January-December 1979

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	8	3.1		<1	<1	2	5	7	8	8
65+	8	5.1	14	1	1	4	7	11	12	12
B. Operated										
0-19 YRS	10	3.1	3	1	1	3	4	6	7	7
20-34	17	4.0	10	1	1	3	5	7	12	14
35-49	34	4.2	9	2	2	3	5	8	12	14
50-64	90	4.3	17	1	2	3	5	8	11	25
65+	137	3.7	4	1	2	3	4	6	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	1	1	1	3	3	3	3	3
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	14	7.5	53	<1	2	6	9	17	26	29
65+	35	10.5	230	1	2	5	12	21	33	84
B. Operated										
0-19 YRS	12	4.9	7	2	2	4	6	9	10	10
20-34	22	8.2	45	2	3	6	9	16	24	31
35-49	29	6.3	45	2	2	4	6	13	23	32
50-64	117	5.7	20	2	2	4	6	12	15	23
65+	265	6.6	70	2	2	4	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	3.4	9	<1	1	2	5	8	10	12
B. Operated	288	3.9	9	1	2	3	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	58	8.5	158	1	1	4	9	20	27	80
B. Operated	445	6.4	52	2	2	4	7	12	16	31
1. SINGLE DX	311	3.9	9	1	2	3	4	7	9	14
2. MULTIPLE DX	503	6.6	65	2	2	4	7	13	19	33
A. NOT OPERATED	81	7.0	120	<1	1	4	7	17	23	69
B. OPERATED	733	5.4	37	2	2	4	6	11	14	26
TOTAL										
0-19 YRS	27	3.9	5	1	2	3	5	7	9	10
20-34	45	5.8	31	1	1	4	6	14	15	31
35-49	68	4.9	25	1	2	4	5	11	14	30
50-64	229	5.1	21	2	2	4	6	10	14	25
65+	445	6.0	64	2	2	4	6	11	16	34
GRAND TOTAL	814	5.6	45	1	2	4	6	11	15	29

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	27	2.4	2	<1	1	2	4	4	5	6
65+	80	2.8	5	<1	<1	2	4	5	6	14
B. Operated										
0-19 YRS										
35-49	507	3.2	3	2	2	3	4	5	6	9
50-64	3134	3.3	5	2	2	3	4	5	6	11
65+	9237	3.6	6	2	2	3	4	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
35-49	14	2.0	3	<1	<1	1	3	4	6	7
50-64	108	2.7	8	<1	<1	1	3	6	10	14
65+	370	3.7	30	<1	<1	2	4	9	13	34
B. Operated										
0-19 YRS										
35-49	294	3.8	5	2	2	3	4	6	8	13
50-64	2774	4.3	14	2	2	4	5	7	10	16
65+	12139	4.7	16	2	2	4	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	2.6	4	<1	<1	2	4	5	6	13
B. Operated	12878	3.5	5	2	2	3	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	492	3.4	25	<1	<1	2	3	8	12	26
B. Operated	15207	4.6	15	2	2	4	5	8	11	18
1. SINGLE DX	12989	3.5	5	2	2	3	4	5	7	12
2. MULTIPLE DX	15699	4.5	16	2	2	4	5	8	11	19
A. NOT OPERATED	603	3.3	21	<1	<1	2	4	7	11	22
B. OPERATED	28085	4.1	11	2	2	3	4	6	10	16
TOTAL										
0-19 YRS										
35-49	819	3.4	4	2	2	3	4	5	6	11
50-64	6043	3.8	9	2	2	3	4	6	8	13
65+	21826	4.2	12	2	2	3	4	7	10	17
GRAND TOTAL	28688	4.1	11	2	2	3	4	6	10	16

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	4	4.3	12	<1	<1	3	6	9	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	2.0	2	<1	<1	1	3	3	3	3
<i>B. Operated</i>										
0-19 YRS	73	3.0	3	1	1	3	3	5	6	11
20-34	51	2.9	2	<1	1	2	4	5	5	8
35-49	57	2.7	1	1	2	2	3	4	5	6
50-64	134	2.8	2	1	2	3	3	4	5	7
65+	130	2.7	3	<1	1	2	3	5	5	10
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	7	2.4	9	<1	<1	1	2	8	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	5	9.6	289	1	1	2	12	40	40	40
65+	12	2.2	2	1	1	2	3	4	5	5
<i>B. Operated</i>										
0-19 YRS	55	3.5	3	2	2	3	5	6	7	11
20-34	54	4.1	14	1	2	3	5	7	8	22
35-49	53	4.3	5	2	2	4	5	7	9	12
50-64	171	4.1	10	1	2	3	4	8	11	18
65+	293	4.8	35	2	2	3	5	9	12	26
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	8	3.9	7	<1	<1	3	5	8	9	9
<i>B. Operated</i>	445	2.8	2	<1	1	3	3	5	5	8
2. MULTIPLE DX										
<i>A. Not Operated</i>	25	3.9	60	<1	1	2	3	6	17	40
<i>B. Operated</i>	626	4.4	21	2	2	3	5	8	11	20
1. SINGLE DX	453	2.8	2	<1	1	3	3	5	5	9
2. MULTIPLE DX	651	4.4	23	1	2	3	5	8	11	21
A. NOT OPERATED	33	3.9	47	<1	1	2	4	7	9	40
B. OPERATED	1071	3.7	14	1	2	3	4	6	9	17
TOTAL 0-19 YRS	139	3.2	4	1	1	3	4	5	7	11
20-34	107	3.6	8	1	2	3	4	6	7	21
35-49	110	3.5	3	2	2	3	4	6	7	10
50-64	311	3.6	11	1	2	3	4	6	8	17
65+	437	4.1	25	1	1	3	4	8	10	20
GRAND TOTAL	1104	3.7	15	1	2	3	4	6	9	18

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	49	1.4	1	<1	<1	1	1	3	3	5
20-34	14	3.1	2	<1	1	3	4	5	6	6
35-49	10	2.6	4	<1	<1	2	3	6	8	8
50-64	5	4.0	3	2	2	4	5	6	6	6
65+	7	4.3	14	1	1	2	8	10	10	10
<i>B. Operated</i>										
0-19 YRS	2201	1.8	1	<1	1	2	2	2	2	3
20-34	306	2.2	2	1	1	2	2	3	3	7
35-49	134	2.3	1	1	2	2	2	3	4	8
50-64	90	2.4	1	1	1	2	3	3	4	8
65+	29	2.3	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	114	1.5	1	<1	<1	1	1	2	4	7
20-34	17	5.1	34	<1	1	3	4	17	19	19
35-49	16	8.5	49	<1	1	6	12	20	21	22
50-64	27	6.6	21	<1	1	7	9	13	15	18
65+	38	9.6	66	2	3	8	10	18	24	48
<i>B. Operated</i>										
0-19 YRS	411	1.9	1	1	1	2	2	2	3	4
20-34	108	2.4	2	1	2	2	3	3	4	11
35-49	73	2.6	1	1	2	2	3	4	5	7
50-64	75	5.7	134	2	2	2	4	12	21	77
65+	39	4.4	18	2	2	3	4	12	15	18
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	85	2.2	3	<1	<1	1	3	4	6	10
<i>B. Operated</i>	2760	1.9	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
<i>A. Not Operated</i>	212	4.4	33	<1	<1	2	6	12	15	23
<i>B. Operated</i>	706	2.6	17	1	1	2	2	3	5	17
1. SINGLE DX	2845	1.9	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	918	3.0	21	<1	1	2	3	5	10	20
A. NOT OPERATED	297	3.8	25	<1	<1	2	5	9	13	22
B. OPERATED	3466	2.0	4	<1	1	2	2	3	3	7
TOTAL 0-19 YRS	2775	1.8	1	<1	1	2	2	2	2	4
20-34	445	2.4	4	1	1	2	2	3	4	12
35-49	233	2.8	7	1	2	2	3	4	7	20
50-64	197	4.2	57	1	2	2	3	8	13	25
65+	113	5.6	38	2	2	3	7	12	16	33
GRAND TOTAL	3763	2.2	6	<1	1	2	2	3	4	12

249 PAS Hospitals, Northeastern Region, January-December 1979

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	214	2.5	7	<1	<1	1	3	6	9	14
20-34	36	4.6	17	1	1	3	7	11	14	17
35-49	30	6.9	291	<1	1	3	5	12	16	95
50-64	49	3.1	7	<1	<1	2	4	7	8	13
65+	52	4.2	18	<1	1	2	6	11	18	98
B. Operated										
0-19 YRS	370	1.9	1	<1	<1	2	2	3	4	7
20-34	434	2.7	3	<1	1	2	3	5	6	11
35-49	769	2.2	2	<1	1	2	3	3	4	8
50-64	845	2.5	4	<1	1	2	3	4	5	10
65+	856	2.7	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	3.9	9	<1	<1	3	5	8	10	14
20-34	34	5.2	34	1	1	4	6	12	28	99+
35-49	26	3.7	8	<1	<1	3	6	7	9	12
50-64	82	6.5	44	<1	1	4	8	16	20	33
65+	128	6.0	26	1	1	4	9	14	18	20
B. Operated										
0-19 YRS	110	3.1	7	<1	1	2	3	5	8	15
20-34	168	3.6	12	1	2	3	4	6	8	16
35-49	474	3.0	6	1	1	3	3	5	6	12
50-64	975	3.5	13	1	2	3	4	6	7	14
65+	1234	4.1	25	1	2	3	5	7	10	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	361	3.4	33	<1	<1	2	4	7	11	18
B. Operated	3274	2.4	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	391	5.2	25	<1	1	4	7	11	16	25
B. Operated	2961	3.7	17	1	2	3	4	6	9	18
1. SINGLE DX	3655	2.5	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX	3352	3.8	18	1	1	3	4	7	10	20
A. NOT OPERATED	772	4.3	30	<1	<1	3	6	10	14	21
B. OPERATED	6235	3.0	10	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	815	2.5	5	<1	<1	2	3	5	7	14
20-34	672	3.1	8	<1	1	2	4	6	8	15
35-49	1299	2.7	10	<1	1	2	3	4	5	11
50-64	1951	3.1	11	<1	1	2	3	5	7	16
65+	2270	3.7	18	<1	1	3	4	7	10	19
GRAND TOTAL	7007	3.2	12	<1	1	2	3	6	8	16

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	237	4.7	9	1	1	4	6	8	10	15	
20-34	78	4.3	12	1	1	3	5	7	11	22	
35-49	56	4.9	9	2	2	4	6	10	12	15	
50-64	54	6.0	26	1	2	5	7	11	17	28	
65+	61	5.9	16	1	1	5	8	11	12	21	
B. Operated											
0-19 YRS	69	3.4	8	<1	<1	2	4	7	10	15	
20-34	84	3.5	8	<1	1	3	4	6	10	16	
35-49	69	4.3	17	1	2	3	5	8	11	27	
50-64	127	3.6	7	<1	1	3	4	7	9	13	
65+	321	3.7	10	<1	1	3	4	8	10	17	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	163	5.3	15	1	2	5	7	9	12	31	
20-34	110	6.5	23	1	2	5	8	13	14	26	
35-49	65	6.6	42	2	2	5	9	10	22	36	
50-64	137	6.2	16	2	2	5	9	11	13	21	
65+	219	7.7	45	1	2	6	10	15	20	32	
B. Operated											
0-19 YRS	65	6.8	58	1	2	4	7	14	23	39	
20-34	103	5.2	17	1	1	4	7	10	14	20	
35-49	117	5.9	47	1	2	4	6	10	17	44	
50-64	326	5.6	23	2	2	4	7	12	15	21	
65+	518	6.0	39	1	2	4	7	12	16	37	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	486	4.9	12	1	2	4	6	9	11	19	
B. Operated											
	670	3.7	10	<1	1	3	4	8	10	16	
2. MULTIPLE DX											
A. Not Operated											
	694	6.6	29	1	2	5	8	12	16	31	
B. Operated											
	1129	5.8	34	1	2	4	7	12	16	31	
1. SINGLE DX											
	1156	4.2	11	1	1	3	5	8	11	17	
2. MULTIPLE DX											
	1823	6.1	32	1	2	4	8	12	16	31	
A. NOT OPERATED											
	1180	5.9	23	1	2	5	7	11	14	25	
B. OPERATED											
	1799	5.0	26	1	2	4	6	10	14	24	
TOTAL 0-19 YRS											
	534	5.0	17	1	1	4	6	9	12	22	
20-34	375	5.0	17	1	1	4	6	10	13	21	
35-49	307	5.5	33	1	2	4	6	10	14	34	
50-64	644	5.4	20	2	2	4	7	11	14	21	
65+	1119	5.6	32	1	2	4	7	11	15	27	
GRAND TOTAL											
	2979	5.4	25	1	2	4	7	10	14	24	

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	-PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.8	2	<1	<1	1	2	4	5	5
20-34	18	4.2	6	1	2	4	6	8	9	10
35-49	9	4.8	24	1	1	3	7	13	16	16
50-64	12	5.3	6	3	3	5	6	8	11	12
65+	5	3.2	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	20	1.9	4	<1	1	2	2	3	3	3
20-34	5	5.8	4	3	3	6	7	8	8	8
35-49	20	4.1	12	<1	1	3	5	10	13	14
50-64	13	4.2	21	<1	1	3	4	10	16	18
65+	13	5.8	56	1	2	4	5	12	27	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.6	8	1	1	2	4	9	10	11
20-34	23	4.6	10	<1	1	4	6	9	12	12
35-49	21	6.4	39	1	1	4	8	12	20	29
50-64	38	8.2	60	3	3	7	9	13	39	99+
65+	49	9.2	95	1	2	7	11	17	23	60
B. Operated										
0-19 YRS	15	3.9	26	1	2	2	4	5	18	22
20-34	19	7.2	61	1	2	6	8	12	26	37
35-49	10	4.4	4	<1	1	4	5	7	7	7
50-64	24	5.2	19	2	2	4	6	10	14	22
65+	47	5.2	12	1	2	4	7	11	12	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	61	3.8	8	<1	1	3	5	7	9	16
B. Operated										
	71	3.9	19	<1	1	3	4	8	12	27
2. MULTIPLE DX										
A. Not Operated										
	147	7.2	58	1	2	5	9	12	18	61
B. Operated										
	115	5.3	23	1	2	4	7	11	12	27
1. SINGLE DX	132	3.9	14	<1	1	3	5	7	10	20
2. MULTIPLE DX	262	6.4	44	1	2	4	8	12	15	40
A. NOT OPERATED	208	6.2	46	1	1	4	7	12	16	48
B. OPERATED	186	4.8	22	1	2	3	6	9	12	27
TOTAL 0-19 YRS										
	68	2.7	9	<1	1	2	3	5	6	20
20-34	65	5.3	24	1	2	4	7	8	12	33
35-49	60	5.1	22	<1	1	4	6	11	13	28
50-64	87	6.4	38	2	2	4	7	12	18	77
65+	114	6.9	55	1	2	5	9	12	17	45
GRAND TOTAL	394	5.5	30	1	1	4	7	11	13	37

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	595	3.4	5	<1	1	3	4	6	7	12
20-34	11	3.3	9	<1	<1	2	5	8	10	10
35-49	9	3.8	8	<1	<1	3	5	8	10	10
50-64	8	3.1	8	<1	<1	2	4	8	9	9
65+	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	4114	1.2	2	<1	<1	<1	1	2	2	4
20-34	216	2.3	3	<1	<1	2	3	4	4	8
35-49	209	2.4	3	<1	<1	2	3	4	5	15
50-64	251	2.2	1	<1	<1	2	3	3	4	5
65+	105	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1570	4.3	12	1	1	4	5	7	10	16
20-34	38	6.1	27	1	2	4	8	12	17	26
35-49	20	8.3	211	<1	1	4	7	15	44	67
50-64	35	7.2	120	<1	1	5	7	12	19	65
65+	36	7.6	43	1	2	6	10	16	29	99+
B. Operated										
0-19 YRS	2431	1.7	4	<1	<1	1	2	3	4	8
20-34	300	3.1	5	<1	1	3	3	5	6	14
35-49	238	3.3	11	1	1	3	3	5	8	19
50-64	309	3.6	8	1	2	3	4	6	9	14
65+	144	4.0	19	<1	1	3	4	8	12	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	626	3.3	5	<1	1	3	4	6	7	11
B. Operated										
	4895	1.4	2	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated										
	1699	4.5	18	1	1	4	5	8	10	19
B. Operated										
	3422	2.2	6	<1	<1	2	2	4	5	12
1. SINGLE DX	5521	1.6	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	5121	3.0	11	<1	<1	2	4	6	8	15
A. NOT OPERATED	2325	4.2	15	1	1	3	5	7	10	17
B. OPERATED	8317	1.7	4	<1	<1	1	2	3	4	9
TOTAL										
0-19 YRS	8710	2.1	6	<1	<1	1	2	4	6	11
20-34	565	3.0	6	<1	1	2	3	4	6	15
35-49	476	3.1	17	<1	1	2	3	5	7	20
50-64	603	3.2	13	<1	1	3	3	5	8	14
65+	288	3.8	18	<1	1	3	4	8	13	28
GRAND TOTAL	10642	2.3	7	<1	<1	1	3	4	6	12

249 PAS Hospitals, Northeastern Region, January-December 1979

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	124	3.8	6	<1	<1	3	5	7	8	12
20-34	34	3.9	3	1	2	4	4	6	8	9
35-49	28	8.4	295	2	2	5	7	10	20	95
50-64	15	6.0	13	1	2	5	8	11	13	14
65+	4	6.0	1	5	5	6	7	7	7	7
B. Operated										
0-19 YRS	976	1.4	2	<1	<1	<1	1	2	3	8
20-34	82	2.9	5	<1	<1	3	4	5	6	14
35-49	57	3.2	4	<1	<1	3	4	5	7	11
50-64	57	2.6	3	<1	<1	2	3	4	5	12
65+	29	3.2	13	<1	<1	2	3	7	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	4.2	14	<1	<1	3	5	8	12	20
20-34	46	5.1	7	2	2	5	6	9	11	12
35-49	23	6.5	15	1	2	6	9	12	15	16
50-64	28	8.0	48	2	2	5	9	20	24	28
65+	33	9.3	55	2	3	7	10	22	29	30
B. Operated										
0-19 YRS	621	2.4	16	<1	<1	2	2	4	6	16
20-34	113	4.3	9	1	1	3	6	9	10	15
35-49	98	5.4	43	1	2	4	6	9	15	45
50-64	130	4.3	11	1	2	4	5	8	11	42
65+	71	7.5	83	1	2	4	7	18	32	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	4.6	47	<1	1	4	5	7	9	16
B. Operated	1201	1.7	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. Not Operated	324	5.3	23	<1	1	4	7	10	14	27
B. Operated	1033	3.5	24	<1	1	2	4	7	10	29
1. SINGLE DX	1406	2.1	11	<1	<1	1	2	4	6	11
2. MULTIPLE DX	1357	3.9	24	<1	1	3	5	8	11	28
A. NOT OPERATED	529	5.0	32	<1	1	4	6	9	12	25
B. OPERATED	2234	2.5	14	<1	<1	1	3	5	7	17
TOTAL 0-19 YRS	1915	2.2	9	<1	<1	1	2	4	6	13
20-34	275	4.0	7	<1	1	3	5	8	9	14
35-49	206	5.3	65	1	1	4	6	9	11	44
50-64	230	4.4	16	1	1	3	5	9	12	28
65+	137	7.0	63	<1	1	4	7	16	25	43
GRAND TOTAL	2763	3.0	18	<1	<1	2	4	6	9	19

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	4.5	8	1	2	4	5	7	8	16
20-34	93	4.6	12	1	2	4	5	8	11	21
35-49	159	4.6	10	1	1	4	6	8	11	17
50-64	247	4.2	6	1	2	4	5	7	9	11
65+	181	4.8	19	1	1	4	6	9	12	20
B. Operated										
0-19 YRS	7	3.7	1	2	2	4	5	5	5	5
20-34	28	4.4	4	1	1	5	5	7	8	10
35-49	48	4.7	5	2	2	5	6	8	9	12
50-64	52	4.8	10	1	2	4	6	9	11	17
65+	27	5.9	37	2	2	5	7	9	13	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.9	10	1	1	4	7	9	12	14
20-34	104	5.2	13	2	2	4	6	9	14	18
35-49	216	5.6	18	1	2	4	7	10	13	20
50-64	584	6.2	16	2	2	5	8	11	13	20
65+	779	7.3	27	2	3	6	9	14	16	26
B. Operated										
0-19 YRS	4	4.0	9	1	1	4	6	7	7	7
20-34	16	5.4	7	1	2	5	7	9	11	12
35-49	31	7.9	54	2	2	6	9	18	29	31
50-64	53	9.1	55	2	3	7	12	18	20	44
65+	43	10.5	39	2	4	9	15	19	22	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	712	4.5	11	1	2	4	5	8	10	16
B. Operated	162	4.8	12	1	2	5	6	8	9	16
2. MULTIPLE DX										
A. Not Operated	1709	6.6	21	2	2	5	8	12	15	22
B. Operated	147	8.7	46	2	3	7	11	17	21	31
1. SINGLE DX	874	4.5	11	1	2	4	5	8	10	16
2. MULTIPLE DX	1856	6.7	24	2	2	6	8	12	16	24
A. NOT OPERATED	2421	5.9	19	1	2	5	8	11	14	21
B. OPERATED	309	6.7	31	2	2	5	8	14	17	30
TOTAL 0-19 YRS	69	4.5	8	1	2	4	6	8	9	16
20-34	241	4.9	11	1	2	4	6	8	12	17
35-49	454	5.3	17	1	2	4	6	9	13	21
50-64	936	5.7	17	1	2	5	7	10	13	20
65+	1030	7.0	27	2	2	6	9	13	16	26
GRAND TOTAL	2730	6.0	21	2	2	5	8	11	15	21

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	2.0	2	<1	<1	2	3	4	4	4
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	21	5.5	174	2	2	2	3	5	31	63
20-34	198	2.9	1	2	2	3	3	4	4	7
35-49	357	3.1	3	2	2	3	3	4	5	12
50-64	413	3.0	4	2	2	3	3	4	5	7
65+	151	3.0	1	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.7	1	1	1	1	2	3	3	3
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	5	2.2	3	<1	<1	1	4	4	4	4
65+	5	2.0	2	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	6	2.8	1	2	2	3	3	4	4	4
20-34	37	3.3	2	2	2	3	4	6	7	8
35-49	60	3.4	4	2	2	3	4	6	7	13
50-64	99	3.3	3	2	2	3	4	5	7	10
65+	63	3.5	5	2	2	3	4	5	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.0	1	<1	1	2	3	3	4	4
B. Operated	1140	3.0	6	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	18	1.8	1	<1	<1	1	3	4	4	4
B. Operated	265	3.4	3	2	2	3	4	5	7	11
1. SINGLE DX	1154	3.0	6	2	2	3	3	4	5	8
2. MULTIPLE DX	283	3.3	3	1	2	3	4	5	7	11
A. NOT OPERATED	32	1.9	1	<1	<1	1	3	4	4	4
B. OPERATED	1405	3.1	5	2	2	3	3	4	5	9
TOTAL										
0-19 YRS	28	4.8	131	1	2	3	3	4	11	63
20-34	241	2.9	1	2	2	3	3	4	5	8
35-49	427	3.1	3	2	2	3	3	4	5	12
50-64	521	3.0	3	2	2	3	3	4	5	8
65+	220	3.1	2	2	2	3	3	5	5	10
GRAND TOTAL	1437	3.1	5	2	2	3	3	4	5	9

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.3	4	<1	<1	1	3	5	6	8
20-34	28	4.4	13	<1	<1	4	5	8	12	17
35-49	28	4.7	18	<1	1	4	5	10	12	22
50-64	35	4.3	3	1	2	4	6	6	8	8
65+	16	5.2	18	<1	<1	5	7	8	15	18
B. Operated										
0-19 YRS	488	2.3	4	<1	<1	2	3	3	4	9
20-34	325	2.6	5	1	1	2	3	4	4	10
35-49	273	2.7	4	1	1	2	3	4	6	13
50-64	265	2.9	19	1	1	2	3	4	5	11
65+	101	2.7	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	5.1	35	<1	1	3	6	13	21	24
20-34	20	3.8	13	<1	1	3	5	8	13	15
35-49	17	4.9	12	<1	1	4	7	11	12	12
50-64	49	5.8	17	1	1	4	8	12	15	17
65+	34	8.5	26	3	3	7	12	17	19	21
B. Operated										
0-19 YRS	361	2.5	3	<1	1	2	3	4	5	10
20-34	248	3.2	8	1	2	3	3	5	7	13
35-49	238	3.1	6	<1	1	2	3	5	7	11
50-64	275	2.9	5	<1	1	2	3	5	7	11
65+	121	4.2	21	<1	1	3	4	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	4.1	11	<1	<1	4	5	8	8	19
B. Operated	1452	2.6	7	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated	140	6.0	22	<1	1	4	8	13	17	21
B. Operated	1243	3.0	7	<1	1	2	3	5	7	14
1. SINGLE DX	1588	2.7	8	<1	1	2	3	4	6	12
2. MULTIPLE DX	1383	3.3	9	<1	1	2	4	6	9	18
A. NOT OPERATED	276	5.0	17	<1	1	4	6	11	14	20
B. OPERATED	2695	2.8	7	<1	1	2	3	4	6	13
TOTAL										
0-19 YRS	898	2.5	5	<1	1	2	3	4	5	10
20-34	621	3.0	7	1	1	2	3	5	6	14
35-49	556	3.0	6	1	1	2	3	5	7	13
50-64	624	3.2	12	1	1	3	4	5	7	15
65+	272	4.2	19	<1	1	3	5	9	14	20
GRAND TOTAL	2971	3.0	8	<1	1	2	3	5	7	16

249 PAS Hospitals, Northeastern Region, January-December 1979

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	10.9	94	2	3	8	14	20	28	60
20-34	19	10.5	36	2	3	9	16	19	20	20
35-49	5	10.4	52	1	1	12	15	20	20	20
50-64	7	9.6	34	4	4	7	12	19	21	21
65+	6	7.0	26	3	3	5	7	16	17	17
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	11.8	118	2	2	8	21	27	27	27
35-49	4	5.5	40	2	2	3	9	15	15	15
50-64	2	27.5	61	22	22	27	33	33	33	33
65+	2	27.5	61	22	22	27	33	33	33	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	12.5	111	2	4	9	15	25	36	51
20-34	37	8.8	58	1	2	7	10	21	27	36
35-49	29	11.7	85	3	3	9	15	30	31	35
50-64	78	10.8	109	2	4	9	13	17	21	72
65+	62	10.8	108	2	3	7	14	23	27	60
B. Operated										
0-19 YRS	2	30.0	450	15	15	30	45	45	45	45
20-34	2	13.0	32	9	9	13	17	17	17	17
35-49	8	10.8	153	2	2	6	13	31	39	39
50-64	30	13.9	198	2	2	12	21	42	55	99+
65+	22	20.0	292	4	7	15	27	57	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	10.4	71	2	3	8	14	20	21	48
B. Operated	13	10.7	125	1	1	3	20	28	32	33
2. MULTIPLE DX										
A. Not Operated	238	10.8	98	2	3	8	13	22	29	52
B. Operated	64	16.1	231	2	2	13	22	47	57	99+
1. SINGLE DX	112	10.5	77	2	2	8	15	20	26	45
2. MULTIPLE DX	302	12.0	130	2	3	9	15	26	37	76
A. NOT OPERATED	337	10.7	90	2	3	8	14	20	28	53
B. OPERATED	77	15.2	215	2	2	12	22	43	55	99+
TOTAL 0-19 YRS	96	11.8	109	2	3	9	15	22	30	58
20-34	60	9.2	50	1	2	7	13	19	24	35
35-49	47	11.4	90	2	3	9	15	29	32	39
50-64	119	11.4	126	2	2	9	14	21	33	91
65+	92	13.1	164	3	3	9	17	28	46	86
GRAND TOTAL	414	11.5	116	2	3	8	15	23	33	65

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.3	11	2	2	3	6	9	9	9
20-34	17	4.0	8	1	2	3	5	9	10	11
35-49	26	6.3	22	1	1	5	9	14	16	16
50-64	38	7.5	45	1	2	6	8	16	24	32
65+	14	8.4	26	1	2	8	11	15	19	20
B. Operated										
0-19 YRS	7	5.4	27	2	2	3	10	14	14	14
20-34	44	6.5	34	1	2	3	12	16	17	22
35-49	86	7.8	50	2	2	4	13	16	21	32
50-64	149	9.9	106	2	2	5	15	22	28	56
65+	42	9.3	74	2	2	4	15	21	28	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	6.5	16	2	2	6	8	12	15	16
20-34	77	6.8	22	1	2	6	8	14	18	22
35-49	223	8.4	42	2	2	7	11	16	21	34
50-64	510	9.1	49	2	2	7	11	17	22	43
65+	575	12.6	106	3	4	10	15	23	31	57
B. Operated										
0-19 YRS	10	11.8	89	2	2	13	21	57	96	99+
20-34	62	9.4	185	1	2	3	16	21	24	88
35-49	164	11.4	123	2	2	9	16	27	31	59
50-64	423	13.3	172	2	2	11	20	27	40	62
65+	215	16.8	252	2	2	13	25	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	6.6	30	1	2	5	9	13	16	31
B. Operated	328	8.7	77	2	2	4	14	20	25	35
2. MULTIPLE DX										
A. Not Operated	1397	10.3	73	2	3	8	13	19	25	49
B. Operated	874	13.5	187	2	2	11	20	30	40	83
1. SINGLE DX	427	8.2	67	2	2	5	12	18	23	34
2. MULTIPLE DX	2271	11.5	120	2	2	9	15	24	32	61
A. NOT OPERATED	1496	10.0	71	2	3	8	13	19	25	49
B. OPERATED	1202	12.2	161	2	2	9	17	27	35	74
TOTAL 0-19 YRS	33	7.6	45	2	2	5	12	20	27	99+
20-34	200	7.3	76	1	2	5	10	17	20	24
35-49	499	9.2	71	2	2	7	13	19	26	37
50-64	1120	10.8	107	2	2	8	14	22	30	52
65+	846	13.4	144	2	3	10	17	28	37	78
GRAND TOTAL	2698	11.0	113	2	2	8	14	23	31	58

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	4.8	6	2	2	4	7	8	10	12
20-34	147	5.3	11	2	2	4	7	9	11	21
35-49	360	5.8	17	1	2	5	7	10	14	21
50-64	365	6.3	25	1	2	5	8	11	15	28
65+	217	6.5	24	1	2	5	8	12	15	28
B. Operated										
0-19 YRS	12	6.0	23	1	1	4	10	12	15	16
20-34	34	4.9	22	1	2	3	7	9	13	25
35-49	31	4.2	26	1	1	2	4	12	13	26
50-64	34	7.0	37	1	2	5	10	15	20	25
65+	11	7.9	50	2	3	6	7	20	25	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	6.0	14	1	2	5	7	11	13	20
20-34	347	6.4	27	2	2	5	8	11	14	36
35-49	1222	7.4	32	2	3	6	9	13	16	29
50-64	2291	8.0	42	2	3	7	10	14	18	36
65+	2223	9.7	71	3	3	8	12	18	24	42
B. Operated										
0-19 YRS	14	5.8	9	2	2	5	8	10	12	12
20-34	69	10.4	114	1	2	6	15	29	35	43
35-49	207	11.4	99	2	2	9	15	24	30	50
50-64	365	12.0	95	2	3	9	15	22	32	51
65+	338	15.5	154	2	4	12	20	33	43	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1143	6.0	20	1	2	5	7	11	14	25
B. Operated	122	5.7	31	1	2	3	8	13	17	26
2. MULTIPLE DX										
A. Not Operated	6136	8.4	50	2	3	7	10	15	20	37
B. Operated	993	12.9	120	2	3	10	17	26	35	54
1. SINGLE DX	1265	5.9	21	1	2	5	7	11	14	25
2. MULTIPLE DX	7129	9.0	62	2	3	7	11	17	23	43
A. NOT OPERATED	7279	8.0	46	2	3	6	10	15	19	35
B. OPERATED	1115	12.1	115	2	2	9	16	25	35	53
TOTAL 0-19 YRS	133	5.5	11	1	2	5	7	10	12	17
20-34	597	6.5	35	2	2	5	8	12	16	37
35-49	1820	7.5	39	2	2	6	9	14	18	32
50-64	3055	8.2	48	2	3	7	10	15	20	40
65+	2789	10.2	82	2	3	8	12	20	26	49
GRAND TOTAL	8394	8.5	57	2	3	7	10	16	22	41

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	6.8	18	2	2	7	8	13	15	15
20-34	55	7.3	30	2	3	6	8	13	21	25
35-49	124	8.3	31	2	3	7	10	14	19	30
50-64	187	9.0	31	3	3	8	11	16	20	28
B. Operated										
0-19 YRS										
20-34	13	5.8	36	2	2	5	7	11	22	24
35-49	13	5.5	22	2	2	3	7	14	16	17
50-64	10	7.7	64	1	1	5	9	20	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	14.4	30	8	9	14	18	23	24	24
20-34	23	8.4	45	3	3	7	10	16	22	34
35-49	298	8.3	27	3	3	7	10	15	19	32
50-64	1180	9.6	43	3	4	8	12	17	21	39
65+	2881	11.6	76	3	4	9	14	21	27	49
B. Operated										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	9	7.8	40	2	2	5	12	18	21	21
35-49	46	11.2	119	2	2	8	14	26	40	99+
50-64	142	13.3	142	2	2	11	17	30	38	54
65+	369	18.1	173	2	5	15	24	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	374	8.4	31	2	3	7	10	15	20	27
B. Operated	36	6.3	37	2	2	5	7	13	22	28
2. MULTIPLE DX										
A. Not Operated	4389	10.8	64	3	4	9	13	20	25	45
B. Operated	567	16.2	166	2	3	13	23	34	44	99+
1. SINGLE DX	410	8.2	32	2	3	7	10	15	20	27
2. MULTIPLE DX	4956	11.4	79	3	4	9	14	22	28	51
A. NOT OPERATED	4763	10.6	62	3	4	9	13	20	25	43
B. OPERATED	603	15.6	164	2	2	13	22	34	43	99+
TOTAL 0-19 YRS	8	16.5	60	8	9	14	21	29	31	31
20-34	40	8.0	37	2	2	7	9	15	19	34
35-49	412	8.4	38	2	3	7	10	15	22	37
50-64	1459	9.8	53	2	3	8	12	18	23	42
65+	3447	12.1	88	3	4	10	15	23	30	55
GRAND TOTAL	5366	11.2	76	3	4	9	14	21	27	50

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	6	6.3	13	3	3	5	10	11	11	11	
20-34	16	5.6	13	1	2	5	8	11	13	14	
35-49	20	6.9	29	1	1	6	10	14	17	20	
50-64	29	7.5	35	2	2	6	9	15	20	27	
65+	19	9.9	62	2	2	8	15	21	25	28	
<i>B. Operated</i>											
0-19 YRS	10	9.4	82	1	1	6	15	23	29	29	
20-34	21	8.8	50	2	2	7	13	17	23	29	
35-49	34	10.6	190	2	2	7	11	21	24	80	
50-64	24	9.1	64	1	2	8	11	24	29	29	
65+	16	13.2	95	1	2	10	20	29	31	32	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	5	9.0	21	4	4	9	11	16	16	16	
20-34	26	9.5	157	1	2	5	13	19	33	63	
35-49	72	9.6	66	2	2	7	11	23	30	37	
50-64	148	10.2	47	2	3	9	14	20	24	31	
65+	286	13.3	113	3	4	11	17	24	34	60	
<i>B. Operated</i>											
0-19 YRS	12	8.8	46	1	2	6	12	19	24	25	
20-34	31	9.4	67	2	2	7	15	22	33	99+	
35-49	53	11.1	122	2	3	8	13	26	40	99	
50-64	143	15.0	202	2	2	11	21	31	41	98	
65+	128	17.6	226	3	4	15	22	38	51	94	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	90	7.5	35	1	2	6	10	15	20	28	
<i>B. Operated</i>	105	10.2	107	1	2	7	13	22	29	54	
2. MULTIPLE DX											
<i>A. Not Operated</i>	537	11.7	92	2	3	9	15	22	28	58	
<i>B. Operated</i>	367	14.7	189	2	3	11	19	32	44	99	
1. SINGLE DX	195	8.9	75	1	2	7	12	20	26	31	
2. MULTIPLE DX	904	12.9	134	2	3	10	17	26	36	66	
A. NOT OPERATED	627	11.1	86	2	3	9	14	21	28	58	
B. OPERATED	472	13.7	174	2	2	10	18	29	40	96	
TOTAL											
0-19 YRS	33	8.6	45	1	2	6	12	17	24	29	
20-34	94	8.7	79	2	2	6	12	20	26	83	
35-49	179	9.9	102	2	2	8	12	22	27	75	
50-64	344	11.9	118	2	2	9	16	25	31	55	
65+	449	14.4	147	2	4	11	19	28	42	65	
GRAND TOTAL	1099	12.2	125	2	3	9	16	25	32	65	

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	8	11.6	41	4	5	9	16	22	23	23	
20-34	64	14.3	132	5	7	13	16	19	21	87	
35-49	831	13.9	28	7	9	14	16	20	22	28	
50-64	2126	14.5	28	7	9	14	17	21	22	30	
65+	1450	15.3	41	7	9	14	18	22	25	37	
B. Operated											
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15	
20-34	11	14.5	27	2	7	16	18	20	21	21	
35-49	53	15.8	63	2	5	15	20	25	28	40	
50-64	92	16.1	56	2	5	16	20	23	26	44	
65+	51	20.6	53	12	12	19	23	30	34	45	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	28	14.1	44	4	6	14	18	21	29	30	
20-34	130	14.0	33	4	8	13	17	21	23	31	
35-49	1974	14.6	35	6	8	14	17	21	24	34	
50-64	7376	15.7	42	7	9	15	19	23	27	38	
65+	10411	17.2	65	7	9	16	20	26	31	49	
B. Operated											
0-19 YRS	1	19.0		19	19	19	19	19	19	19	
20-34	25	15.2	80	2	3	15	20	28	52	99+	
35-49	278	15.7	90	2	3	14	20	27	34	52	
50-64	1061	18.3	109	2	9	16	22	30	38	61	
65+	1133	24.3	162	10	12	21	29	42	51	81	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	4479	14.6	34	7	9	14	17	21	23	32	
B. Operated											
	209	17.0	59	2	8	16	21	25	30	44	
2. MULTIPLE DX											
A. Not Operated											
	19919	16.4	54	7	9	15	19	24	29	44	
B. Operated											
	2498	20.7	142	4	10	18	25	35	45	74	
1. SINGLE DX											
	4688	14.7	36	7	9	14	17	21	23	33	
2. MULTIPLE DX											
	22417	16.9	66	7	9	15	20	25	31	49	
A. NOT OPERATED											
	24398	16.0	51	7	9	15	19	24	28	43	
B. OPERATED											
	2707	20.4	136	4	10	18	25	35	43	71	
TOTAL											
0-19 YRS	39	13.5	42	4	5	14	18	21	26	30	
20-34	230	14.2	64	4	7	13	17	21	25	52	
35-49	3136	14.5	39	6	8	14	17	21	25	36	
50-64	10655	15.7	47	7	9	15	19	23	27	39	
65+	13045	17.6	76	8	10	16	21	27	33	54	
GRAND TOTAL											
	27105	16.5	61	7	9	15	19	25	30	47	

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	10.0		10	10	10	10	10	10	10	
20-34	35	4.9	9	1	2	4	6	9	12	12	
35-49	286	5.1	11	1	2	4	7	9	12	17	
50-64	617	5.6	19	1	2	5	7	10	12	19	
65+	390	6.4	44	2	2	5	8	11	14	24	
B. Operated											
0-19 YRS											
20-34	4	3.8	2	2	2	4	5	5	5	5	
35-49	71	4.7	19	2	2	2	7	11	15	18	
50-64	111	6.4	46	2	2	3	9	15	21	32	
65+	15	5.0	20	2	2	4	5	12	16	17	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	12	8.7	28	2	2	8	11	16	20	21	
20-34	94	4.8	6	1	2	4	6	9	10	12	
35-49	1193	6.2	17	2	2	5	8	11	14	22	
50-64	3612	6.9	22	2	3	6	9	12	15	23	
65+	4504	8.1	38	2	3	7	10	15	18	32	
B. Operated											
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15	
20-34	14	6.1	30	2	2	4	10	14	19	20	
35-49	395	7.3	48	2	2	4	11	16	19	33	
50-64	989	8.5	65	2	2	6	12	18	23	36	
65+	439	13.7	133	2	2	1	19	29	37	52	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1329	5.7	25	2	2	5	7	10	13	21	
B. Operated	201	5.7	34	2	2	3	8	14	17	30	
2. MULTIPLE DX											
A. Not Operated	9415	7.4	29	2	3	6	9	13	17	28	
B. Operated	1839	9.5	83	2	2	7	13	20	27	44	
1. SINGLE DX	1530	5.7	26	2	2	4	7	11	13	23	
2. MULTIPLE DX	11254	7.7	39	2	2	6	10	14	19	32	
A. NOT OPERATED	10744	7.2	29	2	3	6	9	13	16	27	
B. OPERATED	2040	9.1	79	2	2	7	12	19	27	43	
TOTAL 0-19 YRS	15	8.9	27	2	2	4	11	15	19	21	
20-34	147	4.9	9	1	2	4	6	9	10	13	
35-49	1945	6.2	23	2	2	5	8	12	15	24	
50-64	5329	7.0	31	2	2	6	9	13	17	28	
65+	5348	8.5	48	2	3	7	10	15	20	37	
GRAND TOTAL	12784	7.5	38	2	2	6	9	14	18	31	

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	3	9.3	4	7	7	10	11	11	11	11	
20-34	30	7.0	11	3	3	7	9	12	13	13	
35-49	307	5.8	12	2	2	5	8	10	12	17	
50-64	769	6.6	17	2	2	6	8	12	14	22	
65+	561	7.7	28	2	3	7	10	14	17	26	
B. Operated											
0-19 YRS	1	14.0		14	14	14	14	14	14	14	
20-34	4	6.3	32	2	2	5	10	14	14	14	
35-49	36	8.7	63	2	2	5	13	21	28	31	
50-64	94	9.2	64	2	2	8	12	20	24	42	
65+	22	13.0	76	2	4	11	17	23	31	42	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	15	7.6	16	2	4	7	9	15	16	17	
20-34	70	7.6	21	3	3	6	10	13	19	22	
35-49	1217	7.8	36	2	3	7	9	14	17	24	
50-64	4728	8.4	27	3	3	7	10	14	17	26	
65+	6500	10.0	47	3	4	8	12	17	22	36	
B. Operated											
0-19 YRS	1	23.0		23	23	23	23	23	23	23	
20-34	16	8.0	14	2	3	9	11	13	13	13	
35-49	199	11.6	95	2	3	10	15	23	29	39	
50-64	570	13.8	84	2	3	12	19	25	31	46	
65+	491	18.2	160	4	6	15	23	33	39	67	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1670	6.8	20	2	3	6	9	12	15	23	
B. Operated	157	9.5	66	2	2	8	13	20	24	41	
2. MULTIPLE DX											
A. Not Operated	12530	9.2	39	3	4	8	11	16	20	32	
B. Operated	1277	15.1	121	2	3	13	20	28	34	64	
1. SINGLE DX	1827	7.0	24	2	3	6	9	12	16	25	
2. MULTIPLE DX	13807	9.7	49	3	4	8	12	17	22	36	
A. NOT OPERATED	14200	8.9	37	3	3	8	11	15	19	30	
B. OPERATED	1434	14.5	118	2	3	12	19	27	34	60	
TOTAL 0-19 YRS	20	9.0	25	3	4	6	10	16	20	23	
20-34	120	7.4	17	2	3	7	10	13	15	21	
35-49	1759	7.9	41	2	3	7	10	14	18	30	
50-64	6161	8.7	35	2	3	7	11	16	19	30	
65+	7574	10.4	57	3	4	9	13	18	24	40	
GRAND TOTAL	15634	9.4	47	3	3	8	12	17	21	35	

249 PAS Hospitals, Northeastern Region, January-December 1979

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	5.6	26	<1	1	4	7	11	19	21
35-49	158	5.9	19	1	2	5	8	12	14	20
50-64	332	6.2	15	2	2	5	8	11	13	21
65+	366	7.2	31	2	2	6	9	13	17	27
B. Operated										
0-19 YRS	14	1.6		<1	1	1	2	2	3	3
20-34	38	5.3	30	1	2	3	6	12	18	23
35-49	585	6.0	37	2	2	2	11	15	18	24
50-64	1215	7.1	53	2	2	3	12	17	20	29
65+	226	8.1	72	2	2	3	13	21	24	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	9.5	19	4	4	9	13	16	17	18
20-34	50	7.8	20	2	3	7	10	13	18	21
35-49	840	7.7	32	2	3	6	10	15	18	28
50-64	3761	8.7	41	2	3	7	11	16	20	31
65+	7937	11.2	80	3	4	9	14	21	27	53
B. Operated										
0-19 YRS	6	17.0	257	<1	<1	13	35	38	38	38
20-34	56	5.9	49	2	2	2	8	14	18	37
35-49	822	7.4	80	2	2	3	10	16	23	43
50-64	2384	9.2	99	2	2	4	14	22	28	45
65+	1454	15.6	180	2	2	13	21	31	42	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	871	6.6	23	2	2	5	8	12	15	25
B. Operated	2078	6.8	50	2	2	3	12	17	20	29
2. MULTIPLE DX										
A. Not Operated	12612	10.2	67	3	3	8	13	19	24	45
B. Operated	4722	10.8	131	2	2	7	15	25	33	62
1. SINGLE DX	2949	6.8	42	2	2	4	10	16	19	28
2. MULTIPLE DX	17334	10.3	84	2	2	8	13	20	27	50
A. NOT OPERATED	13483	9.9	65	2	3	8	12	18	24	44
B. OPERATED	6800	9.6	109	2	2	5	14	22	29	53
TOTAL 0-19 YRS	45	7.9	66	<1	1	6	11	16	22	38
20-34	158	6.3	34	2	2	4	8	13	18	29
35-49	2405	7.0	49	2	2	4	10	15	19	32
50-64	7692	8.5	60	2	2	6	12	17	22	38
65+	9983	11.6	96	2	3	9	14	22	30	59
GRAND TOTAL	20283	9.8	80	2	2	8	13	20	26	47

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	9.3	21	2	5	8	11	16	19	20
20-34	109	10.1	21	3	4	10	13	15	17	25
35-49	174	11.7	25	3	6	11	14	18	21	26
50-64	185	12.2	34	5	6	12	14	19	22	27
65+	149	13.4	37	5	7	13	17	20	24	31
B. Operated										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	27	12.1	31	7	7	11	14	21	24	31
35-49	30	12.4	42	4	5	11	14	22	24	32
50-64	36	13.9	36	7	8	12	16	22	28	29
65+	22	15.0	70	2	7	13	18	24	33	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	15.5	341	4	5	11	14	25	66	78
20-34	159	11.8	32	4	5	11	14	19	23	32
35-49	337	13.3	39	5	7	13	16	21	24	34
50-64	670	14.4	47	6	8	13	17	22	28	39
65+	1143	17.3	97	7	8	15	21	28	34	59
B. Operated										
0-19 YRS	3	16.7	42	10	10	17	21	23	23	23
20-34	37	17.2	103	4	6	15	24	34	44	39+
35-49	84	19.6	119	7	8	18	25	38	42	85
50-64	190	21.2	175	8	10	18	25	37	43	80
65+	225	22.8	185	8	9	20	27	43	50	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	629	11.9	31	4	6	11	14	18	21	28
B. Operated	117	13.3	42	5	7	12	15	22	27	35
2. MULTIPLE DX										
A. Not Operated	2323	15.5	74	6	7	14	18	25	31	53
B. Operated	539	21.3	167	7	9	19	26	39	46	85
1. SINGLE DX	746	12.1	33	4	6	12	15	19	22	29
2. MULTIPLE DX	2862	16.6	97	6	8	14	20	28	35	57
A. NOT OPERATED	2952	14.7	67	5	7	13	18	24	29	49
B. OPERATED	656	19.9	154	7	9	17	24	36	44	77
TOTAL 0-19 YRS	31	12.9	168	4	6	10	14	19	23	78
20-34	332	11.9	40	3	5	11	14	19	25	43
35-49	625	13.6	52	5	7	12	16	23	27	41
50-64	1081	15.2	75	6	8	13	18	24	29	47
65+	1539	17.7	109	7	8	15	21	29	37	65
GRAND TOTAL	3608	15.7	87	5	7	14	19	26	32	56

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	24.8	209	1	1	28	32	40	40	40
20-34	6	24.5	76	16	16	24	29	37	38	38
35-49	3	26.7	54	21	21	24	32	35	35	35
50-64	12	26.5	168	3	6	28	35	42	44	44
65+	15	35.3	244	11	22	36	41	65	67	68
B. Operated										
0-19 YRS										
20-34	4	20.3	261	6	6	17	33	41	41	41
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	26.7	465	7	7	28	30	58	85	85
20-34	50	31.5	277	4	6	33	41	52	62	75
35-49	42	30.9	303	7	12	31	40	46	56	67
50-64	69	31.8	173	7	13	31	41	48	54	62
65+	99	32.7	182	11	14	32	39	51	60	72
B. Operated										
0-19 YRS	3	24.7	233	8	8	28	35	38	38	38
20-34	18	41.4	273	10	27	35	46	64	77	85
35-49	22	30.9	182	7	12	30	40	46	52	60
50-64	36	42.3	393	11	19	37	53	67	79	95
65+	52	40.5	334	20	22	36	49	63	80	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	29.6	192	5	11	29	37	42	56	68
B. Operated	5	18.4	213	6	6	11	29	41	41	41
2. MULTIPLE DX										
A. Not Operated	270	31.8	208	7	12	31	40	49	60	74
B. Operated	131	39.1	326	11	21	36	47	64	78	95
1. SINGLE DX	46	28.4	202	5	8	28	37	41	51	68
2. MULTIPLE DX	401	34.2	258	8	13	33	43	54	63	85
A. NOT OPERATED	311	31.5	206	7	12	31	39	48	60	71
B. OPERATED	136	38.4	336	11	17	35	46	64	76	95
TOTAL										
0-19 YRS	18	27.0	327	3	7	28	30	39	67	85
20-34	74	33.4	279	5	11	34	41	54	63	83
35-49	71	30.1	192	6	11	30	40	45	52	66
50-64	117	34.5	266	8	13	33	43	54	65	87
65+	167	35.3	248	12	19	33	43	57	65	90
GRAND TOTAL	447	33.6	255	7	13	32	42	53	63	85

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.9	5	<1	<1	2	4	5	9	11
20-34	53	2.8	5	<1	1	2	4	6	8	10
35-49	111	3.0	5	1	1	2	4	6	8	11
50-64	171	3.6	14	1	1	2	5	7	10	23
65+	96	5.3	62	1	1	3	6	10	12	52
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	2.0		2	2	2	2	2	2	2
50-64	3	2.0		2	2	2	2	2	2	2
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	6.5	79	1	2	5	7	10	18	49
20-34	53	4.2	8	<1	1	3	5	8	10	12
35-49	160	5.4	30	<1	1	4	7	12	15	27
50-64	415	6.0	23	1	2	5	8	12	14	25
65+	587	7.7	32	2	3	6	10	14	19	31
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	11.3	66	2	2	15	16	17	17	17
35-49	6	13.0	55	3	3	15	19	21	21	21
50-64	24	13.1	108	2	2	10	17	30	35	39
65+	43	13.5	48	5	6	13	16	21	31	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	467	3.7	21	1	1	2	4	7	10	22
B. Operated	9	4.2	16	2	2	2	5	11	14	14
2. MULTIPLE DX										
A. Not Operated	1243	6.6	30	1	2	5	8	13	17	27
B. Operated	77	13.1	67	2	4	12	16	25	32	38
1. SINGLE DX	476	3.7	21	1	1	2	4	7	10	21
2. MULTIPLE DX	1320	7.0	34	1	2	6	9	14	18	31
A. NOT OPERATED	1710	5.8	29	1	1	4	7	12	15	26
B. OPERATED	86	12.2	69	2	2	11	16	23	31	37
TOTAL										
0-19 YRS	66	4.5	39	<1	1	3	5	7	11	44
20-34	111	3.7	10	<1	1	3	5	8	10	16
35-49	279	4.6	23	1	1	3	6	10	14	23
50-64	613	5.6	27	1	1	4	7	11	14	28
65+	727	7.7	40	1	2	6	10	14	19	33
GRAND TOTAL	1796	6.1	33	1	1	5	8	12	16	30

249 PAS Hospitals, Northeastern Region, January-December 1979

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	6	4.5	22	<1	<1	2	7	12	13	13
20-34	97	2.3	3	<1	<1	2	3	5	6	9
35-49	156	3.7	11	<1	1	3	5	7	10	17
50-64	326	3.9	8	1	1	3	5	7	10	18
65+	279	5.7	26	1	1	4	7	10	17	28
<i>B. Operated</i>										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	21.0	1758	2	2	2	26	96	96	96
50-64	6	3.5	4	1	1	3	5	6	6	6
65+	14	14.4	278	2	2	10	17	29	59	68
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	16	5.6	6	2	2	6	7	9	10	10
20-34	69	4.2	25	1	1	3	5	7	10	32
35-49	285	5.5	20	<1	1	4	7	12	16	20
50-64	1444	7.1	35	1	2	6	9	14	18	30
65+	3458	9.5	77	2	3	7	12	18	24	59
<i>B. Operated</i>										
0-19 YRS										
20-34	6	5.7	12	1	1	6	8	10	10	10
35-49	30	10.0	45	1	2	9	14	19	19	28
50-64	106	15.7	248	2	2	12	20	34	43	93
65+	431	18.5	177	5	7	15	23	36	44	90
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	864	4.3	15	1	1	3	6	8	11	22
<i>B. Operated</i>	26	12.7	468	1	2	5	12	24	74	96
2. MULTIPLE DX										
<i>A. Not Operated</i>	5272	8.6	64	2	2	7	11	16	21	45
<i>B. Operated</i>	573	17.4	187	3	5	14	22	35	43	90
1. SINGLE DX	890	4.5	30	1	1	3	6	9	12	25
2. MULTIPLE DX	5845	9.4	83	2	2	7	12	18	25	54
A. NOT OPERATED	6136	8.0	59	1	2	6	10	15	20	42
B. OPERATED	599	17.2	199	3	5	14	21	34	43	93
TOTAL 0-19 YRS	22	5.3	10	1	2	5	7	9	11	13
20-34	173	3.2	13	<1	1	2	4	7	9	19
35-49	476	5.3	38	<1	1	4	7	12	16	21
50-64	1882	7.0	48	1	2	5	9	14	19	35
65+	4182	10.2	94	2	3	8	13	20	27	65
GRAND TOTAL	6735	8.8	79	1	2	7	11	17	24	52

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	58	4.0	13	1	1	3	5	8	10	19
20-34	118	3.8	7	1	1	3	5	7	9	14
35-49	226	5.1	21	1	1	4	6	10	13	27
50-64	344	5.2	25	1	1	4	6	9	12	21
65+	309	6.9	42	1	1	5	8	14	17	32
<i>B. Operated</i>										
0-19 YRS	8	4.8	17	1	1	4	7	11	13	13
20-34	15	5.5	12	<1	2	5	8	11	12	13
35-49	40	8.0	30	2	2	7	12	16	19	22
50-64	103	9.4	65	2	3	7	13	19	23	46
65+	433	9.6	52	3	4	8	11	18	23	43
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	74	6.2	40	1	2	4	7	12	17	37
20-34	262	5.0	11	1	2	4	7	10	11	17
35-49	712	6.7	34	1	2	5	8	12	18	28
50-64	2021	7.9	35	2	3	6	10	15	19	31
65+	3815	10.0	65	2	3	8	12	19	24	41
<i>B. Operated</i>										
0-19 YRS	15	8.0	29	1	1	9	12	16	17	18
20-34	34	11.1	248	1	2	7	11	27	71	99+
35-49	110	10.4	76	2	2	8	14	23	32	63
50-64	600	13.2	109	3	5	10	16	25	33	61
65+	2751	14.7	113	4	5	12	18	27	36	58
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	1055	5.4	27	1	1	4	7	11	14	24
<i>B. Operated</i>	599	9.3	52	2	3	8	11	17	24	41
2. MULTIPLE DX										
<i>A. Not Operated</i>	6884	8.8	53	2	3	7	11	17	22	36
<i>B. Operated</i>	3510	14.2	113	4	5	11	18	27	35	60
1. SINGLE DX	1654	6.8	40	1	2	5	8	13	18	29
2. MULTIPLE DX	10394	10.6	80	2	3	8	13	21	27	48
A. NOT OPERATED	7939	8.4	51	2	2	7	10	16	21	36
B. OPERATED	4109	13.5	107	3	5	11	17	25	34	59
TOTAL 0-19 YRS	155	5.5	29	1	1	4	7	11	16	33
20-34	429	5.2	31	1	1	4	7	10	12	35
35-49	1088	6.8	37	1	2	5	8	13	18	32
50-64	3068	8.7	55	2	2	7	11	16	22	39
65+	7308	11.6	87	3	4	9	15	22	29	50
GRAND TOTAL	12048	10.1	76	2	3	8	13	20	26	47

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	13.5	259	2	2	4	21	42	45	46
20-34	3	8.3	5	7	7	7	10	11	11	11
35-49	32	8.0	23	1	3	7	12	15	16	18
50-64	231	8.1	32	2	2	7	11	17	21	27
65+	957	9.8	57	2	3	8	13	18	23	54
B. Operated										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	14	10.9	218	2	2	7	12	19	51	60
65+	19	15.1	61	3	4	15	19	25	30	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	9.8	77	1	2	8	13	19	23	73
20-34	65	10.5	34	4	5	10	12	20	23	30
35-49	605	10.2	60	3	4	8	12	20	25	42
50-64	4438	11.1	62	3	4	9	14	20	26	44
65+	20600	12.7	98	3	5	10	15	24	31	60
B. Operated										
0-19 YRS	21	8.4	63	2	2	8	9	10	25	40
20-34	21	11.7	304	1	2	8	11	21	49	82
35-49	80	18.1	231	2	3	14	22	43	52	95
50-64	513	18.3	175	3	5	15	24	36	46	72
65+	2110	22.0	209	6	8	19	28	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1237	9.5	54	2	3	8	12	18	22	44
B. Operated	34	13.0	127	2	2	12	17	23	32	60
2. MULTIPLE DX										
A. Not Operated	25830	12.4	91	3	4	10	15	23	30	57
B. Operated	2745	21.0	207	5	7	18	27	40	52	99
1. SINGLE DX	1271	9.6	57	2	3	8	12	18	23	45
2. MULTIPLE DX	28575	13.2	109	3	5	10	16	25	33	64
A. NOT OPERATED	27067	12.3	90	3	4	10	15	23	30	57
B. OPERATED	2779	20.9	207	5	7	18	27	40	52	99
TOTAL 0-19 YRS	157	9.9	91	2	2	8	12	20	31	62
20-34	89	10.7	94	2	3	9	12	20	23	63
35-49	718	11.0	84	3	4	8	13	21	29	51
50-64	5196	11.7	77	3	4	9	15	22	29	49
65+	23686	13.5	114	4	5	11	16	26	34	67
GRAND TOTAL	29846	13.1	107	3	4	10	16	25	33	63

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	6.2	18	1	2	6	8	10	12	25
20-34	228	5.3	12	1	2	4	7	9	12	17
35-49	213	6.2	28	1	2	5	8	12	16	25
50-64	210	7.1	32	2	2	6	9	13	16	31
65+	137	7.5	32	2	2	6	9	13	18	28
B. Operated										
0-19 YRS	50	3.6	23	1	2	2	2	10	17	22
20-34	59	6.6	70	2	2	3	10	16	19	49
35-49	105	7.8	64	2	2	4	12	17	21	38
50-64	221	7.0	62	2	2	3	11	16	21	38
65+	116	10.1	119	2	2	5	15	26	39	68
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	7.9	56	1	1	5	10	16	25	38
20-34	257	8.0	67	1	2	6	10	16	24	42
35-49	557	8.5	47	2	3	7	11	16	22	38
50-64	1242	10.0	61	2	3	8	13	18	23	42
65+	1779	11.3	78	3	4	9	14	21	26	51
B. Operated										
0-19 YRS	43	6.3	125	1	1	2	5	16	33	55
20-34	83	11.6	149	2	2	9	15	24	35	68
35-49	231	11.6	131	2	2	9	16	24	33	55
50-64	603	12.8	144	2	2	10	18	28	36	61
65+	606	16.8	196	2	2	14	23	36	45	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	843	6.4	25	1	2	5	8	12	15	25
B. Operated	551	7.4	74	2	2	3	11	17	24	50
2. MULTIPLE DX										
A. Not Operated	3912	10.2	68	2	3	8	13	19	25	43
B. Operated	1566	13.9	168	2	2	11	19	30	41	66
1. SINGLE DX	1394	6.8	45	2	2	5	9	14	18	39
2. MULTIPLE DX	5478	11.3	100	2	3	9	14	22	30	54
A. NOT OPERATED	4755	9.5	63	2	3	8	12	18	23	41
B. OPERATED	2117	12.2	152	2	2	9	17	28	37	62
TOTAL 0-19 YRS	225	6.2	54	1	2	3	8	14	22	42
20-34	627	7.4	62	1	2	5	9	15	20	41
35-49	1106	8.5	66	2	2	6	11	18	23	45
50-64	2276	10.2	84	2	2	8	13	21	27	49
65+	2638	12.3	111	2	3	10	15	24	33	60
GRAND TOTAL	6872	10.4	92	2	2	8	13	21	28	51

249 PAS Hospitals, Northeastern Region, January-December 1979

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	4	1.8	1	<1	<1	1	2	3	3	3	
50-64	20	6.8	14	3	3	5	10	12	14	15	
65+	47	9.6	50	3	3	8	13	21	27	28	
B. Operated											
0-19 YRS											
20-34											
35-49	9	6.7	64	2	2	9	9	20	26	26	
50-64	24	5.3	29	2	2	6	16	18	19	19	
65+	8	14.5	393	2	2	21	49	56	56	56	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	14.0	50	9	9	14	19	19	19	19	
20-34	6	6.3	9	3	3	5	9	11	11	11	
35-49	91	8.4	44	2	2	7	11	16	21	34	
50-64	426	8.7	72	2	3	7	10	15	19	42	
65+	1421	11.5	101	3	4	9	14	22	31	88	
B. Operated											
0-19 YRS	1	11.0		11	11	11	11	11	11	11	
20-34	1	10.0		10	10	10	10	10	10	10	
35-49	47	7.5	98	2	2	3	11	14	18	63	
50-64	123	11.8	207	2	2	8	15	27	44	85	
65+	299	18.7	226	2	4	15	25	39	49	99	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	71	8.4	41	2	3	6	11	16	24	28	
B. Operated	41	7.4	111	2	2	3	8	18	30	56	
2. MULTIPLE DX											
A. Not Operated	1946	10.7	94	3	3	3	13	20	28	68	
B. Operated	471	15.8	223	2	2	12	21	35	47	88	
1. SINGLE DX	112	8.0	66	2	2	5	11	16	26	42	
2. MULTIPLE DX	2417	11.7	123	2	3	9	14	23	32	80	
A. NOT OPERATED	2017	10.7	92	3	3	8	13	19	27	65	
B. OPERATED	512	15.1	219	2	2	11	21	34	46	87	
TOTAL 0-19 YRS	3	13.0	28	9	9	11	17	19	19	19	
20-34	7	6.9	10	3	3	6	10	11	11	11	
35-49	151	7.9	61	2	2	6	11	15	21	36	
50-64	593	9.2	98	2	2	7	11	17	22	48	
65+	1775	12.7	130	3	4	10	15	25	35	90	
GRAND TOTAL	2529	11.6	121	2	3	9	14	23	32	78	

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	3	6.0	28	2	2	4	10	12	12	12	
35-49	6	5.7	25	2	2	4	7	14	15	15	
50-64	11	9.2	76	<1	<1	7	17	22	26	26	
65+	13	4.8	11	<1	1	5	6	9	12	13	
B. Operated											
0-19 YRS											
20-34	19	20.2	68	4	8	19	26	31	34	35	
35-49	32	21.9	276	3	4	19	29	37	61	80	
50-64	33	24.8	192	2	5	23	35	41	44	61	
65+	5	19.8	213	2	2	28	31	33	33	33	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	9.5	41	5	5	9	14	14	14	14	
20-34	6	5.0	22	<1	<1	3	8	12	13	13	
35-49	12	6.5	21	1	2	6	9	13	16	17	
50-64	21	15.0	123	1	2	12	24	31	36	38	
65+	48	22.6	236	3	7	19	28	49	54	64	
B. Operated											
0-19 YRS	5	25.4	290	7	7	18	39	50	50	50	
20-34	21	34.0	468	4	7	34	43	64	80	90	
35-49	37	28.6	193	5	10	31	41	75	99+	99+	
50-64	70	31.4	423	8	11	29	46	99	99+	99+	
65+	26	38.8	558	13	18	32	56	93	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	43	9.9	83	<1	1	6	15	24	26	39	
B. Operated	89	22.5	194	3	5	21	31	38	42	73	
2. MULTIPLE DX											
A. Not Operated	89	17.1	203	1	2	14	24	34	50	63	
B. Operated	159	32.1	396	7	12	30	46	72	99+	99+	
1. SINGLE DX	132	18.4	193	2	2	18	26	35	41	66	
2. MULTIPLE DX	248	26.7	377	3	6	25	38	66	99+	99+	
A. NOT OPERATED	132	14.8	175	1	2	11	22	29	45	62	
B. OPERATED	248	28.7	344	5	8	26	38	70	99+	99+	
TOTAL 0-19 YRS	10	16.4	231	2	3	13	18	42	50	50	
20-34	52	22.3	328	2	2	19	31	43	58	90	
35-49	92	21.1	250	2	3	20	33	48	75	99+	
50-64	137	24.8	354	2	5	23	35	64	99+	99+	
65+	89	27.0	362	6	8	24	34	56	84	99+	
GRAND TOTAL	380	23.8	328	2	4	22	34	54	86	99+	

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	2	6.0	50	1	1	11	78	99+	99+	99+
65+	9	30.3	132	18	18	31	39	47	51	51
B. Operated										
0-19 YRS	1	51.0		51	51	51	51	51	51	51
20-34	2	43.5	221	33	33	54	88	99+	99+	99+
35-49	4	50.0	150	33	33	54	71	99+	99+	99+
50-64	7	63.9	480	31	35	82	99+	99+	99+	99+
65+	5	49.6	436	24	26	51	81	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	11	25.9	207	2	8	27	39	66	95	99+
B. Operated	19	54.4	353	29	33	64	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	30	43.9	485	14	19	51	85	99+	99+	99+
A. NOT OPERATED	11	25.9	207	2	8	27	39	66	95	99+
B. OPERATED	19	54.4	353	29	33	64	99+	99+	99+	99+
TOTAL										
0-19 YRS	1	51.0		51	51	51	51	51	51	51
20-34	2	43.5	221	33	33	54	88	99+	99+	99+
35-49	4	50.0	150	33	33	54	71	99+	99+	99+
50-64	9	51.0	1017	3	11	78	99+	99+	99+	99+
65+	14	37.2	307	18	18	38	51	81	95	99+
GRAND TOTAL	30	43.9	485	14	19	51	85	99+	99+	99+

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.3	33	<1	<1	1	8	11	11	11
20-34	2	24.5	841	4	4	24	45	45	45	45
35-49	4	13.5	91	3	3	12	20	26	26	26
50-64	9	10.8	63	1	2	10	14	23	27	27
65+	28	16.1	181	<1	3	12	20	32	47	61
B. Operated										
0-19 YRS	5	23.4	845	3	3	16	74	97	99+	99+
20-34	14	17.3	221	2	3	15	23	31	54	60
35-49	16	14.2	89	2	3	12	19	29	33	35
50-64	29	17.2	260	8	8	12	18	29	37	93
65+	41	17.8	167	5	7	13	23	36	50	58
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	10.9	104	<1	2	7	12	29	34	34
35-49	22	17.7	207	<1	<1	17	25	37	46	57
50-64	65	18.9	214	2	5	15	27	35	55	59
65+	152	21.3	222	5	8	18	27	47	65	99+
B. Operated										
0-19 YRS	6	22.7	568	6	6	12	27	65	69	69
20-34	4	31.3	991	10	10	52	99+	99+	99+	99+
35-49	20	26.0	250	10	14	22	41	73	99+	99+
50-64	59	29.7	477	8	11	25	45	99	99+	99+
65+	129	28.3	258	9	11	26	38	48	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	14.4	162	<1	1	11	17	30	45	61
B. Operated	105	17.3	210	3	6	13	22	32	53	96
2. MULTIPLE DX										
A. Not Operated	248	20.0	217	2	6	17	26	42	57	99+
B. Operated	218	28.4	330	9	11	26	39	69	99+	99+
1. SINGLE DX	151	16.4	196	2	4	12	21	31	48	93
2. MULTIPLE DX	466	23.9	287	5	8	20	33	55	77	99+
A. NOT OPERATED	294	19.1	212	2	5	16	26	40	56	99+
B. OPERATED	323	24.8	317	6	9	21	35	60	93	99+
TOTAL										
0-19 YRS	15	18.0	523	<1	1	11	24	73	92	99+
20-34	28	18.0	319	2	3	13	27	68	99+	99+
35-49	62	19.2	200	1	3	17	26	42	61	99+
50-64	162	22.1	342	5	6	17	32	57	93	99+
65+	350	23.1	242	6	8	20	30	46	62	99+
GRAND TOTAL	617	22.1	275	4	7	18	30	48	70	99+

249 PAS Hospitals, Northeastern Region, January-December 1979

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	
35-49	1	9.0		9	9	9	9	9	9	
50-64	21	27.7	232	7	12	25	36	51	60	68
65+	69	33.0	544	7	10	29	46	90	99	99+
B. Operated										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	
35-49	4	57.5	1035	28	28	85	99+	99+	99+	99+
50-64	18	40.9	733	12	17	36	69	97	99+	99+
65+	20	32.7	292	12	19	29	39	66	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	92	31.3	471	7	10	26	41	63	98	99+
B. Operated	43	38.1	565	14	18	30	65	98	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	135	33.5	507	8	11	28	48	92	99+	99+
A. NOT OPERATED	92	31.3	471	7	10	26	41	63	98	99+
B. OPERATED	43	38.1	565	14	18	30	65	98	99+	99+
TOTAL 0-19 YRS										
20-34	2	16.5	5	15	15	16	18	18	18	
35-49	5	47.8	1247	9	13	79	98	99+	99+	99+
50-64	39	33.8	494	10	14	25	50	81	97	99+
65+	89	32.9	483	7	11	29	44	89	99	99+
GRAND TOTAL	135	33.5	507	8	11	28	48	92	99+	99+

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	10.5	39	4	4	10	15	18	18	18
35-49	16	7.9	14	2	2	8	11	12	14	15
50-64	25	10.8	369	1	1	5	9	15	69	81
B. Operated										
0-19 YRS										
20-34	3	7.0	7	5	5	6	9	10	10	10
35-49	34	8.4	39	1	2	7	12	19	21	25
50-64	280	9.0	37	2	2	7	12	17	20	29
65+	261	9.4	43	2	2	8	13	19	24	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	2	9.0		9	9	9	9	9	9	9
35-49	10	8.4	56	1	2	6	8	22	23	23
50-64	74	10.3	91	1	2	8	12	23	35	41
65+	161	11.7	120	2	3	9	13	24	35	67
B. Operated										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	5	12.4	8	10	10	11	14	17	17	17
35-49	65	11.5	123	2	3	8	14	20	27	71
50-64	620	11.7	92	2	3	9	15	22	29	53
65+	729	12.4	101	2	3	10	16	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	9.8	211	1	2	7	11	15	30	81
B. Operated	578	9.1	40	2	2	8	12	18	22	28
2. MULTIPLE DX										
A. Not Operated	249	11.1	107	2	3	8	13	23	34	64
B. Operated	1421	12.0	98	2	3	10	15	23	30	56
1. SINGLE DX	623	9.1	52	2	2	7	12	17	22	30
2. MULTIPLE DX	1670	11.9	99	2	3	9	15	23	30	61
A. NOT OPERATED	294	10.9	122	2	3	8	13	22	34	66
B. OPERATED	1999	11.2	83	2	3	9	14	21	27	47
TOTAL 0-19 YRS	4	8.5	22	4	4	7	11	15	15	15
20-34	10	10.1	11	5	5	10	11	15	17	17
35-49	113	10.2	89	2	2	8	13	19	23	56
50-64	990	10.7	77	2	3	8	14	21	27	42
65+	1176	11.6	98	2	3	9	15	23	30	61
GRAND TOTAL	2293	11.1	88	2	3	9	14	21	28	50

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	3	8.7	14	6	6	7	11	13	13	13
50-64	12	15.7	159	5	6	12	17	30	50	53
65+	28	20.1	215	6	7	16	24	50	60	99+
B. Operated										
0-19 YRS										
20-34										
35-49	4	18.8	523	2	2	11	35	51	51	51
50-64	37	17.1	190	3	4	13	20	38	49	56
65+	47	19.6	216	4	5	16	25	39	50	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	43	18.1	192	6	7	14	20	48	54	99+
B. Operated	88	18.5	212	3	4	14	25	39	51	60
1. SINGLE DX										
2. MULTIPLE DX	131	18.4	204	3	5	14	24	42	53	67
A. NOT OPERATED	43	18.1	192	6	7	14	20	48	54	99+
B. OPERATED	88	18.5	212	3	4	14	25	39	51	60
TOTAL 0-19 YRS										
20-34										
35-49	7	14.4	295	2	2	7	17	45	51	51
50-64	49	16.7	180	3	5	13	18	37	53	56
65+	75	19.8	213	4	6	16	25	45	56	90
GRAND TOTAL	131	18.4	204	3	5	14	24	42	53	67

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	3	9.7	16	6	6	9	13	14	14	14
35-49	20	12.2	87	3	4	9	15	24	34	41
50-64	64	10.6	82	3	3	8	13	21	26	48
65+	195	13.7	104	3	4	10	18	28	35	50
B. Operated										
0-19 YRS										
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	9	13.6	181	1	2	6	25	35	36	36
50-64	22	12.2	178	2	3	9	16	19	38	66
65+	28	12.9	184	2	2	9	14	36	50	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	8.0	50	1	2	6	11	19	26	26
20-34	12	9.1	18	3	4	8	13	15	16	16
35-49	81	12.3	78	3	4	10	16	23	31	47
50-64	538	14.7	143	4	5	11	18	30	40	99+
65+	2012	18.1	216	4	6	14	22	37	52	99+
B. Operated										
0-19 YRS										
20-34	11	13.8	134	2	3	10	23	33	34	34
35-49	41	13.0	86	3	3	12	17	27	32	42
50-64	137	17.8	201	3	5	13	23	42	51	99+
65+	293	25.3	355	5	7	20	34	60	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	284	12.8	98	3	4	10	16	27	33	48
B. Operated	61	12.6	171	2	2	9	15	26	46	64
2. MULTIPLE DX										
A. Not Operated	2653	17.2	199	4	6	13	21	35	50	99+
B. Operated	482	21.9	302	4	6	18	30	53	68	99+
1. SINGLE DX	345	12.8	110	3	4	9	16	27	36	52
2. MULTIPLE DX	3135	17.9	218	4	6	14	22	38	54	99+
A. NOT OPERATED	2937	16.7	191	4	5	13	21	34	48	99
B. OPERATED	543	20.8	296	3	5	16	29	50	66	99+
TOTAL 0-19 YRS	12	7.3	45	<1	1	6	9	16	25	26
20-34	28	11.0	65	3	3	9	14	23	32	34
35-49	151	12.6	86	3	3	10	17	25	33	42
50-64	761	14.8	152	3	5	11	18	32	45	99+
65+	2528	18.6	231	4	6	14	23	40	55	99+
GRAND TOTAL	3480	17.4	209	4	5	13	22	36	52	99+

249 PAS Hospitals, Northeastern Region, January-December 1979

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	17.0	98	10	10	17	24	24	24	24
35-49	32	20.8	251	3	4	15	32	40	52	69
50-64	230	22.6	303	6	6	17	30	49	65	89
65+	974	23.7	300	6	8	19	32	49	65	99+
B. Operated										
0-19 YRS										
20-34	3	17.3	534	3	3	5	34	44	44	44
35-49	11	26.9	353	11	12	18	34	54	71	73
50-64	40	24.3	527	5	6	21	36	99+	99+	99+
65+	123	32.0	384	11	13	28	47	70	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	1239	23.4	299	6	7	18	32	49	65	99+
B. Operated	177	29.7	423	7	10	25	44	77	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	1416	24.2	318	6	7	19	33	52	70	99+
A. NOT OPERATED	1239	23.4	299	6	7	18	32	49	65	99+
B. OPERATED	177	29.7	423	7	10	25	44	77	99+	99+
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	17.2	292	3	3	10	29	44	44	44
35-49	43	22.4	277	3	6	15	33	42	59	73
50-64	270	22.8	334	5	6	17	32	55	83	99+
65+	1097	24.6	316	6	8	19	33	52	68	99+
GRAND TOTAL	1416	24.2	318	6	7	19	33	52	70	99+

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	16	3.8	6	<1	1	3	6	7	8	8
35-49	60	5.5	12	1	2	5	7	10	13	17
50-64	283	5.5	14	1	2	5	7	10	12	21
65+	736	6.4	26	2	2	5	8	11	15	24
B. Operated										
0-19 YRS										
20-34	8	4.0	8	1	1	3	6	8	9	9
35-49	43	6.1	21	2	2	5	8	11	16	21
50-64	153	6.6	32	2	2	5	9	13	14	32
65+	81	6.5	21	2	2	6	9	12	13	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	10.5	344	1	2	5	10	17	61	74
20-34	30	6.9	63	2	2	4	7	13	22	42
35-49	182	6.7	21	2	3	6	8	11	14	29
50-64	1355	7.3	24	2	3	6	9	13	16	23
65+	5981	9.9	80	3	3	8	12	19	26	61
B. Operated										
0-19 YRS										
20-34	5	8.6	55	3	3	5	13	21	21	21
35-49	73	8.5	38	2	2	7	11	19	23	83
50-64	443	11.0	90	2	3	9	14	21	29	51
65+	783	15.3	150	3	4	12	20	31	42	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1097	6.1	22	1	2	5	8	11	14	23
B. Operated	285	6.4	26	2	2	5	9	12	14	29
2. MULTIPLE DX										
A. Not Operated	7562	9.4	70	2	3	7	11	17	24	56
B. Operated	1304	13.5	129	3	3	11	17	27	37	77
1. SINGLE DX	1382	6.1	23	1	2	5	8	11	14	24
2. MULTIPLE DX	8866	10.0	81	2	3	8	12	19	26	59
A. NOT OPERATED	8659	9.0	65	2	3	7	11	16	22	51
B. OPERATED	1589	12.2	117	2	3	9	15	26	34	72
TOTAL 0-19 YRS	16	10.0	301	1	2	5	10	10	55	74
20-34	59	5.8	41	1	2	4	7	9	19	40
35-49	358	6.8	24	2	2	6	9	12	17	31
50-64	2234	7.8	39	2	2	6	10	14	19	32
65+	7581	10.1	85	2	3	8	12	19	27	62
GRAND TOTAL	10248	9.5	75	2	3	7	11	18	25	55

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	7	8.3	19	3	4	8	9	15	17	17
35-49	25	12.4	211	1	2	6	15	36	52	54
50-64	179	12.7	104	2	3	10	17	27	35	87
65+	650	15.0	167	3	4	11	19	30	43	81
B. Operated										
0-19 YRS										
20-34	3	7.3	26	3	3	6	11	13	13	13
35-49	15	9.5	34	1	3	8	13	16	22	24
50-64	46	12.0	156	2	2	8	14	24	37	70
65+	60	16.4	254	2	3	11	19	43	60	97
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	11.4	46	2	4	9	18	21	23	23
20-34	17	10.2	71	<1	1	8	14	19	30	35
35-49	103	14.5	174	3	4	12	17	32	48	99+
50-64	936	16.7	199	4	5	12	21	35	49	96
65+	4209	19.1	239	4	6	15	25	42	59	99+
B. Operated										
0-19 YRS	4	18.3	105	7	7	17	26	31	31	31
20-34	9	20.6	180	2	5	18	28	41	46	46
35-49	42	19.2	269	4	5	15	24	60	80	99+
50-64	238	21.4	410	3	5	15	28	53	91	99+
65+	509	28.9	445	6	8	25	47	81	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	865	14.4	155	3	4	11	19	29	41	80
B. Operated	124	13.7	191	2	2	10	17	33	49	78
2. MULTIPLE DX										
A. Not Operated	5276	18.6	232	4	5	14	24	41	57	99+
B. Operated	802	26.0	434	4	6	20	40	70	99+	99+
1. SINGLE DX	989	14.3	159	2	4	11	18	30	42	78
2. MULTIPLE DX	6078	19.6	265	4	5	15	26	45	64	99+
A. NOT OPERATED	6141	18.0	223	4	5	14	23	39	54	99+
B. OPERATED	926	24.4	419	3	5	18	37	68	99	99+
TOTAL 0-19 YRS	19	11.3	66	2	3	8	18	22	27	31
20-34	36	12.2	103	1	3	9	16	26	34	46
35-49	185	14.9	194	3	4	12	18	36	57	99+
50-64	1399	16.8	228	3	4	12	21	37	52	99+
65+	5428	19.5	261	4	5	15	26	45	63	99+
GRAND TOTAL	7067	18.8	253	4	5	14	25	43	61	99+

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	20.3	342	7	7	12	27	52	60	60
20-34	6	15.3	254	4	4	10	17	43	46	46
35-49	53	21.9	316	5	6	16	27	59	76	99+
50-64	422	21.0	250	5	7	16	28	44	60	99+
65+	2001	22.9	268	5	7	19	30	49	67	99+
B. Operated										
0-19 YRS	3	20.3	69	11	11	23	26	27	27	27
20-34	5	38.6	1004	10	10	40	89	99	99+	99+
35-49	19	20.4	338	3	7	12	23	51	61	67
50-64	71	28.0	465	6	8	27	42	96	99+	99+
65+	261	28.2	280	8	10	27	42	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	2490	22.5	267	5	7	18	30	48	66	99+
B. Operated	359	27.8	328	8	10	27	42	83	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	2849	23.2	277	6	7	19	31	52	73	99+
A. NOT OPERATED	2490	22.5	267	5	7	18	30	48	66	99+
B. OPERATED	359	27.8	328	8	10	27	42	83	99+	99+
TOTAL 0-19 YRS	11	20.3	253	7	7	14	26	44	59	60
20-34	11	25.9	676	4	4	16	45	92	99	99+
35-49	72	21.5	317	5	6	16	26	56	67	99+
50-64	493	22.0	286	5	7	17	29	48	76	99+
65+	2262	23.5	272	6	7	19	32	52	71	99+
GRAND TOTAL	2849	23.2	277	6	7	19	31	52	73	99+

249 PAS Hospitals, Northeastern Region, January-December 1979

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	6.5	16	1	2	7	8	11	15	17
35-49	50	5.8	15	1	2	5	8	10	13	20
50-64	95	7.9	41	2	2	7	10	15	18	39
65+	256	9.4	75	2	3	7	11	20	24	59
<i>B. Operated</i>										
0-19 YRS										
20-34	13	25.3	630	1	2	21	32	57	87	94
35-49	27	13.9	141	2	2	10	24	33	35	38
50-64	74	10.0	120	2	2	7	14	20	24	66
65+	55	10.0	211	1	2	4	12	21	35	87
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	14	7.1	42	1	2	5	9	16	23	25
20-34	33	7.6	63	1	2	5	8	19	30	32
35-49	118	8.9	59	2	3	7	11	19	32	99+
50-64	666	11.5	128	3	3	8	13	23	33	64
65+	3530	13.7	165	3	4	10	17	29	45	99+
<i>B. Operated</i>										
0-19 YRS	9	16.3	437	2	2	9	17	53	65	65
20-34	12	9.9	35	2	3	13	13	16	20	21
35-49	45	17.2	216	3	4	11	25	42	51	61
50-64	209	17.0	325	2	3	10	19	47	60	99+
65+	469	19.3	269	4	5	15	25	47	67	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	419	8.5	59	2	3	7	10	17	21	57
<i>B. Operated</i>	169	11.8	204	2	2	7	16	26	38	86
2. MULTIPLE DX										
<i>A. Not Operated</i>	4361	13.2	157	3	4	10	16	28	42	99+
<i>B. Operated</i>	744	18.4	281	3	4	13	24	46	65	99+
1. SINGLE DX	588	9.4	103	2	2	7	11	20	26	59
2. MULTIPLE DX	5105	13.9	178	3	4	10	17	31	47	99+
A. NOT OPERATED	4780	12.8	150	3	4	9	15	27	40	99+
B. OPERATED	913	17.1	273	2	3	12	22	43	62	99+
TOTAL 0-19 YRS	24	10.5	197	1	2	6	10	26	45	65
20-34	75	10.8	184	1	2	7	13	25	32	82
35-49	240	10.4	103	2	3	7	12	26	35	64
50-64	1044	12.2	165	2	3	8	14	25	41	75
65+	4310	14.0	176	3	4	10	17	30	48	99+
GRAND TOTAL	5693	13.5	172	3	4	10	17	29	46	99+

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS										
20-34										
35-49	6	3.3	4	1	1	3	4			7
50-64	15	4.1	16	1	1	2	7	10	12	13
65+	30	5.3	29	1	2	3	7	12	13	27
<i>B. Operated</i>										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	32	10.3	172	1	2	9	13	15	17	77
50-64	126	9.7	88	1	2	8	14	17	25	45
65+	132	12.2	114	2	2	10	17	26	33	55
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	2.0		2	2	2	2	2	2	2
35-49	13	9.0	38	2	3	8	12	19	21	22
50-64	112	10.4	101	1	3	7	12	24	27	54
65+	705	11.9	112	2	4	9	14	24	37	93
<i>B. Operated</i>										
0-19 YRS	5	15.4	157	2	2	12	23	35	35	35
20-34	5	10.2	119	2	2	5	15	29	29	29
35-49	88	14.5	279	2	2	11	16	25	50	95
50-64	541	17.8	264	2	3	13	22	40	56	90
65+	960	21.8	323	2	4	18	29	49	70	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	51	4.7	22	1	1	3	7	11	13	27
<i>B. Operated</i>	291	10.9	109	2	2	10	15	20	29	63
2. MULTIPLE DX										
<i>A. Not Operated</i>	832	11.6	109	2	3	9	14	24	35	74
<i>B. Operated</i>	1599	20.0	304	2	3	16	26	45	64	99+
1. SINGLE DX	342	10.0	101	1	2	8	14	19	28	54
2. MULTIPLE DX	2431	17.1	253	2	3	13	22	38	56	99+
A. NOT OPERATED	883	11.2	107	2	3	8	14	24	32	71
B. OPERATED	1890	18.6	285	2	2	14	24	41	61	99+
TOTAL 0-19 YRS	6	15.7	126	2	3	14	19	33	35	35
20-34	7	8.4	90	2	2	5	9	25	29	29
35-49	139	12.6	227	2	2	10	14	22	36	94
50-64	794	15.2	223	2	2	12	19	33	48	88
65+	1827	17.0	247	2	3	13	22	38	55	99+
GRAND TOTAL	2773	16.2	240	2	3	12	21	36	53	99+

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	3.3	7	<1	<1	2	5	7	7	7
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	10	6.4	37	<1	<1	5	10	16	20	20
65+	27	6.1	56	1	1	3	8	15	20	36
B. Operated										
0-19 YRS	2	16.0	32	12	12	16	20	20	20	20
20-34	2	12.5	61	7	7	12	18	18	18	18
35-49	10	14.6	408	2	2	11	14	42	70	70
50-64	134	13.7	43	2	7	13	16	22	26	41
65+	256	14.7	56	2	6	14	17	24	29	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	51	6.9	42	1	1	5	9	15	23	29
65+	259	9.5	90	2	2	7	11	19	27	47
B. Operated										
0-19 YRS	2	27.0	2	26	26	27	28	28	28	28
20-34	6	23.2	779	2	2	17	25	71	76	76
35-49	29	15.8	169	2	3	12	20	33	47	57
50-64	318	18.1	145	5	8	15	21	34	44	57
65+	845	19.9	194	4	8	16	24	37	49	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	43	5.7	45	<1	1	3	7	13	18	36
B. Operated										
	404	14.3	60	2	6	13	17	23	29	42
2. MULTIPLE DX										
A. Not Operated										
	310	9.1	82	1	2	7	11	18	26	42
B. Operated										
	1200	19.3	183	4	8	16	23	37	46	80
1. SINGLE DX										
	447	13.5	64	2	2	13	16	22	28	42
2. MULTIPLE DX										
	1510	17.2	180	3	4	14	21	34	44	77
A. NOT OPERATED										
	353	8.7	79	1	2	6	11	17	25	38
B. OPERATED										
	1604	18.1	157	3	7	15	21	33	44	75
TOTAL 0-19 YRS										
	4	21.5	52	12	12	23	27	28	28	28
20-34	12	14.8	449	<1	1	7	21	40	71	76
35-49	41	14.9	218	1	2	11	18	33	51	70
50-64	513	15.6	120	2	4	13	18	28	40	51
65+	1387	16.7	165	2	4	14	20	32	42	76
GRAND TOTAL	1957	16.4	156	2	4	14	20	31	41	74

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS		3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.0	17	1	1	2	6	10	10	10
50-64	3	9.7	82	3	3	6	16	20	20	20
65+	3	9.3	56	5	5	5	15	18	18	18
B. Operated										
0-19 YRS	9	4.9	9	1	1	5	7	9	10	10
20-34	13	3.5	7	1	1	3	4	6	10	11
35-49	25	12.7	113	1	2	12	15	30	39	39
50-64	60	13.5	141	2	3	11	14	30	43	56
65+	69	12.5	52	2	2	12	17	22	26	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	11.0		11	11	11	11	11	11	11
50-64	5	15.2	214	3	3	10	25	38	38	38
65+	22	8.6	96	2	2	5	12	14	30	48
B. Operated										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	14	11.7	154	1	2	5	22	30	37	39
35-49	29	18.2	391	1	2	10	24	37	52	98
50-64	111	17.1	205	2	4	13	21	34	43	99+
65+	143	20.7	254	3	4	17	26	44	52	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	12	6.5	40	1	2	4	8	19	20	20
B. Operated										
	176	11.8	93	2	2	11	15	23	31	49
2. MULTIPLE DX										
A. Not Operated										
	29	9.9	109	2	3	6	12	20	38	48
B. Operated										
	298	18.7	246	2	3	15	24	40	50	99
1. SINGLE DX										
	188	11.5	91	2	2	10	15	22	30	49
2. MULTIPLE DX										
	327	17.9	240	2	3	14	23	39	48	99
A. NOT OPERATED										
	41	8.9	90	1	2	5	11	19	29	48
B. OPERATED										
	474	16.1	200	2	3	13	20	36	45	96
TOTAL 0-19 YRS										
	11	6.6	48	1	2	5	8	16	25	26
20-34	29	7.7	92	1	2	4	9	23	29	39
35-49	59	14.8	252	1	2	11	20	34	39	94
50-64	179	15.7	183	2	3	12	20	33	42	97
65+	237	17.0	198	2	3	13	21	38	46	86
GRAND TOTAL	515	15.6	195	2	2	12	20	35	44	93

249 PAS Hospitals, Northeastern Region, January-December 1979

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	11.0		11	11	11	11	11	11	11
20-34	11	7.8	16	1	2	10	11	12	13	13
35-49	10	4.8		1	1	4	9	10	10	10
50-64	37	7.4		1	2	5	10	14	24	38
65+	26	9.0	172	1	1	5	10	12	39	65
B. Operated										
0-19 YRS	5	12.8	397	<1	<1	1	22	47	47	47
20-34	27	8.8	41	1	2	7	14	17	21	23
35-49	106	9.4	48	1	2	9	13	16	22	34
50-64	417	11.6	72	2	2	11	15	19	24	37
65+	345	12.3	67	2	3	12	16	21	27	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	4	5.3	14	1	1	5	8	10	10	10
35-49	24	11.8	86	1	2	11	16	25	30	36
50-64	94	10.8	160	1	2	8	13	21	26	84
65+	163	11.8	99	2	3	9	16	23	31	47
B. Operated										
0-19 YRS	5	24.2	454	3	3	19	38	57	57	57
20-34	18	13.7	149	1	2	10	19	33	42	44
35-49	205	14.8	139	2	3	12	19	29	45	99+
50-64	1032	15.7	144	2	4	13	19	30	40	80
65+	1481	19.1	213	3	6	16	24	36	52	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	7.7	80	1	1	5	10	12	23	55
B. Operated	900	11.5	69	2	2	11	15	20	25	39
2. MULTIPLE DX										
A. Not Operated	287	11.3	116	2	2	9	14	21	30	61
B. Operated	2741	17.5	185	3	4	14	22	34	48	97
1. SINGLE DX	986	11.2	71	1	2	11	15	19	25	39
2. MULTIPLE DX	3028	16.9	181	2	4	14	21	33	46	91
A. NOT OPERATED	373	10.5	110	1	2	8	13	21	28	61
B. OPERATED	3641	16.0	163	2	3	13	19	31	42	85
TOTAL										
0-19 YRS	14	15.7	312	<1	1	11	19	48	55	57
20-34	60	9.9	71	1	2	8	14	20	23	43
35-49	345	12.6	111	2	2	11	15	24	31	99+
50-64	1580	14.1	129	2	3	12	17	27	35	75
65+	2015	17.2	188	2	4	14	21	33	47	90
GRAND TOTAL	4014	15.5	160	2	3	13	19	31	40	84

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	6.5	19	1	2	6	8	13	15	20
20-34	18	4.8	10	1	2	4	6	10	12	13
35-49	43	6.7	32	1	2	5	10	13	16	31
50-64	57	5.9	19	1	1	5	8	12	15	18
65+	70	7.2	42	<1	1	5	10	15	17	36
B. Operated										
0-19 YRS	23	3.6	10	<1	<1	2	6	9	10	11
20-34	39	10.1	123	2	2	7	11	25	39	50
35-49	114	7.9	42	2	2	6	11	17	19	30
50-64	332	9.8	75	1	2	8	14	20	26	43
65+	338	12.0	105	2	2	10	16	25	34	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	8.8	153	1	1	6	10	14	30	64
20-34	41	8.6	138	1	2	4	9	20	28	68
35-49	85	8.9	55	2	2	6	12	19	26	33
50-64	224	8.9	77	2	2	7	11	22	25	81
65+	571	12.8	169	2	3	9	15	28	41	81
B. Operated										
0-19 YRS	15	14.2	324	1	2	7	21	30	60	70
20-34	51	14.5	203	2	3	10	18	35	46	63
35-49	197	14.8	204	2	2	11	17	32	39	85
50-64	810	16.0	228	2	2	13	20	36	52	99+
65+	1340	19.9	277	2	4	16	27	43	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	230	6.4	28	1	1	5	8	13	16	25
B. Operated	846	10.3	86	1	2	8	14	22	29	46
2. MULTIPLE DX										
A. Not Operated	945	11.2	138	2	2	8	14	24	35	79
B. Operated	2413	18.1	258	2	3	14	24	40	56	99+
1. SINGLE DX	1076	9.5	76	1	2	7	13	20	26	45
2. MULTIPLE DX	3358	16.1	233	2	3	12	21	37	52	99+
A. NOT OPERATED	1175	10.3	120	2	2	7	13	21	31	69
B. OPERATED	3259	16.0	225	2	2	12	21	36	50	99
TOTAL										
0-19 YRS	104	7.5	99	<1	1	5	8	14	21	67
20-34	149	10.6	149	2	2	7	13	24	43	63
35-49	439	11.1	127	2	2	9	14	23	32	56
50-64	1423	13.1	173	2	2	10	17	27	41	97
65+	2319	16.6	234	2	3	13	22	38	51	99+
GRAND TOTAL	4434	14.5	203	2	2	11	19	32	45	95

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	7.2	10	3	3	7	9	10	12	18
20-34	554	9.2	23	3	4	9	11	14	18	28
35-49	570	9.9	31	3	4	9	12	17	21	26
50-64	663	10.1	34	4	5	9	13	17	20	34
65+	498	10.7	32	4	5	10	13	16	20	29
B. Operated										
0-19 YRS	25	11.0	45	3	3	9	16	21	24	27
20-34	189	9.4	33	2	3	8	12	17	21	29
35-49	206	10.1	41	2	3	9	13	18	22	33
50-64	210	10.5	37	3	4	10	13	17	20	29
65+	140	11.9	35	4	5	11	15	20	23	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	10.7	45	4	4	10	13	19	27	99+
20-34	438	10.4	33	3	4	9	13	18	20	33
35-49	801	11.4	42	4	5	10	14	19	23	31
50-64	1463	11.9	40	5	6	11	15	20	24	34
65+	2040	13.0	53	5	6	11	16	22	26	42
B. Operated										
0-19 YRS	10	13.1	185	2	3	8	15	33	49	49
20-34	213	13.6	127	2	4	11	17	26	35	66
35-49	303	13.6	98	3	5	12	16	25	35	47
50-64	545	15.4	112	5	6	13	18	28	33	53
65+	631	17.6	133	5	7	15	22	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2353	9.9	30	3	4	9	12	16	19	28
B. Operated	770	10.4	38	3	4	10	13	18	22	30
2. MULTIPLE DX										
A. Not Operated	4790	12.1	46	4	5	11	15	20	25	36
B. Operated	1702	15.7	122	4	6	13	19	28	36	64
1. SINGLE DX	3123	10.0	32	3	4	9	12	17	20	28
2. MULTIPLE DX	6492	13.1	68	4	6	11	16	22	28	47
A. NOT OPERATED	7143	11.4	42	4	5	10	14	19	23	35
B. OPERATED	2472	14.0	101	3	5	12	17	26	32	57
TOTAL										
0-19 YRS	151	9.3	41	3	4	8	11	17	21	49
20-34	1394	10.2	46	3	4	9	12	18	22	35
35-49	1880	11.1	49	3	4	10	14	19	23	36
50-64	2881	12.1	55	4	5	11	15	20	26	42
65+	3309	13.5	69	5	6	12	16	23	28	49
GRAND TOTAL	9615	12.1	59	4	5	10	15	21	26	43

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	20	9.7	135	2	2	6	11	22	40	50
35-49	34	8.7	38	1	2	8	12	18	21	25
50-64	54	11.7	167	1	3	9	12	26	36	68
65+	84	13.8	116	2	4	11	16	29	36	86
B. Operated										
0-19 YRS	47	3.7	3	1	2	4	4	6	7	8
20-34	821	4.8	9	2	3	4	5	7	9	18
35-49	1246	5.3	16	2	3	4	6	8	11	22
50-64	1071	6.5	36	2	3	5	7	11	18	33
65+	294	11.3	134	3	3	7	14	27	37	58
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	22	10.5	144	<1	1	5	20	26	36	46
35-49	84	8.9	64	<1	1	7	12	17	25	41
50-64	164	13.2	161	2	3	11	16	23	32	88
65+	451	16.4	155	4	5	13	21	34	41	64
B. Operated										
0-19 YRS	7	6.6	23	1	1	6	11	13	13	13
20-34	158	5.9	14	2	3	5	7	10	15	21
35-49	381	8.1	74	2	3	6	9	15	20	45
50-64	599	10.4	88	3	3	7	12	23	29	51
65+	469	21.1	317	4	5	15	28	44	61	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	11.9	121	1	3	9	15	26	31	65
B. Operated	3479	6.0	33	2	3	5	6	10	15	34
2. MULTIPLE DX										
A. Not Operated	723	14.6	151	2	4	11	18	29	39	66
B. Operated	1614	12.5	176	3	3	7	15	28	40	68
1. SINGLE DX	3671	6.3	39	2	3	5	7	11	17	36
2. MULTIPLE DX	2337	13.1	169	3	3	9	16	29	39	68
A. NOT OPERATED	915	14.0	146	2	3	11	17	29	38	65
B. OPERATED	5093	8.1	87	2	3	5	8	17	26	53
TOTAL										
0-19 YRS	56	4.2	6	1	2	4	5	7	8	13
20-34	1021	5.2	16	2	3	4	6	8	10	25
35-49	1745	6.2	33	2	3	5	7	11	15	30
50-64	1888	8.4	72	2	3	6	9	18	25	46
65+	1298	16.8	220	3	4	12	22	37	48	77
GRAND TOTAL	6008	9.0	101	2	3	5	10	20	28	56

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	10	3.6	2	1	1	4	4	5	6	6	
20-34	67	3.9	11	1	1	3	5	7	10	20	
35-49	81	3.6	8	<1	1	3	5	7	8	16	
50-64	57	3.1	5	<1	1	2	4	5	9	10	
65+	49	4.6	8	1	2	4	6	8	12	13	
<i>B. Operated</i>											
0-19 YRS	25	3.8	3	1	2	4	5	6	7	7	
20-34	491	5.1	7	2	3	5	6	8	9	16	
35-49	555	5.3	8	2	3	5	6	8	10	19	
50-64	455	5.5	9	2	3	5	6	8	10	18	
65+	161	5.5	7	2	3	5	7	9	11	14	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	10	4.1	6	<1	<1	4	7	7	7	7	
20-34	88	4.5	11	1	1	4	6	8	11	18	
35-49	172	5.4	14	1	2	5	7	10	12	20	
50-64	194	6.5	42	1	2	5	7	13	16	29	
65+	253	6.9	28	1	2	6	9	13	16	23	
<i>B. Operated</i>											
0-19 YRS	81	4.2	4	2	2	4	5	6	7	12	
20-34	1556	5.0	7	2	3	5	6	8	10	15	
35-49	2170	5.5	10	2	3	5	6	9	11	17	
50-64	1901	5.9	14	3	3	5	7	10	13	21	
65+	850	7.7	38	2	3	6	9	14	17	27	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>											
	264	3.7	8	1	1	3	5	7	8	13	
<i>B. Operated</i>											
	1687	5.3	8	2	3	5	6	8	10	18	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
	717	6.1	27	1	2	5	8	11	15	22	
<i>B. Operated</i>											
	6558	5.8	15	2	3	5	7	9	12	20	
1. SINGLE DX											
	1951	5.1	8	2	2	5	6	8	10	18	
2. MULTIPLE DX											
	7275	5.8	16	2	3	5	7	10	12	20	
A. NOT OPERATED											
	981	5.4	23	1	1	4	7	10	14	20	
B. OPERATED											
	8245	5.7	13	2	3	5	6	9	12	20	
TOTAL 0-19 YRS											
	126	4.0	4	1	2	4	5	6	7	10	
20-34	2202	4.9	7	2	2	5	6	8	10	16	
35-49	2978	5.4	10	2	3	5	6	9	11	18	
50-64	2607	5.8	15	2	3	5	7	10	13	20	
65+	1313	7.1	32	2	3	6	9	13	16	26	
GRAND TOTAL											
	9226	5.6	14	2	3	5	6	9	12	20	

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	28	4.1	8	1	1	3	5	8	10	12	
20-34	89	6.6	16	1	2	6	9	13	15	15	
35-49	74	7.7	37	1	1	6	10	16	21	30	
50-64	103	7.2	33	1	2	6	9	12	15	35	
65+	115	8.3	36	1	2	7	13	15	18	29	
B. Operated											
0-19 YRS	124	3.7	6	1	2	3	4	6	8	15	
20-34	680	3.3	12	2	2	3	3	5	7	17	
35-49	245	5.0	35	2	2	3	4	12	17	28	
50-64	88	9.6	63	1	2	8	13	20	24	40	
65+	92	12.4	126	1	2	10	16	26	33	65	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	50	5.0	15	1	2	4	7	11	12	16	
20-34	117	8.8	118	1	2	6	11	17	20	67	
35-49	238	9.6	63	2	3	8	12	18	22	49	
50-64	514	9.6	56	2	3	8	12	18	22	39	
65+	876	11.6	105	3	3	9	14	22	30	63	
B. Operated											
0-19 YRS	57	5.0	22	1	2	4	5	11	14	30	
20-34	271	5.9	67	2	2	3	5	14	22	60	
35-49	221	11.3	128	2	2	8	15	23	37	71	
50-64	353	15.4	186	2	3	12	20	35	46	98	
65+	451	18.0	201	3	4	15	23	36	50	84	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	409	7.3	30	1	2	6	10	14	16	29	
B. Operated											
	1229	4.8	35	2	2	3	4	11	16	33	
2. MULTIPLE DX											
A. Not Operated											
	1795	10.4	85	2	3	8	13	19	25	52	
B. Operated											
	1353	13.3	174	2	2	9	18	30	42	74	
1. SINGLE DX											
	1638	5.4	35	1	2	3	6	12	16	31	
2. MULTIPLE DX											
	3148	11.6	125	2	3	9	15	24	34	70	
A. NOT OPERATED											
	2204	9.8	77	2	3	8	12	18	24	50	
B. OPERATED											
	2582	9.2	126	2	2	4	12	23	33	68	
TOTAL 0-19 YRS											
	259	4.3	12	1	2	3	5	8	12	16	
20-34	1157	4.7	39	2	2	3	4	10	15	44	
35-49	778	8.4	76	2	2	5	11	18	23	46	
50-64	1058	11.3	107	2	3	9	14	23	34	66	
65+	1534	13.3	139	2	3	10	17	27	35	71	
GRAND TOTAL											
	4786	9.5	103	2	2	6	12	20	28	60	

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3975	3.1	6	1	1	3	4	5	6	10
20-34	298	3.7	23	1	1	3	4	6	8	13
35-49	118	4.0	7	1	1	4	5	7	9	14
50-64	77	4.1	6	<1	2	4	5	7	9	12
65+	69	5.6	20	1	2	4	7	11	15	26
B. Operated										
0-19 YRS	503	2.3	5	1	1	2	2	4	6	12
20-34	226	2.4	3	1	1	2	3	4	4	8
35-49	48	4.1	23	1	2	3	4	9	12	31
50-64	40	3.3	5	<1	1	3	4	7	8	9
65+	8	5.3	19	2	2	3	9	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4451	4.2	10	1	2	4	5	7	9	15
20-34	515	4.3	7	1	2	4	5	7	9	14
35-49	273	5.1	14	1	2	4	6	10	12	21
50-64	334	6.4	31	2	2	5	8	11	13	28
65+	496	8.1	43	2	3	7	10	14	18	34
B. Operated										
0-19 YRS	345	3.7	29	1	1	2	3	8	12	26
20-34	81	5.1	24	2	2	3	6	10	16	27
35-49	57	7.0	46	1	2	4	10	16	17	33
50-64	80	7.7	39	1	2	6	12	14	18	82
65+	63	12.5	99	3	3	10	17	27	29	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4537	3.2	7	1	1	3	4	6	7	11
B. Operated	825	2.5	6	1	1	2	2	4	7	12
2. MULTIPLE DX										
A. Not Operated	6069	4.7	15	1	2	4	6	8	11	18
B. Operated	626	5.6	46	1	1	3	7	14	18	33
1. SINGLE DX	5362	3.1	7	1	1	2	4	5	7	11
2. MULTIPLE DX	6695	4.8	18	1	2	4	6	9	11	20
A. NOT OPERATED	10606	4.1	12	1	1	3	5	7	9	16
B. OPERATED	1451	3.8	25	1	1	2	4	9	13	27
TOTAL 0-19 YRS	9274	3.6	9	1	1	3	4	6	8	14
20-34	1120	3.8	12	1	1	3	5	7	9	15
35-49	496	4.9	18	1	2	4	6	10	13	22
50-64	531	6.0	28	1	2	5	8	11	14	28
65+	636	8.2	48	2	3	7	10	15	20	34
GRAND TOTAL	12057	4.0	14	1	1	3	5	7	10	18

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3693	4.4	10	1	2	4	6	7	9	13
20-34	138	4.4	6	2	2	4	5	7	8	13
35-49	115	5.7	45	1	2	4	6	9	15	29
50-64	137	5.9	14	2	2	5	7	10	12	24
65+	152	6.3	18	2	3	5	7	10	15	19
B. Operated										
0-19 YRS	12	5.7	7	2	2	6	7	9	11	11
20-34	9	5.3	23	1	1	4	7	13	16	16
35-49	12	8.2	48	1	1	6	11	19	24	25
50-64	15	5.3	20	<1	<1	4	7	14	15	16
65+	11	8.2	33	2	2	9	13	15	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2912	5.6	13	2	2	5	7	10	12	20
20-34	296	5.9	13	2	2	5	7	10	14	19
35-49	448	6.5	17	2	3	5	8	11	14	19
50-64	1233	8.1	35	3	3	7	10	14	18	29
65+	2280	9.5	43	3	4	8	12	17	21	36
B. Operated										
0-19 YRS	43	9.3	39	1	3	9	12	15	20	32
20-34	34	8.0	25	1	3	7	10	14	18	24
35-49	65	9.4	61	2	2	8	12	18	22	44
50-64	133	11.7	60	2	3	10	16	21	25	38
65+	192	14.1	127	3	5	11	18	26	32	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4235	4.6	11	1	2	4	6	8	9	15
B. Operated	59	6.5	26	1	2	6	9	15	16	24
2. MULTIPLE DX										
A. Not Operated	7169	7.4	30	2	3	6	9	13	17	27
B. Operated	467	11.9	87	2	3	10	15	22	28	50
1. SINGLE DX	4294	4.6	12	1	2	4	6	8	10	15
2. MULTIPLE DX	7636	7.6	34	2	3	6	9	14	18	29
A. NOT OPERATED	11404	6.3	25	2	2	5	8	11	15	24
B. OPERATED	526	11.3	83	2	3	9	15	22	26	48
TOTAL 0-19 YRS	6660	5.0	12	2	2	4	6	9	11	17
20-34	477	5.6	13	2	2	5	7	10	13	19
35-49	640	6.7	28	2	2	5	8	12	16	25
50-64	1518	8.2	37	2	3	7	10	15	19	29
65+	2635	9.7	50	3	4	8	12	17	21	38
GRAND TOTAL	11930	6.5	28	2	2	5	8	12	16	26

249 PAS Hospitals, Northeastern Region, January-December 1979

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.3		<1	<1	1	2	2	3	3
20-34	13	2.0	1	<1	<1	2	3	3	4	4
35-49	12	2.8	9	<1	<1	2	3	7	10	11
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	1319	2.9	9	1	1	3	3	5	5	6
20-34	2337	2.8	9	1	1	3	3	4	5	6
35-49	918	2.7	6	1	1	3	3	4	5	6
50-64	491	2.7	2	1	1	2	3	4	5	8
65+	79	2.7	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	1.2		<1	<1	1	1	2	3	4
20-34	44	1.5	1	<1	<1	1	2	3	4	6
35-49	28	1.7	2	<1	<1	1	2	3	4	7
50-64	16	2.2	4	<1	<1	1	3	6	7	7
65+	7	3.9	25	<1	<1	2	4	13	15	15
B. Operated										
0-19 YRS	1228	3.1	9	1	2	3	4	5	5	7
20-34	2352	2.9	9	1	2	3	3	4	5	7
35-49	1162	3.1	9	1	2	3	4	5	5	9
50-64	723	3.5	22	2	2	3	4	5	6	12
65+	130	3.3	4	2	2	3	4	5	6	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.0	3	<1	<1	1	3	4	5	11
B. Operated	5144	2.8	8	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	117	1.7	3	<1	<1	1	2	3	4	10
B. Operated	5595	3.1	7	1	2	3	4	4	5	8
1. SINGLE DX	5185	2.8	8	1	1	3	3	4	5	6
2. MULTIPLE DX	5712	3.1	7	1	2	3	4	4	5	8
A. NOT OPERATED	158	1.8	3	<1	<1	1	2	3	4	11
B. OPERATED	10739	3.0	8	1	2	3	3	4	5	7
TOTAL										
0-19 YRS	2581	3.0	9	1	1	3	3	5	5	6
20-34	4746	2.8	6	1	1	3	3	4	5	6
35-49	2120	2.9	7	1	1	3	3	4	5	9
50-64	1233	3.1	14	1	2	3	3	5	5	10
65+	217	3.1	4	1	2	3	4	5	5	14
GRAND TOTAL	10897	2.9	8	1	1	3	3	4	5	7

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	3.0		3	3	3	3	3	3	3
65+	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	47	2.4	4	<1	<1	2	3	4	6	12
20-34	83	2.5	3	<1	1	2	3	4	6	10
35-49	107	2.6	5	<1	1	2	3	4	5	13
50-64	192	2.3	4	<1	1	2	2	4	5	11
65+	112	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	3.3	5	<1	<1	3	5	6	6	6
35-49	9	3.4	15	<1	<1	2	4	10	13	13
50-64	14	4.0	12	<1	<1	3	5	9	12	13
65+	8	1.8	1	<1	<1	2	2	3	3	3
B. Operated										
0-19 YRS	75	2.8	4	1	1	2	3	5	7	11
20-34	163	3.2	5	1	1	3	4	5	7	14
35-49	242	3.3	20	1	1	3	4	5	5	11
50-64	354	3.1	4	1	2	3	4	5	6	10
65+	204	3.4	7	1	2	3	4	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.4	1	1	1	2	3	4	4	4
B. Operated	541	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	37	3.1	9	<1	<1	2	4	6	11	13
B. Operated	1038	3.2	8	1	1	3	4	5	6	13
1. SINGLE DX	553	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1075	3.2	8	1	1	3	4	5	6	13
A. NOT OPERATED	49	3.0	7	<1	<1	2	3	6	9	13
B. OPERATED	1579	2.9	7	1	1	2	3	5	6	12
TOTAL										
0-19 YRS	127	2.7	4	<1	1	2	3	5	6	11
20-34	251	2.9	4	1	1	2	3	5	6	14
35-49	361	3.1	15	1	1	3	3	5	5	13
50-64	562	2.9	4	1	1	2	3	5	6	12
65+	327	3.0	5	1	1	2	3	5	7	12
GRAND TOTAL	1628	2.9	7	1	1	2	3	5	6	12

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	195	1.7	6	<1	<1	1	2	3	4	8	
20-34	39	2.2	2	<1	<1	2	3	4	5	8	
35-49	3	2.6	2	<1	<1	2	3	5	5	5	
50-64	3	5.0	37	<1	<1	2	9	12	12	12	
65+	2	4.5	25	<1	<1	4	8	8	8	8	
<i>B. Operated</i>											
0-19 YRS	15713	1.7	3	<1	1	2	2	2	3	4	
20-34	4056	2.1	3	1	1	2	2	3	3	5	
35-49	349	2.2	2	1	1	2	2	3	3	6	
50-64	64	2.2	1	<1	1	2	2	3	4	8	
65+	39	2.1	3	<1	1	2	3	4	8	99+	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	422	1.8	6	<1	<1	1	1	3	5	11	
20-34	49	2.2	3	<1	<1	1	3	5	6	7	
35-49	4	2.5	9	1	1	1	4	7	7	7	
50-64	4	7.0	13	4	4	6	9	12	12	12	
65+	3	8.0	19	3	3	10	11	11	11	11	
<i>B. Operated</i>											
0-19 YRS	8543	1.6	2	<1	<1	1	2	2	2	5	
20-34	435	2.6	3	1	1	2	3	4	5	10	
35-49	61	2.8	3	1	2	2	3	4	6	13	
50-64	38	3.7	9	<1	1	3	5	8	12	12	
65+	21	2.2	5	<1	<1	2	2	4	7	11	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>											
	248	1.9	6	<1	<1	1	2	3	4	10	
<i>B. Operated</i>											
	20221	1.8	3	<1	1	2	2	2	3	4	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
	482	1.9	7	<1	<1	1	2	4	6	11	
<i>B. Operated</i>											
	9098	1.7	2	<1	<1	2	2	2	3	6	
1. SINGLE DX											
	20469	1.8	3	<1	1	2	2	2	3	4	
2. MULTIPLE DX											
	9580	1.7	2	<1	<1	2	2	2	3	7	
A. NOT OPERATED											
	730	1.9	6	<1	<1	1	2	4	5	11	
B. OPERATED											
	29319	1.8	3	<1	1	2	2	2	3	5	
TOTAL 0-19 YRS											
	24873	1.7	3	<1	1	2	2	2	3	4	
20-34	4579	2.2	3	1	1	2	2	3	3	6	
35-49	423	2.3	2	1	1	2	3	3	4	8	
50-64	109	3.0	6	<1	1	2	3	6	8	12	
65+	65	2.5	6	<1	1	2	3	5	10	86	
GRAND TOTAL											
	30049	1.8	3	<1	1	2	2	2	3	5	

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	458	3.1	4	<1	1	3	4	5	7	11	
20-34	263	3.3	5	1	1	3	4	5	7	10	
35-49	126	2.9	4	1	1	2	4	5	6	10	
50-64	111	2.7	3	<1	1	2	3	5	6	8	
65+	54	2.8	4	1	1	2	3	5	8	10	
B. Operated											
0-19 YRS	522	2.8	7	<1	<1	2	3	5	7	15	
20-34	981	2.5	4	<1	1	2	3	4	5	11	
35-49	1013	2.6	6	<1	1	2	3	4	6	11	
50-64	1120	2.4	6	1	1	2	2	4	5	12	
65+	470	2.8	8	1	1	2	3	5	7	17	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	297	4.4	10	1	1	4	6	8	10	18	
20-34	142	4.5	12	<1	1	4	6	8	9	18	
35-49	145	4.9	15	1	1	4	6	8	10	22	
50-64	155	4.7	15	1	1	4	6	9	15	18	
65+	124	7.2	39	1	1	6	10	15	19	31	
B. Operated											
0-19 YRS	305	3.5	34	1	1	2	4	6	8	21	
20-34	659	3.3	6	1	1	3	4	5	7	13	
35-49	584	3.6	10	1	2	3	4	6	10	22	
50-64	774	4.6	61	1	2	3	4	8	13	35	
65+	445	6.8	126	1	2	3	6	17	27	83	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1012	3.1	4	<1	1	3	4	5	7	10	
B. Operated	4106	2.6	6	<1	1	2	3	4	6	13	
2. MULTIPLE DX											
A. Not Operated	863	5.0	17	1	1	4	6	9	13	21	
B. Operated	2767	4.3	46	1	2	3	4	7	12	35	
1. SINGLE DX	5118	2.7	6	<1	1	2	3	5	6	12	
2. MULTIPLE DX	3630	4.5	39	1	1	3	5	8	12	31	
A. NOT OPERATED	1875	3.9	11	1	1	3	5	7	9	18	
B. OPERATED	6873	3.3	23	1	1	2	3	5	8	23	
TOTAL 0-19 YRS	1582	3.3	12	<1	1	3	4	6	8	15	
20-34	2045	3.0	6	1	1	2	4	5	7	12	
35-49	1868	3.1	9	<1	1	2	4	6	8	17	
50-64	2160	3.4	27	1	1	2	3	6	9	22	
65+	1093	4.9	63	1	2	2	4	11	17	42	
GRAND TOTAL	8748	3.4	20	1	1	2	4	6	9	21	

249 PAS Hospitals, Northeastern Region, January-December 1979

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6852	5.5	12	2	2	5	7	9	11	17
20-34	1476	6.3	10	2	3	6	8	10	12	17
35-49	1063	7.0	15	3	3	6	9	12	13	20
50-64	905	7.9	20	3	3	7	10	13	16	24
65+	1040	9.1	37	3	4	8	11	15	19	31
B. Operated										
0-19 YRS	52	8.6	87	1	2	6	10	14	23	59
20-34	44	10.5	56	2	3	9	14	22	27	34
35-49	86	11.7	59	2	3	11	15	23	25	39
50-64	130	9.8	51	1	1	8	14	19	24	35
65+	86	13.0	99	1	2	11	18	25	32	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4811	6.3	19	2	3	5	8	11	13	21
20-34	1204	7.7	36	2	3	6	9	13	17	32
35-49	1380	9.1	42	3	4	8	11	15	19	36
50-64	2974	9.8	43	3	4	8	12	16	20	34
65+	8107	13.3	95	4	5	11	16	23	31	62
B. Operated										
0-19 YRS	136	14.5	150	3	4	11	18	30	39	59
20-34	141	15.7	140	4	5	12	20	33	44	99+
35-49	273	17.8	161	4	6	14	23	36	45	69
50-64	596	17.7	140	4	6	15	23	34	42	62
65+	1255	22.2	239	6	8	18	28	44	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	11336	6.3	16	2	3	5	8	11	13	20
B. Operated										
	398	10.8	70	1	2	9	14	21	26	39
2. MULTIPLE DX										
A. Not Operated										
	18476	10.3	68	3	4	8	13	18	24	45
B. Operated										
	2401	19.8	202	5	7	16	25	40	52	95
1. SINGLE DX										
	11734	6.4	19	2	3	6	8	11	14	22
2. MULTIPLE DX										
	20877	11.4	92	3	4	9	14	21	29	57
A. NOT OPERATED										
	29812	8.7	52	2	3	7	11	16	21	38
B. OPERATED										
	2799	18.5	193	4	6	15	24	37	49	88
TOTAL 0-19 YRS										
	11851	5.9	18	2	2	5	7	10	12	20
20-34	2865	7.4	32	2	3	6	9	13	17	32
35-49	2802	9.2	53	3	4	7	11	16	22	42
50-64	4605	10.5	59	3	4	9	13	18	24	42
65+	10488	14.0	117	4	5	11	17	26	34	70
GRAND TOTAL										
	32611	9.6	71	2	3	7	12	18	24	48

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	81	3.7	5	1	1	3	5	7	8	11	
20-34	46	4.1	5	1	2	4	5	7	8	14	
35-49	24	3.3	3	1	2	3	4	6	7	9	
50-64	35	6.0	16	2	2	5	8	10	13	22	
65+	22	4.1	4	1	2	4	6	7	8	8	
B. Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34											
35-49	1	2.0		2	2	2	2	2	2	2	
50-64											
65+	2	19.0	50	14	14	19	24	24	24	24	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	111	4.1	6	1	2	3	5	8	9	13	
20-34	65	5.6	135	1	2	4	6	7	9	84	
35-49	48	7.5	56	3	3	5	9	11	18	41	
50-64	82	6.4	13	2	2	6	8	11	14	18	
65+	155	9.4	54	3	3	8	11	17	23	97	
B. Operated											
0-19 YRS	2	33.5	313	21	21	33	46	46	46	46	
20-34	4	10.0	37	4	4	9	15	17	17	17	
35-49	4	12.5	62	2	2	14	18	19	19	19	
50-64	5	12.2	30	8	8	9	17	20	20	20	
65+	7	20.9	83	10	10	21	28	33	34	34	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	208	4.2	7	1	2	3	5	8	8	14	
B. Operated	4	10.5	113	2	2	8	19	24	24	24	
2. MULTIPLE DX											
A. Not Operated	467	6.9	50	2	2	5	8	12	16	41	
B. Operated	22	16.5	108	3	5	16	21	31	39	46	
1. SINGLE DX	212	4.3	9	1	2	3	5	8	9	17	
2. MULTIPLE DX	489	7.3	57	2	2	5	9	14	18	44	
A. NOT OPERATED	675	6.0	38	2	2	4	7	11	14	38	
B. OPERATED	26	15.6	109	2	2	15	21	29	36	46	
TOTAL 0-19 YRS	195	4.2	16	1	2	3	5	8	9	18	
20-34	115	5.2	80	1	2	4	6	7	10	45	
35-49	77	6.4	44	2	2	4	7	11	17	40	
50-64	128	6.5	15	2	2	6	8	11	14	20	
65+	186	9.3	57	2	3	8	11	18	24	85	
GRAND TOTAL	701	6.4	44	2	2	5	8	11	16	39	

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1063	3.9	6	1	2	3	5	7	8	12
20-34	69	5.8	56	2	2	5	6	8	11	54
35-49	90	5.6	15	2	2	4	7	10	15	19
50-64	187	6.4	17	2	3	6	8	11	13	22
65+	207	7.8	37	2	3	6	10	14	19	30
<i>B. Operated</i>										
0-19 YRS	14	3.0	7	<1	1	2	3	8	10	10
20-34	24	3.2	6	<1	1	2	4	8	9	9
35-49	45	4.3	23	<1	1	3	5	10	16	23
50-64	78	3.3	9	<1	1	2	3	7	10	15
65+	50	8.3	95	1	1	4	11	24	31	38
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	857	5.0	11	2	2	4	6	9	11	19
20-34	157	5.7	12	2	2	5	7	11	12	21
35-49	282	6.7	19	2	3	5	8	13	15	24
50-64	923	8.5	45	3	3	7	10	16	20	33
65+	1742	10.2	57	3	4	8	13	19	24	46
<i>B. Operated</i>										
0-19 YRS	20	10.5	97	2	3	7	12	22	34	45
20-34	37	6.1	21	1	1	5	9	11	15	22
35-49	92	8.3	68	1	1	5	12	23	27	34
50-64	268	9.9	93	2	2	8	13	20	26	64
65+	290	13.4	127	2	3	10	17	30	39	90
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	1616	4.9	16	1	2	4	6	9	11	19
<i>B. Operated</i>	211	4.7	36	<1	1	2	5	11	17	33
2. MULTIPLE DX										
<i>A. Not Operated</i>	3961	8.2	44	2	3	6	10	16	21	38
<i>B. Operated</i>	707	10.9	104	2	2	8	14	23	32	66
1. SINGLE DX	1827	4.9	18	1	2	4	6	9	11	23
2. MULTIPLE DX	4668	8.7	54	2	3	7	11	17	22	43
A. NOT OPERATED	5577	7.3	38	2	2	6	9	14	19	32
B. OPERATED	918	9.5	95	1	2	7	13	22	30	57
TOTAL 0-19 YRS	1954	4.5	10	1	2	4	6	8	9	16
20-34	287	5.6	23	1	2	5	7	10	11	22
35-49	509	6.6	28	1	2	5	8	14	18	28
50-64	1456	8.2	50	2	2	7	10	16	20	37
65+	2289	10.3	67	2	3	8	13	20	27	48
GRAND TOTAL	6495	7.6	47	2	2	6	9	15	20	38

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	3	5.0		4	4	4	6	7	7	7
35-49	15	6.6	45	<1	2	4	7	17	23	25
50-64	92	8.8	35	3	3	7	12	17	22	29
65+	143	9.5	40	2	3	8	12	18	21	32
<i>B. Operated</i>										
0-19 YRS	2	14.0	2	13	13	14	15	15	15	15
20-34	6	12.5	7	8	8	13	14	16	16	16
35-49	8	20.4	204	10	11	16	18	44	55	55
50-64	13	12.3	131	<1	2	9	18	27	39	42
65+	5	10.0	64	4	4	7	12	24	24	24
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	4	9.8	154	2	2	5	17	28	28	28
20-34	13	7.5	62	1	2	5	7	23	26	27
35-49	90	9.0	48	3	3	7	11	19	23	37
50-64	499	10.9	83	3	4	8	13	21	28	42
65+	1044	12.7	96	3	4	10	16	24	33	58
<i>B. Operated</i>										
0-19 YRS	2	17.0	288	5	5	17	29	29	29	29
20-34	20	12.4	86	2	3	9	15	29	34	36
35-49	33	15.4	97	5	7	11	22	33	38	40
50-64	102	19.5	310	4	6	14	23	37	54	94
65+	182	19.3	232	3	6	15	26	36	55	98
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	256	8.9	38	2	3	7	12	18	21	32
<i>B. Operated</i>	34	14.0	114	2	4	13	16	23	38	55
2. MULTIPLE DX										
<i>A. Not Operated</i>	1650	11.9	91	3	4	9	15	23	30	57
<i>B. Operated</i>	339	18.6	235	4	6	14	24	36	51	94
1. SINGLE DX	290	9.5	50	2	3	8	13	18	22	34
2. MULTIPLE DX	1989	13.1	122	3	4	10	16	26	34	65
A. NOT OPERATED	1906	11.5	85	3	4	9	14	22	28	54
B. OPERATED	373	18.2	226	4	5	14	23	35	48	93
TOTAL 0-19 YRS	11	9.8	106	2	2	5	14	28	29	29
20-34	42	10.3	66	2	3	8	13	23	29	36
35-49	146	10.8	79	3	3	8	14	22	26	43
50-64	706	11.9	120	3	4	9	14	23	31	62
65+	1374	13.3	115	3	4	10	16	26	35	65
GRAND TOTAL	2279	12.6	114	3	4	10	15	25	32	62

249 PAS Hospitals, Northeastern Region, January-December 1979

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4934	4.0	6	1	2	4	5	7	8	12
20-34	1474	4.8	8	1	2	4	6	8	10	14
35-49	1289	5.7	13	1	2	5	8	10	12	17
50-64	1166	6.5	15	1	2	6	8	11	14	19
65+	630	7.4	22	1	3	7	10	13	16	22
B. Operated										
0-19 YRS	11	4.2	5	2	2	3	5	8	9	9
20-34	17	6.0	13	2	2	5	8	11	14	15
35-49	25	6.8	32	<1	1	5	10	13	18	26
50-64	24	7.7	32	<1	1	7	10	15	18	23
65+	10	8.6	30	<1	1	9	11	16	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2365	5.1	10	2	2	4	6	9	11	17
20-34	988	6.0	14	2	2	5	7	10	13	21
35-49	1408	7.6	25	2	3	6	10	13	17	27
50-64	2157	8.7	38	3	3	7	11	15	19	33
65+	2225	10.0	46	3	4	9	12	17	22	36
B. Operated										
0-19 YRS	40	14.0	241	3	3	9	16	41	65	99+
20-34	65	10.9	57	3	4	8	14	23	28	32
35-49	116	13.1	89	3	4	11	17	24	32	47
50-64	154	14.2	135	2	4	12	19	25	35	76
65+	134	19.2	220	4	6	14	25	41	54	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9493	4.9	10	1	2	4	6	9	11	16
B. Operated	87	6.8	25	1	1	5	9	13	15	25
2. MULTIPLE DX										
A. Not Operated	9143	7.6	32	2	3	6	10	14	18	29
B. Operated	509	14.8	152	3	4	12	19	30	40	71
1. SINGLE DX	9580	4.9	11	1	2	4	6	9	11	17
2. MULTIPLE DX	9652	8.0	40	2	3	6	10	15	19	33
A. NOT OPERATED	18636	6.2	23	2	2	5	8	11	15	24
B. OPERATED	596	13.7	142	2	3	10	17	28	37	68
TOTAL 0-19 YRS	7350	4.4	9	1	2	4	5	7	9	15
20-34	2544	5.4	13	1	2	5	7	10	11	19
35-49	2838	6.9	24	2	2	6	9	12	16	26
50-64	3501	8.2	37	2	3	7	10	14	18	31
65+	2999	9.9	53	3	3	8	12	17	22	42
GRAND TOTAL	19232	6.4	28	2	2	5	8	12	15	27

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	5.7	36	1	2	4	6	13	21	26
20-34	25	5.8	30	1	2	5	7	10	16	28
35-49	86	6.7	21	2	2	6	9	12	14	27
50-64	498	8.4	46	2	3	7	11	15	19	35
65+	755	9.5	60	2	3	8	12	17	22	41
B. Operated										
0-19 YRS	7	4.3	23	1	1	2	7	12	13	13
20-34	15	7.1	75	<1	1	4	9	24	28	29
35-49	21	6.0	68	<1	1	3	8	12	24	38
50-64	65	12.5	151	1	2	9	17	28	37	59
65+	55	11.7	144	1	2	8	16	26	33	61
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	6.7	21	1	2	6	9	12	19	99+
20-34	50	7.6	29	3	3	6	10	15	17	32
35-49	346	8.6	37	2	3	7	11	16	20	37
50-64	2562	10.7	75	3	4	9	13	19	26	51
65+	5538	12.0	91	3	4	10	15	22	30	54
B. Operated										
0-19 YRS	9	12.1	90	1	1	11	22	25	26	26
20-34	16	11.9	73	2	3	10	18	28	29	29
35-49	98	11.9	84	2	3	9	16	28	34	70
50-64	392	17.1	222	3	4	12	22	40	54	99+
65+	749	19.0	252	4	5	15	23	38	56	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1382	8.8	53	2	3	7	11	16	21	35
B. Operated	163	10.5	131	1	1	7	14	26	32	59
2. MULTIPLE DX										
A. Not Operated	8536	11.4	84	3	4	9	14	21	28	52
B. Operated	1264	17.7	231	3	5	13	22	38	53	99+
1. SINGLE DX	1545	9.0	61	2	3	7	11	17	22	41
2. MULTIPLE DX	9800	12.2	108	3	4	9	15	23	32	63
A. NOT OPERATED	9918	11.1	81	3	4	9	13	20	27	51
B. OPERATED	1427	16.9	224	2	4	13	21	38	51	99+
TOTAL 0-19 YRS	74	6.9	36	1	2	5	9	13	25	82
20-34	106	7.7	45	1	2	6	10	17	25	31
35-49	551	8.8	47	2	3	7	11	17	23	38
50-64	3517	11.1	94	3	4	9	13	21	30	59
65+	7097	12.5	111	3	4	10	15	24	32	64
GRAND TOTAL	11345	11.8	102	3	4	9	14	22	31	61

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	59	4.7	22	1	2	4	6	8	9	33	
20-34	196	4.5	9	1	2	4	6	8	11	17	
35-49	34	5.1	6	2	2	5	6	9	10	11	
50-64	19	7.8	85	2	3	6	7	10	29	45	
65+	6	4.8	3	2	2	5	6	7	7	7	
<i>B. Operated</i>											
0-19 YRS	141	7.0	16	3	3	6	9	13	16	20	
20-34	440	7.1	17	2	3	6	9	12	14	22	
35-49	129	7.8	19	3	3	6	11	15	16	19	
50-64	58	8.6	27	3	4	7	12	16	21	22	
65+	45	10.9	86	4	4	8	13	18	38	45	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	12	4.9	8	<1	1	4	7	9	11	11	
20-34	53	6.0	20	1	2	5	7	13	14	26	
35-49	25	7.6	19	2	2	8	10	14	15	17	
50-64	37	9.6	85	2	3	8	11	17	22	56	
65+	64	11.4	79	4	5	9	13	21	24	58	
<i>B. Operated</i>											
0-19 YRS	40	12.0	69	3	4	10	16	21	31	40	
20-34	153	11.9	78	4	5	10	15	20	25	66	
35-49	100	14.0	113	3	5	11	18	28	36	53	
50-64	125	13.9	102	5	5	12	17	26	29	62	
65+	200	16.7	144	4	5	14	23	32	39	64	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>											
	314	4.8	16	1	2	4	6	8	11	17	
<i>B. Operated</i>											
	813	7.5	22	3	3	6	9	13	16	23	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
	191	8.6	56	2	3	7	10	15	21	48	
<i>B. Operated</i>											
	618	14.2	112	4	5	11	18	27	36	63	
1. SINGLE DX	1127	6.7	22	2	3	6	8	13	15	22	
2. MULTIPLE DX	809	12.9	105	3	4	10	16	26	33	61	
A. NOT OPERATED	505	6.2	35	1	2	5	8	11	15	31	
B. OPERATED	1431	10.4	72	3	4	8	13	20	27	46	
TOTAL 0-19 YRS											
	252	7.2	31	2	2	6	9	14	17	35	
20-34	842	7.3	32	2	3	6	9	13	17	29	
35-49	288	9.6	61	3	3	7	12	17	24	44	
50-64	239	11.5	85	3	4	9	14	22	27	57	
65+	315	14.6	128	4	5	10	18	29	38	62	
GRAND TOTAL	1936	9.3	66	2	3	7	11	18	24	44	

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	214	4.7	12	1	1	4	6	9	10	18	
20-34	150	4.7	17	1	1	4	6	10	13	23	
35-49	170	5.8	43	1	1	4	7	11	13	28	
50-64	219	6.5	40	1	1	5	9	13	17	26	
65+	246	8.2	50	1	2	6	11	16	24	36	
B. Operated											
0-19 YRS	49	6.7	41	1	1	5	9	16	22	99+	
20-34	108	9.0	66	1	2	7	12	20	24	41	
35-49	166	8.5	66	1	1	6	10	20	24	41	
50-64	284	9.1	69	1	1	7	12	19	24	38	
65+	238	10.3	126	1	1	6	14	23	29	55	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	329	6.4	50	1	2	4	7	13	17	52	
20-34	263	7.3	42	1	2	5	9	14	21	34	
35-49	435	7.9	33	2	2	7	10	15	19	32	
50-64	1297	9.7	62	2	3	8	12	18	24	45	
65+	3227	12.1	97	3	4	10	15	22	28	60	
B. Operated											
0-19 YRS	88	11.5	101	1	1	9	17	26	28	47	
20-34	155	12.3	126	2	2	9	17	27	37	69	
35-49	351	15.0	198	2	3	11	19	30	44	76	
50-64	774	15.0	192	2	3	11	19	32	44	94	
65+	1095	18.6	222	3	5	15	25	37	48	88	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	999	6.1	35	1	1	4	8	12	16	29	
B. Operated											
	845	9.2	83	1	1	7	12	21	25	42	
2. MULTIPLE DX											
A. Not Operated											
	5551	10.6	82	2	3	8	13	20	26	53	
B. Operated											
	2463	16.3	204	2	3	13	21	34	45	87	
1. SINGLE DX											
	1844	7.5	59	1	1	5	10	16	22	37	
2. MULTIPLE DX											
	8014	12.4	126	2	3	9	16	25	34	66	
A. NOT OPERATED											
	6550	9.9	77	2	3	8	13	19	25	51	
B. OPERATED											
	3308	14.5	182	2	2	11	19	31	40	79	
TOTAL											
0-19 YRS	680	6.5	48	1	1	5	8	14	20	39	
20-34	676	8.2	66	1	2	6	10	18	24	42	
35-49	1122	9.9	103	1	2	7	12	21	28	52	
50-64	2574	10.9	108	2	2	8	14	22	31	62	
65+	4806	13.3	133	3	4	10	17	26	35	66	
GRAND TOTAL											
	9858	11.5	117	2	3	8	15	23	32	62	

249 PAS Hospitals, Northeastern Region, January-December 1979

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	2.5	5	<1	<1	2	3	5	6	12
20-34	64	2.7	10	<1	<1	2	3	4	6	22
35-49	19	1.9	4	<1	<1	1	2	5	7	8
50-64	20	3.6	12	<1	<1	2	5	8	11	14
65+	12	8.1	96	1	1	4	10	23	32	34
B. Operated										
0-19 YRS	6658	1.8	2	<1	<1	2	2	2	2	6
20-34	5134	1.8	3	<1	<1	2	2	2	3	6
35-49	808	2.1	2	<1	1	2	2	3	4	7
50-64	627	2.3	4	<1	1	2	2	4	5	9
65+	232	2.8	14	1	1	2	3	4	5	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	3.4	38	<1	<1	2	4	7	9	32
20-34	87	2.7	8	<1	<1	2	4	6	8	15
35-49	48	3.7	11	<1	<1	3	5	7	11	15
50-64	55	5.2	49	<1	<1	3	7	11	15	45
65+	37	6.1	44	1	2	4	8	11	15	38
B. Operated										
0-19 YRS	1603	2.1	8	<1	1	2	2	3	5	10
20-34	2073	2.2	4	1	1	2	2	3	5	9
35-49	1025	2.5	8	1	1	2	2	4	6	12
50-64	1215	2.8	15	1	1	2	3	4	6	14
65+	649	3.5	14	1	2	2	3	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	177	3.0	15	<1	<1	2	3	6	8	23
B. Operated	13459	1.9	3	<1	<1	2	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	363	3.8	30	<1	<1	2	5	8	11	26
B. Operated	6565	2.5	9	1	1	2	2	4	6	13
1. SINGLE DX	13636	1.9	3	<1	<1	2	2	2	3	7
2. MULTIPLE DX	6928	2.6	10	1	1	2	2	4	6	14
A. NOT OPERATED	540	3.6	25	<1	<1	2	4	7	10	24
B. OPERATED	20024	2.1	5	<1	1	2	2	3	4	9
TOTAL 0-19 YRS	8459	1.9	4	<1	1	2	2	2	3	8
20-34	7358	2.0	3	<1	1	2	2	2	4	7
35-49	1900	2.4	5	<1	1	2	2	3	5	12
50-64	1917	2.7	13	1	1	2	3	4	6	14
65+	930	3.5	17	1	2	2	3	7	10	22
GRAND TOTAL	20564	2.1	5	<1	1	2	2	3	4	10

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	4.3	8	<1	1	4	5	7	9	16
20-34	40	4.6	7	<1	1	4	7	8	9	11
35-49	25	4.7	8	1	2	4	6	8	10	12
50-64	24	4.1	8	1	2	3	5	8	11	12
65+	27	7.4	37	1	1	7	9	17	20	27
B. Operated										
0-19 YRS	179	2.6	5	<1	<1	2	3	5	7	14
20-34	170	3.3	8	<1	1	3	4	6	7	15
35-49	164	3.2	6	<1	1	3	4	5	7	17
50-64	208	3.6	7	1	1	3	4	6	8	16
65+	118	3.9	14	<1	1	3	5	6	8	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	4.7	8	1	1	4	6	8	9	17
20-34	31	4.5	7	1	2	4	6	8	11	11
35-49	29	7.4	51	1	2	5	12	18	35	99+
50-64	64	7.7	39	1	2	6	10	16	24	27
65+	110	9.0	37	2	3	8	11	16	19	34
B. Operated										
0-19 YRS	75	4.2	12	<1	1	3	5	9	10	19
20-34	98	4.2	23	<1	1	3	5	8	10	30
35-49	113	4.4	10	1	2	4	6	8	11	17
50-64	178	4.9	10	2	2	4	6	9	11	17
65+	160	6.9	51	2	2	5	9	13	19	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	4.8	13	1	1	4	6	9	11	18
B. Operated	839	3.3	8	<1	1	3	4	6	7	15
2. MULTIPLE DX										
A. Not Operated	324	7.0	31	1	2	5	9	14	18	33
B. Operated	624	5.1	24	1	2	4	6	10	12	22
1. SINGLE DX	1023	3.6	9	<1	1	3	4	7	8	16
2. MULTIPLE DX	948	5.8	27	1	2	4	7	11	15	27
A. NOT OPERATED	508	6.2	25	1	2	5	8	12	16	27
B. OPERATED	1463	4.1	15	<1	1	3	5	8	10	19
TOTAL 0-19 YRS	412	3.6	8	<1	1	3	5	7	9	16
20-34	339	3.8	12	<1	1	3	5	7	9	14
35-49	331	4.1	13	<1	1	3	5	7	11	20
50-64	474	4.7	14	1	2	4	6	9	11	23
65+	415	6.6	39	1	2	5	8	13	17	34
GRAND TOTAL	1971	4.6	19	<1	1	3	6	9	12	22

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	4.0	20	<1	1	3	4	8	11	27
20-34	132	4.2	15	<1	1	3	6	8	11	21
35-49	148	4.0	10	<1	1	3	5	8	10	14
50-64	181	3.9	8	<1	1	3	5	8	9	13
65+	114	4.6	13	<1	<1	3	7	10	12	16
B. Operated										
0-19 YRS	54	3.7	11	<1	<1	2	5	10	13	96
20-34	69	7.4	86	1	1	4	10	13	24	32
35-49	102	7.1	54	<1	1	5	9	14	18	43
50-64	186	6.5	41	<1	1	4	9	14	17	41
65+	174	7.7	50	<1	2	6	11	16	20	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	6.5	103	1	1	4	8	13	15	61
20-34	251	5.4	18	1	1	4	7	10	13	24
35-49	402	5.9	15	1	2	5	8	11	13	20
50-64	676	6.2	19	1	2	5	8	12	14	22
65+	904	8.4	45	2	3	7	10	16	21	39
B. Operated										
0-19 YRS	60	11.4	205	1	2	6	14	37	55	96
20-34	138	9.0	89	<1	1	7	12	18	25	75
35-49	287	9.5	65	2	2	8	13	17	22	44
50-64	538	10.7	124	1	2	8	13	23	31	56
65+	852	12.3	147	2	2	9	15	27	37	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	686	4.1	12	<1	1	3	5	9	11	16
B. Operated										
	585	6.8	49	<1	1	5	10	14	19	46
2. MULTIPLE DX										
A. Not Operated										
	2330	6.9	33	1	2	6	9	13	17	28
B. Operated										
	1875	11.2	127	2	2	8	14	23	32	68
1. SINGLE DX	1271	5.4	31	<1	1	4	7	11	15	29
2. MULTIPLE DX	4205	8.8	79	1	2	7	11	18	24	53
A. NOT OPERATED	3016	6.3	30	1	2	5	8	12	15	27
B. OPERATED	2460	10.1	112	1	2	8	13	21	30	64
TOTAL										
0-19 YRS	322	6.1	85	<1	1	3	7	13	18	69
20-34	590	6.2	45	<1	1	4	8	12	17	30
35-49	939	6.9	37	1	2	5	9	14	17	30
50-64	1581	7.5	62	1	2	6	9	15	20	38
65+	2044	9.8	91	1	2	7	12	20	27	60
GRAND TOTAL	5476	8.0	70	1	2	6	10	16	23	48

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	4.9	8	2	2	4	7	9	11	12
20-34	49	4.7	9	<1	1	4	7	8	11	13
35-49	112	5.7	12	<1	1	5	7	10	13	18
50-64	108	5.9	10	1	2	5	8	10	10	17
65+	117	7.4	37	<1	1	6	9	13	22	29
B. Operated										
0-19 YRS	3	6.0	21	<1	<1	7	9	10	10	10
20-34	34	8.4	26	<1	1	8	12	14	19	20
35-49	90	9.6	35	<1	2	9	12	19	19	29
50-64	139	8.7	44	<1	1	8	13	18	22	39
65+	101	9.6	48	<1	1	10	13	20	23	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.9	5	2	2	4	6	8	9	9
20-34	74	7.4	18	2	2	7	10	12	14	24
35-49	154	7.3	24	1	2	6	9	14	17	25
50-64	276	8.5	28	2	3	7	10	14	19	26
65+	482	9.7	55	2	3	8	12	18	28	59
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	45	12.6	139	2	3	11	14	21	32	71
35-49	140	11.5	65	3	4	10	14	19	27	39
50-64	327	12.0	94	2	3	10	15	23	32	48
65+	446	13.4	81	3	4	12	17	25	33	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	403	6.1	19	<1	1	5	8	10	13	23
B. Operated	367	9.1	41	<1	1	9	13	18	21	31
2. MULTIPLE DX										
A. Not Operated	996	8.8	41	2	3	7	11	16	21	37
B. Operated	959	12.6	86	2	4	10	16	23	31	48
1. SINGLE DX	770	7.5	32	<1	1	6	10	15	19	27
2. MULTIPLE DX	1955	10.7	66	2	3	9	13	20	27	42
A. NOT OPERATED	1399	8.0	36	1	2	7	10	15	19	34
B. OPERATED	1326	11.6	76	2	3	10	15	22	29	46
TOTAL 0-19 YRS	31	5.2	7	2	2	4	7	9	10	12
20-34	202	8.1	51	<1	2	7	11	14	18	35
35-49	496	8.5	40	1	2	7	11	16	19	32
50-64	850	9.5	58	1	3	8	12	18	23	40
65+	1146	10.9	67	2	3	9	14	21	29	42
GRAND TOTAL	2725	9.8	59	1	3	8	12	19	24	39

249 PAS Hospitals, Northeastern Region, January-December 1979

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	6.5	13	4	4	5	7	12	16	16
20-34	39	6.3	22	2	3	5	8	13	15	26
35-49	60	6.4	8	3	3	6	8	11	11	15
50-64	90	7.4	14	2	3	7	9	12	13	22
65+	99	7.9	20	3	4	7	10	13	15	25
B. Operated										
0-19 YRS	5	8.0	18	4	4	8	11	14	14	14
20-34	18	9.1	12	5	5	8	11	15	16	16
35-49	48	10.4	22	5	6	10	12	15	17	34
50-64	90	11.7	47	5	6	10	14	20	23	44
65+	95	14.3	83	5	7	12	18	22	28	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.0	7	2	2	3	5	9	9	9
20-34	33	5.0	29	3	3	6	9	18	21	25
35-49	86	7.8	23	3	4	7	9	12	14	32
50-64	216	9.4	53	4	5	7	11	15	19	41
65+	473	12.0	92	4	5	10	14	21	27	68
B. Operated										
0-19 YRS	4	12.0	34	7	7	12	17	18	18	18
20-34	26	11.7	62	3	4	9	14	24	31	32
35-49	83	14.4	132	5	6	11	17	28	32	73
50-64	232	14.6	128	5	6	11	18	28	34	65
65+	426	17.8	158	6	7	15	21	34	43	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	298	7.2	16	3	3	6	9	12	14	25
B. Operated	256	12.1	56	5	6	10	15	20	23	51
2. MULTIPLE DX										
A. Not Operated	814	10.6	74	4	4	8	12	19	25	53
B. Operated	771	16.3	145	5	6	13	20	30	39	74
1. SINGLE DX	554	9.5	40	3	4	8	12	16	21	29
2. MULTIPLE DX	1585	13.4	116	4	5	10	16	25	33	69
A. NOT OPERATED	1112	9.7	61	3	4	8	11	17	23	42
B. OPERATED	1027	15.2	126	5	6	12	18	28	36	68
TOTAL 0-19 YRS	25	7.1	20	2	3	5	8	16	17	18
20-34	116	8.4	35	3	3	7	10	16	21	31
35-49	277	9.9	62	3	4	8	11	17	22	36
50-64	628	11.4	82	4	5	9	13	21	28	61
65+	1093	14.1	121	4	5	11	17	26	36	72
GRAND TOTAL	2139	12.4	100	4	5	10	15	22	30	63

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	102	4.8	7	1	2	4	6	8	11	13
20-34	318	5.3	11	1	2	5	7	9	12	16
35-49	352	6.1	15	2	2	5	7	10	14	19
50-64	328	6.3	35	1	2	5	8	10	13	19
65+	174	7.2	18	1	3	6	9	13	15	20
B. Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	64	11.6	44	4	5	10	14	21	28	33
35-49	121	12.1	43	3	6	10	15	20	24	36
50-64	97	10.4	40	1	3	10	13	17	22	34
65+	54	12.9	86	2	3	11	16	21	30	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	6.7	21	1	2	6	8	14	17	20
20-34	342	6.0	17	2	2	5	7	10	14	17
35-49	550	6.9	16	2	3	6	9	11	16	21
50-64	744	7.5	24	2	3	7	9	12	15	27
65+	915	9.7	44	3	4	8	12	16	21	39
B. Operated										
0-19 YRS	7	15.3	185	4	4	12	17	39	44	44
20-34	61	13.8	235	<1	3	11	15	22	27	92
35-49	153	12.8	130	3	4	11	15	22	44	99
50-64	259	12.8	77	3	4	11	17	23	30	47
65+	271	16.3	141	4	6	13	20	31	40	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1274	6.0	19	1	2	5	7	10	13	19
B. Operated	338	11.6	50	2	4	10	14	20	25	35
2. MULTIPLE DX										
A. Not Operated	2608	7.9	30	2	3	7	10	14	17	30
B. Operated	751	14.2	127	3	5	11	18	27	36	81
1. SINGLE DX	1612	7.2	31	1	2	6	9	13	16	27
2. MULTIPLE DX	3359	9.3	58	2	3	7	11	17	23	42
A. NOT OPERATED	3882	7.3	27	2	3	6	9	13	16	27
B. OPERATED	1089	13.4	104	3	4	11	16	24	32	67
TOTAL 0-19 YRS	168	5.9	23	1	2	5	7	11	14	20
20-34	785	6.8	40	1	2	5	8	12	15	27
35-49	1176	7.9	40	2	3	7	10	15	19	33
50-64	1428	8.4	43	2	3	7	10	15	20	34
65+	1414	10.8	69	3	4	9	13	20	27	46
GRAND TOTAL	4971	8.6	51	2	3	7	11	16	21	38

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	5.9	6	3	3	6	7	11	11	11
20-34	171	5.6	11	2	2	5	7	10	12	17
35-49	294	6.6	9	2	3	6	8	10	12	16
50-64	376	6.8	11	3	3	6	8	11	13	18
65+	274	7.8	15	3	4	7	9	12	15	23
B. Operated										
0-19 YRS	8	7.0	12	2	2	8	9	11	12	12
20-34	60	10.2	19	5	6	9	12	17	19	24
35-49	141	11.1	37	5	6	10	12	19	23	34
50-64	149	12.5	79	5	6	10	15	22	28	43
65+	124	14.6	101	6	7	12	17	23	28	67
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	8.8	97	2	2	6	10	14	34	43
20-34	148	7.7	33	2	3	7	9	12	16	29
35-49	269	8.0	22	3	4	7	10	13	16	28
50-64	668	8.3	24	3	4	7	10	13	16	32
65+	959	10.6	52	4	5	9	13	18	23	38
B. Operated										
0-19 YRS	9	22.1	707	2	3	15	26	69	81	81
20-34	52	14.8	125	5	7	12	19	23	29	77
35-49	104	15.0	122	5	6	12	18	24	35	69
50-64	279	17.1	148	6	7	13	20	32	43	63
65+	502	20.8	212	6	7	17	26	39	53	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1150	6.8	12	2	3	6	8	11	13	18
B. Operated	482	12.2	66	5	6	10	14	21	25	41
2. MULTIPLE DX										
A. Not Operated	2060	9.3	40	3	4	8	11	15	20	37
B. Operated	946	18.8	188	6	7	15	23	37	47	76
1. SINGLE DX	1632	8.4	34	3	4	7	10	14	18	29
2. MULTIPLE DX	3006	12.3	106	4	4	9	14	23	32	61
A. NOT OPERATED	3210	8.4	31	3	4	7	10	14	18	31
B. OPERATED	1428	16.6	156	5	6	13	20	31	42	71
TOTAL										
0-19 YRS	68	8.9	139	2	2	6	9	14	20	76
20-34	431	8.0	42	2	3	7	10	14	19	29
35-49	808	8.9	41	3	4	7	10	15	20	34
50-64	1472	10.0	64	3	4	8	11	17	24	45
65+	1859	13.2	117	4	5	10	15	25	34	66
GRAND TOTAL	4638	10.9	84	3	4	8	13	20	28	53

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.8	2	3	3	5	6	6	6	6
20-34	11	6.5	9	2	3	6	9	11	11	11
35-49	14	5.6	6	2	3	5	8	9	9	9
50-64	24	7.5	9	3	4	7	9	11	14	16
65+	14	11.9	69	2	4	9	15	23	29	31
B. Operated										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	13	14.6	95	2	4	12	20	31	34	35
35-49	40	16.5	53	6	8	16	20	26	31	38
50-64	41	15.3	38	5	8	14	21	24	25	27
65+	36	20.0	96	9	11	18	23	35	49	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	9.5	38	1	1	11	14	15	15	15
20-34	11	6.3	8	<1	2	7	9	10	10	10
35-49	21	12.1	186	3	3	8	13	22	43	66
50-64	41	10.0	46	2	4	8	11	19	23	38
65+	88	12.4	70	3	4	10	15	28	33	77
B. Operated										
0-19 YRS	3	10.3	2	9	9	10	11	12	12	12
20-34	22	18.7	116	6	6	16	22	34	42	47
35-49	52	19.1	179	6	8	14	25	35	40	69
50-64	88	20.0	193	7	8	16	24	41	54	86
65+	120	25.3	268	9	10	21	31	46	66	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	7.7	25	2	3	6	9	13	17	30
B. Operated	131	17.0	67	6	8	16	22	27	35	61
2. MULTIPLE DX										
A. Not Operated	165	11.3	75	3	4	9	13	23	29	62
B. Operated	285	21.9	222	7	9	17	28	39	52	79
1. SINGLE DX	198	13.8	72	4	5	12	19	24	31	48
2. MULTIPLE DX	450	18.0	194	4	6	14	23	35	47	76
A. NOT OPERATED	232	10.3	63	3	4	8	12	21	28	44
B. OPERATED	416	20.3	178	7	9	17	24	36	49	78
TOTAL										
0-19 YRS	12	9.5	44	1	2	9	12	18	25	26
20-34	57	13.0	98	2	4	10	17	30	34	46
35-49	127	15.7	137	3	5	13	19	29	38	67
50-64	194	15.4	129	4	6	12	19	28	39	65
65+	258	19.5	201	5	7	16	25	36	48	93
GRAND TOTAL	648	16.7	160	4	6	13	21	32	40	75

249 PAS Hospitals, Northeastern Region, January-December 1979

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	599	3.1	4	1	1	3	4	6	7	10
20-34	737	3.9	7	1	1	3	5	7	9	13
35-49	628	4.5	12	1	1	4	6	8	10	17
50-64	425	4.6	9	1	1	4	6	8	10	16
65+	217	5.6	16	1	1	5	8	11	13	18
<i>B. Operated</i>										
0-19 YRS	5	5.8	9	2	2	6	8	10	10	10
20-34	59	6.6	25	<1	<1	6	9	13	17	24
35-49	72	7.0	36	<1	1	6	9	14	18	33
50-64	74	6.5	36	<1	1	5	8	12	16	33
65+	62	8.2	46	<1	1	7	12	16	20	35
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	716	4.2	18	1	2	3	5	8	9	17
20-34	1230	5.5	20	1	1	3	7	10	12	17
35-49	1401	6.3	15	1	1	5	8	11	13	19
50-64	1713	7.0	23	1	1	6	9	12	15	24
65+	1819	8.7	46	2	3	7	11	15	20	32
<i>B. Operated</i>										
0-19 YRS	20	8.6	50	2	3	7	9	17	25	33
20-34	185	9.8	60	2	4	8	12	18	22	31
35-49	359	10.9	81	2	4	9	13	20	30	52
50-64	508	11.2	83	2	3	9	14	22	26	51
65+	591	13.1	101	3	4	11	16	26	33	57
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	2606	4.1	9	1	1	3	5	8	9	15
<i>B. Operated</i>	272	7.0	36	<1	1	6	9	14	18	33
2. MULTIPLE DX										
<i>A. Not Operated</i>	6879	6.7	28	2	2	6	8	12	15	26
<i>B. Operated</i>	1663	11.6	87	2	4	9	14	22	30	51
1. SINGLE DX	2878	4.4	13	1	1	4	6	8	10	18
2. MULTIPLE DX	8542	7.7	44	2	2	6	9	14	18	34
A. NOT OPERATED	9485	6.0	25	1	2	5	8	11	14	24
B. OPERATED	1935	11.0	83	2	3	9	14	21	29	50
TOTAL										
0-19 YRS	1340	3.8	13	1	1	3	5	7	9	15
20-34	2211	5.3	22	1	2	4	7	10	12	21
35-49	2460	6.5	28	1	2	5	8	12	15	29
50-64	2720	7.4	37	2	2	6	9	13	18	33
65+	2689	9.4	60	2	3	7	11	17	23	39
GRAND TOTAL	11420	6.9	38	1	2	5	8	13	17	31

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	106	3.9	7	1	1	3	5	7	8	15
20-34	88	4.5	11	<1	1	4	6	7	10	20
35-49	80	3.9	6	<1	1	3	5	7	9	12
50-64	89	5.4	17	1	1	5	7	11	12	24
65+	57	7.6	83	<1	1	4	11	15	23	57
<i>B. Operated</i>										
0-19 YRS	51	4.7	5	1	2	4	6	8	10	12
20-34	13	9.8	46	<1	1	9	15	20	22	22
35-49	22	11.4	74	1	2	11	14	22	30	39
50-64	26	12.2	127	<1	2	9	15	31	35	45
65+	19	14.5	144	1	2	12	19	36	39	41
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	114	4.9	15	1	2	4	6	10	14	51
20-34	131	5.7	21	1	2	5	7	10	12	28
35-49	192	6.4	66	1	2	5	8	12	14	36
50-64	227	6.4	18	2	2	5	8	13	14	21
65+	327	10.5	86	2	3	8	12	21	29	46
<i>B. Operated</i>										
0-19 YRS	21	10.0	145	1	2	7	9	25	45	45
20-34	35	18.3	250	3	6	12	23	49	57	63
35-49	58	17.6	223	3	4	15	25	30	36	94
50-64	146	18.8	221	4	5	15	24	36	43	80
65+	193	21.6	200	5	7	18	29	41	52	93
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	420	4.9	21	1	1	4	6	9	12	24
<i>B. Operated</i>	131	9.3	77	1	2	6	12	21	32	42
2. MULTIPLE DX										
<i>A. Not Operated</i>	991	7.5	54	1	2	6	9	14	20	40
<i>B. Operated</i>	453	19.4	216	3	5	16	26	38	48	84
1. SINGLE DX	551	5.9	38	1	1	4	7	12	16	36
2. MULTIPLE DX	1444	11.2	136	2	2	7	14	26	33	59
A. NOT OPERATED	1411	6.7	46	1	2	5	8	13	17	33
B. OPERATED	584	17.1	203	2	4	14	23	36	45	81
TOTAL										
0-19 YRS	292	4.8	22	1	2	4	6	9	12	36
20-34	267	7.2	68	1	2	5	8	13	22	52
35-49	352	8.0	99	1	2	5	9	16	25	43
50-64	488	10.3	117	2	2	7	13	23	30	58
65+	596	13.9	154	2	3	10	18	30	41	61
GRAND TOTAL	1995	9.8	114	1	2	6	12	23	30	57

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	52	3.9	6	1	1	4	5	7	10	11	
20-34	46	3.7	4	1	1	4	5	7	7	99+	
35-49	8	5.0	4	2	2	5	6	7	8	8	
50-64	7	5.0	5	2	2	5	7	8	8	8	
65+	2	5.5	25	2	2	5	9	9	9	9	
B. Operated											
0-19 YRS	4319	4.4	4	2	3	4	5	6	7	11	
20-34	2239	4.7	4	3	3	4	5	7	8	13	
35-49	603	5.5	7	3	3	5	6	8	10	17	
50-64	259	6.1	7	3	3	6	7	9	11	17	
65+	93	8.6	43	3	4	6	10	16	22	38	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	21	4.1	6	1	1	4	5	8	9	9	
20-34	21	3.2	7	<1	1	2	4	7	9	11	
35-49	5	4.6	4	2	2	4	6	7	7	7	
50-64	3	6.0	25	<1	<1	6	10	11	11	11	
65+	7	7.4	31	<1	1	5	11	16	17	17	
B. Operated											
0-19 YRS	598	6.7	24	3	3	5	8	12	15	25	
20-34	434	7.2	20	3	3	6	8	13	16	23	
35-49	162	8.8	38	3	4	7	11	14	20	33	
50-64	148	10.3	53	4	4	8	12	18	24	32	
65+	108	12.5	58	5	6	9	15	26	27	39	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	115	4.0	5	1	1	4	6	7	9	41	
B. Operated											
	7513	4.7	6	2	3	4	5	7	8	13	
2. MULTIPLE DX											
A. Not Operated											
	57	4.3	11	<1	1	4	6	9	11	17	
B. Operated											
	1450	7.9	33	3	3	6	9	14	18	28	
1. SINGLE DX											
	7628	4.7	6	2	3	4	5	7	8	13	
2. MULTIPLE DX											
	1507	7.7	32	3	3	6	9	14	18	28	
A. NOT OPERATED											
	172	4.1	7	1	1	4	6	7	9	16	
B. OPERATED											
	8963	5.2	11	2	3	4	6	8	11	20	
TOTAL 0-19 YRS											
	4990	4.6	7	2	3	4	5	7	9	15	
20-34	2740	5.1	8	2	3	4	6	8	10	16	
35-49	778	6.2	15	3	3	5	7	10	13	23	
50-64	417	7.6	28	3	4	6	9	13	17	26	
65+	210	10.5	54	4	4	8	13	22	26	39	
GRAND TOTAL											
	9135	5.2	11	2	3	4	6	8	11	20	

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	23	6.0	13	1	2	5	8	11	14	15	
20-34	19	8.7	23	3	3	8	10	17	20	20	
35-49	13	7.2	53	1	2	4	8	18	26	28	
50-64	9	8.3	12	3	3	10	11	12	12	12	
65+	3	9.0	21	5	5	8	12	14	14	14	
B. Operated											
0-19 YRS	991	7.9	18	3	4	7	10	13	16	22	
20-34	491	8.0	16	3	4	7	10	13	15	21	
35-49	284	9.5	25	4	4	9	11	15	18	24	
50-64	254	10.4	22	5	6	9	12	16	20	25	
65+	131	12.6	46	5	6	11	15	19	26	39	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	4	8.5	22	3	3	8	12	14	14	14	
20-34	8	6.8	15	3	3	6	10	12	13	13	
35-49	3	8.7	6	6	6	9	10	11	11	11	
50-64	9	12.1	19	6	7	11	15	18	20	20	
65+	13	21.8	505	6	6	16	22	69	72	73	
B. Operated											
0-19 YRS	356	14.0	70	5	6	12	18	24	31	46	
20-34	221	12.1	65	4	5	10	15	20	27	46	
35-49	160	15.0	147	5	6	12	17	26	33	94	
50-64	250	16.4	100	7	8	13	19	27	37	72	
65+	265	18.8	170	7	9	15	22	34	46	92	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	67	7.4	24	2	2	7	9	14	16	27	
B. Operated											
	2151	8.7	22	3	4	8	11	14	17	24	
2. MULTIPLE DX											
A. Not Operated											
	37	13.7	218	3	4	10	15	21	53	73	
B. Operated											
	1252	15.3	111	5	7	12	18	27	35	71	
1. SINGLE DX											
	2218	8.7	22	3	4	8	11	14	17	24	
2. MULTIPLE DX											
	1289	15.2	114	5	6	12	18	27	35	72	
A. NOT OPERATED											
	104	9.7	101	2	3	8	11	16	20	70	
B. OPERATED											
	3403	11.1	65	4	4	9	13	19	25	46	
TOTAL 0-19 YRS											
	1374	9.4	38	3	4	8	11	17	21	32	
20-34	739	9.2	34	3	4	8	11	16	19	29	
35-49	460	11.3	75	4	5	9	13	18	24	53	
50-64	522	13.2	68	5	7	11	15	22	28	51	
65+	412	16.8	148	6	7	14	19	29	42	87	
GRAND TOTAL											
	3507	11.1	66	4	4	9	13	19	25	46	

249 PAS Hospitals, Northeastern Region, January-December 1979

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	85	3.2	6	<1	1	2	4	6	8	13	
20-34	60	3.0	3	1	1	3	4	6	6	7	
35-49	24	4.3	5	1	1	4	6	7	8	8	
50-64	9	5.0	5	2	2	5	6	9	9	9	
65+	3	3.0	7	1	1	2	5	6	6	6	
B. Operated											
0-19 YRS	417	4.8	6	2	3	4	5	7	9	15	
20-34	226	5.4	6	3	3	5	6	8	9	15	
35-49	68	6.7	17	2	3	6	8	12	15	24	
50-64	36	8.9	22	3	5	8	11	15	20	22	
65+	10	5.6	2	2	3	6	6	7	8	8	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	43	3.8	9	1	1	3	5	8	11	13	
20-34	24	3.6	6	<1	1	3	5	7	9	10	
35-49	11	4.6	9	1	1	4	7	9	10	10	
50-64	10	5.3	5	3	3	5	7	9	10	10	
65+	9	9.3	53	3	3	6	13	22	24	24	
B. Operated											
0-19 YRS	175	6.9	28	3	3	6	8	11	14	36	
20-34	171	7.2	13	3	4	6	8	12	15	20	
35-49	54	8.7	27	3	4	7	10	16	22	23	
50-64	41	10.8	26	5	6	8	14	19	20	22	
65+	32	13.0	44	6	7	11	16	22	29	30	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	181	3.3	5	1	1	3	4	6	7	11	
B. Operated	757	5.4	8	3	3	5	6	8	11	18	
2. MULTIPLE DX											
A. Not Operated	97	4.5	14	1	1	4	6	9	11	21	
B. Operated	473	7.9	26	3	4	7	9	14	19	29	
1. SINGLE DX	938	5.0	8	2	2	4	6	8	10	17	
2. MULTIPLE DX	570	7.4	26	2	3	6	9	13	18	27	
A. NOT OPERATED	278	3.7	8	1	1	3	5	7	9	13	
B. OPERATED	1230	6.4	17	3	3	5	7	11	14	22	
TOTAL											
0-19 YRS	720	5.1	13	2	2	4	6	8	11	18	
20-34	481	5.7	10	2	2	5	7	9	12	19	
35-49	157	6.9	21	2	3	6	8	12	17	23	
50-64	96	9.0	25	3	4	8	12	18	20	22	
65+	54	10.5	46	2	4	9	13	19	26	30	
GRAND TOTAL	1508	5.9	16	2	2	5	7	10	13	22	

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	48	1.7	2	<1	<1	1	2	4	5	7	
20-34	26	2.4	2	<1	<1	2	4	4	5	6	
35-49	16	2.9	4	<1	1	3	4	5	6	7	
50-64	32	2.9	5	<1	<1	2	4	6	7	9	
65+	34	7.2	188	<1	1	4	7	11	18	81	
B. Operated											
0-19 YRS	4285	2.3	4	<1	<1	2	3	4	5	7	
20-34	3320	4.0	3	2	2	4	5	6	7	10	
35-49	3039	4.5	6	2	3	4	5	7	8	12	
50-64	5432	4.9	8	2	3	4	6	7	8	12	
65+	3196	5.5	8	3	3	5	7	8	10	16	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	210	1.5	2	<1	<1	1	1	3	5	8	
20-34	33	1.7	2	<1	<1	1	2	3	5	6	
35-49	35	3.4	9	<1	<1	2	4	8	9	12	
50-64	68	4.2	15	<1	<1	3	6	9	11	21	
65+	140	6.2	48	1	1	5	7	12	17	39	
B. Operated											
0-19 YRS	2080	2.5	9	<1	<1	2	3	5	6	11	
20-34	1059	4.9	7	2	3	4	6	7	9	16	
35-49	1450	5.4	10	2	3	5	6	8	10	16	
50-64	3489	6.3	19	3	3	5	7	10	13	22	
65+	3854	8.3	37	3	4	7	10	15	20	35	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	156	3.4	47	<1	<1	2	4	6	9	19	
B. Operated											
	19272	4.2	7	1	2	4	5	7	8	13	
2. MULTIPLE DX											
A. Not Operated											
	486	3.4	22	<1	<1	1	4	8	11	22	
B. Operated											
	11932	6.0	25	1	2	5	7	11	14	26	
1. SINGLE DX											
	19428	4.2	7	1	2	4	5	7	8	13	
2. MULTIPLE DX											
	12418	5.9	25	1	2	5	7	11	14	26	
A. NOT OPERATED											
	642	3.4	28	<1	<1	1	4	7	10	21	
B. OPERATED											
	31204	4.9	15	1	2	4	6	8	11	20	
TOTAL											
0-19 YRS	6623	2.4	5	<1	<1	2	3	4	5	9	
20-34	4438	4.2	4	2	2	4	5	6	7	12	
35-49	4540	4.8	8	2	3	4	6	7	9	14	
50-64	9021	5.4	13	2	3	5	6	8	10	18	
65+	7224	7.0	27	3	3	6	8	12	16	28	
GRAND TOTAL											
	31846	4.9	15	1	2	4	6	8	10	20	

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2	
20-34	2	3.5	13	1	1	3	6	6	6	6	
35-49	2	6.0	8	4	4	6	8	8	8	8	
50-64	2	3.5	13	1	1	3	6	6	6	6	
65+	19	4.8	23	<1	1	2	7	10	16	20	
B. Operated											
0-19 YRS	237	2.4	3	<1	1	2	3	5	6	9	
20-34	132	4.3	3	2	3	4	5	6	7	10	
35-49	146	5.1	5	2	3	5	6	7	8	11	
50-64	252	5.8	13	3	3	5	7	8	10	25	
65+	287	7.3	28	3	4	6	8	11	13	29	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	16	2.0	3	<1	<1	1	2	5	6	7	
20-34	2	8.0	8	6	6	8	10	10	10	10	
35-49	4	11.3	45	4	4	10	16	20	20	20	
50-64	8	8.6	55	<1	1	5	15	20	20	20	
65+	56	8.9	166	1	1	5	11	19	32	78	
B. Operated											
0-19 YRS	159	3.3	7	1	1	2	4	7	10	12	
20-34	51	6.8	86	3	3	5	7	9	11	68	
35-49	70	7.3	29	2	3	6	8	14	19	28	
50-64	228	9.2	57	3	4	7	10	17	22	41	
65+	652	12.4	105	4	5	10	14	23	31	74	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	30	4.1	17	<1	1	2	7	8	11	20	
B. Operated	1054	5.2	16	1	2	5	6	8	11	18	
2. MULTIPLE DX											
A. Not Operated	86	7.7	122	<1	1	4	9	19	24	65	
B. Operated	1160	10.0	87	2	3	8	12	19	26	56	
1. SINGLE DX	1084	5.1	16	1	1	5	6	8	11	18	
2. MULTIPLE DX	1246	9.8	90	1	2	7	12	19	26	56	
A. NOT OPERATED	116	6.8	97	<1	1	4	8	17	20	53	
B. OPERATED	2214	7.7	59	1	2	6	9	14	21	43	
TOTAL 0-19 YRS	417	2.7	5	<1	1	2	3	6	7	11	
20-34	187	5.1	26	2	3	4	6	7	9	14	
35-49	222	5.9	14	2	3	5	7	9	12	25	
50-64	490	7.4	37	3	3	6	8	12	18	36	
65+	1014	10.6	91	3	4	8	12	20	27	72	
GRAND TOTAL	2330	7.6	61	1	2	6	9	15	21	43	

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	12	1.7	1	<1	<1	1	2	3	4	4	
20-34	1	1.0		1	1	1	1	1	1	1	
35-49	4	3.5	14	1	1	2	6	9	9	9	
50-64	3	3.7	4	2	2	3	5	6	6	6	
65+	3	1.0		<1	<1	1	1	1	1	1	
B. Operated											
0-19 YRS	577	2.4	9	<1	1	2	3	4	4	8	
20-34	220	3.8	4	1	2	3	4	6	7	11	
35-49	247	4.6	6	2	2	4	6	6	9	12	
50-64	169	4.7	6	2	2	4	6	8	9	14	
65+	74	6.1	10	3	3	5	8	10	12	18	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	32	2.5	10	<1	<1	1	3	5	6	17	
20-34	6	2.7	5	<1	<1	2	3	7	7	7	
35-49	9	6.7	24	1	1	6	11	13	13	13	
50-64	6	9.0	98	2	2	4	16	25	26	26	
65+	16	5.4	12	<1	1	5	7	11	12	13	
B. Operated											
0-19 YRS	118	3.2	5	<1	1	3	4	6	8	39	
20-34	95	4.9	6	2	2	4	6	8	9	13	
35-49	187	7.4	45	2	3	6	8	13	18	45	
50-64	206	7.7	29	3	3	6	9	14	18	28	
65+	93	10.4	72	3	4	8	13	19	39	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	23	2.1	4	<1	<1	1	3	4	7	9	
B. Operated	1287	3.6	8	1	1	3	4	6	8	13	
2. MULTIPLE DX											
A. Not Operated	69	4.3	22	<1	<1	2	6	11	13	24	
B. Operated	699	6.8	36	2	2	5	8	13	17	43	
1. SINGLE DX	1310	3.6	8	<1	1	3	4	6	8	13	
2. MULTIPLE DX	768	6.6	36	1	2	5	8	13	17	42	
A. NOT OPERATED	92	3.8	18	<1	<1	2	5	9	13	22	
B. OPERATED	1986	4.7	21	1	2	4	6	9	12	25	
TOTAL 0-19 YRS	739	2.5	8	<1	<1	2	3	4	5	12	
20-34	322	4.1	5	2	2	4	5	7	8	12	
35-49	447	5.8	25	2	3	5	6	10	13	28	
50-64	384	6.4	22	2	3	5	8	11	15	25	
65+	186	8.1	47	2	3	6	10	14	20	78	
GRAND TOTAL	2078	4.7	21	1	2	4	6	9	12	25	

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.6	4	<1	<1	4	5	6	6	6
35-49	15	2.2	1	<1	<1	2	3	4	4	4
50-64	16	3.0	6	<1	<1	2	4	5	9	11
65+	8	4.6	9	2	2	3	6	10	11	11
B. Operated										
0-19 YRS	136	3.3	28	<1	1	2	3	5	6	21
20-34	338	4.7	5	2	2	4	6	7	9	11
35-49	520	6.2	15	2	3	5	8	10	12	20
50-64	709	7.0	18	3	3	6	8	10	13	21
65+	388	8.1	19	3	4	7	10	13	16	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	37	3.4	7	<1	<1	2	4	8	9	10
50-64	53	5.3	30	1	1	3	7	12	16	32
65+	98	8.9	83	1	2	7	11	14	23	58
B. Operated										
0-19 YRS	37	3.5	10	<1	1	2	4	8	11	16
20-34	186	7.3	31	2	3	6	8	12	17	37
35-49	425	8.8	34	3	4	7	10	15	19	30
50-64	683	9.7	47	4	4	8	11	16	21	40
65+	638	12.0	55	5	5	10	15	22	28	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.1	5	<1	<1	3	4	5	8	11
B. Operated	2091	6.4	18	2	3	6	8	10	13	21
2. MULTIPLE DX										
A. Not Operated	196	6.6	56	1	1	5	8	13	17	42
B. Operated	1969	9.9	48	3	4	8	11	17	23	39
1. SINGLE DX	2136	6.3	18	2	3	6	8	10	12	21
2. MULTIPLE DX	2165	9.6	49	3	4	8	11	17	23	39
A. NOT OPERATED	241	6.0	49	<1	1	4	7	12	14	34
B. OPERATED	4060	8.1	35	2	3	7	10	14	18	34
TOTAL 0-19 YRS	176	3.3	24	<1	1	2	4	5	7	15
20-34	535	5.5	16	2	2	5	7	9	11	25
35-49	997	7.2	25	2	3	6	9	12	15	29
50-64	1461	8.1	34	3	3	7	9	13	17	34
65+	1132	10.3	48	4	4	9	12	18	23	39
GRAND TOTAL	4301	8.0	36	2	3	7	9	14	18	34

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	6	<1	<1	2	5	6	6	6
20-34	25	5.1	6	1	2	5	7	9	9	10
35-49	89	5.5	48	1	1	5	6	8	10	45
50-64	167	5.3	11	1	2	4	7	10	12	15
65+	125	5.4	12	1	2	5	7	9	12	19
B. Operated										
0-19 YRS	4	4.3	14	<1	<1	4	7	8	8	8
20-34	25	7.0	13	2	2	7	8	12	14	17
35-49	34	7.8	16	3	3	8	9	11	12	24
50-64	75	9.7	29	1	2	9	12	15	20	28
65+	43	11.7	33	3	5	10	15	21	22	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	4.7	14	<1	<1	3	8	10	12	12
20-34	130	5.3	15	<1	2	4	7	10	12	21
35-49	408	5.9	17	1	2	5	7	10	12	19
50-64	918	6.6	19	2	3	6	8	12	15	22
65+	1359	7.6	32	2	3	6	9	13	16	27
B. Operated										
0-19 YRS	7	13.0	97	2	2	12	18	29	31	31
20-34	86	9.0	42	1	2	8	11	17	21	36
35-49	185	10.0	46	2	3	9	13	18	22	48
50-64	358	11.4	45	2	4	10	15	20	25	32
65+	357	13.7	108	2	4	12	17	25	37	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	410	5.3	19	1	2	5	7	9	12	17
B. Operated	181	9.3	27	1	3	9	11	15	21	26
2. MULTIPLE DX										
A. Not Operated	2828	6.9	25	2	3	6	9	12	15	24
B. Operated	993	11.8	71	2	3	10	15	21	27	48
1. SINGLE DX	591	6.6	25	1	2	5	9	12	15	23
2. MULTIPLE DX	3821	8.2	42	2	3	7	10	15	19	32
A. NOT OPERATED	3238	6.7	25	2	3	6	8	12	15	23
B. OPERATED	1174	11.4	65	2	3	10	14	21	27	43
TOTAL 0-19 YRS	28	6.5	45	<1	<1	5	9	13	20	31
20-34	266	6.6	25	1	2	6	9	12	16	26
35-49	716	7.0	32	1	2	6	9	13	16	27
50-64	1518	7.8	30	2	3	6	10	14	18	28
65+	1884	8.7	52	2	3	7	10	16	21	39
GRAND TOTAL	4412	8.0	40	2	3	7	10	15	19	31

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	7	4.7	16	<1	<1	4	8	11	11	11
35-49	4	11.3	23	7	7	10	14	18	18	18
50-64	3	7.3	46	2	2	5	12	15	15	15
65+	6	7.2	69	1	1	3	14	20	21	21
B. Operated										
0-19 YRS	25	3.2	2	1	1	3	4	5	6	6
20-34	71	4.2	3	2	2	4	5	7	7	9
35-49	120	5.0	12	2	2	4	5	7	10	22
50-64	138	5.5	11	2	3	5	7	9	10	17
65+	110	6.2	10	3	3	5	8	10	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	6	8.3	98	1	1	4	12	25	27	27
35-49	10	8.9	64	1	2	5	13	22	26	26
50-64	18	6.9	16	2	3	6	8	11	16	19
65+	28	7.8	36	1	1	7	9	14	20	30
B. Operated										
0-19 YRS	22	3.7	3	1	2	3	5	6	7	7
20-34	37	7.1	30	3	3	5	7	16	19	28
35-49	57	7.3	26	2	3	6	8	16	17	27
50-64	112	9.3	44	3	4	7	11	17	23	39
65+	166	9.4	56	3	4	7	11	16	26	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	22	6.6	37	<1	1	4	11	16	19	21
B. Operated										
	464	5.2	10	2	3	5	6	9	10	18
2. MULTIPLE DX										
A. Not Operated										
	64	7.6	38	1	1	6	9	15	21	30
B. Operated										
	394	8.5	45	3	3	7	10	16	20	36
1. SINGLE DX	486	5.3	11	2	2	5	6	9	11	19
2. MULTIPLE DX	458	8.4	44	2	3	6	10	16	20	36
A. NOT OPERATED	86	7.4	38	1	1	6	9	15	20	29
B. OPERATED	858	6.7	28	2	3	5	8	12	17	28
TOTAL										
0-19 YRS	51	3.3	3	1	1	3	5	6	6	7
20-34	121	5.3	18	2	2	4	6	8	12	27
35-49	191	6.0	21	2	3	5	6	11	17	27
50-64	271	7.2	28	2	3	6	8	13	17	30
65+	310	8.1	40	3	3	7	10	14	19	35
GRAND TOTAL	944	6.8	29	2	3	5	8	12	17	28

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	11	3.5	10	1	1	3	4	8	12	12
50-64	9	5.7	22	<1	<1	5	9	13	14	14
65+	28	7.4	28	1	2	6	10	16	18	23
B. Operated										
0-19 YRS	41	3.1	5	<1	1	2	4	6	7	11
20-34	112	5.2	38	2	2	4	6	9	11	33
35-49	188	5.6	13	2	2	5	7	10	12	19
50-64	235	7.2	22	3	3	6	8	12	17	30
65+	309	9.8	45	4	4	8	12	16	20	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.2	16	2	2	7	10	10	10	10
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	18	9.4	225	<1	1	5	11	13	45	67
50-64	60	6.9	18	1	1	7	9	12	16	20
65+	122	9.4	49	2	3	8	12	19	25	59
B. Operated										
0-19 YRS	16	5.1	35	<1	<1	4	6	10	20	25
20-34	60	8.6	43	2	3	6	9	17	24	32
35-49	169	9.2	43	3	4	8	11	16	23	38
50-64	376	12.4	126	4	5	9	14	24	34	63
65+	705	15.0	107	5	6	12	19	29	36	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	55	5.6	24	<1	1	4	8	12	16	23
B. Operated										
	885	7.3	33	2	3	6	9	13	17	29
2. MULTIPLE DX										
A. Not Operated										
	207	8.6	55	1	2	7	10	17	21	54
B. Operated										
	1326	13.1	106	4	5	10	16	26	33	64
1. SINGLE DX	940	7.2	33	2	2	6	9	13	17	29
2. MULTIPLE DX	1533	12.5	101	3	4	10	15	25	32	64
A. NOT OPERATED	262	8.0	50	1	2	6	10	15	20	42
B. OPERATED	2211	10.8	85	3	3	8	13	21	29	51
TOTAL										
0-19 YRS	65	3.7	14	<1	1	2	5	7	10	23
20-34	178	6.3	41	2	2	5	8	11	16	31
35-49	386	7.3	39	2	2	6	9	13	16	34
50-64	680	10.0	86	3	4	7	11	18	27	52
65+	1164	12.9	90	4	5	10	16	25	32	63
GRAND TOTAL	2473	10.5	82	2	3	8	13	21	28	51

249 PAS Hospitals, Northeastern Region, January-December 1979

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	116	3.9	20	1	1	3	5	8	9	25	
20-34	181	5.4	11	1	2	5	7	10	11	19	
35-49	275	5.8	17	1	2	5	7	10	12	22	
50-64	378	6.4	18	1	2	5	8	11	14	23	
65+	460	7.8	27	2	3	7	10	14	18	30	
B. Operated											
0-19 YRS	106	7.1	20	2	2	6	9	12	15	26	
20-34	109	10.9	35	5	6	9	13	18	25	33	
35-49	143	11.7	33	5	6	10	15	19	22	31	
50-64	222	14.5	104	6	7	11	17	25	35	65	
65+	249	16.0	60	7	9	14	19	26	32	48	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	74	5.4	13	1	2	5	7	10	13	17	
20-34	174	7.3	26	2	3	6	8	13	18	33	
35-49	276	7.1	23	2	3	6	9	14	16	25	
50-64	598	8.7	43	2	3	7	10	16	21	44	
65+	1453	11.0	72	3	4	9	14	20	26	53	
B. Operated											
0-19 YRS	121	11.8	56	5	5	10	14	22	28	66	
20-34	181	13.7	81	5	6	12	17	22	28	56	
35-49	303	17.5	153	6	7	14	21	31	38	77	
50-64	602	20.0	185	6	8	16	25	37	50	99+	
65+	1217	22.2	182	8	10	19	28	40	50	76	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	1410	6.4	21	1	2	5	8	11	15	24	
B. Operated											
	829	13.0	67	5	6	11	16	22	30	43	
2. MULTIPLE DX											
A. Not Operated											
	2575	9.6	58	2	3	8	12	19	24	47	
B. Operated											
	2424	19.9	175	6	8	17	25	36	47	78	
1. SINGLE DX	2239	8.9	49	2	2	7	11	17	21	36	
2. MULTIPLE DX	4999	14.6	141	3	4	11	19	29	39	71	
A. NOT OPERATED	3985	8.5	47	2	3	7	10	16	21	40	
B. OPERATED	3253	18.2	156	6	7	15	22	34	44	76	
TOTAL											
0-19 YRS	417	7.3	39	1	2	6	9	14	19	33	
20-34	645	9.2	50	2	3	7	12	17	22	38	
35-49	997	10.6	87	2	3	8	13	20	27	44	
50-64	1800	12.7	125	3	4	10	16	26	35	70	
65+	3379	14.9	137	3	4	12	19	30	39	66	
GRAND TOTAL	7238	12.8	119	2	3	10	16	26	35	64	

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	4559	3.3	7	1	1	3	4	6	7	12	
20-34	1697	3.3	6	1	1	3	4	6	8	12	
35-49	712	4.1	9	1	1	3	5	7	9	15	
50-64	547	4.0	8	1	1	3	5	8	9	14	
65+	452	4.6	12	1	1	4	6	9	11	16	
B. Operated											
0-19 YRS	129	5.6	21	2	2	4	7	9	12	27	
20-34	119	6.6	18	1	2	6	9	12	14	21	
35-49	65	6.4	16	1	2	6	8	11	15	18	
50-64	41	9.7	57	1	2	9	13	19	26	33	
65+	36	8.3	36	1	2	8	11	14	22	26	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	4412	4.6	13	2	2	4	5	8	10	19	
20-34	1374	4.6	12	1	2	4	6	8	10	19	
35-49	958	5.8	22	1	2	5	7	11	13	25	
50-64	1307	6.5	37	2	2	5	8	11	14	26	
65+	2401	8.3	45	2	3	7	10	16	20	40	
B. Operated											
0-19 YRS	152	7.8	61	3	3	6	8	14	23	53	
20-34	155	9.2	67	1	2	7	11	16	22	46	
35-49	150	11.9	97	2	4	9	14	23	31	54	
50-64	215	14.3	138	3	5	11	17	30	39	80	
65+	327	16.0	141	4	5	13	19	31	41	57	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	7967	3.5	7	1	1	3	4	6	8	13	
B. Operated											
	390	6.7	26	1	2	5	9	13	16	25	
2. MULTIPLE DX											
A. Not Operated											
	10452	5.8	27	1	2	4	7	11	14	26	
B. Operated											
	999	12.7	119	3	4	10	15	26	36	56	
1. SINGLE DX	8357	3.7	9	1	1	3	5	7	8	14	
2. MULTIPLE DX	11451	6.4	38	2	2	5	8	12	17	33	
A. NOT OPERATED	18419	4.8	19	1	2	4	6	9	12	22	
B. OPERATED	1389	11.0	100	2	3	8	14	21	31	53	
TOTAL											
0-19 YRS	9252	4.0	12	1	1	3	5	7	9	16	
20-34	3345	4.2	13	1	1	3	5	8	10	19	
35-49	1885	5.6	27	1	2	4	7	11	14	27	
50-64	2110	6.7	48	1	2	5	8	13	17	35	
65+	3216	8.6	58	2	2	7	11	17	22	43	
GRAND TOTAL	19808	5.2	28	1	2	4	6	10	14	27	

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.6	12	2	2	5	8	11	11	11
20-34	75	5.5	8	1	2	5	8	10	10	13
35-49	360	6.2	14	2	3	6	8	10	12	19
50-64	756	6.1	23	2	2	5	8	10	12	20
65+	985	6.3	19	1	2	5	8	12	14	23
B. Operated										
0-19 YRS	5	11.2	39	6	6	8	18	18	18	18
20-34	37	12.0	92	5	6	10	13	16	19	65
35-49	126	12.6	43	5	6	11	15	21	26	36
50-64	327	14.0	57	4	7	13	17	23	27	45
65+	267	15.1	88	2	5	14	19	26	29	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	11.9	94	2	3	10	14	28	34	34
20-34	35	7.0	15	3	3	6	9	13	15	20
35-49	321	7.0	18	2	3	6	9	12	14	23
50-64	1415	7.5	27	2	3	7	9	12	15	24
65+	4182	8.9	48	2	3	7	11	16	20	40
B. Operated										
0-19 YRS	8	14.9	59	6	7	12	20	27	29	29
20-34	47	14.0	85	5	6	11	17	23	35	52
35-49	281	15.6	85	5	7	14	19	28	33	55
50-64	897	17.3	130	5	7	14	21	31	41	66
65+	1557	19.9	204	5	7	16	25	38	51	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2184	6.2	19	2	2	5	8	11	13	20
B. Operated	762	14.0	68	4	6	12	17	23	27	48
2. MULTIPLE DX										
A. Not Operated	5962	8.5	42	2	3	7	10	15	19	37
B. Operated	2790	18.5	169	5	7	15	23	35	46	82
1. SINGLE DX	2946	8.2	43	2	2	7	10	16	20	30
2. MULTIPLE DX	8752	11.7	104	3	4	9	14	23	32	61
A. NOT OPERATED	8146	7.9	37	2	3	7	10	14	17	33
B. OPERATED	3552	17.6	150	5	7	15	21	32	42	78
TOTAL 0-19 YRS	30	10.9	61	2	3	9	13	20	29	34
20-34	194	9.1	57	2	3	7	11	16	20	45
35-49	1088	9.6	53	2	3	8	12	18	23	35
50-64	3395	10.4	78	2	3	8	13	20	26	47
65+	6991	11.2	104	2	3	8	14	22	31	62
GRAND TOTAL	11698	10.8	91	2	3	8	13	21	28	53

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	3.1	3	1	1	3	4	6	6	7
20-34	45	3.8	9	1	1	3	4	7	9	19
35-49	37	3.4	5	<1	1	3	5	6	7	12
50-64	25	4.3	12	1	1	3	5	7	12	17
65+	13	4.5	11	1	1	3	6	10	12	12
B. Operated										
0-19 YRS	210	3.8	7	1	1	3	5	7	9	16
20-34	1048	3.9	11	1	2	3	5	6	7	11
35-49	858	4.1	6	1	2	4	5	7	8	15
50-64	559	4.5	7	2	2	4	5	7	9	19
65+	194	5.4	17	2	2	4	6	11	17	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.1	4	<1	1	3	4	5	7	10
20-34	45	5.5	22	1	1	5	6	11	13	29
35-49	56	6.3	27	1	1	4	8	15	16	23
50-64	69	5.8	16	1	2	5	8	10	14	21
65+	60	9.9	85	2	3	7	13	22	35	95
B. Operated										
0-19 YRS	79	5.7	91	1	2	4	6	10	13	65
20-34	816	5.0	16	2	2	4	6	8	11	23
35-49	923	5.1	24	2	2	4	6	8	10	24
50-64	895	6.1	29	2	3	5	7	11	16	27
65+	420	9.1	76	3	3	6	11	18	25	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	3.7	7	1	1	3	5	6	8	17
B. Operated	2869	4.2	9	1	2	4	5	7	8	17
2. MULTIPLE DX										
A. Not Operated	259	6.5	38	1	2	5	8	14	17	41
B. Operated	3133	5.9	34	2	3	4	6	10	16	29
1. SINGLE DX	3024	4.2	9	1	2	4	5	7	8	17
2. MULTIPLE DX	3392	6.0	34	2	2	4	6	11	16	30
A. NOT OPERATED	414	5.4	28	1	1	4	7	11	16	29
B. OPERATED	6002	5.1	23	2	2	4	6	8	12	25
TOTAL 0-19 YRS	353	4.1	26	1	1	3	5	7	10	15
20-34	1954	4.4	14	2	2	4	5	7	9	20
35-49	1874	4.7	16	2	2	4	5	7	9	21
50-64	1548	5.5	21	2	2	4	6	9	13	25
65+	687	8.0	62	2	3	5	9	17	23	43
GRAND TOTAL	6416	5.1	23	2	2	4	6	8	12	25

249 PAS Hospitals, Northeastern Region, January-December 1979

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	708	4.8	20	1	1	4	6	10	13	23
20-34	884	6.4	26	1	2	5	8	13	16	26
35-49	578	6.2	28	1	2	5	8	12	16	27
50-64	525	6.3	42	1	1	4	8	13	17	35
65+	499	6.6	49	1	1	5	8	12	18	28
B. Operated										
0-19 YRS	248	7.2	39	1	1	6	9	15	21	32
20-34	624	10.6	98	1	2	8	14	24	30	49
35-49	418	9.3	72	1	2	7	13	20	25	45
50-64	482	9.1	81	1	2	7	13	20	25	51
65+	442	11.0	130	1	2	9	14	23	31	64
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	529	5.9	36	1	1	4	7	12	16	33
20-34	1058	7.4	48	2	2	5	9	14	19	38
35-49	914	7.0	33	2	2	6	9	13	17	32
50-64	1365	8.0	55	2	2	6	10	15	20	38
65+	2870	9.0	62	2	3	7	11	17	23	48
B. Operated										
0-19 YRS	222	12.4	144	2	3	10	15	28	42	99+
20-34	947	13.1	154	2	3	9	16	30	37	65
35-49	852	13.0	144	2	3	9	17	27	38	68
50-64	1219	15.0	199	2	3	11	19	34	48	97
65+	1785	17.5	232	3	4	14	22	39	51	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3194	6.0	32	1	1	4	8	12	16	27
B. Operated	2214	9.8	90	1	2	7	13	21	27	49
2. MULTIPLE DX										
A. Not Operated	6736	8.1	53	2	2	6	10	15	20	41
B. Operated	5025	15.1	194	2	3	11	19	33	45	84
1. SINGLE DX	5408	7.6	59	1	2	5	10	16	22	38
2. MULTIPLE DX	11761	11.1	126	2	3	8	13	23	34	65
A. NOT OPERATED	9930	7.4	47	1	2	6	9	14	19	37
B. OPERATED	7239	13.5	168	2	2	10	17	29	41	72
TOTAL 0-19 YRS	1707	6.5	49	1	1	4	8	13	18	41
20-34	3513	9.3	87	2	2	6	11	20	28	48
35-49	2762	9.1	80	1	2	6	11	19	26	47
50-64	3591	10.3	117	1	2	7	13	22	32	64
65+	5596	11.7	137	2	3	8	14	24	35	70
GRAND TOTAL	17169	10.0	107	1	2	7	12	21	30	59

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	12.0	143	2	3	8	13	23	50	52
20-34	97	9.8	51	2	3	8	14	19	24	33
35-49	108	10.2	40	3	4	9	13	19	25	30
50-64	38	12.2	125	4	4	9	13	22	35	63
B. Operated										
0-19 YRS	20	7.8	39	1	2	6	13	16	19	20
20-34	48	11.4	139	1	1	9	16	27	36	59
35-49	50	10.0	69	1	1	9	14	22	27	34
50-64	9	12.8	59	2	4	12	16	24	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	10.3	17	7	7	9	13	15	15	15
20-34	227	11.7	113	2	3	8	14	24	37	80
35-49	635	13.9	130	3	4	10	17	29	38	57
50-64	867	14.5	119	3	4	12	18	28	36	61
65+	386	15.8	164	3	4	12	19	31	38	70
B. Operated										
0-19 YRS	69	18.4	248	2	4	15	25	35	66	96
20-34	255	17.8	158	3	5	14	23	33	43	70
35-49	333	18.4	178	4	5	15	25	36	44	71
50-64	153	20.3	226	3	6	16	26	43	48	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	274	10.6	67	3	4	8	13	20	26	48
B. Operated	127	10.4	90	1	1	9	15	22	28	41
2. MULTIPLE DX										
A. Not Operated	2118	14.3	131	3	4	11	18	29	37	61
B. Operated	810	18.6	187	4	5	15	24	36	45	72
1. SINGLE DX	401	10.5	74	2	2	9	14	21	27	44
2. MULTIPLE DX	2928	15.5	150	3	4	12	20	31	40	67
A. NOT OPERATED	2392	13.8	125	3	4	11	18	28	36	60
B. OPERATED	937	17.5	181	2	4	14	23	34	44	70
TOTAL 0-19 YRS	3	10.3	17	7	7	9	13	15	15	15
20-34	347	12.9	145	2	3	9	17	26	40	79
35-49	1035	14.4	135	3	4	11	19	29	38	62
50-64	1358	15.0	131	3	4	12	19	29	38	62
65+	586	16.7	181	3	5	13	22	34	43	66
GRAND TOTAL	3329	14.9	143	3	4	12	19	30	39	65

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	6.5	29	<1	1	5	9	15	20	20
20-34	35	5.3	17	1	1	4	7	13	15	17
35-49	48	9.6	60	1	2	7	13	20	27	33
50-64	74	10.6	149	2	2	7	13	20	24	82
65+	37	9.8	88	1	1	8	12	18	22	54
B. Operated										
0-19 YRS	23	5.0	48	1	1	2	5	11	22	32
20-34	182	3.2	15	1	1	2	3	8	11	18
35-49	135	4.4	27	1	1	2	6	12	16	23
50-64	168	6.0	100	1	1	2	7	16	22	40
65+	64	8.8	74	1	1	6	13	20	25	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	6.5	13	<1	2	6	8	11	13	14
20-34	69	9.0	70	2	2	7	11	20	24	48
35-49	219	12.1	97	3	4	9	15	24	31	46
50-64	494	13.5	120	3	4	11	16	26	33	59
65+	467	15.2	149	3	4	12	19	31	41	97
B. Operated										
0-19 YRS	24	8.8	178	1	1	3	12	23	40	60
20-34	128	9.7	113	1	1	5	14	24	32	50
35-49	180	12.6	142	1	2	10	18	26	36	61
50-64	409	15.3	182	2	2	12	20	32	41	69
65+	367	18.6	256	2	2	14	25	38	51	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	9.1	91	1	2	7	11	19	23	50
B. Operated	572	5.0	53	1	1	2	6	14	18	32
2. MULTIPLE DX										
A. Not Operated	1263	13.5	125	3	4	11	17	27	37	66
B. Operated	1108	15.1	200	1	2	12	21	31	42	69
1. SINGLE DX	777	6.1	66	1	1	3	8	15	20	33
2. MULTIPLE DX	2371	14.3	161	2	3	11	19	29	39	68
A. NOT OPERATED	1468	12.9	123	3	4	10	16	25	35	64
B. OPERATED	1680	11.7	173	1	1	8	17	28	35	64
TOTAL 0-19 YRS	72	6.8	82	1	1	4	8	15	22	54
20-34	414	6.4	63	1	1	3	8	17	22	39
35-49	582	10.3	102	1	1	8	14	23	28	45
50-64	1145	12.8	150	1	2	10	17	27	34	64
65+	935	15.8	191	2	3	12	21	32	44	81
GRAND TOTAL	3148	12.3	150	1	2	9	16	27	35	64

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	7.3	43	2	2	5	10	14	20	40
20-34	155	8.3	48	2	3	7	11	15	17	27
35-49	71	8.3	42	2	2	6	11	17	21	34
50-64	87	8.4	34	2	2	7	11	16	18	31
65+	42	9.8	42	2	3	9	12	15	24	35
B. Operated										
0-19 YRS	13	8.9	111	<1	1	6	9	30	33	34
20-34	53	7.3	74	1	1	4	11	18	30	34
35-49	37	8.5	76	1	1	5	15	22	26	34
50-64	52	11.3	154	1	1	7	18	27	30	64
65+	30	12.8	171	2	2	10	15	26	32	69
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	8.9	49	3	3	7	9	17	28	36
20-34	149	8.7	36	2	3	7	12	15	19	38
35-49	187	12.0	109	3	4	9	14	23	32	67
50-64	413	12.5	90	3	4	10	17	26	32	50
65+	343	13.2	98	3	4	11	17	25	31	64
B. Operated										
0-19 YRS	11	19.3	473	2	3	9	24	50	76	78
20-34	54	13.4	136	2	2	10	17	28	43	52
35-49	85	16.2	135	2	2	13	24	34	40	44
50-64	166	17.9	178	2	4	15	22	35	44	70
65+	156	21.9	279	2	5	18	29	41	57	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	403	8.3	43	2	2	7	11	15	20	35
B. Operated	185	9.7	117	1	1	6	14	25	30	57
2. MULTIPLE DX										
A. Not Operated	1139	12.0	89	3	4	9	15	24	31	52
B. Operated	472	18.4	212	2	3	15	24	37	45	72
1. SINGLE DX	588	8.7	66	1	2	7	11	18	25	36
2. MULTIPLE DX	1611	13.9	133	3	4	11	18	28	37	64
A. NOT OPERATED	1542	11.0	79	2	3	9	14	21	28	51
B. OPERATED	657	16.0	200	1	2	13	22	33	43	70
TOTAL 0-19 YRS	119	9.2	99	1	2	7	10	19	29	52
20-34	411	9.0	61	1	2	7	12	17	22	42
35-49	380	11.9	106	2	3	8	15	25	33	53
50-64	718	13.2	116	2	3	10	17	27	33	57
65+	571	15.3	164	3	4	12	20	30	40	72
GRAND TOTAL	2199	12.5	120	2	3	9	16	26	33	59

249 PAS Hospitals, Northeastern Region, January-December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
A. Not Operated										
0-19 YRS	31	4.3	7	1	1	4	5	8	10	12
20-34	231	3.8	7	1	1	3	5	7	9	13
35-49	208	4.1	7	1	1	4	5	8	9	13
50-64	287	4.5	8	1	1	4	6	8	9	13
65+	246	6.7	17	1	2	6	9	11	15	20
B. Operated										
0-19 YRS	209	8.4	14	5	5	8	10	13	15	25
20-34	2472	8.2	10	5	6	7	9	12	14	20
35-49	2575	8.6	13	5	6	8	9	12	15	20
50-64	2854	9.3	13	6	6	8	10	14	16	24
65+	1320	11.4	26	6	7	10	14	18	21	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	5.0	11	<1	1	5	7	9	12	14
20-34	207	5.1	16	1	2	4	7	9	13	20
35-49	288	6.3	28	1	2	5	8	11	14	30
50-64	661	6.6	22	2	2	6	8	12	15	22
65+	1355	9.2	42	3	4	8	11	16	20	35
B. Operated										
0-19 YRS	94	10.9	27	5	6	10	13	16	22	30
20-34	1335	10.3	33	5	6	9	12	16	19	30
35-49	1905	10.8	35	6	6	9	13	17	20	32
50-64	3507	12.3	44	6	7	10	15	20	24	37
65+	3710	16.7	95	7	8	14	20	28	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1003	4.8	11	1	1	4	6	9	11	16
B. Operated	9430	9.1	15	5	6	8	10	14	16	24
2. MULTIPLE DX										
A. Not Operated	2534	7.8	35	2	3	7	10	14	17	30
B. Operated	10551	13.3	66	6	7	11	16	23	28	45
1. SINGLE DX	10433	8.7	16	4	5	8	10	13	16	23
2. MULTIPLE DX	13085	12.3	64	4	6	10	15	21	27	44
A. NOT OPERATED	3537	7.0	30	1	2	6	9	13	16	28
B. OPERATED	19981	11.3	46	6	6	9	13	19	24	38
TOTAL										
0-19 YRS	357	8.5	20	2	4	8	11	14	16	26
20-34	4245	8.5	20	3	5	8	10	13	16	25
35-49	4976	9.1	25	4	5	8	10	14	17	27
50-64	7309	10.3	33	4	6	9	12	17	21	32
65+	6631	13.8	80	5	6	11	17	24	30	48
GRAND TOTAL	23518	10.7	46	4	5	9	13	18	23	37

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.9	4	<1	1	4	5	7	8	8
20-34	315	4.6	8	1	2	4	6	9	10	14
35-49	279	4.7	8	1	1	4	6	8	9	12
50-64	270	5.6	16	1	2	5	7	9	13	20
65+	191	7.6	52	2	3	6	9	13	15	33
B. Operated										
0-19 YRS	21	9.3	40	2	4	7	12	20	24	26
20-34	268	9.3	22	5	6	8	11	15	17	30
35-49	264	10.1	22	5	6	9	12	16	19	25
50-64	303	10.3	17	5	6	9	12	15	18	24
65+	188	12.6	37	6	7	12	15	19	22	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	5.5	15	1	2	5	7	9	10	24
20-34	264	5.3	10	1	2	4	7	10	11	16
35-49	295	6.5	15	2	3	6	8	11	14	24
50-64	494	7.7	55	2	3	6	9	13	16	41
65+	823	9.9	56	3	4	8	12	18	23	42
B. Operated										
0-19 YRS	33	10.6	26	5	6	8	13	19	21	22
20-34	405	10.2	32	5	6	9	12	17	20	40
35-49	545	11.3	38	6	6	9	13	19	24	34
50-64	695	14.0	84	6	7	11	17	24	30	52
65+	846	18.0	115	7	8	15	22	31	42	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1099	5.4	19	1	2	5	7	9	12	17
B. Operated	1044	10.4	24	5	6	9	12	16	19	29
2. MULTIPLE DX										
A. Not Operated	1915	8.1	45	2	3	7	10	14	19	34
B. Operated	2524	14.1	84	6	7	11	17	25	31	53
1. SINGLE DX	2143	7.8	28	2	3	7	10	14	17	25
2. MULTIPLE DX	4439	11.5	77	3	4	9	14	21	28	50
A. NOT OPERATED	3014	7.1	37	2	2	6	9	13	16	30
B. OPERATED	3568	13.0	70	6	6	10	15	22	29	48
TOTAL										
0-19 YRS	137	6.8	25	1	2	6	8	13	19	24
20-34	1252	7.6	25	2	3	7	9	13	16	23
35-49	1383	8.7	31	2	3	8	11	15	19	30
50-64	1762	10.3	64	3	3	8	13	18	23	45
65+	2048	13.3	95	3	5	11	16	24	32	55
GRAND TOTAL	6582	10.3	64	2	3	8	13	19	24	45

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	21	3.2	5	1	1	3	5	6	8	9
35-49	21	4.4	11	1	1	3	6	9	12	14
50-64	35	6.2	26	1	2	5	8	10	18	25
65+	56	6.9	23	2	2	6	10	13	15	26
B. Operated										
0-19 YRS	6	10.7	37	5	5	10	11	21	22	22
20-34	99	9.6	24	3	4	9	12	16	20	25
35-49	112	10.5	24	3	6	9	13	18	20	24
50-64	161	11.8	56	2	4	10	15	21	24	48
65+	195	14.1	76	2	3	13	19	24	29	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	10	4.2	10	1	1	3	6	9	10	10
35-49	18	7.3	8	3	4	7	8	12	13	13
50-64	59	8.2	20	2	3	7	12	15	16	18
65+	183	9.7	57	2	3	8	12	17	20	27
B. Operated										
0-19 YRS	7	16.6	40	9	9	15	21	26	27	27
20-34	96	13.3	55	5	6	11	16	24	26	41
35-49	118	12.4	45	5	6	11	14	20	28	36
50-64	233	16.2	85	7	7	15	19	27	35	56
65+	548	21.1	127	7	10	19	26	36	42	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	5.8	20	1	2	5	8	11	14	25
B. Operated	573	11.9	54	2	4	10	15	21	24	34
2. MULTIPLE DX										
A. Not Operated	270	9.0	46	2	3	8	12	15	18	26
B. Operated	1002	18.1	112	6	8	16	23	32	39	66
1. SINGLE DX	709	10.7	53	2	3	9	14	20	24	33
2. MULTIPLE DX	1272	16.2	111	4	6	14	21	30	37	61
A. NOT OPERATED	406	7.9	39	2	2	7	10	14	18	25
B. OPERATED	1575	15.9	99	4	6	14	20	29	35	57
TOTAL 0-19 YRS	16	12.4	46	5	5	10	16	22	26	27
20-34	226	10.3	45	2	3	9	14	19	24	35
35-49	269	10.6	36	2	4	9	13	18	21	34
50-64	488	13.1	75	3	4	11	17	23	29	51
65+	982	15.8	124	3	5	15	22	31	38	65
GRAND TOTAL	1981	14.2	97	2	4	12	19	26	33	51

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.8	11	1	1	6	8	10	10	10
20-34	19	5.8	20	1	1	5	8	10	16	20
35-49	42	6.0	8	1	2	6	8	10	11	12
50-64	31	7.5	24	2	2	7	9	13	16	25
65+	72	9.1	30	1	3	8	13	17	19	23
B. Operated										
0-19 YRS										
20-34	10	7.8	35	1	2	6	11	17	19	19
35-49	26	11.3	81	1	1	10	15	26	28	30
50-64	20	14.6	111	1	2	14	19	30	38	40
65+	38	12.8	78	1	2	12	18	23	26	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	33	9.2	155	2	2	6	10	21	28	69
35-49	42	10.0	58	2	3	8	12	24	28	34
50-64	123	10.7	69	3	3	8	14	23	28	42
65+	340	12.4	58	4	5	11	16	22	27	42
B. Operated										
0-19 YRS	5	20.0	52	10	10	18	26	28	28	28
20-34	21	20.1	275	2	3	14	32	38	54	72
35-49	64	16.7	230	2	3	13	23	31	48	99+
50-64	130	20.6	207	2	5	18	27	40	50	76
65+	299	23.7	202	7	10	21	28	42	51	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	7.5	23	1	2	6	10	14	17	23
B. Operated	94	12.2	83	1	1	11	18	24	27	41
2. MULTIPLE DX										
A. Not Operated	540	11.6	67	2	4	10	15	22	27	42
B. Operated	519	21.9	213	4	7	19	27	40	50	85
1. SINGLE DX	266	9.2	49	1	2	8	13	19	23	35
2. MULTIPLE DX	1059	16.7	165	3	5	14	22	32	42	73
A. NOT OPERATED	712	10.6	59	2	3	9	14	20	25	38
B. OPERATED	613	20.4	205	2	5	18	26	37	48	83
TOTAL 0-19 YRS	15	10.5	72	1	1	9	16	26	27	28
20-34	83	11.0	166	1	2	8	12	25	34	71
35-49	174	11.7	129	1	2	8	15	27	30	86
50-64	304	14.9	152	2	4	11	19	29	40	54
65+	749	16.6	148	3	5	14	21	31	41	73
GRAND TOTAL	1325	15.2	150	2	4	12	20	29	38	70

249 PAS Hospitals, Northeastern Region, January-December 1979

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	6.3	19	2	2	5	8	12	14	25
20-34	500	7.0	23	2	3	6	9	12	16	21
35-49	536	8.1	47	2	3	6	10	15	19	38
50-64	333	8.3	30	2	3	7	10	14	20	29
65+	178	8.8	23	3	4	8	11	15	19	25
B. Operated										
0-19 YRS	6	8.8	18	3	3	8	12	15	15	15
20-34	42	11.3	176	1	1	9	15	21	33	76
35-49	72	14.7	160	1	1	14	20	32	39	94
50-64	72	16.1	260	1	1	12	20	37	46	84
65+	43	15.5	167	<1	1	14	19	30	43	57
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	7.1	24	3	3	6	8	11	13	32
20-34	770	9.1	38	3	4	8	11	16	21	36
35-49	1144	9.9	58	3	4	8	12	18	25	41
50-64	897	10.3	48	3	4	9	13	17	21	38
65+	803	11.1	62	4	4	10	13	18	24	47
B. Operated										
0-19 YRS	11	16.5	114	5	5	13	21	33	39	40
20-34	133	23.4	311	5	7	19	32	58	69	99+
35-49	286	20.4	230	4	7	17	25	43	59	99+
50-64	297	21.7	298	3	6	18	28	45	63	99+
65+	278	21.5	179	6	9	19	26	37	52	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1616	7.8	33	2	3	6	9	14	18	27
B. Operated	235	14.5	192	1	1	12	19	33	41	78
2. MULTIPLE DX										
A. Not Operated	3652	10.1	52	3	4	8	12	18	22	39
B. Operated	1005	21.5	246	4	7	18	27	43	62	99+
1. SINGLE DX	1851	8.6	58	2	3	7	10	16	21	40
2. MULTIPLE DX	4657	12.5	116	3	4	9	15	24	33	67
A. NOT OPERATED	5268	9.4	47	3	4	8	11	17	21	37
B. OPERATED	1240	20.1	243	2	5	17	26	40	59	99+
TOTAL 0-19 YRS	124	7.6	36	2	3	6	9	13	19	34
20-34	1445	9.7	82	2	3	7	11	18	25	58
35-49	2038	11.1	98	3	4	8	13	22	30	59
50-64	1599	12.3	123	3	4	9	14	24	33	66
65+	1302	13.2	105	3	4	10	16	25	32	63
GRAND TOTAL	6508	11.4	102	3	4	9	14	22	30	61

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	3.8	6	1	1	3	4	7	10	13
20-34	123	4.6	10	1	1	4	6	9	11	15
35-49	148	5.5	19	1	2	5	7	9	12	27
50-64	181	6.5	38	1	2	5	8	12	15	20
65+	300	7.6	28	1	2	7	10	14	16	27
B. Operated										
0-19 YRS	6	3.3	10	1	1	2	5	9	9	9
20-34	18	6.8	24	2	3	6	7	11	19	23
35-49	25	10.0	61	1	3	8	11	23	28	33
50-64	32	9.5	29	2	3	9	12	16	22	24
65+	39	11.8	122	1	2	9	14	20	40	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	129	6.0	25	2	2	5	7	11	14	28
20-34	329	6.1	29	2	2	5	7	11	14	34
35-49	516	7.3	42	2	3	6	9	13	16	33
50-64	1116	8.8	55	2	3	7	10	15	21	34
65+	2793	10.3	56	3	4	8	12	18	23	42
B. Operated										
0-19 YRS	18	8.5	67	<1	1	6	15	23	25	25
20-34	59	10.4	108	2	3	8	12	17	36	54
35-49	145	10.9	113	2	5	12	17	26	34	60
50-64	391	13.1	100	3	4	10	16	24	32	51
65+	775	17.1	158	5	6	14	21	34	45	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	844	6.1	26	1	2	5	8	11	14	23
B. Operated	120	9.7	67	1	2	8	12	19	24	48
2. MULTIPLE DX										
A. Not Operated	4883	9.2	54	2	3	8	11	16	22	37
B. Operated	1388	15.2	138	3	5	12	19	30	40	72
1. SINGLE DX	964	6.6	32	1	2	5	9	12	16	27
2. MULTIPLE DX	6271	10.6	79	2	4	8	13	20	27	52
A. NOT OPERATED	5727	8.8	51	2	3	7	11	16	21	36
B. OPERATED	1508	14.8	135	3	5	12	18	29	40	70
TOTAL 0-19 YRS	245	5.3	22	1	2	4	6	10	14	25
20-34	529	6.3	36	1	2	5	7	11	14	36
35-49	834	8.2	58	2	2	6	10	16	22	37
50-64	1720	9.5	67	2	3	8	11	17	23	43
65+	3907	11.4	83	3	4	9	14	21	29	56
GRAND TOTAL	7235	10.0	74	2	3	8	12	19	26	49

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	3.7	8	1	1	3	4	7	9	15
20-34	8	5.0	5	3	3	4	7	8	8	8
35-49	14	7.1	30	1	2	6	10	15	19	20
50-64	9	10.4	39	2	4	8	17	19	19	19
65+	3	5.7	10	2	2	7	8	8	8	8
B. Operated										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	13	9.4	52	1	3	8	11	19	26	28
35-49	13	9.9	30	4	5	7	13	19	21	21
50-64	14	7.9	61	<1	1	6	11	19	27	29
65+	12	15.8	96	4	5	14	22	30	33	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	7.2	47	2	3	5	8	14	16	43
20-34	25	11.5	153	2	4	7	10	33	47	48
35-49	44	9.9	102	1	2	7	11	18	31	53
50-64	46	12.1	85	3	3	9	17	25	29	43
65+	61	15.1	170	4	5	12	18	26	33	89
B. Operated										
0-19 YRS	7	16.0	202	2	2	18	32	83	99+	99+
20-34	15	11.5	36	<1	1	11	16	19	20	21
35-49	26	16.9	141	5	5	13	20	37	43	45
50-64	37	16.3	160	3	4	12	19	37	44	53
65+	39	24.1	552	2	4	15	36	70	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	4.9	17	1	1	4	7	9	14	20
B. Operated	54	10.4	64	1	2	8	15	21	29	34
2. MULTIPLE DX										
A. Not Operated	243	11.0	113	2	3	8	13	23	30	48
B. Operated	124	18.3	278	2	4	14	21	43	57	99+
1. SINGLE DX	157	6.8	40	1	1	5	9	16	20	29
2. MULTIPLE DX	367	13.5	180	2	3	10	16	29	43	92
A. NOT OPERATED	346	9.2	92	1	2	6	12	20	26	47
B. OPERATED	178	15.9	225	2	3	12	19	37	51	99
TOTAL 0-19 YRS	145	6.0	42	1	1	4	6	13	16	48
20-34	61	10.2	85	1	3	8	11	18	30	48
35-49	97	11.4	102	2	3	9	13	24	37	49
50-64	106	12.8	110	2	3	10	17	28	37	48
65+	115	18.0	304	3	5	13	21	38	61	97
GRAND TOTAL	524	11.5	147	1	2	8	14	24	37	78

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	7.7	28	2	2	6	11	17	18	23
20-34	28	6.6	31	<1	1	5	9	16	18	21
35-49	14	5.3	6	2	2	5	6	9	10	10
50-64	17	7.5	32	2	2	5	13	16	17	18
65+	6	9.8	33	4	4	8	14	18	19	19
B. Operated										
0-19 YRS	46	6.6	113	<1	1	4	7	12	17	70
20-34	54	4.3	11	1	2	3	5	9	12	15
35-49	35	5.2	15	1	2	4	8	11	13	15
50-64	25	8.9	77	1	2	6	11	21	27	41
65+	15	14.2	150	2	4	11	18	29	43	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	9.1	63	2	3	7	12	16	29	37
20-34	49	8.0	59	1	2	5	10	18	22	41
35-49	27	12.6	231	3	3	8	14	19	38	82
50-64	50	10.7	69	1	3	8	13	24	29	40
65+	111	13.7	126	3	4	11	17	26	38	91
B. Operated										
0-19 YRS	43	13.7	239	2	2	8	17	38	51	66
20-34	57	11.9	133	2	2	8	14	28	36	55
35-49	68	10.0	91	2	2	7	14	20	24	53
50-64	92	14.9	194	2	3	12	20	29	35	80
65+	81	19.0	151	3	5	17	27	35	44	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	7.4	28	2	2	6	10	16	18	23
B. Operated	175	6.6	66	1	2	4	8	13	18	45
2. MULTIPLE DX										
A. Not Operated	303	11.2	105	2	3	9	14	24	30	61
B. Operated	341	14.3	167	2	3	11	19	31	40	66
1. SINGLE DX	355	7.0	47	1	2	5	9	15	18	29
2. MULTIPLE DX	644	12.8	140	2	3	10	16	28	37	66
A. NOT OPERATED	483	9.8	79	2	2	8	13	20	24	41
B. OPERATED	516	11.7	146	2	2	7	16	27	36	63
TOTAL 0-19 YRS	270	8.8	89	2	2	6	11	17	24	55
20-34	188	7.9	71	1	2	5	10	16	23	48
35-49	144	8.9	97	2	2	7	11	17	21	58
50-64	184	12.3	136	2	3	9	16	25	32	61
65+	213	15.6	140	3	4	13	21	32	40	90
GRAND TOTAL	999	10.7	114	2	2	7	14	23	32	56

249 PAS Hospitals, Northeastern Region, January-December 1979

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	6.9	17	2	2	6	9	12	16	18
20-34	6	7.0	20	4	4	5	6	15	16	16
35-49	6	6.8	34	<1	<1	5	10	16	17	17
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	3	10.7	25	6	6	10	14	16	16	16
20-34	7	8.3	17	4	4	6	11	14	15	15
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64										
65+	3	12.3	80	2	2	17	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	7.0	16	2	2	6	9	13	16	17
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	5	5.8	19	1	1	5	9	12	12	12
50-64	11	12.9	46	7	7	11	14	25	29	29
65+	9	9.6	16	4	5	9	13	16	16	16
B. Operated										
0-19 YRS	5	13.4	101	2	2	11	22	27	27	27
20-34	14	18.1	610	1	2	8	14	54	79	86
35-49	9	7.3	29	3	3	5	11	16	18	18
50-64	12	10.2	37	2	3	10	15	18	20	20
65+	14	12.9	25	3	7	13	16	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	6.8	18	1	2	6	9	13	17	18
B. Operated	15	9.6	28	2	4	10	14	17	18	18
2. MULTIPLE DX										
A. Not Operated	80	7.9	24	2	2	7	10	14	16	27
B. Operated	54	12.8	189	2	2	10	15	20	40	85
1. SINGLE DX	78	7.4	21	2	2	6	10	15	17	18
2. MULTIPLE DX	134	9.9	96	2	2	8	12	17	21	57
A. NOT OPERATED	143	7.4	22	2	2	7	10	14	16	22
B. OPERATED	69	12.1	195	2	2	10	15	20	28	79
TOTAL 0-19 YRS	109	7.3	21	2	2	7	9	14	16	23
20-34	30	12.0	316	1	2	6	11	29	51	86
35-49	22	7.0	25	1	2	5	11	14	17	18
50-64	24	11.3	40	3	5	10	14	20	24	29
65+	27	11.4	28	2	4	12	16	18	20	21
GRAND TOTAL	212	8.9	69	2	2	7	12	16	18	46

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	7	<1	1	1	3	8	9	9
20-34	58	1.6	1	1	1	1	2	3	4	8
35-49	38	2.3	6	<1	<1	1	3	5	9	11
50-64	53	4.8	38	1	1	2	5	12	20	31
65+	51	4.2	19	1	1	2	7	9	14	20
B. Operated										
0-19 YRS	13	8.8	50	<1	2	6	14	18	25	26
20-34	42	7.9	85	1	2	4	9	24	36	99+
35-49	65	7.6	60	1	1	4	9	19	26	33
50-64	110	8.7	123	1	2	5	11	17	29	62
65+	75	9.4	84	2	2	6	12	21	24	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	2.9	22	<1	<1	1	3	5	6	32
20-34	102	5.0	30	1	1	3	7	12	16	27
35-49	133	6.3	76	1	1	4	7	13	17	51
50-64	300	8.3	81	1	1	5	11	19	27	45
65+	538	9.3	125	1	1	6	13	22	30	63
B. Operated										
0-19 YRS	57	12.5	191	1	2	7	17	31	43	63
20-34	155	14.6	280	1	2	9	21	37	59	99
35-49	274	13.5	222	2	2	8	18	36	45	95
50-64	491	15.3	239	1	2	10	22	37	50	87
65+	401	19.0	315	2	3	14	26	43	63	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	215	3.2	17	<1	1	1	3	8	11	22
B. Operated	305	8.6	91	1	2	5	11	21	27	56
2. MULTIPLE DX										
A. Not Operated	1123	6.0	98	1	1	5	11	19	27	53
B. Operated	1378	15.8	264	2	2	10	22	38	55	93
1. SINGLE DX	520	6.3	67	1	1	3	8	15	23	44
2. MULTIPLE DX	2501	12.3	205	1	1	7	16	30	44	81
A. NOT OPERATED	1338	7.2	88	1	1	4	9	18	25	49
B. OPERATED	1683	14.5	241	2	2	9	20	36	49	90
TOTAL 0-19 YRS	135	7.5	115	<1	1	3	8	19	31	59
20-34	357	8.9	167	1	1	4	11	25	36	84
35-49	510	10.0	162	1	1	6	12	25	38	71
50-64	954	11.8	178	1	2	7	16	29	41	70
65+	1065	12.7	214	1	1	8	17	30	43	85
GRAND TOTAL	3021	11.3	186	1	1	6	15	28	41	74

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	7	4.3	8	1	1	5	7	7	7	7
20-34	7	5.3	22	2	2	4	6	13	15	15
35-49	5	7.0	50	1	1	6	11	18	18	18
50-64	22	8.2	49	<1	1	7	13	24	52	99+
65+	24	12.1	110	3	4	9	16	23	33	50
<i>B. Operated</i>										
0-19 YRS	3	36.3	785	9	9	35	57	65	65	65
20-34	20	12.9	163	2	2	7	22	34	37	38
35-49	16	15.3	310	1	2	6	29	46	50	52
50-64	23	10.8	187	1	1	6	14	24	40	63
65+	24	12.8	214	1	2	8	16	41	47	55
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	16	10.8	75	3	3	7	14	26	30	32
20-34	26	8.3	48	1	1	7	9	21	26	28
35-49	37	9.1	64	2	3	6	12	23	28	32
50-64	102	12.7	184	1	1	9	16	28	52	85
65+	356	14.1	129	2	4	12	17	27	37	73
<i>B. Operated</i>										
0-19 YRS	11	8.4	45	2	3	7	11	17	25	26
20-34	34	19.5	420	3	5	10	29	39	68	92
35-49	49	14.1	216	2	2	11	17	26	41	85
50-64	139	18.5	321	2	3	14	28	39	68	99+
65+	205	23.8	268	3	5	21	32	48	60	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	65	8.8	69	1	1	7	13	21	26	92
<i>B. Operated</i>	86	13.6	237	1	2	7	19	38	48	64
2. MULTIPLE DX										
<i>A. Not Operated</i>	537	13.1	132	2	3	11	16	26	37	72
<i>B. Operated</i>	438	20.3	298	2	3	16	29	42	61	99+
1. SINGLE DX	151	11.5	170	1	2	7	15	30	44	65
2. MULTIPLE DX	975	16.3	219	2	3	12	22	36	48	97
A. NOT OPERATED	602	12.7	127	1	3	10	16	26	35	73
B. OPERATED	524	19.2	293	2	3	15	28	42	59	99+
TOTAL										
0-19 YRS	37	10.9	153	1	2	7	11	27	34	65
20-34	87	13.5	241	2	2	8	18	32	37	84
35-49	107	12.2	173	2	2	8	16	27	39	66
50-64	286	15.0	252	1	2	10	21	37	60	99+
65+	609	17.2	199	2	4	14	23	37	48	99
GRAND TOTAL	1126	15.7	215	2	3	12	21	35	48	95

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	162	5.1	5	2	3	5	6	8	9	12
20-34	252	4.9	6	2	2	5	6	8	8	11
35-49	55	6.5	9	2	3	6	9	10	12	14
50-64	48	6.4	8	2	3	6	8	11	11	13
65+	43	7.3	11	3	4	7	9	12	13	19
<i>B. Operated</i>										
0-19 YRS	19	5.6	5	1	2	6	8	8	9	9
20-34	29	7.1	23	2	2	6	8	10	17	26
35-49	10	6.6	6	3	3	7	9	9	9	9
50-64	6	6.0	14	3	3	5	7	12	13	13
65+	3	9.3	10	7	7	8	12	13	13	13
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	152	5.1	6	2	3	5	6	8	10	13
20-34	294	6.9	45	2	3	6	8	11	15	65
35-49	126	7.0	11	3	3	6	9	12	13	18
50-64	156	9.1	42	3	4	7	11	15	19	41
65+	281	10.1	30	4	5	9	13	17	21	28
<i>B. Operated</i>										
0-19 YRS	32	7.2	11	3	4	6	8	11	14	19
20-34	60	10.3	67	4	4	9	12	15	20	58
35-49	45	11.1	89	3	4	8	14	23	40	99+
50-64	70	16.5	157	5	7	13	20	28	41	72
65+	65	20.5	120	8	8	18	25	35	44	57
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	560	5.4	7	2	3	5	7	9	10	14
<i>B. Operated</i>	67	6.6	14	2	3	6	8	10	13	24
2. MULTIPLE DX										
<i>A. Not Operated</i>	1009	7.9	33	3	3	7	10	14	17	28
<i>B. Operated</i>	272	14.1	121	4	5	11	17	27	35	65
1. SINGLE DX	627	5.5	8	2	3	5	7	9	10	14
2. MULTIPLE DX	1281	9.2	58	3	3	7	11	17	23	47
A. NOT OPERATED	1569	7.0	25	2	3	6	8	12	15	26
B. OPERATED	339	12.6	108	3	4	9	15	25	32	62
TOTAL										
0-19 YRS	365	5.3	6	2	3	5	6	8	10	13
20-34	635	6.4	33	2	3	5	8	10	14	27
35-49	236	7.6	28	3	3	7	9	12	16	39
50-64	280	10.4	77	3	4	8	12	19	25	51
65+	392	11.5	60	4	5	9	14	22	26	45
GRAND TOTAL	1908	8.0	45	3	3	6	9	14	20	38

249 PAS Hospitals, Northeastern Region, January-December 1979

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	223	4.7	7	1	2	4	6	8	10	14
20-34	270	5.0	11	2	2	4	6	8	9	23
35-49	95	5.7	11	2	2	5	7	11	14	16
50-64	53	6.7	26	1	2	5	8	13	16	30
65+	41	8.3	32	2	3	7	11	17	22	24
B. Operated										
0-19 YRS	43	5.9	22	<1	1	5	8	11	17	20
20-34	61	6.3	18	<1	1	6	9	12	15	90
35-49	42	7.3	65	<1	1	5	10	14	26	39
50-64	39	9.5	70	2	2	6	15	25	26	27
65+	33	12.4	98	2	4	8	17	29	34	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	156	5.3	6	2	3	5	7	8	10	14
20-34	272	5.8	10	2	3	5	7	9	11	16
35-49	157	7.3	23	2	3	6	9	13	17	24
50-64	195	9.1	44	3	3	8	11	16	21	39
65+	321	10.9	63	3	4	9	13	19	23	60
B. Operated										
0-19 YRS	78	6.9	27	1	2	7	9	12	16	30
20-34	152	9.6	100	2	2	7	11	17	26	65
35-49	133	12.0	115	2	3	9	17	24	30	60
50-64	174	14.4	162	3	3	11	18	32	42	69
65+	195	17.0	159	3	4	14	22	35	50	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	682	5.3	13	2	2	4	6	9	12	21
B. Operated	218	7.9	53	1	2	6	10	19	25	38
2. MULTIPLE DX										
A. Not Operated	1101	8.0	38	2	3	7	10	14	18	33
B. Operated	732	12.8	136	2	3	9	16	26	37	67
1. SINGLE DX	900	6.0	24	1	2	5	7	10	15	29
2. MULTIPLE DX	1833	9.9	83	2	3	7	12	19	26	56
A. NOT OPERATED	1783	7.0	30	2	3	6	9	13	16	29
B. OPERATED	950	11.7	121	2	2	9	15	25	34	66
TOTAL 0-19 YRS	500	5.3	12	1	2	5	7	9	11	17
20-34	755	6.3	32	2	2	5	8	11	15	34
35-49	427	8.4	59	2	2	6	10	17	22	39
50-64	461	10.9	96	2	3	8	13	22	31	61
65+	590	12.8	104	3	4	10	16	25	33	64
GRAND TOTAL	2733	8.6	67	2	2	6	10	17	24	50

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.5	3	1	1	2	3	5	6	8
20-34	317	2.7	3	1	1	2	3	5	6	9
35-49	383	3.1	8	1	1	2	4	6	8	12
50-64	296	3.3	5	1	1	3	4	7	8	11
65+	87	3.8	6	1	1	3	5	8	9	12
B. Operated										
0-19 YRS	18	9.4	17	3	4	9	12	13	18	21
20-34	201	10.0	39	3	3	9	12	15	22	37
35-49	255	8.9	24	2	2	9	11	14	17	26
50-64	303	10.6	44	2	3	10	13	18	21	36
65+	128	10.9	34	3	4	10	14	18	21	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.4	3	1	1	3	5	6	6	6
20-34	214	4.1	10	1	1	3	5	8	11	17
35-49	275	4.5	16	1	1	4	6	8	12	18
50-64	320	4.8	11	1	2	4	6	9	11	16
65+	266	7.1	49	2	2	5	9	13	17	38
B. Operated										
0-19 YRS	28	10.6	93	1	2	8	13	24	32	43
20-34	183	10.8	54	3	3	9	13	19	28	46
35-49	283	11.2	61	2	3	10	15	20	25	44
50-64	515	11.9	66	2	3	10	15	22	27	41
65+	405	14.5	107	3	4	12	19	30	35	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1115	3.1	6	1	1	2	4	6	8	11
B. Operated	905	10.0	35	2	3	9	12	16	20	32
2. MULTIPLE DX										
A. Not Operated	1091	5.1	22	1	2	4	6	10	13	21
B. Operated	1414	12.3	78	2	3	10	16	24	30	45
1. SINGLE DX	2020	6.2	31	1	1	4	9	13	16	27
2. MULTIPLE DX	2505	9.2	66	2	2	7	12	19	25	41
A. NOT OPERATED	2206	4.1	15	1	1	3	5	8	10	17
B. OPERATED	2319	11.4	62	2	3	10	14	21	27	42
TOTAL 0-19 YRS	94	6.4	45	1	1	4	8	13	20	38
20-34	915	6.3	35	1	1	4	9	13	16	32
35-49	1196	6.6	37	1	1	5	9	14	17	29
50-64	1434	8.3	50	1	2	7	11	17	21	33
65+	886	10.7	84	2	2	8	14	22	31	46
GRAND TOTAL	4525	7.8	53	1	2	6	11	16	21	36

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119	2.8	3	1	1	2	3	6	6	8
20-34	1179	2.5	3	1	1	2	3	4	5	8
35-49	1370	2.6	6	1	1	2	3	5	6	10
50-64	1033	2.8	5	1	1	2	4	5	7	10
65+	263	3.2	4	1	1	3	4	6	7	9
B. Operated										
0-19 YRS	46	6.8	30	2	2	5	9	11	14	34
20-34	751	6.4	16	2	2	5	9	12	14	19
35-49	966	7.2	29	2	2	6	9	13	16	26
50-64	892	7.6	24	2	3	7	10	14	17	23
65+	249	8.8	31	2	3	8	12	15	18	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.8	5	1	2	4	5	7	9	10
20-34	362	3.2	7	1	1	3	4	6	8	12
35-49	443	3.2	4	1	1	3	4	6	7	10
50-64	520	3.9	14	1	1	3	5	7	9	16
65+	270	5.4	56	1	2	4	6	10	12	23
B. Operated										
0-19 YRS	34	7.1	13	2	3	6	11	12	13	14
20-34	316	7.8	30	2	3	6	10	15	18	27
35-49	484	8.7	34	2	3	7	11	16	19	31
50-64	739	10.2	45	3	3	9	13	19	23	32
65+	452	13.2	90	3	4	11	17	25	32	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3964	2.7	5	1	1	2	3	5	6	9
B. Operated	2904	7.3	25	2	2	6	10	13	16	23
2. MULTIPLE DX										
A. Not Operated	1633	3.8	17	1	1	3	5	7	9	15
B. Operated	2025	10.1	53	2	3	8	13	19	24	37
1. SINGLE DX	6868	4.6	18	1	1	3	6	10	13	19
2. MULTIPLE DX	3658	7.3	47	1	2	5	10	15	20	33
A. NOT OPERATED	5597	3.0	9	1	1	2	4	5	7	11
B. OPERATED	4929	8.4	38	2	3	7	11	16	19	32
TOTAL 0-19 YRS	237	4.4	13	1	1	3	5	9	11	15
20-34	2608	4.3	15	1	1	3	5	9	12	18
35-49	3263	4.9	23	1	1	3	6	10	14	22
50-64	3184	6.1	30	1	1	4	8	13	17	25
65+	1234	8.5	68	1	2	6	11	18	24	38
GRAND TOTAL	10526	5.5	30	1	1	4	7	12	16	26

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	4.8	20	<1	<1	4	7	11	16	18
20-34	37	3.7	7	1	1	3	6	7	9	11
35-49	43	3.8	10	1	1	3	5	7	12	15
50-64	50	5.0	16	1	1	4	7	9	14	22
65+	51	5.3	28	1	1	3	7	11	17	27
B. Operated										
0-19 YRS	275	6.6	43	<1	<1	5	10	15	18	32
20-34	133	7.9	27	1	2	8	11	15	18	22
35-49	156	6.9	35	1	1	6	10	15	19	29
50-64	210	7.4	57	1	1	4	10	18	23	38
65+	159	7.7	47	1	2	6	11	16	20	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	5.5	29	1	1	4	7	11	14	34
20-34	91	5.4	29	1	2	4	6	10	13	35
35-49	70	8.9	130	2	2	5	9	19	34	60
50-64	152	7.5	41	1	2	6	10	15	22	32
65+	295	11.6	105	2	3	9	15	24	31	61
B. Operated										
0-19 YRS	303	8.5	61	<1	1	7	13	20	25	35
20-34	252	10.1	61	2	2	9	14	19	23	43
35-49	288	11.7	96	2	2	10	16	24	30	50
50-64	473	12.2	120	2	2	10	16	25	33	51
65+	609	14.7	133	2	3	12	20	29	38	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	4.6	17	1	1	3	6	9	13	20
B. Operated	933	7.2	43	<1	1	6	10	16	19	29
2. MULTIPLE DX										
A. Not Operated	674	9.0	82	1	2	6	11	18	27	48
B. Operated	1925	12.1	108	1	2	10	16	25	32	51
1. SINGLE DX	1162	6.7	39	<1	1	5	10	15	19	29
2. MULTIPLE DX	2599	11.3	103	1	2	9	15	23	31	51
A. NOT OPERATED	903	7.9	69	1	2	6	10	16	23	44
B. OPERATED	2858	10.5	92	1	2	9	15	22	28	47
TOTAL 0-19 YRS	692	7.2	49	<1	1	5	10	16	20	34
20-34	513	8.2	47	1	2	7	11	17	20	40
35-49	557	9.4	83	1	2	7	13	20	25	48
50-64	885	9.9	92	1	2	7	13	21	27	46
65+	1114	12.4	117	2	2	10	17	25	34	57
GRAND TOTAL	3761	9.9	88	1	2	8	14	21	27	47

249 PAS Hospitals, Northeastern Region, January-December 1979

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.3	5	<1	1	3	4	5	9	10
20-34	116	2.9	6	1	1	2	4	5	6	15
35-49	123	2.8	3	<1	1	2	4	5	6	10
50-64	92	3.8	13	1	1	3	5	6	9	23
65+	27	3.6	10	1	1	3	4	7	9	17
B. Operated										
0-19 YRS	13	4.8	16	<1	1	3	7	11	13	13
20-34	56	6.3	11	1	2	6	9	10	11	16
35-49	81	7.0	39	2	3	5	9	13	15	41
50-64	118	7.2	27	1	2	6	11	14	19	47
65+	80	7.1	29	2	2	5	10	14	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.9	5	1	2	5	7	7	7	7
20-34	53	3.7	10	1	1	3	4	7	11	16
35-49	69	5.1	25	1	2	4	6	9	14	32
50-64	71	5.3	24	1	2	4	6	9	17	29
65+	41	8.1	98	1	1	4	9	21	32	46
B. Operated										
0-19 YRS	5	10.6	119	2	2	5	16	29	29	29
20-34	41	10.8	99	2	2	8	13	21	23	59
35-49	83	10.4	105	2	3	8	14	19	22	67
50-64	171	9.5	42	2	3	9	12	17	21	35
65+	343	13.3	136	2	3	10	17	27	32	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	374	3.1	7	1	1	2	4	5	7	16
B. Operated	348	6.9	27	1	2	5	9	13	17	24
2. MULTIPLE DX										
A. Not Operated	242	5.4	34	1	2	4	6	10	16	33
B. Operated	643	11.7	107	2	3	9	15	23	29	56
1. SINGLE DX	722	4.9	20	1	1	4	6	11	13	23
2. MULTIPLE DX	885	10.0	95	2	2	7	13	21	27	51
A. NOT OPERATED	616	4.0	19	1	1	3	5	7	10	26
B. OPERATED	991	10.0	84	2	2	8	13	20	26	50
TOTAL 0-19 YRS	42	5.0	24	<1	1	4	6	10	12	29
20-34	266	5.0	30	1	1	3	6	11	14	22
35-49	356	6.0	48	1	1	4	7	13	17	30
50-64	452	7.1	34	1	2	5	10	15	19	28
65+	491	11.3	118	2	2	8	15	23	30	56
GRAND TOTAL	1607	7.7	68	1	2	5	10	17	23	39

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	138	3.3	3	1	1	3	4	5	6	10
20-34	102	3.3	4	1	1	3	4	6	8	10
35-49	42	4.0	7	1	2	3	5	8	10	12
50-64	48	5.1	7	1	2	5	6	8	9	15
65+	45	5.3	15	1	1	4	7	10	13	16
B. Operated										
0-19 YRS	232	2.6	3	<1	<1	2	4	5	7	10
20-34	313	3.3	8	<1	1	2	4	7	8	11
35-49	223	3.1	5	<1	1	2	4	6	8	12
50-64	330	3.3	8	<1	1	2	4	7	9	15
65+	336	4.4	12	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	112	3.9	7	1	1	3	5	7	9	14
20-34	126	4.8	11	1	2	4	6	9	12	36
35-49	81	5.4	10	1	2	5	7	10	12	14
50-64	152	6.8	21	2	2	6	8	13	16	25
65+	383	9.9	73	2	3	8	12	17	25	53
B. Operated										
0-19 YRS	319	3.2	9	<1	<1	2	4	7	9	17
20-34	477	4.5	16	1	1	3	6	8	11	26
35-49	454	5.1	23	1	1	4	7	10	14	25
50-64	712	6.5	47	1	2	4	8	14	18	31
65+	1171	9.0	76	2	2	7	11	19	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	375	3.8	6	1	1	3	5	7	9	13
B. Operated	1434	3.4	8	<1	1	3	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	854	7.4	46	2	2	6	9	14	18	37
B. Operated	3133	6.6	50	1	2	4	8	14	20	36
1. SINGLE DX	1809	3.5	8	<1	1	3	5	7	9	14
2. MULTIPLE DX	3987	6.8	49	1	2	5	8	14	20	37
A. NOT OPERATED	1229	6.3	36	1	2	5	8	13	16	30
B. OPERATED	4567	5.6	39	1	1	4	7	12	16	33
TOTAL 0-19 YRS	801	3.2	6	<1	<1	3	4	6	8	14
20-34	1018	4.0	12	<1	1	3	5	8	10	21
35-49	800	4.5	16	1	1	3	6	9	12	21
50-64	1242	5.7	34	1	2	4	7	12	15	27
65+	1935	8.3	67	2	2	6	10	16	24	45
GRAND TOTAL	5796	5.7	39	1	1	4	7	12	16	33

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.4	1	<1	<1	<1	1	2	4	6
20-34	13	3.7	13	<1	<1	2	5	9	12	13
35-49	9	2.6	2	1	1	2	4	5	5	5
50-64	7	2.1	1	1	1	2	3	4	4	4
65+	19	3.6	10	1	1	2	6	8	10	12
B. Operated										
0-19 YRS	869	1.8	3	<1	<1	1	2	3	5	10
20-34	299	3.1	9	<1	<1	2	4	6	9	14
35-49	202	3.7	13	<1	<1	3	4	7	10	19
50-64	278	4.1	11	<1	1	3	5	9	10	18
65+	286	5.3	28	<1	1	4	6	10	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	1.7	2	<1	<1	1	2	3	5	7
20-34	9	4.9	25	2	2	3	5	13	18	18
35-49	7	4.3	18	1	1	3	5	11	13	13
50-64	12	4.9	15	1	1	4	7	11	13	13
65+	64	9.4	70	2	3	7	12	21	30	92
B. Operated										
0-19 YRS	515	2.5	12	<1	<1	2	3	4	6	14
20-34	403	4.2	21	<1	1	3	5	8	13	26
35-49	351	4.6	46	<1	1	3	6	9	12	19
50-64	502	5.9	43	1	1	4	7	12	17	40
65+	847	8.5	67	2	2	6	11	16	23	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.7	7	<1	<1	2	3	6	8	13
B. Operated	1934	3.0	11	<1	<1	2	3	6	9	18
2. MULTIPLE DX										
A. Not Operated	113	6.8	54	<1	1	5	9	13	23	65
B. Operated	2618	5.6	47	<1	1	3	7	12	16	34
1. SINGLE DX	2003	3.0	11	<1	<1	2	3	6	9	17
2. MULTIPLE DX	2731	5.7	47	<1	1	3	7	12	17	35
A. NOT OPERATED	182	5.2	40	<1	<1	3	7	13	18	44
B. OPERATED	4552	4.5	33	<1	<1	2	5	10	14	29
TOTAL 0-19 YRS	1426	2.0	6	<1	<1	1	2	3	5	12
20-34	724	3.7	16	<1	<1	2	4	8	11	22
35-49	569	4.2	33	<1	1	3	5	9	12	19
50-64	799	5.2	32	<1	1	3	6	11	15	30
65+	1216	7.7	59	1	2	5	10	15	22	40
GRAND TOTAL	4734	4.5	34	<1	<1	3	5	10	14	29

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	564	4.1	7	1	1	3	5	7	9	13
20-34	319	4.0	7	1	1	4	5	7	9	12
35-49	143	4.8	11	1	1	4	6	8	11	20
50-64	186	5.4	18	1	2	4	7	9	14	26
65+	279	6.3	29	1	2	5	8	10	14	32
B. Operated										
0-19 YRS	525	3.0	10	<1	<1	2	3	7	10	14
20-34	481	3.4	19	<1	<1	2	4	7	10	21
35-49	417	3.4	11	<1	1	2	4	7	11	17
50-64	510	4.0	18	<1	1	3	5	8	11	25
65+	542	5.2	41	1	1	4	6	10	14	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	745	4.9	11	1	2	4	6	9	11	16
20-34	621	5.3	21	1	1	4	7	10	12	23
35-49	410	6.8	27	2	2	6	8	13	17	27
50-64	745	8.5	55	2	3	6	10	16	21	38
65+	2843	11.1	90	3	4	9	13	21	29	61
B. Operated										
0-19 YRS	674	4.1	26	<1	<1	2	5	10	13	26
20-34	669	5.4	32	1	1	3	7	12	16	27
35-49	733	6.0	36	1	1	4	8	14	18	32
50-64	1319	7.8	60	1	2	5	10	17	23	36
65+	2389	11.7	122	2	2	9	15	24	34	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1491	4.7	14	1	2	4	6	8	10	20
B. Operated	2475	3.8	21	<1	1	2	5	8	11	23
2. MULTIPLE DX										
A. Not Operated	5364	8.9	68	2	2	7	11	17	24	49
B. Operated	5784	8.5	84	1	2	6	11	19	25	49
1. SINGLE DX	3966	4.2	18	<1	1	3	5	8	11	22
2. MULTIPLE DX	11148	8.7	76	1	2	6	11	18	25	49
A. NOT OPERATED	6855	8.0	59	2	2	6	10	15	21	43
B. OPERATED	8259	7.1	69	<1	1	4	9	16	23	44
TOTAL 0-19 YRS	2508	4.1	15	<1	1	3	5	8	11	19
20-34	2090	4.7	23	<1	1	3	6	9	13	23
35-49	1703	5.4	27	1	1	4	7	12	15	27
50-64	2760	7.1	51	1	2	5	9	16	21	36
65+	6053	10.6	100	2	2	8	13	21	29	60
GRAND TOTAL	15114	7.5	65	1	2	5	9	16	22	43

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0	48	1	1	7	56	99+	99+	99+
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	6	4.2	8	1	1	3	7	8	8	8
50-64	50	4.1	13	1	1	3	6	9	10	18
65+	76	5.5	18	<1	1	4	8	11	13	22
B. Operated										
0-19 YRS	7	6.3	19	<1	<1	7	10	12	12	12
20-34	18	7.3	240	<1	<1	3	7	11	45	68
35-49	138	4.7	11	<1	1	4	7	9	10	15
50-64	2172	7.2	23	1	2	7	9	12	15	22
65+	3686	8.6	27	2	3	8	11	15	18	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	3.0		3	3	3	3	3	3	3
35-49	12	6.4	20	1	2	6	8	13	16	17
50-64	154	5.7	21	1	1	5	7	12	14	27
65+	466	8.3	62	1	2	6	10	19	26	42
B. Operated										
0-19 YRS	18	10.3	114	1	2	9	11	19	38	48
20-34	17	6.8	51	<1	1	7	9	12	24	30
35-49	178	6.4	22	<1	2	5	9	13	15	21
50-64	3053	9.6	40	2	2	8	12	17	21	34
65+	7633	12.8	82	3	5	11	16	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	4.9	16	<1	1	4	7	11	13	32
B. Operated	6021	8.0	26	2	2	7	10	14	17	25
2. MULTIPLE DX										
A. Not Operated	635	7.6	57	1	2	5	9	16	24	40
B. Operated	10899	11.7	72	2	4	10	14	21	27	47
1. SINGLE DX	6158	8.0	26	1	2	7	10	14	17	25
2. MULTIPLE DX	11534	11.5	72	2	4	10	14	21	27	47
A. NOT OPERATED	772	7.1	51	1	1	5	9	14	23	39
B. OPERATED	16920	10.4	59	2	3	9	13	18	24	42
TOTAL 0-19 YRS	28	8.7	84	<1	1	9	11	18	51	99+
20-34	40	6.6	127	<1	<1	3	8	11	21	68
35-49	334	5.7	18	<1	1	5	8	11	14	19
50-64	5429	8.5	34	2	2	8	11	15	19	28
65+	11861	11.3	68	2	4	9	14	20	26	46
GRAND TOTAL	17692	10.3	59	2	3	9	13	18	24	41

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.8	3	1	1	4	5	6	6	6
20-34	38	4.1	9	<1	1	3	6	8	11	13
35-49	37	3.9	4	1	2	4	6	6	7	8
50-64	37	4.9	5	1	2	5	6	8	9	9
65+	20	4.5	5	1	1	5	6	7	8	9
B. Operated										
0-19 YRS	28	2.3	2	<1	<1	2	2	5	5	7
20-34	173	2.5	7	<1	<1	2	3	5	5	11
35-49	186	2.5	5	<1	<1	2	3	5	7	11
50-64	152	3.0	6	<1	1	2	3	5	8	12
65+	69	4.7	22	<1	1	3	7	10	20	85
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.4	6	3	3	5	7	9	10	10
20-34	42	4.7	7	1	2	5	6	8	10	12
35-49	58	6.3	22	1	2	6	7	11	14	29
50-64	112	5.9	10	2	3	5	7	10	13	17
65+	91	7.1	33	2	3	6	8	12	15	37
B. Operated										
0-19 YRS	26	4.2	13	<1	2	3	6	7	13	16
20-34	165	3.5	8	<1	1	2	5	7	10	14
35-49	205	4.2	22	<1	1	3	5	8	11	24
50-64	284	5.7	24	1	2	4	7	12	15	25
65+	232	8.8	63	2	2	7	11	19	25	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	4.3	6	1	1	4	6	7	8	12
B. Operated	608	2.9	8	<1	<1	2	3	5	8	20
2. MULTIPLE DX										
A. Not Operated	310	6.2	19	2	2	5	7	10	13	19
B. Operated	912	5.7	34	1	1	4	7	12	18	31
1. SINGLE DX	749	3.1	8	<1	<1	2	4	6	8	13
2. MULTIPLE DX	1222	5.8	30	1	2	4	7	12	16	29
A. NOT OPERATED	451	5.6	15	1	2	5	7	9	12	18
B. OPERATED	1520	4.6	26	<1	1	3	5	10	14	27
TOTAL 0-19 YRS	70	3.5	8	<1	1	2	5	7	7	15
20-34	418	3.2	8	<1	<1	2	4	6	9	13
35-49	486	3.8	16	<1	<1	3	5	7	10	21
50-64	585	5.0	17	1	2	4	6	10	13	20
65+	412	7.5	49	1	2	6	9	16	21	40
GRAND TOTAL	1971	4.8	24	<1	1	3	6	10	13	25

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.7	1	<1	<1	1	3	3	3	3
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	274	2.8	2	<1	1	3	4	5	6	9
20-34	130	3.8	2	2	2	4	5	6	6	7
35-49	139	4.2	3	2	2	4	5	6	8	19
50-64	309	4.4	8	2	2	4	5	6	8	13
65+	144	4.8	7	2	2	4	5	8	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.8	14	<1	<1	1	3	7	13	16
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	5	4.2	12	1	1	4	7	9	9	9
50-64	6	4.2	5	1	1	4	6	7	7	7
65+	9	10.1	52	1	2	9	18	20	20	20
B. Operated										
0-19 YRS	256	3.0	3	<1	1	3	4	5	6	9
20-34	72	5.2	9	2	2	4	6	9	11	18
35-49	96	4.5	7	2	2	4	5	7	9	16
50-64	230	5.7	22	2	3	5	6	10	12	22
65+	217	7.8	40	2	3	6	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.8	1	<1	<1	1	2	3	4	4
B. Operated	996	3.9	5	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	47	4.5	26	<1	<1	2	6	11	18	20
B. Operated	871	5.3	21	1	2	4	6	10	13	27
1. SINGLE DX	1017	3.9	5	1	2	4	5	6	8	12
2. MULTIPLE DX	918	5.2	22	1	2	4	6	10	13	26
A. NOT OPERATED	68	3.6	20	<1	<1	2	4	9	16	20
B. OPERATED	1867	4.6	13	1	2	4	5	8	10	19
TOTAL										
0-19 YRS	565	2.9	3	<1	1	2	4	5	6	9
20-34	208	4.2	5	2	2	4	5	7	7	14
35-49	243	4.3	4	2	2	4	5	7	8	13
50-64	548	4.9	14	2	2	4	6	8	10	16
65+	371	6.7	30	2	3	5	8	13	17	31
GRAND TOTAL	1935	4.5	14	1	2	4	5	8	10	19

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	4.5	7	1	2	4	5	8	10	12
20-34	194	4.7	5	2	2	4	6	8	9	12
35-49	102	5.8	8	2	3	5	7	10	11	14
50-64	97	6.2	7	2	3	6	8	9	11	16
65+	64	6.7	19	2	3	6	8	11	12	26
B. Operated										
0-19 YRS	53	4.3	7	1	1	4	6	8	10	13
20-34	56	4.6	13	2	2	3	5	10	15	16
35-49	40	5.5	13	2	3	4	6	10	15	18
50-64	54	5.5	14	1	2	4	8	12	14	15
65+	28	7.5	17	3	3	6	9	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	5.8	10	2	2	5	7	9	12	17
20-34	62	6.1	12	2	2	5	8	11	12	18
35-49	69	6.4	15	1	2	5	9	12	15	17
50-64	115	7.3	13	3	4	7	9	11	14	19
65+	124	8.5	31	3	4	7	10	15	20	33
B. Operated										
0-19 YRS	31	5.3	11	2	2	4	7	10	11	15
20-34	43	5.4	11	1	2	5	7	10	13	16
35-49	51	8.2	54	2	2	6	10	19	25	39
50-64	72	9.8	39	2	3	9	13	18	21	30
65+	91	10.1	42	3	4	9	13	21	27	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	603	5.3	9	2	2	5	7	9	10	14
B. Operated	231	5.3	13	2	2	4	8	10	14	16
2. MULTIPLE DX										
A. Not Operated	408	7.2	19	2	3	6	9	12	15	22
B. Operated	288	8.5	39	2	2	7	11	18	22	36
1. SINGLE DX	834	5.3	10	2	2	5	7	9	11	16
2. MULTIPLE DX	696	7.7	28	2	3	7	10	14	19	29
A. NOT OPERATED	1011	6.1	14	2	2	5	8	10	12	19
B. OPERATED	519	7.0	30	2	2	5	9	14	19	29
TOTAL										
0-19 YRS	268	4.7	8	1	2	4	6	8	10	15
20-34	355	5.0	9	2	2	4	6	9	11	15
35-49	262	6.4	20	2	2	5	8	11	15	24
50-64	338	7.3	19	2	3	6	9	13	16	21
65+	307	8.5	31	3	3	7	11	15	21	33
GRAND TOTAL	1530	6.4	19	2	2	5	8	11	15	25

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	689	1.9	1	<1	<1	2	2	3	3	6
20-34	223	2.1	1	<1	1	2	2	3	4	5
35-49	112	2.1	1	<1	1	2	2	3	4	5
50-64	78	2.3	1	<1	1	2	3	4	5	7
65+	44	2.8	3	1	2	2	3	5	6	12
B. Operated										
0-19 YRS	779	1.8	1	<1	<1	2	2	2	3	5
20-34	253	2.1	3	<1	1	2	2	3	3	7
35-49	158	2.1	1	<1	1	2	2	3	3	7
50-64	107	3.1	80	1	1	2	3	3	4	44
65+	68	3.1	55	1	1	2	3	4	4	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	143	2.1	2	<1	<1	2	2	4	5	8
20-34	46	2.4	5	<1	1	2	2	3	6	15
35-49	75	3.0	6	1	1	2	3	6	9	78
50-64	89	3.4	8	1	2	3	3	7	9	18
65+	71	3.9	8	1	1	3	5	8	10	14
B. Operated										
0-19 YRS	170	2.3	4	<1	<1	2	2	3	5	13
20-34	127	2.9	10	1	1	2	3	5	6	15
35-49	152	3.2	11	1	1	2	3	7	9	21
50-64	160	3.7	11	1	2	3	4	7	10	17
65+	154	6.1	68	1	2	4	6	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1146	2.0	1	<1	<1	2	2	3	4	6
B. Operated	1365	2.0	10	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	424	2.9	6	<1	1	2	3	6	8	15
B. Operated	763	3.6	22	1	1	2	4	7	11	23
1. SINGLE DX	2511	2.0	6	<1	<1	2	2	3	3	6
2. MULTIPLE DX	1187	3.4	17	<1	1	2	3	6	9	21
A. NOT OPERATED	1570	2.2	3	<1	1	2	2	3	5	10
B. OPERATED	2128	2.6	15	<1	<1	2	2	4	6	16
TOTAL										
0-19 YRS	1781	1.9	2	<1	<1	2	2	3	3	7
20-34	649	2.3	4	1	1	2	2	3	4	9
35-49	497	2.6	5	<1	1	2	3	4	7	14
50-64	434	3.2	26	1	1	2	3	5	8	14
65+	337	4.6	46	1	2	3	5	9	13	34
GRAND TOTAL	3698	2.5	10	<1	<1	2	2	4	6	13

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	2.4	4	1	1	2	3	5	7	11
20-34	65	3.0	7	<1	1	2	4	5	7	16
35-49	41	3.3	11	1	1	3	4	5	6	22
50-64	24	3.5	8	1	1	3	4	6	12	13
65+	14	4.1	14	1	2	2	5	11	12	12
B. Operated										
0-19 YRS	515	2.9	5	<1	1	2	4	5	7	12
20-34	451	3.1	6	<1	1	3	3	5	8	15
35-49	273	3.6	6	1	1	3	4	7	9	13
50-64	222	4.3	13	1	2	3	5	8	10	18
65+	76	5.6	28	2	2	4	6	10	16	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.8	3	<1	1	2	4	5	6	7
20-34	41	4.5	16	1	1	3	5	9	13	20
35-49	54	5.9	66	1	1	4	6	10	15	56
50-64	38	4.3	10	1	1	3	5	10	10	14
65+	45	8.7	51	2	3	7	11	15	22	39
B. Operated										
0-19 YRS	166	3.4	7	1	1	3	4	6	8	14
20-34	240	4.1	12	1	2	3	5	7	10	20
35-49	186	5.1	51	1	2	4	6	9	13	22
50-64	260	6.8	56	2	2	5	8	14	20	45
65+	147	8.4	77	2	2	5	10	18	27	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	215	3.0	8	1	1	2	4	5	8	15
B. Operated	1537	3.4	8	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. Not Operated	218	5.4	36	1	1	4	6	11	14	33
B. Operated	999	5.5	42	1	2	4	6	10	16	38
1. SINGLE DX	1752	3.4	8	1	1	3	4	6	9	15
2. MULTIPLE DX	1217	5.5	41	1	2	4	6	10	16	38
A. NOT OPERATED	433	4.2	23	1	1	3	5	9	12	21
B. OPERATED	2536	4.2	23	1	1	3	5	8	11	22
TOTAL										
0-19 YRS	792	3.0	5	1	1	2	4	6	7	12
20-34	797	3.5	9	1	1	3	4	6	9	17
35-49	554	4.3	28	1	1	3	5	8	10	21
50-64	544	5.5	35	1	2	4	6	10	16	38
65+	282	7.5	58	2	2	5	9	15	21	41
GRAND TOTAL	2969	4.2	23	1	1	3	5	8	12	22

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.7	7	<1	<1	2	2	7	8	8
20-34	34	2.3	1	<1	<1	2	3	4	5	5
35-49	52	2.4	3	<1	<1	2	3	4	5	11
50-64	24	2.6	2	<1	<1	2	3	5	5	6
65+	9	2.8	2	<1	<1	3	4	5	5	5
B. Operated										
0-19 YRS	190	2.1	2	<1	<1	2	2	3	4	7
20-34	1378	2.3	2	<1	<1	2	3	3	4	7
35-49	2819	2.5	4	<1	<1	2	3	4	4	7
50-64	1314	2.6	2	1	2	3	3	4	5	9
65+	376	3.1	5	2	2	3	3	5	5	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	9	3.2	3	<1	<1	3	4	6	6	6
35-49	28	2.8	4	<1	<1	2	4	6	7	8
50-64	21	3.7	8	<1	<1	3	5	7	10	12
65+	13	7.3	27	1	2	7	10	14	18	19
B. Operated										
0-19 YRS	37	3.1	2	<1	1	3	4	6	6	6
20-34	483	3.1	4	1	1	3	3	5	7	11
35-49	1102	3.5	8	1	2	3	4	6	9	17
50-64	728	3.8	10	2	2	3	4	6	9	16
65+	363	4.8	22	2	2	3	5	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	2.4	2	<1	<1	2	3	4	5	9
B. Operated	6077	2.5	3	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated	74	3.9	11	<1	<1	3	5	8	11	18
B. Operated	2713	3.7	10	1	2	3	4	6	9	17
1. SINGLE DX	6202	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	2787	3.7	10	1	2	3	4	6	9	17
A. NOT OPERATED	199	3.0	6	<1	<1	2	3	6	8	13
B. OPERATED	8790	2.9	6	<1	2	2	3	4	6	12
TOTAL 0-19 YRS	236	2.3	2	<1	<1	2	3	4	5	8
20-34	1904	2.5	3	<1	1	2	3	4	5	9
35-49	4001	2.8	5	<1	2	2	3	4	5	12
50-64	2087	3.0	9	1	2	3	3	5	6	13
65+	761	4.0	14	2	2	3	4	7	10	20
GRAND TOTAL	8989	2.9	6	<1	1	2	3	4	6	12

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.3	3	1	1	3	4	6	7	8
20-34	80	2.7	3	<1	<1	2	3	5	6	10
35-49	36	3.3	8	<1	<1	2	5	7	9	12
50-64	26	3.5	8	<1	1	3	4	9	10	10
65+	12	3.3	6	<1	<1	3	4	8	8	8
B. Operated										
0-19 YRS	379	3.1	4	<1	1	3	4	5	6	8
20-34	795	3.3	9	1	1	3	4	5	7	12
35-49	530	2.9	3	1	1	2	3	5	6	10
50-64	395	3.2	4	1	2	3	4	5	7	12
65+	180	3.2	4	1	2	3	4	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.3	6	<1	<1	3	4	7	9	10
20-34	54	4.2	17	<1	1	3	6	10	11	23
35-49	41	4.7	15	<1	1	3	7	11	13	14
50-64	28	6.6	44	1	1	4	7	18	21	28
65+	35	7.7	28	<1	1	6	12	16	17	18
B. Operated										
0-19 YRS	67	4.1	4	2	2	4	5	7	8	11
20-34	289	4.0	10	1	2	3	5	7	9	14
35-49	299	4.7	29	1	2	3	5	9	13	23
50-64	307	4.6	17	2	2	3	6	9	12	23
65+	193	6.1	59	2	2	4	6	12	18	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	3.0	5	<1	<1	3	4	6	8	11
B. Operated	2279	3.1	6	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	180	5.3	24	<1	1	4	7	12	16	22
B. Operated	1155	4.7	25	1	2	3	5	9	13	22
1. SINGLE DX	2463	3.1	6	<1	1	3	4	5	7	11
2. MULTIPLE DX	1335	4.8	25	1	2	3	6	9	13	22
A. NOT OPERATED	364	4.1	15	<1	<1	3	5	9	12	19
B. OPERATED	3434	3.7	13	1	2	3	4	6	8	16
TOTAL 0-19 YRS	498	3.3	4	1	1	3	4	5	7	9
20-34	1218	3.4	9	<1	1	3	4	6	8	14
35-49	906	3.6	13	1	1	3	4	7	9	17
50-64	756	4.0	12	1	2	3	5	7	10	18
65+	420	4.9	34	1	2	3	5	10	14	25
GRAND TOTAL	3798	3.7	13	1	1	3	4	7	9	17

249 PAS Hospitals, Northeastern Region, January-December 1979

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	252	2.7	3	1	1	2	4	5	6	8
20-34	471	2.9	21	1	1	2	3	5	6	9
35-49	81	3.1	5	1	1	3	4	6	8	11
50-64	7	5.0	6	2	2	5	7	8	8	8
65+	3	5.0	3	3	3	6	6	6	6	6
B. Operated										
0-19 YRS	389	5.2	12	1	2	5	6	8	10	18
20-34	1458	5.1	9	1	2	5	7	8	10	15
35-49	351	6.6	20	2	2	7	8	9	11	19
50-64	83	7.9	10	2	4	8	9	12	14	19
65+	31	9.7	11	6	7	9	10	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	3.8	10	1	1	3	4	6	9	19
20-34	260	4.2	38	1	1	3	6	8	9	12
35-49	67	5.4	18	1	1	5	7	10	14	22
50-64	8	5.3	6	2	2	5	7	8	9	9
65+	7	7.0	31	1	1	6	11	15	16	16
B. Operated										
0-19 YRS	326	5.9	9	2	2	6	7	10	11	16
20-34	1883	6.2	17	2	2	6	8	10	12	18
35-49	769	7.6	22	2	2	7	9	12	15	26
50-64	162	9.8	21	5	6	9	11	15	19	27
65+	80	14.2	141	6	7	10	14	28	35	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	814	2.9	14	1	1	2	4	5	6	9
B. Operated	2312	5.5	12	1	2	6	7	9	10	17
2. MULTIPLE DX										
A. Not Operated	441	4.4	28	1	1	3	6	9	10	17
B. Operated	3220	6.9	23	2	2	6	8	11	14	23
1. SINGLE DX	3126	4.8	14	1	1	5	7	8	10	15
2. MULTIPLE DX	3661	6.6	24	1	2	6	8	11	13	23
A. NOT OPERATED	1255	3.4	19	1	1	3	4	6	8	12
B. OPERATED	5532	6.3	19	1	2	6	8	10	13	20
TOTAL 0-19 YRS	1066	4.7	10	1	1	4	6	8	10	16
20-34	4072	5.3	17	1	2	5	7	9	10	16
35-49	1268	6.9	22	1	2	7	8	11	14	23
50-64	260	8.9	18	3	5	8	10	14	17	26
65+	121	12.4	105	5	6	9	13	21	30	63
GRAND TOTAL	6787	5.8	20	1	2	6	7	10	12	19

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	753	4.9	18	2	2	4	6	8	10	15
20-34	1789	5.0	9	2	2	4	6	8	10	16
35-49	279	5.9	13	2	2	5	8	10	14	18
50-64	15	5.9	13	2	2	4	8	11	13	13
65+	3	12.0	4	10	10	12	13	14	14	14
B. Operated										
0-19 YRS	185	5.6	16	<1	1	5	8	10	13	20
20-34	1271	4.8	14	<1	1	4	7	9	12	19
35-49	285	5.9	21	1	1	6	8	11	15	21
50-64	45	8.5	65	1	2	7	10	14	34	35
65+	17	12.6	129	2	3	7	17	33	39	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	262	5.5	13	2	2	5	6	9	12	18
20-34	908	5.6	11	2	2	5	7	10	11	17
35-49	188	7.7	24	2	3	7	10	14	17	32
50-64	28	10.4	24	4	5	11	13	17	20	23
65+	17	8.2	18	3	4	8	10	13	18	20
B. Operated										
0-19 YRS	297	6.5	22	1	2	6	8	12	15	25
20-34	2461	5.9	22	1	2	6	8	11	14	22
35-49	796	8.2	43	2	2	7	10	15	19	28
50-64	129	11.1	102	2	2	8	13	23	34	54
65+	52	16.0	242	2	3	11	22	31	42	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2839	5.0	12	2	2	4	6	8	10	16
B. Operated	1803	5.2	19	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. Not Operated	1403	6.0	14	2	2	5	8	10	13	20
B. Operated	3735	6.8	35	1	2	6	8	12	16	26
1. SINGLE DX	4642	5.1	15	1	1	4	7	9	12	18
2. MULTIPLE DX	5138	6.6	30	1	2	6	8	12	15	25
A. NOT OPERATED	4242	5.4	13	2	2	5	7	9	11	17
B. OPERATED	5538	6.3	30	1	2	6	8	12	15	25
TOTAL 0-19 YRS	1497	5.4	18	2	2	5	7	9	12	20
20-34	6429	5.4	16	1	2	5	7	9	12	20
35-49	1548	7.3	32	2	2	7	9	14	17	26
50-64	217	10.1	80	2	2	8	12	20	31	44
65+	89	13.7	176	3	3	10	17	28	37	78
GRAND TOTAL	9780	5.9	23	1	2	5	7	10	14	23

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	62	3.5	6	<1	1	3	4	7	8	89
35-49	15	3.9	4	1	2	3	6	7	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
B. Operated										
0-19 YRS	46	3.6	5	1	1	3	5	7	8	9
20-34	957	4.5	10	<1	1	4	7	8	9	14
35-49	528	6.1	10	1	1	7	8	9	10	15
50-64	44	5.5	11	1	2	7	8	9	10	15
65+	4	3.3	15	1	1	2	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.2	6	3	3	5	7	9	9	9
20-34	52	4.4	12	<1	1	4	7	9	12	97
35-49	35	5.4	12	1	1	5	8	10	12	13
50-64	3	9.7	4	8	8	9	11	12	12	12
65+	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	42	4.7	15	<1	<1	4	6	9	13	18
20-34	1738	5.9	15	1	2	6	8	9	11	18
35-49	2002	7.8	15	2	4	8	9	11	14	20
50-64	308	8.7	14	5	6	8	10	12	16	23
65+	22	11.0	29	4	5	10	15	19	21	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	3.6	6	1	1	3	5	7	8	71
B. Operated	1579	5.1	11	<1	1	6	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	96	5.0	12	1	1	4	8	10	12	61
B. Operated	4112	7.1	16	1	2	7	8	10	13	20
1. SINGLE DX	1663	5.0	10	<1	1	5	7	9	10	14
2. MULTIPLE DX	4208	7.0	16	1	2	7	8	10	13	20
A. NOT OPERATED	180	4.4	10	1	1	4	6	9	11	73
B. OPERATED	5691	6.5	15	1	2	7	8	10	12	19
TOTAL 0-19 YRS	98	4.2	10	<1	1	3	6	8	9	18
20-34	2809	5.4	14	<1	1	6	7	9	11	17
35-49	2580	7.4	14	2	2	7	9	10	13	20
50-64	357	8.3	14	2	5	8	9	12	15	23
65+	27	9.8	33	1	2	9	13	18	20	23
GRAND TOTAL	5871	6.4	15	1	2	7	8	10	12	19

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	3.4	6	<1	<1	3	5	7	8	8
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	4.0	2	3	3	4	5	5	5	5
65+										
B. Operated										
0-19 YRS	26	2.0	1	<1	<1	2	2	3	4	6
20-34	366	2.2	5	<1	<1	2	2	3	4	11
35-49	277	2.4	4	<1	<1	2	3	4	6	9
50-64	139	2.4	3	<1	1	2	3	3	4	12
65+	38	2.8	8	1	1	2	3	4	6	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.0	75	1	1	1	12	16	16	16
20-34	22	4.7	12	1	1	4	7	9	12	15
35-49	13	4.2	7	1	1	3	7	8	8	8
50-64	4	3.8	5	2	2	3	5	7	7	7
65+	9	8.7	36	3	4	6	12	18	22	22
B. Operated										
0-19 YRS	29	2.3	2	1	1	2	2	4	5	7
20-34	595	3.5	10	1	1	2	4	8	9	14
35-49	775	4.2	14	1	1	2	6	9	11	19
50-64	299	3.7	10	<1	1	2	5	8	10	15
65+	75	6.1	138	1	2	3	7	11	22	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.9	4	<1	<1	2	4	6	8	8
B. Operated	846	2.3	4	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
A. Not Operated	51	5.3	19	1	1	4	7	10	15	22
B. Operated	1773	3.9	17	1	1	2	5	8	10	18
1. SINGLE DX	860	2.3	4	<1	<1	2	2	4	5	10
2. MULTIPLE DX	1824	4.0	17	1	1	2	5	8	10	19
A. NOT OPERATED	70	4.6	16	<1	1	3	7	9	13	21
B. OPERATED	2619	3.4	14	<1	1	2	3	8	9	17
TOTAL 0-19 YRS	61	2.3	4	<1	<1	2	2	3	5	15
20-34	994	3.1	8	<1	1	2	3	7	8	13
35-49	1068	3.7	12	<1	1	2	4	8	10	18
50-64	444	3.3	8	<1	1	2	3	8	9	14
65+	122	5.3	92	1	2	3	5	10	19	96
GRAND TOTAL	2689	3.4	14	<1	1	2	3	8	9	17

249 PAS Hospitals, Northeastern Region, January-December 1979

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	3.5	5	<1	1	3	5	6	8	12
20-34	147	3.1	3	<1	1	3	4	5	6	8
35-49	43	3.4	5	<1	1	3	5	7	8	9
50-64	6	4.7	6	1	1	4	7	8	8	8
65+	6	3.8	22	1	1	1	7	11	12	12
B. Operated										
0-19 YRS	157	2.3	3	<1	1	2	3	4	6	11
20-34	1161	2.3	9	<1	1	2	3	4	5	8
35-49	510	2.4	4	<1	1	2	3	4	5	12
50-64	181	2.6	3	<1	1	2	3	5	6	9
65+	35	3.0	3	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	4.3	6	1	1	4	6	7	9	12
20-34	136	4.3	8	1	2	4	5	8	9	15
35-49	37	5.9	21	1	1	5	8	12	14	23
50-64	26	7.0	27	2	2	6	7	14	21	23
65+	37	8.2	31	2	2	8	10	18	21	22
B. Operated										
0-19 YRS	58	4.6	24	1	1	3	5	12	16	24
20-34	451	3.6	12	<1	1	2	4	8	10	18
35-49	262	3.4	9	<1	1	2	4	7	10	16
50-64	131	4.4	24	1	1	3	4	9	13	26
65+	49	9.4	123	2	2	6	11	21	36	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	3.3	4	<1	1	3	4	6	7	11
B. Operated	2044	2.3	7	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	293	5.2	16	1	2	4	7	9	13	22
B. Operated	951	4.0	21	1	1	3	4	8	12	22
1. SINGLE DX	2302	2.4	6	<1	1	2	3	4	5	9
2. MULTIPLE DX	1244	4.3	20	1	1	3	5	9	12	22
A. NOT OPERATED	551	4.3	11	1	1	3	5	8	10	20
B. OPERATED	2995	2.9	12	<1	1	2	3	5	7	16
TOTAL										
0-19 YRS	328	3.3	9	1	1	2	4	6	9	15
20-34	1895	2.8	10	1	1	2	3	5	7	12
35-49	852	2.9	7	<1	1	2	3	5	8	15
50-64	344	3.6	14	1	1	2	4	7	10	20
65+	127	7.0	65	1	2	4	9	14	21	46
GRAND TOTAL	3546	3.1	12	<1	1	2	3	6	8	17

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	3.7	20	1	1	1	6	11	12	12
35-49	9	5.2	10	1	1	6	8	9	9	9
50-64	16	3.8	12	<1	<1	2	7	9	10	10
65+	16	5.7	12	1	1	6	8	10	11	12
B. Operated										
0-19 YRS	5	4.6	12	2	2	3	7	10	10	10
20-34	226	6.4	6	2	4	6	8	9	10	16
35-49	548	7.5	8	4	5	7	8	11	12	17
50-64	903	8.1	11	4	5	7	9	12	14	18
65+	680	8.4	8	5	6	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	5.9	34	<1	1	3	9	16	18	18
35-49	33	5.2	22	<1	<1	5	7	11	16	20
50-64	58	5.1	23	<1	<1	4	7	11	15	23
65+	93	6.1	41	1	1	4	8	12	22	74
B. Operated										
0-19 YRS	7	6.3	11	<1	1	7	9	10	10	10
20-34	589	7.5	10	4	5	7	9	11	14	20
35-49	1645	8.6	13	4	5	8	10	13	15	22
50-64	1930	9.2	16	5	6	8	10	13	16	23
65+	1506	10.4	25	5	6	9	12	16	20	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	4.7	13	<1	1	4	8	9	10	12
B. Operated	2362	7.9	9	4	5	7	9	11	13	17
2. MULTIPLE DX										
A. Not Operated	199	5.6	32	<1	1	4	7	12	17	35
B. Operated	5677	9.1	18	4	5	8	11	14	17	24
1. SINGLE DX	2411	7.8	10	4	5	7	9	11	13	17
2. MULTIPLE DX	5876	9.0	19	4	5	8	10	14	17	24
A. NOT OPERATED	248	5.5	28	<1	1	4	8	12	16	29
B. OPERATED	8039	8.8	16	4	5	8	10	13	16	23
TOTAL										
0-19 YRS	14	5.3	10	<1	2	5	8	10	10	10
20-34	836	7.2	10	3	4	7	8	11	13	19
35-49	2235	8.2	12	4	5	8	9	12	15	21
50-64	2907	8.7	15	4	5	8	10	13	15	21
65+	2295	9.6	22	4	5	9	11	15	18	27
GRAND TOTAL	8287	8.7	16	4	5	8	10	13	16	23

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	1.8	1	<1	1	2	2	3	3	3
35-49	8	1.6	1	1	1	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	16	1.8	1	<1	1	2	2	3	4	4
20-34	296	1.8	1	<1	<1	2	2	3	3	5
35-49	366	2.0	2	<1	<1	2	2	3	3	8
50-64	55	1.7		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	20	3.1	10	<1	<1	2	4	8	11	12
35-49	11	4.4	7	1	1	4	7	8	8	8
50-64	3	5.7	41	<1	<1	3	10	13	13	13
B. Operated										
0-19 YRS	9	2.0	1	<1	<1	2	3	4	4	4
20-34	282	2.7	5	<1	<1	2	3	7	8	10
35-49	494	2.9	13	<1	<1	2	3	7	8	14
50-64	90	2.4	3	<1	<1	2	2	4	8	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.8	1	1	1	2	2	3	3	3
B. Operated	733	1.9	1	<1	<1	2	2	3	3	8
2. MULTIPLE DX										
A. Not Operated	38	3.6	10	<1	<1	2	6	8	11	13
B. Operated	875	2.8	9	<1	1	2	3	7	8	11
1. SINGLE DX	768	1.9	1	<1	<1	2	2	3	3	8
2. MULTIPLE DX	913	2.8	9	<1	1	2	3	7	8	12
A. NOT OPERATED	73	2.7	6	<1	1	2	3	6	8	13
B. OPERATED	1608	2.4	6	<1	<1	2	2	4	7	11
TOTAL 0-19 YRS	30	1.9	1	<1	1	2	2	3	4	4
20-34	623	2.3	3	<1	<1	2	2	4	7	9
35-49	879	2.5	8	<1	<1	2	2	5	8	11
50-64	149	2.2	3	<1	<1	2	2	3	5	10
GRAND TOTAL	1681	2.4	6	<1	<1	2	2	4	7	11

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	2.4	3	<1	1	2	3	4	5	11
20-34	343	1.9	4	<1	<1	2	2	3	4	6
35-49	172	1.9	2	<1	1	2	2	3	3	10
50-64	27	1.7	1	<1	<1	2	2	2	3	6
B. Operated										
0-19 YRS	362	2.1	24	<1	<1	2	2	3	3	5
20-34	4683	1.9	2	<1	<1	2	2	3	4	8
35-49	5255	2.0	4	<1	<1	2	2	3	4	9
50-64	821	2.0	6	<1	<1	2	2	2	3	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	2.9	3	1	1	2	4	6	7	8
20-34	293	2.8	7	<1	1	2	3	5	8	12
35-49	266	3.8	31	<1	1	2	4	7	10	28
50-64	37	2.9	6	<1	1	2	4	5	6	15
B. Operated										
0-19 YRS	306	3.0	18	<1	1	2	3	5	7	14
20-34	4890	3.0	11	<1	1	2	3	7	8	14
35-49	6941	3.6	13	<1	1	2	4	8	10	16
50-64	1078	3.5	14	<1	1	2	3	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	627	2.0	3	<1	1	2	2	3	4	7
B. Operated	11121	1.9	4	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	675	3.2	16	<1	1	2	4	6	9	21
B. Operated	13215	3.3	13	<1	1	2	3	8	9	16
1. SINGLE DX	11748	1.9	4	<1	<1	2	2	3	4	8
2. MULTIPLE DX	13890	3.3	13	<1	1	2	3	8	9	16
A. NOT OPERATED	1302	2.6	10	<1	1	2	3	5	7	14
B. OPERATED	24336	2.7	9	<1	<1	2	2	6	8	13
TOTAL 0-19 YRS	832	2.5	18	<1	<1	2	3	4	6	13
20-34	10209	2.5	7	<1	<1	2	2	5	7	11
35-49	12634	2.9	10	<1	<1	2	2	7	9	14
50-64	1963	2.8	11	<1	<1	2	2	7	8	14
GRAND TOTAL	25438	2.7	9	<1	<1	2	2	8	8	13

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	27	3.4	15	<1	<1	2	3	7	10	20
50-64	44	2.1	2	<1	1	2	2	3	4	11
65+	9	4.6	27	1	1	3	4	13	18	18
B. Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	14	1.7		1	1	2	2	2	2	2
35-49	552	2.0	10	<1	<1	2	2	2	3	10
50-64	1982	1.9	5	<1	<1	2	2	2	3	7
65+	310	2.4	4	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	35	3.7	6	<1	1	3	6	7	8	10
50-64	70	3.7	16	<1	1	2	5	9	11	22
65+	54	5.9	41	1	1	4	7	12	19	37
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	3.5	9	2	2	2	4	8	11	12
35-49	508	2.9	11	<1	1	2	2	6	9	19
50-64	2137	3.0	12	<1	1	2	3	6	9	17
65+	687	4.3	31	1	2	3	4	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.8	10	<1	1	2	3	5	8	19
B. Operated	2861	2.0	6	<1	<1	2	2	2	3	8
2. MULTIPLE DX										
A. Not Operated	160	4.4	23	<1	1	3	6	10	12	23
B. Operated	3346	3.2	16	<1	1	2	3	7	10	18
1. SINGLE DX	2941	2.0	6	<1	<1	2	2	2	3	8
2. MULTIPLE DX	3506	3.3	16	<1	1	2	3	7	10	19
A. NOT OPERATED	240	3.9	19	<1	1	2	5	8	11	21
B. OPERATED	6207	2.7	12	<1	1	2	2	4	8	16
TOTAL 0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	28	2.5	5	1	1	2	2	4	7	12
35-49	1122	2.5	11	<1	<1	2	2	4	7	15
50-64	4233	2.5	9	<1	<1	2	2	4	7	13
65+	1060	3.8	25	1	2	2	4	8	12	21
GRAND TOTAL	6447	2.7	12	<1	1	2	2	4	8	16

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.5	2	<1	<1	2	3	5	7	98
20-34	130	3.4	16	<1	<1	2	4	7	10	23
35-49	64	3.1	7	<1	1	2	4	7	9	12
50-64	30	2.8	4	1	1	2	3	6	7	9
65+	6	3.5	3	1	1	4	5	5	5	5
B. Operated										
0-19 YRS	195	3.0	6	<1	<1	2	4	5	7	15
20-34	1851	2.8	7	<1	<1	2	3	6	7	12
35-49	1633	2.7	7	<1	<1	2	3	6	8	12
50-64	1187	2.5	5	<1	<1	2	2	5	7	13
65+	284	3.3	14	1	1	2	3	6	8	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.6	21	<1	<1	3	4	7	9	29
20-34	120	3.5	11	<1	<1	2	4	8	10	16
35-49	78	5.1	49	<1	1	3	6	9	17	42
50-64	60	6.0	122	<1	1	4	7	11	14	78
65+	60	8.3	46	1	2	6	12	19	25	93
B. Operated										
0-19 YRS	156	4.2	12	1	1	3	6	8	9	17
20-34	1921	3.9	15	<1	1	2	6	8	9	16
35-49	2925	4.4	17	<1	1	2	7	9	11	20
50-64	1814	4.7	28	<1	1	2	7	10	13	26
65+	582	7.2	69	1	2	4	9	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	281	3.1	10	<1	1	2	4	6	8	18
B. Operated	5150	2.7	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. Not Operated	361	5.1	47	<1	1	3	6	10	16	37
B. Operated	7398	4.6	24	<1	1	3	7	9	12	25
1. SINGLE DX	5431	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX	7759	4.6	25	<1	1	3	7	9	12	25
A. NOT OPERATED	642	4.2	32	<1	1	3	5	8	12	33
B. OPERATED	12548	3.8	18	<1	1	2	5	8	10	20
TOTAL 0-19 YRS	445	3.4	10	<1	1	2	4	7	9	18
20-34	4022	3.3	12	<1	1	2	4	7	9	15
35-49	4700	3.8	15	<1	1	2	6	8	10	19
50-64	3091	3.9	22	<1	1	2	4	8	11	21
65+	932	6.0	54	1	2	3	8	13	20	35
GRAND TOTAL	13190	3.8	19	<1	1	2	5	8	11	21

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	274	2.2	3	1	1	2	3	4	5	11
20-34	275	2.4	4	<1	1	2	3	5	6	11
35-49	49	2.8	5	<1	1	2	3	5	6	12
50-64	12	4.2	28	<1	1	3	4	11	19	20
65+	11	4.9	21	<1	<1	3	7	13	15	15
<i>B. Operated</i>										
0-19 YRS	138	2.7	4	<1	1	2	3	6	8	10
20-34	1653	2.9	6	<1	<1	2	3	7	8	12
35-49	503	5.9	16	1	1	6	8	11	13	18
50-64	211	8.5	17	2	2	9	11	13	16	20
65+	86	10.4	62	1	2	9	13	20	25	40
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	96	2.7	4	<1	<1	2	3	6	7	9
20-34	227	3.3	14	<1	<1	2	4	6	9	21
35-49	60	5.0	16	1	1	4	7	10	14	19
50-64	23	6.6	34	1	1	4	10	14	18	25
65+	22	9.5	68	3	3	8	11	20	29	38
<i>B. Operated</i>										
0-19 YRS	106	3.2	5	1	1	2	4	6	8	12
20-34	2264	4.1	14	<1	1	2	6	8	9	15
35-49	925	7.1	20	1	2	7	9	12	15	22
50-64	403	9.5	26	2	3	9	12	16	18	27
65+	183	11.4	39	3	5	10	14	18	23	30
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	621	2.4	4	<1	1	2	3	4	6	11
<i>B. Operated</i>	2591	4.2	15	<1	1	2	7	9	11	18
2. MULTIPLE DX										
<i>A. Not Operated</i>	428	3.9	18	<1	1	3	5	8	11	22
<i>B. Operated</i>	3881	5.7	23	<1	1	5	8	11	14	22
1. SINGLE DX	3212	3.8	14	<1	1	2	6	9	11	17
2. MULTIPLE DX	4309	5.5	22	<1	1	5	8	11	14	21
A. NOT OPERATED	1049	3.0	11	<1	1	2	3	6	9	16
B. OPERATED	6472	5.1	20	<1	1	3	7	10	13	20
TOTAL 0-19 YRS	614	2.6	4	<1	1	2	3	5	7	10
20-34	4419	3.5	11	<1	<1	2	5	7	9	13
35-49	1537	6.5	19	1	1	7	9	11	14	20
50-64	649	9.0	24	2	2	9	11	15	18	24
65+	302	10.7	48	2	3	10	14	18	23	37
GRAND TOTAL	7521	4.8	19	<1	1	3	7	10	12	20

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	6	3.7	4	1	1	4	5	6	6	6
20-34	37	4.7	7	1	1	5	6	8	10	11
35-49	4	4.5	6	1	1	5	6	6	6	6
50-64										
<i>B. Operated</i>										
0-19 YRS	92	6.0	4	3	4	6	7	8	9	13
20-34	1185	6.1	5	4	4	6	7	8	9	13
35-49	144	6.7	4	4	5	7	8	9	10	14
50-64	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	19	4.2	12	<1	<1	3	7	9	10	11
35-49	3	7.3	8	4	4	9	9	9	9	9
50-64										
<i>B. Operated</i>										
0-19 YRS	56	6.9	20	4	4	6	8	9	11	32
20-34	825	6.7	11	4	4	6	7	9	10	20
35-49	137	7.1	9	3	4	7	8	10	14	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	47	4.5	6	1	1	5	6	7	9	11
<i>B. Operated</i>	1423	6.2	5	4	4	6	7	8	9	13
2. MULTIPLE DX										
<i>A. Not Operated</i>	25	4.4	11	<1	<1	4	7	9	10	11
<i>B. Operated</i>	1018	6.8	11	4	4	6	7	9	11	20
1. SINGLE DX	1470	6.1	5	3	4	6	7	8	9	13
2. MULTIPLE DX	1043	6.7	11	4	4	6	7	9	11	20
A. NOT OPERATED	72	4.5	8	<1	1	5	6	8	9	11
B. OPERATED	2441	6.4	8	4	4	6	7	9	10	17
TOTAL 0-19 YRS	157	6.2	10	3	4	6	7	8	10	20
20-34	2066	6.3	8	3	4	6	7	8	10	17
35-49	288	6.9	7	3	4	7	8	10	11	17
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	2513	6.4	8	3	4	6	7	9	10	17

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	182	1.2		<1	<1	1	1	2	3	5
20-34	453	1.3	1	<1	<1	<1	1	2	3	4
35-49	78	1.1		<1	<1	<1	1	1	2	2
50-64										
B. Operated										
0-19 YRS	2686	1.3	1	<1	<1	<1	1	2	2	5
20-34	9086	1.2	2	<1	<1	<1	1	2	2	4
35-49	1291	1.3	4	<1	<1	<1	1	2	2	7
50-64	11	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	1.3	1	<1	<1	1	1	2	6	99+
20-34	83	1.5	2	<1	<1	1	1	3	4	10
35-49	28	1.9	2	<1	<1	1	2	5	5	6
50-64										
B. Operated										
0-19 YRS	1195	1.3	1	<1	<1	<1	1	2	3	7
20-34	4125	1.6	3	<1	<1	<1	2	3	5	9
35-49	1072	2.3	8	<1	<1	2	3	4	6	9
50-64	4	1.8	1	<1	<1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	713	1.2	1	<1	<1	<1	1	2	2	4
B. Operated	13074	1.2	2	<1	<1	<1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	147	1.5	2	<1	<1	1	1	3	4	14
B. Operated	6396	1.7	3	<1	<1	<1	2	3	5	9
1. SINGLE DX	13787	1.2	2	<1	<1	<1	1	2	2	5
2. MULTIPLE DX	6543	1.7	3	<1	<1	<1	2	3	5	9
A. NOT OPERATED	860	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	19470	1.4	2	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS	4099	1.3	1	<1	<1	<1	1	2	2	5
20-34	13747	1.3	2	<1	<1	<1	1	2	3	7
35-49	2469	1.7	6	<1	<1	1	2	3	4	9
50-64	15	1.3		<1	<1	<1	1	2	3	3
GRAND TOTAL	20330	1.4	2	<1	<1	<1	1	2	3	7

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
B. Operated										
0-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
20-34	7	1.7	2	<1	<1	<1	2	4	4	4
35-49										
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
B. Operated										
0-19 YRS	4	4.3	9	<1	<1	4	6	8	8	8
20-34	2	9.5	5	8	8	9	11	11	11	11
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	13	1.9	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	6	6.0	14	<1	<1	6	8	11	11	11
1. SINGLE DX	14	1.9	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX	7	6.1	11	<1	1	7	8	10	11	11
A. NOT OPERATED	2	4.0	18	1	1	4	7	7	7	7
B. OPERATED	19	3.2	9	<1	<1	2	5	8	10	11
TOTAL 0-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
20-34	13	2.8	6	<1	<1	1	4	7	8	8
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64										
GRAND TOTAL	21	3.3	9	<1	<1	2	5	8	9	11

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	182	1.9	1	<1	1	2	2	3	4	7
20-34	767	1.7	1	<1	1	1	2	3	4	6
35-49	96	1.7	1	<1	<1	1	2	3	4	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	1661	1.6	2	<1	1	1	2	3	4	6
20-34	10522	1.6	4	<1	<1	1	2	2	3	6
35-49	1514	1.5	2	<1	<1	1	2	2	3	6
50-64	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.5	3	<1	1	2	3	6	6	7
20-34	121	2.4	6	1	1	2	3	5	5	12
35-49	18	3.3	5	1	1	3	4	7	8	9
50-64										
B. Operated										
0-19 YRS	180	2.5	5	1	1	2	3	5	7	12
20-34	1310	2.4	9	<1	1	2	3	5	6	13
35-49	312	2.4	4	1	1	2	3	5	6	12
50-64	3	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	1046	1.7	1	<1	1	1	2	3	4	6
B. Operated										
	13703	1.6	4	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated										
	165	2.6	5	1	1	2	3	5	6	9
B. Operated										
	1805	2.5	8	<1	1	2	3	5	6	12
1. SINGLE DX	14749	1.6	3	<1	<1	1	2	2	3	6
2. MULTIPLE DX	1970	2.5	7	1	1	2	3	5	6	12
A. NOT OPERATED	1211	1.8	2	<1	1	1	2	3	4	7
B. OPERATED	15508	1.7	4	<1	<1	1	2	3	4	8
TOTAL										
0-19 YRS	2049	1.8	2	<1	1	1	2	3	4	8
20-34	12720	1.7	5	<1	<1	1	2	3	4	7
35-49	1940	1.7	3	<1	<1	1	2	3	4	9
50-64	10	1.6	1	<1	<1	1	2	3	4	4
GRAND TOTAL	16719	1.7	4	<1	<1	1	2	3	4	8

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	3.3	6	<1	1	3	4	6	8	13
20-34	181	2.8	6	<1	1	2	4	5	7	10
35-49	27	3.1	6	<1	<1	2	4	6	9	10
50-64										
B. Operated										
0-19 YRS	133	2.6	11	<1	1	2	3	5	7	20
20-34	1274	1.9	9	<1	<1	1	2	3	4	7
35-49	148	2.0	6	<1	<1	2	2	3	4	20
50-64	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	4.2	8	1	1	3	6	9	11	11
20-34	53	3.2	5	1	1	3	4	6	7	13
35-49	9	1.2		<1	<1	1	1	2	3	3
50-64										
B. Operated										
0-19 YRS	37	4.8	24	1	2	3	5	10	13	28
20-34	253	3.2	8	1	1	2	4	7	9	14
35-49	37	3.8	24	1	1	3	4	8	9	30
50-64	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	270	2.9	6	<1	1	2	4	6	7	12
B. Operated										
	1557	2.0	9	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
	89	3.3	6	<1	1	3	4	7	8	12
B. Operated										
	328	3.5	12	1	1	2	4	7	9	17
1. SINGLE DX	1827	2.1	9	<1	<1	2	2	4	5	9
2. MULTIPLE DX	417	3.4	11	1	1	2	4	7	9	15
A. NOT OPERATED	359	3.0	6	<1	1	2	4	6	7	12
B. OPERATED	1885	2.2	10	<1	<1	2	2	4	6	11
TOTAL										
0-19 YRS	259	3.3	12	<1	1	2	4	6	8	17
20-34	1761	2.2	9	<1	<1	2	2	4	6	9
35-49	221	2.4	9	<1	<1	2	3	4	6	21
50-64	3	5.0	28	1	1	3	9	11	11	11
GRAND TOTAL	2244	2.4	9	<1	<1	2	2	4	6	11

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	222	2.4	2	<1	1	2	3	5	5	7
20-34	1279	2.5	4	1	1	2	3	4	5	9
35-49	99	2.6	3	1	1	2	3	5	6	8
50-64										
B. Operated										
0-19 YRS	7	1.7	1	1	1	1	2	4	4	4
20-34	54	2.4	2	1	1	2	3	4	6	7
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	3.5	7	<1	1	3	4	6	10	11
20-34	163	3.7	9	1	1	3	4	6	9	19
35-49	15	3.7	2	1	2	4	4	5	7	7
50-64										
B. Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	29	3.1	3	1	1	3	4	6	6	7
35-49	6	3.0	2	<1	<1	3	3	5	5	5
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1600	2.5	3	1	1	2	3	4	5	8
B. Operated	66	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	204	3.6	8	1	1	3	4	6	9	17
B. Operated	37	3.3	3	<1	1	3	4	6	7	8
1. SINGLE DX	1666	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	241	3.6	8	1	1	3	4	6	8	16
A. NOT OPERATED	1804	2.6	4	1	1	2	3	5	6	10
B. OPERATED	103	2.6	3	1	1	2	3	5	6	8
TOTAL 0-19 YRS	257	2.5	2	1	1	2	3	5	6	8
20-34	1525	2.6	4	1	1	2	3	5	6	10
35-49	125	2.7	3	1	1	2	4	5	6	8
50-64										
GRAND TOTAL	1907	2.6	4	1	1	2	3	5	6	10

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.2	6	1	1	3	4	7	9	9
20-34	91	2.5	4	<1	1	2	3	5	7	10
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64										
B. Operated										
0-19 YRS										
20-34	4	2.0		2	2	2	2	2	2	2
35-49										
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	22	2.4	6	<1	1	1	3	7	9	10
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	6.0	25	1	1	6	10	11	11	11
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	2.6	4	<1	1	2	3	6	7	10
B. Operated	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	27	2.4	6	<1	1	1	3	6	8	10
B. Operated	4	7.0	21	1	1	8	10	11	11	11
1. SINGLE DX	109	2.6	4	<1	1	2	3	6	7	10
2. MULTIPLE DX	31	3.0	9	1	1	1	4	9	10	11
A. NOT OPERATED	132	2.6	4	<1	1	2	3	6	7	10
B. OPERATED	8	4.5	16	1	1	2	8	11	11	11
TOTAL 0-19 YRS	15	3.4	9	1	1	3	4	9	10	10
20-34	120	2.6	5	<1	1	2	3	6	8	10
35-49	5	3.0	4	1	1	2	5	5	5	5
50-64										
GRAND TOTAL	140	2.7	5	<1	1	2	3	6	8	10

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	161	3.9	32	1	2	3	4	6	8	10	
20-34	701	3.9	8	1	2	3	5	7	8	15	
35-49	72	4.6	12	1	1	4	6	8	13	19	
50-64											
<i>B. Operated</i>											
0-19 YRS	34	4.1	12	<1	<1	3	5	9	12	15	
20-34	117	3.5	11	<1	<1	3	4	7	9	20	
35-49	12	4.5	8	<1	<1	4	6	8	10	10	
50-64											
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	45	5.2	17	2	2	4	6	12	17	99+	
20-34	218	5.1	20	1	2	4	6	10	13	28	
35-49	34	5.9	12	1	2	5	7	10	14	16	
50-64											
<i>B. Operated</i>											
0-19 YRS	8	5.9	13	2	2	5	9	11	11	11	
20-34	50	4.9	18	<1	1	3	6	10	12	23	
35-49	13	5.0	8	<1	1	4	7	10	10	10	
50-64											
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	934	3.9	12	1	2	3	5	7	8	16	
<i>B. Operated</i>	163	3.7	11	<1	<1	3	5	7	10	18	
2. MULTIPLE DX											
<i>A. Not Operated</i>	297	5.2	19	1	2	4	6	10	14	29	
<i>B. Operated</i>	71	5.0	15	<1	1	4	7	10	12	22	
1. SINGLE DX	1097	3.9	12	1	1	3	5	7	9	16	
2. MULTIPLE DX	368	5.2	18	1	2	4	6	10	13	27	
A. NOT OPERATED	1231	4.2	14	1	2	3	5	8	10	17	
B. OPERATED	234	4.1	13	<1	<1	3	5	8	11	19	
TOTAL											
0-19 YRS	248	4.2	26	1	2	3	5	8	10	20	
20-34	1086	4.1	11	1	1	3	5	8	10	18	
35-49	131	5.0	11	1	1	4	6	9	12	17	
50-64											
GRAND TOTAL	1465	4.2	14	1	1	3	5	8	10	18	

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	146	3.4	4	1	2	3	4	6	7	11	
20-34	785	4.2	7	1	2	4	5	7	8	14	
35-49	18	5.4	11	2	2	4	6	11	12	12	
50-64											
B. Operated											
0-19 YRS	7	3.4	16	<1	<1	2	4	11	12	12	
20-34	26	2.5	5	<1	<1	2	4	6	8	10	
35-49	5	1.6		1	1	2	2	2	2	2	
50-64											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	49	4.4	21	1	2	3	5	8	9	32	
20-34	218	4.8	11	1	2	4	6	8	11	18	
35-49	15	8.7	45	2	2	7	11	15	25	29	
50-64											
B. Operated											
0-19 YRS	5	13.2	211	2	2	6	20	38	38	38	
20-34	21	6.8	21	1	2	6	8	13	17	20	
35-49	1	1.0		1	1	1	1	1	1	1	
50-64											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	949	4.1	7	1	2	4	5	7	8	13	
B. Operated											
	38	2.6	7	<1	<1	2	2	6	9	12	
2. MULTIPLE DX											
A. Not Operated											
	282	4.9	15	1	2	4	6	9	12	22	
B. Operated											
	27	7.7	57	1	1	6	9	14	23	38	
1. SINGLE DX											
	987	4.0	7	1	2	3	5	7	8	13	
2. MULTIPLE DX											
	309	5.2	19	1	2	4	6	9	13	26	
A. NOT OPERATED											
	1231	4.3	9	1	2	4	5	7	9	16	
B. OPERATED											
	65	4.7	34	<1	1	2	6	10	14	35	
TOTAL											
0-19 YRS	207	3.9	15	1	2	3	4	6	8	22	
20-34	1050	4.3	9	1	2	4	5	7	9	17	
35-49	39	6.1	28	1	2	5	9	12	14	29	
50-64											
GRAND TOTAL											
	1296	4.3	10	1	2	4	5	7	9	17	

249 PAS Hospitals, Northeastern Region, January-December 1979

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1335	1.2	1	<1	<1	<1	1	1	2	5
20-34	5200	1.2	2	<1	<1	<1	1	1	2	6
35-49	299	1.1		<1	<1	1	1	1	2	5
50-64	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	156	1.4	1	<1	<1	<1	1	2	3	9
20-34	664	1.3	4	<1	<1	<1	1	2	3	8
35-49	33	1.2		<1	<1	<1	1	2	2	4
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	1.9	5	<1	<1	1	2	4	4	13
20-34	351	1.8	5	<1	<1	1	2	3	4	16
35-49	32	1.7	2	<1	<1	1	2	4	7	99+
50-64										
B. Operated										
0-19 YRS	20	1.8	3	<1	<1	<1	1	4	6	8
20-34	89	1.8	3	<1	<1	1	2	3	5	10
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6836	1.2	1	<1	<1	<1	1	1	2	5
B. Operated	853	1.3	3	<1	<1	<1	1	2	3	8
2. MULTIPLE DX										
A. Not Operated	483	1.8	5	<1	<1	1	2	3	4	17
B. Operated	111	1.7	3	<1	<1	1	2	4	5	10
1. SINGLE DX	7689	1.2	2	<1	<1	<1	1	1	2	5
2. MULTIPLE DX	594	1.8	4	<1	<1	1	2	3	5	16
A. NOT OPERATED	7319	1.2	2	<1	<1	<1	1	2	2	6
B. OPERATED	964	1.4	3	<1	<1	<1	1	2	3	9
TOTAL 0-19 YRS	1611	1.3	1	<1	<1	<1	1	2	3	5
20-34	6304	1.3	2	<1	<1	<1	1	2	2	6
35-49	366	1.2	1	<1	<1	1	1	2	2	7
50-64	2	2.0	2	1	1	2	3	3	3	3
GRAND TOTAL	8283	1.3	2	<1	<1	<1	1	2	2	6

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.2	49	<1	1	2	4	8	15	41
20-34	372	3.7	14	1	1	3	4	6	9	23
35-49	35	4.6	24	<1	1	3	5	12	17	23
50-64	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	4	9.3	116	1	1	5	16	25	25	25
20-34	34	5.4	40	1	2	3	5	15	21	28
35-49	5	4.6	11	1	1	4	6	10	10	10
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.2	33	2	2	4	10	15	16	16
20-34	66	6.2	177	1	1	3	5	9	15	85
35-49	8	7.9	47	2	2	6	11	19	22	22
50-64										
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	5.9	29	1	1	5	6	14	19	19
35-49	3	4.3	12	1	1	4	7	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	445	3.8	17	1	1	3	4	7	10	24
B. Operated	43	5.6	42	1	1	3	6	15	23	28
2. MULTIPLE DX										
A. Not Operated	80	6.4	152	1	1	3	6	11	16	82
B. Operated	14	4.9	22	1	1	4	6	9	17	19
1. SINGLE DX	488	4.0	20	1	1	3	4	7	11	25
2. MULTIPLE DX	94	6.2	132	1	1	3	6	10	17	79
A. NOT OPERATED	525	4.2	39	1	1	3	4	7	11	26
B. OPERATED	57	5.5	37	1	1	4	6	13	21	28
TOTAL 0-19 YRS	49	4.8	50	<1	1	2	4	12	16	41
20-34	481	4.2	39	1	1	3	4	7	10	27
35-49	51	5.1	26	1	1	4	5	12	18	23
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	582	4.3	38	1	1	3	4	7	13	27

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	2.3	4	<1	1	2	3	4	4	14
20-34	480	3.0	30	<1	1	2	3	5	7	21
35-49	27	2.9	7	<1	1	2	3	7	9	12
50-64	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	19	4.3	32	<1	1	2	5	12	18	22
20-34	72	3.4	6	<1	<1	3	4	7	8	13
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.2	2	<1	<1	2	4	5	57	99+
20-34	74	3.6	18	<1	<1	2	4	10	14	81
35-49	9	3.1	7	<1	<1	1	5	7	8	8
50-64										
B. Operated										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	36	4.4	20	<1	<1	3	6	10	14	22
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	615	2.8	24	<1	1	2	3	5	7	18
B. Operated	94	3.6	11	<1	1	3	4	7	10	18
2. MULTIPLE DX										
A. Not Operated	101	3.3	14	<1	<1	2	4	10	13	99+
B. Operated	41	4.4	18	<1	<1	3	6	9	13	22
1. SINGLE DX	709	2.9	23	<1	1	2	3	5	7	18
2. MULTIPLE DX	142	3.7	15	<1	<1	2	4	10	13	99+
A. NOT OPERATED	716	2.9	23	<1	1	2	3	5	7	22
B. OPERATED	135	3.8	13	<1	<1	3	5	7	11	22
TOTAL 0-19 YRS	148	2.6	8	<1	1	2	3	4	8	23
20-34	662	3.2	25	<1	<1	2	4	6	8	22
35-49	39	3.1	7	<1	1	2	5	7	8	12
50-64	2	2.0	2	1	1	2	3	3	3	3
GRAND TOTAL	851	3.1	21	<1	1	2	3	6	8	22

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	179	3.5	4	<1	1	3	4	6	8	10
20-34	410	3.5	5	<1	1	3	5	6	7	10
35-49	18	4.9	8	2	2	4	5	9	11	13
50-64	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	72	1.9	3	<1	<1	1	2	4	6	7
20-34	101	3.1	10	<1	<1	1	4	7	9	17
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	112	4.3	11	<1	1	3	5	9	12	16
20-34	257	4.2	8	1	1	4	5	8	9	13
35-49	10	8.1	48	1	2	5	15	19	21	21
50-64										
B. Operated										
0-19 YRS	23	4.8	15	<1	<1	4	7	10	13	16
20-34	82	5.1	11	<1	1	5	7	8	12	17
35-49	6	5.7	11	3	3	5	6	11	12	12
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	608	3.5	5	<1	1	3	5	6	7	10
B. Operated	174	2.6	7	<1	<1	1	4	5	8	14
2. MULTIPLE DX										
A. Not Operated	379	4.3	10	1	1	4	5	8	10	16
B. Operated	111	5.1	11	<1	1	5	7	8	12	17
1. SINGLE DX	782	3.3	5	<1	<1	3	4	6	7	11
2. MULTIPLE DX	490	4.5	10	<1	1	4	6	8	11	17
A. NOT OPERATED	987	3.9	7	<1	1	3	5	7	8	13
B. OPERATED	285	3.6	10	<1	<1	3	5	8	9	15
TOTAL 0-19 YRS	386	3.5	7	<1	<1	3	5	7	8	14
20-34	850	3.8	7	<1	1	3	5	7	8	13
35-49	35	5.8	21	1	2	4	6	13	16	21
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	1272	3.8	8	<1	<1	3	5	7	8	14

249 PAS Hospitals, Northeastern Region, January-December 1979

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	57	4.2	19	<1	1	3	5	7	11	23
20-34	364	4.6	17	1	1	4	5	9	11	22
35-49	54	4.3	10	1	1	3	5	9	10	15
50-64										
<i>B. Operated</i>										
0-19 YRS	15	3.2	4	<1	<1	3	5	5	6	6
20-34	88	2.6	10	<1	<1	<1	3	6	8	17
35-49	9	1.8	2	<1	<1	<1	2	5	5	5
50-64										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	76	4.6	31	1	1	4	5	7	9	85
20-34	424	5.1	26	1	1	4	6	10	13	28
35-49	64	5.8	16	1	2	5	8	12	15	17
50-64										
<i>B. Operated</i>										
0-19 YRS	20	4.3	10	<1	<1	4	6	8	11	13
20-34	92	6.0	37	<1	1	4	8	12	14	35
35-49	14	4.3	12	<1	<1	3	5	10	10	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>										
	475	4.5	16	1	1	3	5	9	11	23
<i>B. Operated</i>										
	112	2.6	8	<1	<1	<1	4	6	8	16
2. MULTIPLE DX										
<i>A. Not Operated</i>										
	564	5.1	26	1	1	4	6	10	13	37
<i>B. Operated</i>										
	126	5.5	30	<1	<1	4	8	11	14	26
1. SINGLE DX										
	587	4.2	15	<1	<1	3	5	8	10	22
2. MULTIPLE DX										
	690	5.2	26	1	1	4	6	10	13	33
A. NOT OPERATED										
	1039	4.9	21	1	1	4	6	10	13	23
B. OPERATED										
	238	4.1	22	<1	<1	3	5	10	12	20
TOTAL 0-19 YRS										
	168	4.3	22	<1	1	3	5	7	9	41
20-34										
	968	4.8	23	<1	1	4	6	10	13	23
35-49										
	141	4.8	14	<1	1	4	6	10	13	16
50-64										
GRAND TOTAL										
	1277	4.7	22	<1	1	4	6	10	13	23

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	263	2.6	9	<1	<1	2	3	5	7	17
20-34	1028	3.2	19	<1	<1	2	4	7	10	22
35-49	71	3.4	14	<1	<1	2	4	7	9	23
50-64										
<i>B. Operated</i>										
0-19 YRS	124	2.5	11	<1	<1	1	3	5	7	19
20-34	851	2.8	7	<1	<1	2	4	6	7	10
35-49	69	2.9	6	<1	<1	2	4	6	8	15
50-64										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	105	3.7	15	<1	1	2	5	7	10	23
20-34	450	4.1	16	<1	1	3	5	9	13	22
35-49	52	5.3	62	<1	<1	4	7	9	12	56
50-64										
<i>B. Operated</i>										
0-19 YRS	35	4.1	8	<1	<1	3	6	9	10	12
20-34	303	4.6	24	<1	<1	4	6	8	11	26
35-49	41	6.2	53	<1	<1	4	7	15	26	32
50-64										
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>										
	1362	3.1	17	<1	<1	2	3	6	9	22
<i>B. Operated</i>										
	1044	2.8	7	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
<i>A. Not Operated</i>										
	607	4.2	20	<1	1	3	5	9	12	22
<i>B. Operated</i>										
	379	4.7	26	<1	<1	4	6	9	12	30
1. SINGLE DX	2406	3.0	12	<1	<1	2	4	6	8	18
2. MULTIPLE DX	986	4.4	22	<1	1	3	6	9	12	24
A. NOT OPERATED	1969	3.4	18	<1	<1	2	4	7	10	22
B. OPERATED	1423	3.3	13	<1	<1	2	4	7	8	18
TOTAL 0-19 YRS										
	527	2.9	11	<1	<1	2	3	6	8	18
TOTAL 20-34	2632	3.4	15	<1	<1	2	4	7	9	20
TOTAL 35-49	233	4.2	31	<1	<1	3	5	8	10	28
TOTAL 50-64										
GRAND TOTAL	3392	3.4	16	<1	<1	2	4	7	9	20

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.7	4	3	3	3	4	5	7	13
20-34	272	3.9	5	2	3	4	4	5	6	13
35-49	24	4.1	2	2	3	4	5	7	7	3
50-64										
B. Operated										
0-19 YRS	22	7.1	86	3	3	4	5	13	31	45
20-34	135	5.5	21	2	3	4	7	10	15	26
35-49	8	4.0	2	2	2	4	5	6	7	7
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	5.5	35	3	3	4	5	12	16	35
20-34	219	4.9	19	2	3	4	5	9	14	28
35-49	19	6.5	25	2	2	4	10	14	17	18
50-64										
B. Operated										
0-19 YRS	39	11.5	278	2	3	6	11	28	52	82
20-34	432	9.1	83	3	3	6	10	20	30	49
35-49	78	9.9	87	3	3	7	12	22	36	40
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	3.9	5	2	3	4	4	5	6	13
B. Operated	165	5.6	29	2	3	4	6	10	15	29
2. MULTIPLE DX										
A. Not Operated	275	5.1	22	2	3	4	5	9	15	29
B. Operated	549	9.4	97	3	3	6	10	20	31	50
1. SINGLE DX	494	4.5	14	2	3	4	4	7	9	23
2. MULTIPLE DX	824	7.9	76	3	3	4	8	17	27	43
A. NOT OPERATED	604	4.5	13	2	3	4	4	6	10	23
B. OPERATED	714	8.5	84	3	3	5	9	18	28	47
TOTAL										
0-19 YRS	131	7.1	115	3	3	4	6	13	26	71
20-34	1058	6.4	47	2	3	4	7	13	20	38
35-49	129	7.9	63	3	3	5	8	17	28	39
50-64										
GRAND TOTAL	1318	6.6	55	3	3	4	7	13	21	39

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6812	3.5	6	2	2	3	4	4	5	6
20-34	44991	3.4	3	2	2	3	4	4	5	6
35-49	2392	3.5	4	2	2	3	4	4	5	6
50-64	21	2.9	1	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	1255	3.4	2	2	2	3	4	4	5	6
20-34	8206	3.6	4	2	3	3	4	5	5	7
35-49	417	3.7	2	2	3	4	4	5	5	8
50-64	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	388	3.9	4	2	3	4	4	5	6	11
20-34	2321	3.9	5	2	3	4	4	5	6	12
35-49	170	4.2	5	3	3	4	4	6	7	14
50-64	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	155	4.4	5	2	3	4	5	6	8	15
20-34	4752	4.3	5	3	3	4	5	6	6	10
35-49	699	4.5	3	3	3	4	5	6	7	13
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54216	3.4	4	2	2	3	4	4	5	6
B. Operated	9881	3.5	4	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	2881	4.0	5	2	3	4	4	5	6	12
B. Operated	5607	4.3	5	3	3	4	5	6	6	10
1. SINGLE DX	64097	3.5	4	2	2	3	4	4	5	6
2. MULTIPLE DX	8488	4.2	5	3	3	4	5	6	6	11
A. NOT OPERATED	57097	3.5	4	2	2	3	4	4	5	7
B. OPERATED	15488	3.8	4	2	3	4	4	5	6	8
TOTAL										
0-19 YRS	8610	3.5	5	2	2	3	4	4	5	7
20-34	60270	3.5	4	2	2	3	4	5	5	7
35-49	3678	3.8	4	2	3	4	4	5	6	9
50-64	27	3.1	1	1	2	3	4	4	5	5
GRAND TOTAL	72585	3.5	4	2	2	3	4	5	5	7

249 PAS Hospitals, Northeastern Region, January-December 1979

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	46	4.0	24	1	2	3	4	6	7	35
35-49	8	3.9	3	1	2	4	4	6	7	7
50-64										
B. Operated										
0-19 YRS	12	6.1	5	2	3	7	8	8	9	9
20-34	183	8.8	70	4	4	6	8	16	28	50
35-49	28	6.9	18	3	4	6	7	8	13	27
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.5	4	2	2	4	6	7	7	7
20-34	35	5.5	21	1	2	4	7	13	22	99+
35-49										
50-64										
B. Operated										
0-19 YRS	16	8.3	33	3	3	7	9	17	22	24
20-34	296	9.1	61	3	4	7	9	18	29	41
35-49	64	11.2	141	4	5	7	9	25	41	62
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.9	20	1	2	3	4	6	7	33
B. Operated	223	8.4	61	4	4	6	8	14	23	48
2. MULTIPLE DX										
A. Not Operated	39	5.4	19	1	2	4	7	11	20	99+
B. Operated	376	9.4	74	3	4	7	9	20	30	50
1. SINGLE DX	280	7.5	55	2	3	6	7	11	20	45
2. MULTIPLE DX	415	9.1	70	3	4	6	9	18	29	52
A. NOT OPERATED	96	4.5	20	1	2	4	5	7	12	69
B. OPERATED	599	9.1	69	3	4	6	8	17	28	49
TOTAL 0-19 YRS	35	6.6	20	2	2	6	8	10	16	24
20-34	560	8.4	61	3	3	6	8	16	27	47
35-49	100	9.4	101	4	4	7	8	15	32	59
50-64										
GRAND TOTAL	695	8.4	65	3	3	6	8	16	27	49

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.3	2	<1	1	3	4	5	6	7
20-34	192	3.5	5	1	2	3	4	5	6	13
35-49	10	3.8	3	1	1	4	5	6	7	7
50-64										
B. Operated										
0-19 YRS	32	5.7	9	3	3	5	7	9	12	16
20-34	231	5.6	16	2	3	5	7	8	9	25
35-49	9	5.7	11	1	2	4	9	10	11	11
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.6	5	1	1	3	4	6	7	14
20-34	106	3.8	7	1	2	3	4	5	7	17
35-49	10	3.6	2	2	2	3	4	6	6	6
50-64										
B. Operated										
0-19 YRS	68	6.1	19	2	3	5	7	9	11	26
20-34	443	6.2	25	2	3	6	7	9	12	25
35-49	43	6.9	39	3	4	6	7	9	10	45
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	3.5	4	1	1	3	4	5	6	12
B. Operated	272	5.6	15	2	3	5	7	8	9	21
2. MULTIPLE DX										
A. Not Operated	153	3.7	6	1	2	3	4	5	7	14
B. Operated	554	6.2	25	2	3	6	7	9	11	27
1. SINGLE DX	508	4.6	11	1	2	4	6	7	9	15
2. MULTIPLE DX	707	5.7	22	2	2	5	7	8	11	23
A. NOT OPERATED	389	3.6	5	1	2	3	4	5	6	14
B. OPERATED	826	6.0	22	2	3	5	7	9	11	24
TOTAL 0-19 YRS	171	4.9	12	1	2	4	6	8	10	22
20-34	972	5.2	18	2	2	5	6	8	10	22
35-49	72	5.9	27	2	3	5	7	9	10	37
50-64										
GRAND TOTAL	1215	5.2	18	2	2	4	6	8	10	22

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	29	4.0	6	1	2	4	4	6	7	15
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. Operated										
0-19 YRS	48	3.1	1	1	1	3	4	4	5	5
20-34	379	3.4	2	1	2	3	4	5	5	8
35-49	37	3.3	1	1	2	3	4	4	5	7
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	10	4.0	6	1	1	3	4	8	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. Operated										
0-19 YRS	23	3.9	2	2	2	4	5	5	7	8
20-34	177	4.3	6	2	3	4	5	6	7	18
35-49	20	5.1	19	1	2	4	5	8	16	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	3.9	5	1	2	4	4	5	7	15
B. Operated	464	3.3	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	13	4.0	5	1	2	4	5	7	9	10
B. Operated	220	4.3	7	2	3	4	5	6	8	20
1. SINGLE DX	497	3.4	2	1	2	3	4	5	5	8
2. MULTIPLE DX	233	4.3	7	2	3	4	5	6	8	20
A. NOT OPERATED	46	4.0	5	1	2	4	4	6	8	15
B. OPERATED	684	3.7	4	1	2	3	4	5	6	10
TOTAL 0-19 YRS	76	3.4	1	1	2	3	4	5	5	7
20-34	595	3.7	3	1	2	3	4	5	6	11
35-49	59	3.9	8	1	2	3	4	5	7	21
50-64										
GRAND TOTAL	730	3.7	4	1	2	3	4	5	6	10

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.4	2	1	2	3	4	4	7	9
20-34	104	3.6	1	2	3	4	4	5	5	6
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	10	3.3	1	2	2	3	4	5	5	5
20-34	69	3.8	4	2	2	3	4	6	7	14
35-49	4	3.5	3	<1	<1	4	5	5	5	5
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.6		3	3	4	4	4	4	4
20-34	36	4.0	4	2	2	4	5	5	8	12
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
B. Operated										
0-19 YRS	8	5.9	22	2	2	5	6	14	17	17
20-34	85	4.3	2	3	3	4	5	6	7	11
35-49	9	5.4	24	2	2	4	5	13	18	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	3.5	1	2	2	3	4	5	5	7
B. Operated	83	3.7	4	1	2	3	4	5	7	13
2. MULTIPLE DX										
A. Not Operated	43	4.0	3	2	2	4	4	5	7	12
B. Operated	102	4.5	6	2	3	4	5	6	8	17
1. SINGLE DX	211	3.6	2	2	2	3	4	5	5	9
2. MULTIPLE DX	145	4.4	5	2	3	4	5	6	8	17
A. NOT OPERATED	171	3.6	2	2	2	4	4	5	5	9
B. OPERATED	185	4.2	5	2	3	4	5	6	7	16
TOTAL 0-19 YRS	43	3.8	6	2	2	3	4	5	7	17
20-34	294	3.9	2	2	3	4	4	5	6	11
35-49	18	4.5	13	<1	1	4	5	5	13	18
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	356	3.9	3	2	2	4	4	5	6	12

249 PAS Hospitals, Northeastern Region, January-December 1979

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	5.2	22	1	2	4	5	13	17	17
20-34	140	3.9	2	2	3	4	4	5	6	11
35-49	9	4.1	2	2	2	4	5	6	6	6
50-64										
B. Operated										
0-19 YRS	7	4.1	3	3	3	4	4	7	8	8
20-34	88	5.4	23	2	3	5	6	8	9	35
35-49	13	6.3	52	3	3	4	5	12	27	30
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.4	8	2	3	4	4	8	12	14
20-34	108	4.2	6	1	2	4	5	6	10	15
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	39	6.8	52	2	3	4	7	11	27	36
20-34	537	5.8	14	3	3	5	7	9	10	24
35-49	57	5.5	8	3	3	5	6	8	12	16
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	4.0	3	2	2	4	4	5	7	13
B. Operated	108	5.4	25	2	3	4	6	8	9	35
2. MULTIPLE DX										
A. Not Operated	129	4.2	6	1	2	4	5	6	10	15
B. Operated	634	5.8	16	3	3	5	7	9	10	28
1. SINGLE DX	266	4.6	13	2	3	4	5	7	8	22
2. MULTIPLE DX	763	5.5	14	3	3	5	6	9	10	26
A. NOT OPERATED	287	4.1	5	2	2	4	5	5	7	14
B. OPERATED	742	5.8	17	3	3	5	7	9	10	29
TOTAL										
0-19 YRS	71	5.8	34	2	3	4	6	9	17	34
20-34	873	5.2	13	2	3	4	6	8	10	22
35-49	83	5.4	14	3	3	4	6	8	11	25
50-64	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	1029	5.3	14	2	3	4	6	8	10	24

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.9	3	1	2	4	5	7	7	7
20-34	209	3.8	11	2	2	3	4	5	6	20
35-49	10	3.6	3	1	1	4	5	6	6	6
50-64										
B. Operated										
0-19 YRS	175	5.1	4	2	3	5	6	7	8	11
20-34	1577	5.1	5	2	3	5	6	7	8	9
35-49	87	5.0	4	2	3	5	7	8	8	11
50-64	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.8	2	1	1	3	4	5	5	5
20-34	82	3.9	6	1	1	3	5	7	9	14
35-49	7	3.6	1	3	3	3	4	6	6	6
50-64										
B. Operated										
0-19 YRS	201	6.6	41	3	3	6	7	9	11	18
20-34	1683	5.9	12	2	3	6	7	8	10	18
35-49	156	6.4	12	3	3	6	7	9	11	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	3.8	9	1	2	3	4	5	7	12
B. Operated	1840	5.1	5	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. Not Operated	106	3.7	5	1	1	3	5	6	8	13
B. Operated	2040	6.0	15	2	3	6	7	8	10	18
1. SINGLE DX	2085	4.9	6	2	3	5	6	7	8	9
2. MULTIPLE DX	2146	5.9	15	2	3	6	7	8	10	18
A. NOT OPERATED	351	3.8	8	1	2	3	4	6	7	13
B. OPERATED	3880	5.6	11	2	3	5	7	8	9	16
TOTAL										
0-19 YRS	419	5.6	23	2	3	5	7	8	10	17
20-34	3551	5.4	9	2	3	5	7	8	8	15
35-49	260	5.8	9	2	3	5	7	8	10	19
50-64	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	4231	5.4	11	2	3	5	7	8	9	16

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	4.2	32	2	2	3	4	4	4	35
20-34	310	3.5	1	2	3	3	4	4	5	7
35-49	24	3.8	2	1	2	4	4	6	7	8
50-64										
B. Operated										
0-19 YRS	158	4.3	3	2	3	4	5	7	7	12
20-34	1072	4.6	9	3	3	4	6	7	8	11
35-49	63	4.7	3	3	3	4	6	8	8	9
50-64	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.8	2	2	2	4	5	6	7	7
20-34	151	4.0	2	3	3	4	5	6	7	9
35-49	7	3.9	2	2	2	4	4	6	7	7
50-64										
B. Operated										
0-19 YRS	279	5.3	10	3	3	5	6	7	9	22
20-34	2247	5.4	9	3	3	5	7	8	9	15
35-49	204	5.8	8	3	3	5	7	8	9	21
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	366	3.6	4	2	3	3	4	4	5	8
B. Operated	1294	4.6	8	3	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	177	4.0	2	2	3	4	4	6	7	9
B. Operated	2731	5.4	9	3	3	5	7	8	9	15
1. SINGLE DX	1660	4.4	7	2	3	4	5	7	7	10
2. MULTIPLE DX	2908	5.3	9	3	3	5	6	8	9	15
A. NOT OPERATED	543	3.7	3	2	3	3	4	5	6	8
B. OPERATED	4025	5.1	9	3	3	5	6	7	8	14
TOTAL										
0-19 YRS	488	4.9	9	3	3	4	6	7	8	15
20-34	3780	5.0	8	3	3	4	6	7	8	13
35-49	298	5.4	7	3	3	5	7	8	9	14
50-64	2	6.5	5	5	5	6	8	8	8	8
GRAND TOTAL	4568	5.0	8	3	3	4	6	7	8	13

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	5.1	3	3	3	5	6	8	8	8
20-34	120	4.7	4	2	3	4	6	8	8	11
35-49	12	4.8	4	3	3	4	7	8	8	8
50-64										
B. Operated										
0-19 YRS	540	6.3	3	4	5	6	7	8	9	13
20-34	3005	6.3	6	4	5	6	7	8	8	11
35-49	142	6.6	2	4	5	7	7	8	9	10
50-64	2	11.0	32	7	7	11	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	64	5.5	8	2	3	5	7	8	10	15
35-49	6	5.5	3	4	4	5	7	8	8	8
50-64										
B. Operated										
0-19 YRS	684	7.2	9	5	5	7	8	10	12	21
20-34	3957	6.7	5	4	5	6	7	8	10	15
35-49	301	7.1	11	4	5	7	8	9	12	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	4.8	4	2	3	4	6	8	8	11
B. Operated	3689	6.3	6	4	5	6	7	8	8	11
2. MULTIPLE DX										
A. Not Operated	71	5.5	7	3	3	5	7	8	9	15
B. Operated	4942	6.8	6	4	5	6	7	9	10	16
1. SINGLE DX	3830	6.3	6	4	4	6	7	8	8	11
2. MULTIPLE DX	5013	6.8	6	4	5	6	7	9	10	16
A. NOT OPERATED	212	5.0	5	2	3	4	7	8	8	13
B. OPERATED	8631	6.6	6	4	5	6	7	8	9	15
TOTAL										
0-19 YRS	1234	6.8	6	4	5	6	7	9	10	17
20-34	7146	6.5	6	4	5	6	7	8	9	14
35-49	461	6.9	8	4	5	7	7	9	10	16
50-64	2	11.0	32	7	7	11	15	15	15	15
GRAND TOTAL	8843	6.6	6	4	5	6	7	8	9	15

249 PAS Hospitals, Northeastern Region, January-December 1979

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	3.7	2	2	2	4	4	5	5	11
20-34	456	3.6	1	2	2	4	4	5	5	7
35-49	27	3.7	2	1	2	4	4	5	6	7
50-64										
B. Operated										
0-19 YRS	142	4.2	2	2	3	4	5	7	7	8
20-34	945	4.5	4	3	3	4	5	7	8	9
35-49	50	4.9	3	3	3	4	6	8	8	9
50-64	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.8	1	2	3	4	4	4	5	6
20-34	215	4.3	4	2	3	4	5	6	7	14
35-49	15	4.1	3	2	2	4	5	7	8	8
50-64										
B. Operated										
0-19 YRS	233	5.2	6	3	3	4	6	8	10	16
20-34	1713	5.2	11	3	3	5	6	7	8	13
35-49	139	6.0	7	3	3	6	7	9	11	15
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	560	3.7	1	2	2	4	4	5	5	7
B. Operated	1138	4.5	3	3	3	4	5	7	8	9
2. MULTIPLE DX										
A. Not Operated	274	4.2	4	2	3	4	4	6	6	13
B. Operated	2085	5.2	11	3	3	5	6	8	9	14
1. SINGLE DX	1698	4.2	3	2	3	4	5	7	7	9
2. MULTIPLE DX	2359	5.1	10	3	3	4	6	7	9	14
A. NOT OPERATED	834	3.8	2	2	3	4	4	5	6	9
B. OPERATED	3223	5.0	8	3	3	4	6	7	8	13
TOTAL										
0-19 YRS	496	4.5	4	2	3	4	5	7	8	12
20-34	3329	4.7	8	3	3	4	6	7	8	13
35-49	231	5.4	6	3	3	5	7	8	9	13
50-64	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	4057	4.7	7	3	3	4	6	7	8	13

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.5	6	2	2	5	5	8	9	9
20-34	70	3.8	8	2	2	3	4	5	6	21
35-49	13	3.5	2	2	2	3	4	6	6	6
50-64										
B. Operated										
0-19 YRS	23	4.5	5	1	2	4	6	7	9	10
20-34	282	5.2	5	2	3	5	7	8	9	11
35-49	33	4.9	4	1	2	5	6	8	8	10
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.0	9	4	4	5	7	11	11	11
20-34	52	3.3	1	2	2	3	4	5	5	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
B. Operated										
0-19 YRS	43	6.0	5	2	3	6	7	9	10	12
20-34	510	6.3	28	3	3	6	7	8	10	20
35-49	63	6.4	6	3	3	6	8	9	11	15
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	3.9	7	2	2	3	4	5	8	19
B. Operated	338	5.1	5	2	3	5	7	8	9	10
2. MULTIPLE DX										
A. Not Operated	59	3.5	2	1	2	3	4	5	6	11
B. Operated	616	6.3	24	3	3	6	7	8	10	18
1. SINGLE DX	432	4.8	6	2	2	4	6	8	9	11
2. MULTIPLE DX	675	6.0	23	3	3	6	7	8	10	17
A. NOT OPERATED	153	3.7	5	2	2	3	4	5	6	13
B. OPERATED	954	5.9	17	2	3	6	7	8	9	15
TOTAL										
0-19 YRS	82	5.4	5	2	3	5	7	8	10	12
20-34	914	5.6	18	2	3	5	7	8	9	17
35-49	111	5.5	6	2	3	6	7	8	9	14
50-64										
GRAND TOTAL	1107	5.6	16	2	3	5	7	8	9	15

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	7.0	1	6	6	7	8	8	8	8
20-34	92	6.2	4	3	3	7	8	8	9	11
35-49	9	6.8	4	3	4	8	8	9	9	9
50-64										
B. Operated										
0-19 YRS	320	6.6	3	4	5	6	7	8	9	13
20-34	4933	6.7	6	5	5	7	7	8	8	11
35-49	312	6.9	2	5	5	7	8	8	9	10
50-64	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	33	6.7	7	2	3	7	8	10	11	13
35-49	5	7.4	1	6	6	7	8	9	9	9
50-64										
B. Operated										
0-19 YRS	172	6.9	4	5	5	7	8	9	11	15
20-34	4627	7.1	10	5	5	7	8	9	10	19
35-49	536	7.6	16	5	5	7	8	9	10	21
50-64	5	6.4	1	5	5	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	6.2	4	3	3	7	8	8	9	11
B. Operated	5566	6.7	5	5	5	7	7	8	8	11
2. MULTIPLE DX										
A. Not Operated	39	6.8	6	2	3	7	8	10	11	13
B. Operated	5340	7.2	10	5	5	7	8	9	10	19
1. SINGLE DX	5672	6.7	5	5	5	7	7	8	8	11
2. MULTIPLE DX	5379	7.2	10	5	5	7	8	9	10	19
A. NOT OPERATED	145	6.4	5	3	3	7	8	8	9	12
B. OPERATED	10906	6.9	8	5	5	7	8	8	9	16
TOTAL 0-19 YRS	498	6.7	3	5	5	6	7	8	10	14
20-34	9685	6.9	8	5	5	7	7	8	9	16
35-49	862	7.3	11	5	5	7	8	9	10	18
50-64	6	6.2	1	5	5	6	7	7	7	7
GRAND TOTAL	11051	6.9	8	5	5	7	8	8	9	16

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	260	4.0	7	1	2	4	4	6	7	14
20-34	1698	3.7	8	1	2	4	4	5	6	10
35-49	111	3.9	9	1	2	4	4	6	6	57
50-64										
B. Operated										
0-19 YRS	166	4.4	7	2	3	4	5	6	7	22
20-34	1098	4.1	3	2	3	4	5	6	7	9
35-49	98	4.4	2	2	3	4	5	7	7	8
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	3.9	5	1	2	3	4	6	7	14
20-34	608	4.1	7	2	2	4	4	6	8	16
35-49	49	4.2	7	1	2	3	5	7	8	16
50-64										
B. Operated										
0-19 YRS	334	5.3	15	2	3	4	6	8	11	18
20-34	2233	5.1	11	3	3	4	6	8	9	16
35-49	207	5.7	12	3	3	5	7	8	10	20
50-64	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2069	3.8	8	1	2	4	4	5	6	11
B. Operated	1362	4.2	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	761	4.1	7	1	2	4	4	6	8	16
B. Operated	2776	5.2	12	3	3	4	6	8	9	16
1. SINGLE DX	3431	3.9	6	2	2	4	4	6	7	10
2. MULTIPLE DX	3537	5.0	11	2	3	4	6	7	9	16
A. NOT OPERATED	2830	3.8	8	1	2	4	4	5	6	13
B. OPERATED	4138	4.9	9	2	3	4	6	7	8	15
TOTAL 0-19 YRS	864	4.6	10	2	2	4	5	7	9	18
20-34	5637	4.4	9	2	3	4	5	7	8	14
35-49	465	4.9	9	2	3	4	6	7	8	19
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	6968	4.5	9	2	3	4	5	7	8	15

249 PAS Hospitals, Northeastern Region, January-December 1979

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	426	3.4	2	2	2	3	4	4	5	8
20-34	3567	3.4	3	2	2	3	4	4	5	6
35-49	220	3.4	1	2	2	3	4	4	5	6
50-64	1	2.0		2	2	2	2	2	2	2
<i>B. Operated</i>										
0-19 YRS	263	3.5	1	2	3	3	4	4	5	6
20-34	1934	3.7	5	2	3	3	4	5	5	7
35-49	110	3.7	1	2	2	4	4	5	5	7
50-64										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	84	3.7	3	2	2	3	4	5	7	12
20-34	604	3.7	5	2	2	3	4	5	6	11
35-49	52	3.8	2	1	2	4	4	5	6	9
50-64										
<i>B. Operated</i>										
0-19 YRS	272	3.8	2	2	3	3	4	5	6	10
20-34	2095	4.1	7	2	3	4	4	6	7	10
35-49	151	4.6	7	2	3	4	5	6	8	16
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	4214	3.4	3	2	2	3	4	4	5	6
<i>B. Operated</i>	2307	3.6	4	2	3	3	4	5	5	7
2. MULTIPLE DX										
<i>A. Not Operated</i>	740	3.7	4	2	2	3	4	5	6	10
<i>B. Operated</i>	2519	4.1	6	2	3	4	4	6	7	10
1. SINGLE DX	6521	3.5	3	2	2	3	4	4	5	7
2. MULTIPLE DX	3259	4.0	6	2	3	4	4	6	7	10
A. NOT OPERATED	4954	3.5	3	2	2	3	4	4	5	7
B. OPERATED	4826	3.9	5	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	1045	3.6	2	2	3	3	4	5	5	9
20-34	8200	3.7	5	2	3	3	4	5	5	8
35-49	533	3.8	3	2	2	4	4	5	6	11
50-64	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	9780	3.7	4	2	3	3	4	5	6	8

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	100	3.3	1	1	2	3	4	5	5	6
20-34	512	3.3	4	1	2	3	4	4	5	11
35-49	37	3.4	3	1	1	3	4	5	8	10
50-64	2	3.5	1	3	3	3	4	4	4	4
<i>B. Operated</i>										
0-19 YRS	754	3.4	6	2	2	3	4	4	5	7
20-34	5230	3.3	4	2	2	3	4	4	5	6
35-49	392	3.4	1	2	2	3	4	4	5	6
50-64	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	26	4.3	7	1	3	4	5	9	11	12
20-34	125	4.2	51	1	2	3	4	5	7	86
35-49	10	3.5	3	2	2	3	4	6	8	8
50-64										
<i>B. Operated</i>										
0-19 YRS	223	3.6	3	2	2	3	4	5	6	13
20-34	2091	3.9	8	2	2	4	4	5	6	10
35-49	244	4.1	3	2	3	4	5	6	7	11
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	651	3.3	3	1	2	3	4	4	5	10
<i>B. Operated</i>	6378	3.3	4	2	2	3	4	4	5	6
2. MULTIPLE DX										
<i>A. Not Operated</i>	161	4.1	41	1	2	3	4	5	8	74
<i>B. Operated</i>	2559	3.9	7	2	3	4	4	5	6	10
1. SINGLE DX	7029	3.3	4	2	2	3	4	4	5	7
2. MULTIPLE DX	2720	3.9	9	2	2	4	4	5	6	11
A. NOT OPERATED	812	3.4	11	1	2	3	4	5	5	11
B. OPERATED	8937	3.5	5	2	2	3	4	5	5	8
TOTAL										
0-19 YRS	1103	3.5	5	2	2	3	4	4	5	7
20-34	7958	3.5	6	2	2	3	4	5	5	8
35-49	683	3.7	2	2	2	3	4	5	6	9
50-64	5	3.8	1	3	3	4	4	5	5	5
GRAND TOTAL	9749	3.5	6	2	2	3	4	5	5	8

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	3.5	1	2	2	4	4	5	5	6
20-34	398	3.5	3	2	2	3	4	4	5	7
35-49	9	4.6	11	2	2	3	5	10	13	13
50-64										
B. Operated										
0-19 YRS	684	3.5	1	2	3	3	4	5	5	6
20-34	2835	3.6	4	2	3	3	4	5	5	7
35-49	81	3.6	1	3	3	3	4	5	5	70
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	4.0	1	2	3	4	4	6	7	8
20-34	98	3.7	2	2	2	4	4	6	7	8
35-49	4	5.3	7	3	3	4	7	9	9	9
50-64										
B. Operated										
0-19 YRS	295	3.8	2	2	3	4	4	5	6	9
20-34	1281	4.1	7	2	3	4	4	5	6	10
35-49	49	4.2	2	3	3	4	5	6	7	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	507	3.5	3	2	2	3	4	4	5	7
B. Operated	3601	3.6	3	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	127	3.8	2	2	2	4	4	6	7	8
B. Operated	1625	4.0	6	2	3	4	4	5	6	9
1. SINGLE DX	4108	3.6	3	2	3	3	4	5	5	7
2. MULTIPLE DX	1752	4.0	5	2	3	4	4	5	6	9
A. NOT OPERATED	634	3.6	3	2	2	4	4	5	5	7
B. OPERATED	5226	3.7	4	2	3	4	4	5	5	8
TOTAL 0-19 YRS	1104	3.6	1	2	3	4	4	5	5	8
20-34	4612	3.7	5	2	3	4	4	5	5	8
35-49	143	3.9	2	3	3	4	5	5	6	18
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	5860	3.7	4	2	3	4	4	5	5	8

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	3.3	2	1	1	4	4	4	5	8
20-34	198	3.2	1	1	2	3	4	4	5	7
35-49	10	3.7	3	2	2	3	4	6	8	8
50-64										
B. Operated										
0-19 YRS	242	3.5	2	2	2	3	4	4	5	6
20-34	1145	3.7	4	2	3	4	4	5	5	9
35-49	42	3.9	2	3	3	4	4	6	7	9
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.9	1	2	3	4	5	5	5	5
20-34	50	4.0	13	2	2	3	4	6	8	99
35-49	7	4.4	6	<1	1	4	5	8	9	9
50-64										
B. Operated										
0-19 YRS	169	4.2	8	2	3	4	5	6	7	11
20-34	779	4.2	7	2	3	4	5	6	7	14
35-49	35	4.7	11	2	3	4	5	6	11	20
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	247	3.3	2	1	2	3	4	4	5	8
B. Operated	1429	3.7	3	2	3	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	71	4.0	10	2	2	4	4	6	8	84
B. Operated	983	4.2	7	2	3	4	5	6	7	14
1. SINGLE DX	1676	3.6	3	2	2	3	4	5	5	8
2. MULTIPLE DX	1054	4.2	7	2	3	4	5	6	7	14
A. NOT OPERATED	318	3.4	3	1	2	3	4	5	5	9
B. OPERATED	2412	3.9	5	2	3	4	4	5	6	11
TOTAL 0-19 YRS	464	3.7	4	2	2	4	4	5	6	9
20-34	2172	3.9	5	2	3	4	4	5	6	11
35-49	94	4.2	6	2	3	4	5	6	8	17
50-64										
GRAND TOTAL	2730	3.8	5	2	3	4	4	5	6	11

249 PAS Hospitals, Northeastern Region, January-December 1979

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	695	3.6	9	1	2	3	4	5	6	13
20-34	3385	3.5	4	1	2	3	4	5	6	10
35-49	235	3.7	5	1	1	3	4	7	8	12
50-64	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2518	4.0	8	2	3	4	4	5	7	13
20-34	13712	3.9	3	2	3	4	4	5	6	10
35-49	776	4.1	4	2	3	4	4	6	7	11
50-64	7	4.1	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	281	4.1	12	2	2	3	4	6	9	14
20-34	1577	4.1	19	1	2	3	4	6	8	22
35-49	142	4.5	10	1	1	4	5	8	12	16
50-64	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	1586	5.0	9	2	3	4	6	8	10	16
20-34	9863	5.1	13	2	3	4	6	8	10	19
35-49	1007	6.0	23	3	3	5	7	9	12	24
50-64	7	4.7	13	1	1	4	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4316	3.5	5	1	2	3	4	5	6	10
B. Operated	17013	3.9	4	2	3	4	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	2001	4.1	17	1	2	3	4	6	8	20
B. Operated	12463	5.1	13	2	3	4	6	8	10	19
1. SINGLE DX	21329	3.9	4	2	3	4	4	5	6	10
2. MULTIPLE DX	14464	5.0	14	2	3	4	6	8	10	19
A. NOT OPERATED	6317	3.7	9	1	2	3	4	5	7	14
B. OPERATED	29476	4.4	8	2	3	4	5	7	8	15
TOTAL										
0-19 YRS	5080	4.2	9	2	2	4	5	6	8	14
20-34	28537	4.3	8	2	3	4	5	6	8	14
35-49	2160	5.0	14	2	3	4	6	8	10	19
50-64	16	4.3	6	1	2	4	5	8	10	11
GRAND TOTAL	35793	4.3	8	2	3	4	5	7	8	15

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	4.4	3	2	3	4	5	7	9	99+
20-34	103	4.5	7	2	2	4	5	8	10	14
35-49	6	4.2	2	3	3	4	5	6	6	6
50-64										
B. Operated										
0-19 YRS	9	7.2	39	1	1	4	12	17	17	17
20-34	23	4.3	12	1	1	4	6	7	11	17
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	7.0	11	4	4	5	10	11	11	11
20-34	34	5.9	26	2	2	4	8	11	14	28
35-49	3	7.7	20	3	3	8	11	12	12	12
50-64										
B. Operated										
0-19 YRS	4	9.8	41	5	5	7	14	19	19	19
20-34	23	8.5	33	1	2	7	11	19	20	21
35-49	2	12.5	61	7	7	12	8	18	18	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	4.5	6	2	2	4	5	7	10	17
B. Operated	33	5.0	20	1	1	4	7	11	17	17
2. MULTIPLE DX										
A. Not Operated	42	6.2	23	2	2	5	8	11	14	28
B. Operated	29	9.0	34	1	3	7	12	19	20	21
1. SINGLE DX	178	4.6	8	1	2	4	6	8	11	17
2. MULTIPLE DX	71	7.3	29	2	2	6	9	15	19	27
A. NOT OPERATED	187	4.9	10	2	2	4	6	9	11	23
B. OPERATED	62	6.9	30	1	1	6	9	17	19	21
TOTAL										
0-19 YRS	54	5.5	14	2	2	5	7	10	17	96
20-34	183	5.3	16	1	2	4	6	10	14	21
35-49	12	6.2	23	1	2	5	7	14	17	18
50-64										
GRAND TOTAL	249	5.4	16	2	2	4	6	10	14	21

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.3		<1	<1	1	2	2	2	2
20-34	101	2.1	10	<1	<1	1	2	3	4	21
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64										
B. Operated										
0-19 YRS	50	2.2	2	1	1	2	3	4	5	8
20-34	343	1.8	2	<1	<1	1	2	3	4	7
35-49	21	2.6	3	1	1	2	4	5	6	6
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.2		2	2	2	3	3	3	3
20-34	30	2.4	2	<1	1	2	3	4	5	6
35-49	4	3.5	4	1	1	4	5	5	5	5
50-64										
B. Operated										
0-19 YRS	15	3.1	4	<1	1	3	5	6	7	7
20-34	170	3.3	20	<1	1	2	4	6	9	17
35-49	13	6.4	77	1	1	3	8	16	30	33
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	2.0	9	<1	<1	1	2	3	4	16
B. Operated	414	1.9	2	<1	<1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	39	2.5	2	<1	1	2	3	5	5	6
B. Operated	198	3.5	23	<1	1	2	4	6	10	25
1. SINGLE DX	537	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	237	3.3	19	<1	1	2	4	6	9	19
A. NOT OPERATED	162	2.1	7	<1	1	2	2	4	5	10
B. OPERATED	612	2.4	9	<1	1	2	3	4	6	12
TOTAL										
0-19 YRS	86	2.2	2	<1	1	2	3	4	5	8
20-34	644	2.3	8	<1	<1	2	3	4	5	12
35-49	44	3.7	26	1	1	2	4	7	11	33
50-64										
GRAND TOTAL										
	774	2.4	9	<1	1	2	3	4	5	12

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	4.1	12	1	1	4	4	5	11	20
20-34	148	4.4	9	1	1	4	4	8	11	15
35-49	6	5.5	16	2	2	4	10	11	11	11
50-64										
B. Operated										
0-19 YRS	26	3.2	3	1	2	3	3	4	6	11
20-34	121	3.5	10	1	1	3	4	6	7	23
35-49	12	2.4	1	1	1	2	3	4	5	5
50-64										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.8	3	3	3	5	6	7	7	7
20-34	43	5.9	35	1	1	4	7	13	20	28
35-49	6	6.8	50	2	2	4	6	19	21	21
50-64										
B. Operated										
0-19 YRS	10	3.8	6	1	1	3	5	7	9	9
20-34	89	4.8	23	1	1	4	5	10	12	29
35-49	5	4.6	18	1	1	3	6	12	12	12
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	4.4	10	1	1	4	4	8	11	18
B. Operated	159	3.4	8	1	1	3	4	5	7	21
2. MULTIPLE DX										
A. Not Operated	55	5.9	32	1	2	4	6	12	20	28
B. Operated	104	4.7	21	1	1	3	5	9	12	28
1. SINGLE DX	351	3.9	9	1	1	3	4	7	9	20
2. MULTIPLE DX	159	5.1	25	1	1	4	6	11	15	28
A. NOT OPERATED	247	4.7	15	1	1	4	5	9	12	21
B. OPERATED	263	3.9	14	1	1	3	4	7	11	24
TOTAL 0-19 YRS	80	3.8	8	1	1	3	4	6	9	18
20-34	401	4.4	16	1	1	4	4	8	12	23
35-49	29	4.3	18	1	1	3	4	11	12	21
50-64										
GRAND TOTAL	510	4.3	14	1	1	4	4	8	11	22

249 PAS Hospitals, Northeastern Region, January-December 1979

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	650	4.9	9	2	2	4	6	8	10	14
20-34	546	5.3	19	2	2	4	6	10	12	19
35-49	398	6.0	16	2	2	5	8	11	14	22
50-64	358	6.9	20	2	3	6	8	13	16	21
65+	287	8.6	30	3	3	7	11	16	19	27
B. Operated										
0-19 YRS	380	5.1	18	1	1	4	7	9	11	18
20-34	391	5.7	31	1	2	4	7	11	15	31
35-49	243	6.2	22	1	2	5	8	12	16	21
50-64	183	9.1	77	2	2	6	11	17	26	47
65+	118	9.4	77	2	2	7	13	21	24	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	462	5.7	22	2	2	4	7	10	13	20
20-34	539	6.7	26	2	2	5	8	13	16	28
35-49	688	8.2	33	3	3	7	10	15	18	29
50-64	1063	9.9	51	3	4	8	12	18	22	42
65+	1716	12.6	90	4	5	10	15	23	31	59
B. Operated										
0-19 YRS	193	7.4	46	1	2	5	8	14	21	36
20-34	354	10.9	114	2	3	7	13	22	35	53
35-49	427	12.5	139	2	3	9	15	26	37	59
50-64	613	16.3	205	3	4	12	21	36	49	78
65+	613	19.3	256	4	6	14	27	43	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2239	6.0	19	2	2	5	7	11	14	22
B. Operated	1315	6.4	37	1	2	5	8	13	17	30
2. MULTIPLE DX										
A. Not Operated	4468	9.8	63	3	3	8	12	19	24	41
B. Operated	2200	14.8	192	2	4	10	18	34	46	86
1. SINGLE DX	3554	6.1	25	2	2	5	7	12	15	26
2. MULTIPLE DX	6668	11.5	111	3	3	8	14	23	33	65
A. NOT OPERATED	6707	8.5	52	2	3	7	11	16	21	38
B. OPERATED	3515	11.6	150	2	2	8	14	26	38	72
TOTAL										
0-19 YRS	1685	5.4	20	2	2	4	7	10	12	23
20-34	1830	6.9	46	2	2	5	8	13	18	40
35-49	1756	8.5	59	2	3	6	10	16	21	43
50-64	2217	11.1	102	3	3	8	13	21	29	64
65+	2734	13.5	131	3	4	10	16	27	38	87
GRAND TOTAL	10222	9.6	88	2	3	7	12	19	27	56

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	255	4.9	7	2	2	4	6	8	10	13
20-34	111	5.0	10	2	2	4	6	8	11	18
35-49	93	5.1	11	2	2	4	6	8	12	20
50-64	63	6.0	22	1	2	5	7	12	15	24
65+	38	6.8	18	3	3	6	8	13	17	20
B. Operated										
0-19 YRS	218	3.9	16	<1	<1	3	5	8	11	23
20-34	215	4.8	40	<1	<1	3	6	10	11	33
35-49	141	5.2	45	<1	1	3	5	12	18	39
50-64	123	5.9	62	<1	1	3	7	12	19	40
65+	66	7.6	89	<1	<1	4	9	17	30	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	241	5.8	19	2	2	5	7	10	13	27
20-34	101	6.6	61	1	2	4	8	13	17	46
35-49	113	8.8	105	1	2	7	10	15	20	65
50-64	160	9.6	43	3	4	8	12	18	21	33
65+	257	13.4	115	4	5	11	16	28	38	97
B. Operated										
0-19 YRS	105	5.6	21	<1	1	5	8	11	12	26
20-34	135	7.4	36	1	2	6	10	15	21	45
35-49	154	11.8	157	2	2	8	15	25	34	74
50-64	217	13.1	174	2	3	9	16	28	41	99+
65+	237	17.5	249	3	3	13	23	39	51	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	560	5.2	11	2	2	4	6	9	12	20
B. Operated	763	5.1	43	<1	<1	3	6	10	14	35
2. MULTIPLE DX										
A. Not Operated	872	9.2	77	2	3	7	11	18	25	56
B. Operated	848	12.3	168	2	2	8	15	28	39	80
1. SINGLE DX	1323	5.1	29	<1	1	4	6	10	13	29
2. MULTIPLE DX	1720	10.7	124	2	2	7	13	23	33	73
A. NOT OPERATED	1432	7.6	55	2	2	6	9	15	20	45
B. OPERATED	1611	8.8	121	<1	1	5	11	21	31	67
TOTAL										
0-19 YRS	819	5.0	15	1	1	4	6	9	11	21
20-34	562	5.8	38	<1	1	4	7	11	15	29
35-49	501	8.0	95	1	2	5	9	18	25	48
50-64	563	9.7	104	1	2	7	12	21	28	72
65+	598	14.0	171	2	3	10	17	31	43	83
GRAND TOTAL	3043	8.3	90	1	2	5	10	18	26	58

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	3.8	2	2	2	4	5	6	6	6
20-34	55	3.9	4	<1	1	4	5	6	7	9
35-49	11	4.6	13	<1	1	4	6	10	14	14
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. Operated										
0-19 YRS	1475	4.2	3	2	2	4	5	6	7	11
20-34	2292	4.3	8	2	2	4	5	6	8	12
35-49	307	4.3	3	2	2	4	5	6	7	11
50-64	79	4.8	5	2	2	4	5	7	10	13
65+	6	4.5	10	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.0	6	<1	<1	2	5	7	8	8
20-34	20	2.5	5	<1	<1	1	3	5	8	10
35-49	5	2.2	3	<1	<1	1	3	5	5	5
50-64	5	8.2	27	4	4	5	12	16	16	16
65+	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	125	5.2	10	2	3	4	6	8	12	40
20-34	322	5.8	35	2	3	5	6	9	11	31
35-49	99	6.0	18	2	3	5	7	11	13	28
50-64	28	9.1	105	3	4	6	9	17	24	56
65+	7	7.0	28	3	3	7	8	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	3.9	4	1	1	4	5	6	7	12
B. Operated	4159	4.3	6	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	45	3.2	10	<1	<1	2	4	6	10	16
B. Operated	581	5.9	30	2	3	5	6	9	13	28
1. SINGLE DX	4257	4.3	6	2	2	4	5	6	8	12
2. MULTIPLE DX	626	5.7	29	2	2	5	6	9	12	28
A. NOT OPERATED	143	3.7	6	<1	1	3	5	6	8	14
B. OPERATED	4740	4.5	9	2	2	4	5	7	8	13
TOTAL 0-19 YRS	1643	4.2	4	2	2	4	5	7	8	12
20-34	2689	4.5	11	2	2	4	5	7	8	14
35-49	422	4.6	8	2	2	4	5	7	9	14
50-64	113	6.0	34	2	3	5	6	10	14	34
65+	16	5.3	18	1	2	3	7	8	15	18
GRAND TOTAL	4883	4.4	9	2	2	4	5	7	8	14

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	17	2.3	3	<1	<1	1	4	5	5	5
35-49	14	1.6		<1	<1	1	2	3	4	5
50-64	11	4.5	53	<1	<1	1	4	14	25	26
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	320	1.6	1	<1	<1	1	2	3	3	6
20-34	488	1.8	3	<1	<1	1	2	3	4	7
35-49	405	1.8	2	<1	<1	1	2	3	4	8
50-64	412	1.6	1	<1	<1	1	2	3	4	7
65+	174	2.4	7	<1	<1	1	2	4	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	7	3.9	13	<1	<1	2	6	9	10	10
35-49	7	3.1	11	<1	<1	1	6	9	9	9
50-64	3	3.0	4	<1	<1	3	4	5	5	5
65+										
B. Operated										
0-19 YRS	34	2.8	6	<1	1	2	3	6	9	12
20-34	106	2.8	7	<1	<1	2	3	6	9	14
35-49	117	3.1	15	<1	<1	2	3	6	9	23
50-64	157	3.1	8	<1	<1	2	3	7	9	15
65+	100	4.4	18	1	1	3	5	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.5	15	<1	<1	1	2	5	5	26
B. Operated	1799	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	21	3.0	9	<1	<1	1	5	8	9	10
B. Operated	514	3.3	11	<1	<1	2	3	7	10	18
1. SINGLE DX	1845	1.8	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	535	3.2	11	<1	<1	2	3	7	10	18
A. NOT OPERATED	67	2.6	13	<1	<1	1	3	5	8	23
B. OPERATED	2313	2.1	5	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	361	1.7	2	<1	<1	1	2	3	4	7
20-34	611	1.9	3	<1	<1	1	2	3	5	10
35-49	543	2.1	6	<1	<1	1	2	3	5	14
50-64	587	2.1	5	<1	<1	1	2	4	6	11
65+	278	3.1	12	<1	<1	2	3	7	11	18
GRAND TOTAL	2380	2.1	5	<1	<1	1	2	4	6	13

249 PAS Hospitals, Northeastern Region, January-December 1979

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705;
706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	457	4.5	15	1	1	3	6	9	13	21
20-34	245	5.9	45	1	1	4	7	12	18	30
35-49	171	7.1	51	1	1	5	9	15	22	37
50-64	157	8.6	52	1	2	6	12	18	21	38
65+	186	13.4	193	3	4	10	16	28	36	98
B. Operated										
0-19 YRS	1032	2.6	10	<1	<1	2	3	4	8	17
20-34	1066	4.3	41	<1	<1	2	4	9	15	34
35-49	743	4.7	59	<1	<1	3	4	9	16	42
50-64	835	4.8	53	<1	1	3	4	10	18	43
65+	518	10.0	174	<1	1	4	14	26	35	79
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	347	5.7	24	1	1	4	7	11	16	26
20-34	280	9.9	154	1	1	6	12	19	35	78
35-49	342	10.7	118	2	2	7	13	24	32	73
50-64	645	11.5	85	2	3	9	15	23	30	50
65+	1218	16.0	187	3	5	12	20	33	46	91
B. Operated										
0-19 YRS	347	5.9	85	<1	<1	2	5	15	26	49
20-34	625	9.9	225	<1	1	4	11	29	52	99+
35-49	724	9.6	171	1	2	4	11	28	43	99+
50-64	1283	11.2	212	1	2	4	14	32	46	83
65+	1341	19.4	334	2	2	15	30	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1216	7.0	67	1	1	5	9	15	21	39
B. Operated	4194	4.7	60	<1	<1	2	4	10	19	39
2. MULTIPLE DX										
A. Not Operated	2832	12.5	144	2	2	9	16	27	37	72
B. Operated	4320	12.8	256	1	2	5	18	38	53	99+
1. SINGLE DX	5410	5.3	63	<1	<1	3	5	12	20	39
2. MULTIPLE DX	7152	12.7	212	1	2	7	17	33	47	99+
A. NOT OPERATED	4048	10.8	127	1	2	7	14	24	33	69
B. OPERATED	8514	8.9	176	<1	1	3	10	26	41	87
TOTAL 0-19 YRS	2183	4.0	27	<1	<1	2	4	8	13	27
20-34	2216	6.8	115	<1	1	3	7	17	26	68
35-49	1980	7.7	115	<1	1	4	9	20	31	73
50-64	2920	9.3	139	1	2	4	11	24	35	71
65+	3263	16.3	256	2	2	12	23	40	56	99+
GRAND TOTAL	12562	9.5	161	<1	1	4	12	25	38	79

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	5.0	22	<1	<1	4	5	12	15	19
20-34	55	9.0	66	1	2	7	10	19	25	43
35-49	28	7.5	19	1	1	7	10	12	15	20
50-64	32	9.2	37	2	3	8	12	19	22	25
65+	23	13.7	356	2	4	9	12	20	48	97
B. Operated										
0-19 YRS	15	8.5	77	1	2	5	12	19	29	32
20-34	37	12.5	157	1	2	9	19	24	30	67
35-49	24	8.9	56	2	3	6	12	18	24	34
50-64	33	10.9	196	1	2	7	12	24	52	56
65+	15	11.5	28	4	5	10	14	20	21	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	10.0	55	2	4	9	14	21	48	99+
20-34	143	13.3	227	2	3	9	15	30	41	94
35-49	114	13.3	194	3	4	8	14	28	46	71
50-64	156	13.5	136	4	4	10	15	23	39	59
65+	87	14.2	79	4	5	12	18	27	34	43
B. Operated										
0-19 YRS	22	15.5	558	<1	1	7	16	44	80	96
20-34	71	16.2	206	2	3	13	23	39	43	70
35-49	72	17.3	202	3	4	14	22	35	54	67
50-64	109	19.1	214	3	5	15	25	37	50	75
65+	82	19.5	242	4	5	15	28	38	60	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	8.8	91	1	2	7	11	18	21	42
B. Operated	124	10.8	122	1	2	8	14	21	31	59
2. MULTIPLE DX										
A. Not Operated	547	13.2	156	3	4	10	15	27	38	80
B. Operated	356	18.0	236	3	4	14	23	37	50	77
1. SINGLE DX	285	9.7	105	1	2	7	12	19	24	55
2. MULTIPLE DX	903	15.1	193	3	4	11	19	32	45	78
A. NOT OPERATED	708	12.2	144	2	3	9	14	24	34	79
B. OPERATED	480	16.1	216	2	3	12	21	34	48	75
TOTAL 0-19 YRS	107	9.8	161	<1	2	6	13	20	34	99+
20-34	306	13.1	188	2	3	8	17	29	40	85
35-49	238	13.4	172	2	3	9	16	29	38	67
50-64	330	14.7	168	3	4	11	17	31	46	68
65+	207	16.0	176	4	5	12	20	34	39	85
GRAND TOTAL	1188	13.8	177	2	3	10	17	30	40	77

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	146	6.6	22	2	2	6	8	11	13	28	5
20-34	60	8.2	23	2	3	7	10	15	19	24	5
35-49	66	8.9	30	3	3	7	11	16	18	31	1
50-64	146	9.9	42	3	4	8	13	18	22	45	5
65+	112	12.0	83	3	5	10	14	22	39	70	5
B. Operated											
0-19 YRS	33	10.0	145	2	2	6	12	25	42	54	5
20-34	43	10.7	48	1	2	10	16	21	22	24	5
35-49	78	9.8	81	1	2	6	13	20	29	44	5
50-64	216	13.1	115	2	3	11	19	26	31	60	5
65+	115	17.3	121	3	5	16	23	32	41	49	5
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	58	9.5	108	2	3	6	10	17	30	56	5
20-34	55	8.4	33	2	3	7	12	16	17	31	5
35-49	123	10.9	85	3	4	8	14	21	26	46	5
50-64	428	11.8	91	3	4	10	14	22	32	60	5
65+	618	13.8	112	4	5	11	17	25	33	82	5
B. Operated											
0-19 YRS	22	13.0	119	3	4	11	15	29	37	48	5
20-34	49	10.9	84	3	3	8	16	27	34	99+	5
35-49	119	12.4	173	3	3	9	15	22	29	74	5
50-64	353	15.3	161	2	3	13	20	31	44	86	5
65+	313	20.3	281	3	5	17	26	48	66	99+	5
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	530	9.1	45	2	3	8	11	16	22	42	5
B. Operated											
	485	13.1	113	2	3	11	18	26	33	52	5
2. MULTIPLE DX											
A. Not Operated											
	1282	12.4	101	3	4	10	15	23	32	62	5
B. Operated											
	856	16.4	211	3	3	13	22	35	54	99+	5
1. SINGLE DX											
	1015	11.0	81	2	3	8	15	22	29	47	5
2. MULTIPLE DX											
	2138	14.0	149	3	4	11	18	28	40	90	5
A. NOT OPERATED											
	1812	11.4	87	3	4	9	14	21	30	58	5
B. OPERATED											
	1341	15.2	178	2	3	12	20	31	46	96	5
TOTAL											
0-19 YRS	259	8.3	68	2	2	6	9	14	26	49	5
20-34	207	9.4	46	2	3	8	14	20	25	61	5
35-49	366	10.8	103	2	3	8	14	20	27	62	5
50-64	1143	12.9	114	2	3	10	17	26	35	63	5
65+	1158	15.7	165	4	5	12	20	31	46	99	5
GRAND TOTAL											
	3153	13.1	129	3	3	10	17	26	36	76	5

298: Osteoarthritis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5	
20-34	6	5.5	11	2	2	5	8	10	10	10	
35-49	23	6.5	22	1	2	5	9	14	18	19	
50-64	98	7.9	43	2	2	6	10	15	19	37	
65+	211	9.1	46	1	2	8	12	18	22	42	
B. Operated											
0-19 YRS	19	5.3	91	<1	<1	3	5	6	27	44	
20-34	123	6.4	30	2	2	4	9	14	18	25	
35-49	248	9.1	55	1	2	7	13	20	24	34	
50-64	838	13.5	90	2	3	13	18	25	29	45	
65+	970	18.8	81	5	10	18	23	29	35	50	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	8	5.1	10	<1	1	5	7	10	10	10	
20-34	15	6.1	22	1	1	5	8	14	17	18	
35-49	97	7.8	26	1	2	7	10	13	19	26	
50-64	372	8.5	37	2	2	7	11	16	21	31	
65+	1336	11.7	98	3	4	9	14	22	30	61	
B. Operated											
0-19 YRS	5	4.8	3	3	3	5	6	7	7	7	
20-34	78	8.7	103	1	2	6	10	17	40	87	
35-49	177	9.9	75	2	2	7	14	20	26	45	
50-64	825	16.0	133	3	4	14	21	29	37	67	
65+	1304	22.9	182	6	10	20	28	40	52	87	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	340	8.5	43	1	2	7	11	16	20	41	
B. Operated	2192	14.9	95	2	3	15	20	26	31	47	
2. MULTIPLE DX											
A. Not Operated	1828	10.8	83	2	3	9	13	20	26	51	
B. Operated	2389	19.1	175	3	4	17	24	35	46	77	
1. SINGLE DX	2538	14.0	93	2	3	14	19	25	31	46	
2. MULTIPLE DX	4217	15.5	152	3	4	13	20	30	39	72	
A. NOT OPERATED	2168	10.4	78	2	3	8	13	20	26	50	
B. OPERATED	4587	17.1	141	2	4	16	22	31	39	65	
TOTAL											
0-19 YRS	34	5.1	52	<1	1	4	5	7	10	44	
20-34	222	7.2	56	1	2	5	9	14	19	51	
35-49	545	9.0	56	1	2	7	13	19	23	35	
50-64	2133	13.4	103	2	3	12	18	25	31	53	
65+	3821	17.2	146	3	5	16	22	31	40	71	
GRAND TOTAL	6755	14.9	130	2	3	13	20	28	36	62	

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	94	8.4	46	2	2	7	10	19	25	29	
20-34	78	6.7	18	2	2	6	9	13	16	18	
35-49	61	6.9	17	1	2	6	9	13	16	18	
50-64	67	7.6	33	2	3	6	10	14	20	32	
65+	65	10.3	119	3	3	7	11	20	32	67	
<i>B. Operated</i>											
0-19 YRS	38	13.7	144	1	2	10	21	30	42	45	
20-34	132	6.5	36	2	2	5	8	13	17	35	
35-49	148	7.6	50	2	2	5	9	15	20	35	
50-64	162	9.5	70	2	2	6	13	21	26	44	
65+	84	15.2	91	3	3	15	20	26	36	83	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	70	10.6	86	2	3	8	13	22	30	49	
20-34	80	7.8	34	2	3	6	10	15	19	32	
35-49	112	8.7	62	2	3	7	10	15	19	53	
50-64	150	9.9	48	3	3	8	13	19	23	33	
65+	326	12.3	101	3	4	9	16	24	32	57	
<i>B. Operated</i>											
0-19 YRS	41	16.6	155	2	3	13	25	38	40	41	
20-34	71	13.2	243	1	2	7	13	39	52	65	
35-49	89	12.5	151	2	3	8	16	31	40	52	
50-64	170	15.7	199	2	3	12	22	33	43	71	
65+	141	24.0	323	4	5	19	37	58	75	99+	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	365	8.0	47	2	2	6	10	15	20	33	
<i>B. Operated</i>	564	9.4	73	2	2	6	13	21	27	45	
2. MULTIPLE DX											
<i>A. Not Operated</i>	738	10.6	78	2	3	8	13	20	28	50	
<i>B. Operated</i>	512	17.2	245	2	3	12	24	41	55	99+	
1. SINGLE DX	929	8.9	63	2	2	6	12	19	24	43	
2. MULTIPLE DX	1250	13.3	157	2	3	9	17	29	41	66	
A. NOT OPERATED	1103	9.8	69	2	3	7	12	19	26	44	
B. OPERATED	1076	13.1	170	2	3	8	18	30	43	70	
TOTAL											
0-19 YRS	243	11.3	99	2	2	8	15	26	32	44	
20-34	361	8.2	78	2	2	6	9	15	23	51	
35-49	410	8.9	74	2	3	6	11	18	26	51	
50-64	549	11.3	108	2	3	8	14	23	31	54	
65+	616	15.2	176	3	4	12	19	33	51	99+	
GRAND TOTAL	2179	11.4	122	2	3	8	14	24	34	62	

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	54	3.4	8	1	1	3	4	8	11	13	
20-34	43	3.3	13	<1	<1	2	4	6	10	22	
35-49	20	3.2	7	<1	<1	2	5	7	8	9	
50-64	17	4.2	12	<1	1	4	5	8	12	14	
65+	12	5.9	20	1	1	6	8	11	16	17	
B. Operated											
0-19 YRS	1039	4.4	6	1	2	4	6	7	8	13	
20-34	1909	4.7	9	1	2	4	6	8	9	17	
35-49	859	5.1	18	1	2	5	6	8	10	16	
50-64	456	5.5	8	2	2	5	7	9	10	17	
65+	73	5.9	7	2	2	6	7	10	11	13	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	34	3.0	12	<1	<1	1	3	8	10	16	
20-34	43	3.5	15	<1	<1	1	5	9	12	16	
35-49	25	4.7	34	<1	1	2	5	17	19	20	
50-64	22	6.9	23	1	2	5	9	14	17	18	
65+	18	10.4	25	4	4	11	14	16	18	20	
B. Operated											
0-19 YRS	465	5.4	11	2	2	5	6	9	10	15	
20-34	968	5.5	11	1	2	5	7	9	12	18	
35-49	570	6.0	18	2	2	5	7	10	13	25	
50-64	518	7.3	43	2	3	6	8	12	17	31	
65+	123	8.9	40	3	4	7	10	16	22	38	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	146	3.7	11	<1	1	3	5	8	10	17	
B. Operated											
	4336	4.8	10	1	2	4	6	8	9	15	
2. MULTIPLE DX											
A. Not Operated											
	142	5.0	25	<1	<1	3	7	14	16	20	
B. Operated											
	2644	6.1	21	2	2	5	7	10	13	24	
1. SINGLE DX											
	4482	4.8	10	1	2	4	6	8	9	15	
2. MULTIPLE DX											
	2786	6.0	21	1	2	5	7	10	13	24	
A. NOT OPERATED											
	288	4.3	19	<1	1	3	5	10	14	19	
B. OPERATED											
	6980	5.3	15	1	2	5	6	9	11	20	
TOTAL											
0-19 YRS	1592	4.6	8	1	2	4	6	8	9	14	
20-34	2963	4.9	10	1	2	4	6	8	10	17	
35-49	1474	5.4	19	1	2	5	6	9	11	23	
50-64	1013	6.4	27	2	2	5	8	10	14	25	
65+	226	7.9	29	2	3	6	10	14	17	31	
GRAND TOTAL											
	7268	5.3	15	1	2	5	6	9	11	20	

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	233	4.8	11	1	2	4	6	9	12	20
20-34	93	5.7	25	1	1	4	8	10	17	26
35-49	49	6.3	49	<1	1	5	7	12	14	44
50-64	59	7.2	64	1	2	5	9	14	24	95
65+	60	7.2	22	1	2	6	9	14	16	24
<i>B. Operated</i>										
0-19 YRS	839	4.9	12	2	2	4	6	8	10	17
20-34	1249	4.7	9	1	2	4	6	8	10	17
35-49	347	4.8	17	1	2	4	6	9	12	21
50-64	227	6.0	47	1	2	4	7	13	20	28
65+	104	8.7	112	1	2	5	10	20	33	82
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	135	5.3	37	1	1	4	6	9	12	28
20-34	94	6.2	51	1	1	4	8	12	15	43
35-49	87	6.0	17	1	1	5	8	12	13	19
50-64	111	9.0	122	2	2	6	10	16	27	61
65+	230	10.9	100	2	3	8	14	20	27	64
<i>B. Operated</i>										
0-19 YRS	266	6.4	29	2	2	5	7	12	15	36
20-34	445	6.7	53	2	2	5	8	12	16	64
35-49	225	7.2	71	1	2	5	8	15	21	51
50-64	256	9.5	104	2	2	6	10	23	32	73
65+	165	16.7	239	2	3	13	25	36	51	98
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>										
	494	5.7	26	1	2	5	7	11	15	29
<i>B. Operated</i>										
	2766	5.0	18	1	2	4	6	8	11	23
2. MULTIPLE DX										
<i>A. Not Operated</i>										
	657	8.1	78	1	2	6	10	16	20	38
<i>B. Operated</i>										
	1357	8.5	94	2	2	5	9	19	28	67
1. SINGLE DX										
	3260	5.1	20	1	2	4	6	9	12	24
2. MULTIPLE DX										
	2014	8.4	89	2	2	6	10	17	26	61
A. NOT OPERATED										
	1151	7.1	57	1	2	5	9	14	18	37
B. OPERATED										
	4123	6.2	46	1	2	4	7	11	17	41
TOTAL 0-19 YRS										
	1473	5.2	17	1	2	4	6	8	12	21
20-34	1881	5.3	23	1	2	4	6	9	13	25
35-49	708	5.8	37	1	2	4	7	11	16	36
50-64	653	8.0	86	1	2	5	9	17	26	66
65+	559	11.8	146	2	2	8	16	26	34	81
GRAND TOTAL										
	5274	6.4	48	1	2	5	7	12	17	41

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	10.3	126	3	3	5	16	27	27	27
35-49	6	7.2	11	4	4	6	8	13	13	13
50-64	4	10.3	87	4	4	6	16	24	24	24
65+	3	7.0	19	4	4	5	10	12	12	12
B. Operated										
0-19 YRS										
20-34	2	36.5	1625	8	8	36	65	65	65	65
35-49	3	24.3	569	5	5	17	42	51	51	51
50-64	4	9.3	31	4	4	8	13	17	17	17
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	11	6.9	11	2	3	7	10	11	12	12
35-49	10	7.5	22	3	3	6	11	15	18	18
50-64	13	7.5	20	<1	2	6	10	13	18	19
65+	11	9.5	41	1	3	9	10	21	23	23
B. Operated										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	9.2	30	2	2	9	14	15	15	15
50-64	6	14.5	134	3	3	12	16	34	36	36
65+	2	42.5	1405	16	16	69	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	8.6	48	3	4	5	9	22	26	27
B. Operated	10	19.1	451	4	4	9	17	58	65	65
2. MULTIPLE DX										
A. Not Operated	46	7.8	22	2	3	7	10	12	19	23
B. Operated	14	16.0	303	2	3	14	16	69	92	99+
1. SINGLE DX	27	12.5	212	4	4	8	13	26	53	65
2. MULTIPLE DX	60	9.8	96	2	3	8	11	18	29	97
A. NOT OPERATED	63	8.0	29	2	3	7	10	14	21	27
B. OPERATED	24	17.3	350	3	4	9	17	65	77	99+
TOTAL 0-19 YRS										
20-34	18	10.9	213	2	3	7	10	22	50	65
35-49	24	9.9	97	3	3	7	12	17	28	51
50-64	27	9.7	57	2	3	8	11	19	26	36
65+	17	12.9	241	2	4	9	16	55	88	99+
GRAND TOTAL	87	10.6	132	3	3	8	11	19	37	88

249 PAS Hospitals, Northeastern Region, January-December 1979

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	11.3	9	8	8	12	13	14	14	14
20-34	29	6.0	20	2	2	4	8	14	16	17
35-49	94	7.4	17	2	2	7	10	13	15	20
50-64	187	8.0	33	2	3	7	10	14	17	24
65+	164	8.4	35	2	3	7	10	16	19	27
B. Operated										
0-19 YRS	5	6.6	21	3	3	4	11	13	13	13
20-34	43	7.4	41	2	2	5	10	17	23	24
35-49	158	8.4	53	2	2	7	11	17	23	31
50-64	225	9.7	48	2	2	8	14	19	22	29
65+	78	11.4	155	2	2	9	15	19	33	79
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	35	7.8	39	1	2	7	11	16	20	27
35-49	204	8.0	23	2	3	7	11	14	17	24
50-64	676	9.2	31	3	3	8	12	16	19	29
65+	1210	11.2	66	3	4	9	14	19	25	52
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	42	12.1	65	2	2	11	19	22	26	30
35-49	189	12.0	108	2	2	10	15	24	33	48
50-64	362	14.1	132	2	3	11	18	30	41	98
65+	328	19.2	236	3	5	15	23	41	49	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	477	7.9	30	2	3	7	10	14	18	25
B. Operated	509	9.3	66	2	2	7	13	19	23	34
2. MULTIPLE DX										
A. Not Operated	2127	10.2	52	3	4	9	13	18	22	42
B. Operated	922	15.4	169	2	3	12	20	33	42	88
1. SINGLE DX	986	8.6	49	2	2	7	11	17	20	31
2. MULTIPLE DX	3049	11.7	93	3	3	9	15	22	30	54
A. NOT OPERATED	2604	9.8	48	3	3	8	12	18	21	41
B. OPERATED	1431	13.2	141	2	3	10	18	27	38	76
TOTAL										
0-19 YRS	11	8.5	28	2	2	8	13	16	18	18
20-34	149	8.5	48	2	2	7	12	20	22	29
35-49	645	9.2	58	2	2	8	12	18	23	38
50-64	1450	10.3	64	2	3	9	13	19	24	44
65+	1780	12.4	109	3	4	10	15	23	33	60
GRAND TOTAL	4035	11.0	84	2	3	9	14	20	27	52

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	9.1	37	1	2	9	11	17	21	29
20-34	779	8.9	35	2	2	8	12	15	19	29
35-49	1150	9.5	34	2	3	9	12	16	20	30
50-64	764	10.2	36	2	4	9	13	18	21	28
65+	200	10.8	35	2	4	10	15	19	22	29
B. Operated										
0-19 YRS	120	11.3	64	2	3	10	14	21	26	42
20-34	2043	10.3	50	2	2	9	13	19	24	34
35-49	2847	11.3	57	2	3	10	15	21	25	35
50-64	1555	12.1	60	2	3	11	16	22	26	37
65+	243	15.8	113	3	5	13	21	28	33	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	11.3	49	3	5	9	13	20	27	31
20-34	283	10.8	53	3	4	9	14	18	23	40
35-49	531	10.7	53	2	4	9	13	19	23	41
50-64	762	11.5	43	3	4	10	15	20	24	35
65+	501	12.5	71	4	5	11	15	21	26	46
B. Operated										
0-19 YRS	25	13.0	72	2	2	12	18	25	31	33
20-34	551	13.8	84	2	4	12	18	25	32	47
35-49	1020	14.5	91	3	4	12	19	26	33	48
50-64	953	15.5	96	3	5	14	19	29	34	50
65+	330	20.7	193	6	8	17	25	37	51	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2935	9.6	35	2	3	9	12	17	20	30
B. Operated	6808	11.4	59	2	3	10	15	21	25	36
2. MULTIPLE DX										
A. Not Operated	2095	11.4	54	3	4	10	14	20	24	38
B. Operated	2879	15.4	107	3	5	13	20	28	35	56
1. SINGLE DX	9743	10.8	52	2	3	10	14	20	24	34
2. MULTIPLE DX	4974	13.7	88	3	5	12	17	25	32	50
A. NOT OPERATED	5030	10.4	44	2	4	9	13	18	22	33
B. OPERATED	9687	12.6	77	2	3	11	16	23	28	44
TOTAL										
0-19 YRS	205	11.0	59	2	3	10	14	21	26	38
20-34	3656	10.6	54	2	3	9	14	20	24	36
35-49	5548	11.5	61	2	3	10	15	21	26	38
50-64	4034	12.4	64	2	4	11	16	22	27	40
65+	1274	15.0	119	3	5	12	19	27	34	65
GRAND TOTAL	14717	11.8	66	2	3	10	15	22	26	41

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	6.8	30	2	2	5	7	18	19	19
20-34	278	8.6	25	2	3	8	11	15	19	25
35-49	416	9.0	29	2	3	8	12	16	20	28
50-64	279	9.7	35	2	3	9	12	16	19	34
65+	69	11.3	51	3	4	10	14	20	22	42
B. Operated										
0-19 YRS	23	9.6	56	<1	1	10	16	18	22	27
20-34	324	10.3	52	2	3	9	13	19	23	35
35-49	676	10.8	51	2	3	10	15	20	23	34
50-64	349	11.9	81	2	3	9	16	24	28	49
65+	55	13.1	79	3	4	11	18	24	30	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	8.0	19	4	4	8	10	15	15	15
20-34	114	11.5	107	2	4	9	14	20	24	55
35-49	252	10.4	60	3	4	9	13	17	21	30
50-64	367	11.2	40	4	5	10	14	20	22	31
65+	230	11.8	50	4	4	10	15	21	24	36
B. Operated										
0-19 YRS	6	6.2	20	1	1	5	7	12	12	12
20-34	118	13.1	131	2	3	11	17	25	32	58
35-49	338	13.1	101	2	3	10	17	26	33	49
50-64	309	13.6	103	2	4	11	17	26	32	61
65+	110	19.8	229	3	5	16	26	38	52	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1058	9.2	32	2	3	8	12	16	20	28
B. Operated	1427	11.0	60	2	3	9	15	21	25	36
2. MULTIPLE DX										
A. Not Operated	968	11.2	56	3	4	10	14	20	23	32
B. Operated	881	14.1	126	2	4	11	18	27	35	60
1. SINGLE DX	2485	10.3	49	2	3	9	13	19	23	34
2. MULTIPLE DX	1849	12.5	91	3	4	10	16	23	29	51
A. NOT OPERATED	2026	10.1	44	3	4	9	13	18	21	31
B. OPERATED	2308	12.2	88	2	3	10	16	23	29	49
TOTAL 0-19 YRS	50	8.1	40	1	2	6	12	17	19	27
20-34	834	10.3	64	2	3	9	13	19	24	35
35-49	1682	10.8	39	2	3	9	14	20	24	37
50-64	1304	11.6	67	2	4	10	15	22	26	45
65+	464	13.8	107	3	4	11	17	25	31	56
GRAND TOTAL	4334	11.2	68	2	3	9	14	21	26	41

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	7.9	57	2	2	6	7	22	26	27
20-34	188	8.6	47	3	3	7	10	14	19	25
35-49	198	8.8	29	2	4	7	11	16	18	30
50-64	106	9.6	23	4	4	8	13	17	19	23
65+	28	8.3	28	1	2	7	13	17	17	18
B. Operated										
0-19 YRS	6	8.8	57	2	2	6	15	20	21	21
20-34	119	8.6	78	2	2	6	13	17	22	46
35-49	108	10.6	140	2	2	7	14	22	28	69
50-64	44	8.2	48	1	2	5	13	20	22	23
65+	3	9.7	60	1	1	12	15	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	8.8	34	1	2	10	13	14	21	23
20-34	148	10.4	33	3	4	9	13	17	22	28
35-49	204	10.3	35	3	4	9	13	18	22	30
50-64	206	10.3	38	3	4	9	13	17	26	33
65+	102	11.8	73	3	4	9	15	21	26	51
B. Operated										
0-19 YRS	4	7.5	35	3	3	5	11	16	16	16
20-34	74	11.6	64	2	3	10	16	23	28	35
35-49	115	11.5	63	2	3	10	16	21	24	39
50-64	63	13.8	101	2	2	12	19	29	37	43
65+	8	23.1	200	6	6	21	33	44	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	533	8.8	35	3	3	8	11	16	18	26
B. Operated	280	9.3	97	2	2	6	13	19	24	53
2. MULTIPLE DX										
A. Not Operated	675	10.5	41	3	4	9	13	18	24	32
B. Operated	264	12.4	79	2	3	11	17	23	29	44
1. SINGLE DX	813	9.0	56	2	3	7	12	17	20	34
2. MULTIPLE DX	939	11.0	53	3	4	10	14	20	25	37
A. NOT OPERATED	1208	9.8	39	3	4	8	12	17	21	31
B. OPERATED	544	10.8	90	2	2	9	15	22	26	44
TOTAL 0-19 YRS	38	8.4	42	2	2	6	12	19	22	27
20-34	529	9.5	54	2	3	8	12	17	23	32
35-49	625	10.1	57	2	3	8	13	18	23	36
50-64	419	10.4	47	2	3	9	13	19	24	37
65+	141	11.7	79	2	3	9	15	21	27	50
GRAND TOTAL	1752	10.1	55	2	3	8	13	18	23	36

249 PAS Hospitals, Northeastern Region, January-December 1979

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	8.1	5	5	5	9	10	11	11	11
20-34	115	9.2	39	1	3	8	11	18	20	35
35-49	169	9.0	27	2	2	8	12	16	18	25
50-64	135	9.9	34	2	3	9	13	17	20	30
65+	69	10.5	52	<1	1	9	15	19	24	34
B. Operated										
0-19 YRS	3	6.3	44	2	2	3	11	14	14	14
20-34	62	8.2	36	2	2	7	12	17	20	25
35-49	80	8.6	63	1	2	6	12	20	24	38
50-64	32	11.1	54	2	3	10	16	23	25	25
65+	9	5.6	17	2	2	4	6	12	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	10.6	87	1	1	8	15	26	26	26
20-34	84	8.6	21	3	4	8	10	14	18	25
35-49	176	10.6	54	3	4	9	13	18	24	40
50-64	213	10.4	32	3	4	9	14	18	21	30
65+	269	12.9	71	4	5	10	16	23	28	42
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	37	10.6	62	2	3	9	15	20	27	35
35-49	62	10.9	38	2	3	10	15	19	22	27
50-64	83	16.3	144	3	5	14	21	33	39	61
65+	42	19.1	170	5	8	16	23	41	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	495	9.5	35	1	2	9	12	17	20	29
B. Operated	186	8.7	50	2	2	7	13	20	22	28
2. MULTIPLE DX										
A. Not Operated	747	11.1	52	3	4	9	14	20	25	40
B. Operated	225	14.4	116	3	4	12	18	27	35	65
1. SINGLE DX	681	9.3	39	2	2	8	12	18	21	29
2. MULTIPLE DX	972	11.9	69	3	4	10	15	22	27	45
A. NOT OPERATED	1242	10.5	46	2	4	9	13	19	23	37
B. OPERATED	411	11.8	94	2	2	10	16	23	29	52
TOTAL										
0-19 YRS	16	8.5	34	1	2	8	10	14	22	26
20-34	298	9.0	36	2	3	8	11	17	20	32
35-49	487	9.8	45	2	3	9	13	18	22	35
50-64	463	11.3	59	2	3	10	15	20	25	43
65+	389	13.0	83	3	5	11	16	23	30	48
GRAND TOTAL	1653	10.8	58	2	3	9	14	20	24	40

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	161	5.3	16	1	1	4	7	11	14	25
20-34	955	7.9	36	2	2	7	10	14	17	28
35-49	1157	8.3	26	2	2	7	11	15	18	23
50-64	720	8.7	31	2	3	8	11	16	19	29
65+	246	8.7	28	2	3	8	11	15	18	26
B. Operated										
0-19 YRS	53	7.3	38	2	2	5	10	17	22	25
20-34	603	7.6	45	1	2	5	11	17	21	31
35-49	690	8.5	59	1	2	6	11	18	22	35
50-64	453	10.2	73	2	2	8	14	20	27	40
65+	153	14.7	135	2	3	12	19	30	39	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	6.0	25	<1	1	5	8	11	18	23
20-34	731	9.1	41	2	3	8	12	16	20	25
35-49	1162	9.9	52	2	3	8	13	18	23	31
50-64	1127	10.4	49	2	3	9	13	19	24	38
65+	912	11.5	57	3	4	10	15	22	27	38
B. Operated										
0-19 YRS	29	10.8	127	2	2	6	15	27	39	46
20-34	398	11.1	91	2	2	9	15	23	30	50
35-49	626	12.0	85	2	3	10	16	24	31	44
50-64	620	13.6	117	2	3	11	18	27	35	59
65+	353	18.5	213	3	4	14	24	38	51	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3239	8.2	30	2	2	7	11	15	18	26
B. Operated	1952	9.1	66	1	2	7	13	19	24	40
2. MULTIPLE DX										
A. Not Operated	4035	10.2	51	2	3	9	13	19	23	34
B. Operated	2026	13.4	125	2	3	10	18	28	35	60
1. SINGLE DX	5191	8.5	44	2	2	7	11	17	20	32
2. MULTIPLE DX	6061	11.2	78	2	3	9	14	22	28	46
A. NOT OPERATED	7274	9.3	42	2	3	8	12	17	21	31
B. OPERATED	3978	11.3	101	2	2	9	15	23	31	52
TOTAL										
0-19 YRS	346	6.2	33	1	2	4	8	13	18	28
20-34	2687	8.6	48	2	2	7	11	17	21	32
35-49	3635	9.5	53	2	2	8	12	18	22	35
50-64	2920	10.6	65	2	3	9	14	20	25	42
65+	1664	12.9	103	3	3	10	16	25	32	53
GRAND TOTAL	11252	10.0	64	2	2	8	13	19	24	41

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	227	5.2	30	1	2	4	6	9	11	25
20-34	102	4.7	8	1	1	4	6	9	10	14
35-49	109	5.1	21	1	1	4	7	9	14	27
50-64	162	5.1	15	1	1	4	7	9	15	19
65+	66	5.5	11	1	2	4	8	11	12	14
<i>B. Operated</i>										
0-19 YRS	341	3.0	9	<1	1	2	4	5	6	21
20-34	744	3.1	6	<1	<1	2	4	6	7	13
35-49	1025	3.2	4	<1	1	3	4	5	7	12
50-64	1327	3.1	9	<1	<1	2	4	5	7	14
65+	314	3.8	19	<1	1	3	4	8	11	25
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	67	5.1	9	1	2	4	7	9	10	15
20-34	95	6.4	43	1	2	5	7	12	17	42
35-49	161	7.1	51	1	2	6	8	14	18	36
50-64	245	7.3	29	1	2	6	10	15	18	26
65+	276	9.6	40	2	3	8	12	18	23	35
<i>B. Operated</i>										
0-19 YRS	81	4.8	18	1	2	4	5	9	12	26
20-34	298	4.4	30	1	2	3	5	7	10	22
35-49	480	5.3	38	1	2	4	5	10	15	25
50-64	718	5.2	29	1	2	4	5	10	14	28
65+	289	7.3	68	1	2	4	9	18	23	42
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	666	5.1	20	1	1	4	6	9	12	19
<i>B. Operated</i>	3751	3.2	8	<1	<1	3	4	6	7	15
2. MULTIPLE DX										
<i>A. Not Operated</i>	844	7.7	39	1	2	6	10	15	19	31
<i>B. Operated</i>	1866	5.4	38	1	2	4	6	11	15	29
1. SINGLE DX	4417	3.5	10	<1	1	3	4	6	9	16
2. MULTIPLE DX	2710	6.1	39	1	2	4	7	12	17	29
A. NOT OPERATED	1510	6.6	32	1	2	5	8	13	17	28
B. OPERATED	5617	3.9	19	<1	1	3	4	7	11	22
TOTAL 0-19 YRS	716	4.1	18	<1	1	3	5	7	10	21
20-34	1239	3.8	16	<1	1	3	5	7	9	20
35-49	1775	4.2	20	<1	1	3	5	8	11	21
50-64	2452	4.3	19	<1	1	3	5	9	12	21
65+	945	6.7	45	1	2	4	9	14	20	31
GRAND TOTAL	7127	4.5	23	<1	1	3	5	9	12	23

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	16	2.9	5	<1	<1	2	3	6	8	9
35-49	11	3.5	1	1	1	3	5	7	8	8
50-64	11	2.5	2	<1	<1	3	3	4	5	5
65+	8	4.9	6	1	2	5	7	8	8	8
<i>B. Operated</i>										
0-19 YRS	257	4.1	5	2	2	4	5	7	8	13
20-34	517	4.2	4	2	2	4	5	6	8	11
35-49	518	4.5	7	2	2	4	5	7	9	14
50-64	810	4.7	8	2	2	4	6	8	9	13
65+	328	4.8	16	2	2	4	6	8	8	14
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	11	3.3	15	<1	<1	2	4	9	14	14
20-34	9	1.7	2	<1	<1	<1	2	4	5	5
35-49	23	3.4	9	<1	<1	3	5	7	10	13
50-64	37	4.8	25	<1	<1	3	7	11	12	26
65+	24	8.3	65	<1	1	6	10	23	26	27
<i>B. Operated</i>										
0-19 YRS	172	4.4	4	2	3	4	5	6	8	11
20-34	576	4.5	8	2	2	4	5	7	8	14
35-49	663	5.0	7	2	3	4	6	8	9	14
50-64	1372	5.6	14	2	3	5	7	9	10	18
65+	714	6.5	26	3	3	5	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	51	3.2	4	<1	1	3	4	6	8	9
<i>B. Operated</i>	2430	4.5	8	2	2	4	5	7	8	13
2. MULTIPLE DX										
<i>A. Not Operated</i>	104	4.9	31	<1	<1	3	6	12	17	26
<i>B. Operated</i>	3497	5.4	14	2	3	5	6	9	11	18
1. SINGLE DX	2481	4.5	8	2	2	4	5	7	8	13
2. MULTIPLE DX	3601	5.4	15	2	3	5	6	9	11	19
A. NOT OPERATED	155	4.3	23	<1	<1	3	5	9	13	26
B. OPERATED	5927	5.1	12	2	2	4	6	8	10	16
TOTAL 0-19 YRS	445	4.2	5	2	2	4	5	6	8	13
20-34	1118	4.3	6	2	2	4	5	7	8	13
35-49	1215	4.7	7	2	2	4	6	8	9	14
50-64	2230	5.3	12	2	3	5	6	8	10	16
65+	1074	6.0	24	2	3	5	7	10	13	25
GRAND TOTAL	6082	5.0	12	2	2	4	6	8	10	16

249 PAS Hospitals, Northeastern Region, January-December 1979

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.1	2	<1	<1	1	3	4	5	6
20-34	37	2.5	24	<1	<1	1	2	3	6	31
35-49	18	2.1	2	<1	<1	2	3	6	58	99
50-64	13	3.2	11	<1	<1	2	3	9	11	12
65+	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	734	2.1	2	<1	<1	2	2	3	4	7
20-34	1136	2.1	4	<1	<1	2	2	3	4	5
35-49	610	2.6	23	<1	<1	2	3	4	5	10
50-64	476	3.1	17	<1	<1	2	3	5	7	17
65+	151	3.2	4	<1	1	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	1.4	3	<1	<1	1	1	1	6	8
20-34	9	2.3	5	<1	<1	2	2	6	8	8
35-49	12	1.8	2	<1	<1	1	2	4	5	5
50-64	13	6.2	40	<1	1	2	9	16	20	21
65+	12	8.5	114	3	3	6	7	19	39	42
B. Operated										
0-19 YRS	73	3.1	8	<1	1	2	3	5	7	19
20-34	193	3.0	6	<1	<1	2	4	5	8	14
35-49	187	3.5	10	<1	1	3	4	7	9	16
50-64	208	4.6	21	1	2	3	5	9	12	25
65+	92	5.5	44	2	2	4	6	10	15	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	90	2.4	12	<1	<1	2	3	5	6	72
B. Operated										
	3107	2.4	10	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
	62	4.0	38	<1	<1	2	5	8	12	39
B. Operated										
	753	3.9	17	<1	1	3	4	7	11	23
1. SINGLE DX	3197	2.4	10	<1	<1	2	3	4	5	10
2. MULTIPLE DX	815	3.9	18	<1	1	3	4	7	11	24
A. NOT OPERATED	152	3.1	23	<1	<1	2	3	7	9	42
B. OPERATED	3860	2.7	11	<1	<1	2	3	4	6	14
TOTAL										
0-19 YRS	843	2.2	3	<1	<1	2	2	3	4	7
20-34	1375	2.2	5	<1	<1	2	3	3	5	8
35-49	827	2.8	19	<1	<1	2	3	4	6	15
50-64	710	3.6	19	<1	<1	2	4	7	10	23
65+	257	4.3	25	<1	1	3	5	7	10	30
GRAND TOTAL	4012	2.7	12	<1	<1	2	3	5	6	14

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	17.1	102	3	5	15	25	29	29	45
20-34	25	12.4	123	1	2	8	18	29	33	43
35-49	32	11.7	98	4	4	8	15	24	30	49
50-64	47	14.0	165	2	2	10	18	34	41	60
65+	26	17.8	172	5	6	15	24	31	42	67
B. Operated										
0-19 YRS	103	16.7	153	2	3	14	26	31	39	55
20-34	93	15.4	209	2	3	10	22	40	48	57
35-49	73	18.4	258	2	3	13	28	41	45	73
50-64	113	14.2	184	2	2	9	20	32	43	60
65+	58	18.5	232	3	4	14	26	41	48	76
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	18.8	78	4	8	20	26	28	30	41
20-34	48	14.4	169	<1	2	10	21	38	48	99+
35-49	51	17.5	254	2	3	14	25	39	44	99+
50-64	90	19.2	246	4	5	15	23	42	48	79
65+	118	18.1	193	3	4	14	24	37	45	65
B. Operated										
0-19 YRS	52	24.2	218	2	6	25	30	42	51	75
20-34	85	20.5	314	3	4	14	31	52	63	99+
35-49	112	22.5	365	3	4	18	33	50	65	94
50-64	251	23.7	308	5	7	18	33	50	66	99+
65+	204	25.9	315	3	6	24	38	54	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	223	15.2	128	2	4	12	22	29	36	52
B. Operated										
	440	16.3	201	2	3	11	25	37	44	59
2. MULTIPLE DX										
A. Not Operated										
	352	17.9	198	3	4	14	25	38	45	93
B. Operated										
	704	23.8	314	4	5	19	33	50	67	99+
1. SINGLE DX										
	663	15.9	177	2	3	12	23	34	43	58
2. MULTIPLE DX										
	1056	21.8	283	3	5	17	31	46	59	99+
A. NOT OPERATED										
	575	16.8	172	2	4	14	23	33	42	65
B. OPERATED										
	1144	20.9	284	2	4	16	30	45	57	99+
TOTAL										
0-19 YRS	293	18.5	143	2	4	17	27	30	39	56
20-34	251	16.6	235	2	3	11	25	43	53	99
35-49	268	19.1	292	2	4	14	27	43	51	95
50-64	501	19.9	272	2	4	15	29	44	54	92
65+	406	22.0	271	3	5	17	31	44	59	99+
GRAND TOTAL										
	1719	19.6	250	2	4	15	28	43	52	92

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	6.7	84	1	1	4	8	13	19	85
20-34	105	5.3	55	1	1	4	6	9	13	53
35-49	126	4.8	14	1	1	4	6	10	12	19
50-64	115	6.6	47	1	2	4	8	14	19	39
65+	206	10.7	66	2	3	9	13	21	24	40
B. Operated										
0-19 YRS	840	6.2	31	1	2	5	7	12	16	26
20-34	688	5.7	20	2	2	4	7	11	14	26
35-49	343	8.2	94	1	2	5	10	16	21	55
50-64	282	8.6	67	2	2	6	11	18	22	42
65+	186	13.3	107	2	3	11	19	26	32	62
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	8.8	179	<1	<1	4	10	20	30	77
20-34	120	6.4	38	1	2	4	8	13	16	35
35-49	244	6.9	30	2	3	5	8	13	16	29
50-64	485	10.0	93	2	3	7	13	21	27	39
65+	1700	13.8	112	3	4	11	17	26	35	62
B. Operated										
0-19 YRS	278	7.0	57	1	2	5	8	16	22	48
20-34	353	8.4	121	2	2	5	9	19	27	80
35-49	290	10.6	137	2	2	6	13	23	30	57
50-64	442	15.4	154	3	3	12	20	32	38	64
65+	702	21.9	240	4	6	18	28	43	58	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	667	7.3	59	1	2	5	10	15	21	46
B. Operated	2339	7.2	51	2	2	5	9	15	20	35
2. MULTIPLE DX										
A. Not Operated	2622	12.0	106	2	3	9	15	24	31	55
B. Operated	2065	14.6	197	2	3	10	20	33	43	81
1. SINGLE DX	3006	7.2	53	1	2	5	9	15	20	36
2. MULTIPLE DX	4687	13.1	148	2	3	10	17	28	37	69
A. NOT OPERATED	3289	11.0	100	2	3	8	14	23	30	54
B. OPERATED	4404	10.7	133	2	2	6	14	24	34	65
TOTAL 0-19 YRS	1306	6.6	49	1	2	5	8	14	18	39
20-34	1266	6.5	54	1	2	4	8	13	17	40
35-49	1003	8.1	84	1	2	5	10	17	23	50
50-64	1324	11.2	113	2	3	8	15	23	31	55
65+	2794	15.6	154	3	4	12	20	31	41	71
GRAND TOTAL	7693	10.8	119	2	2	7	14	24	32	60

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.1	6	1	1	2	4	7	9	9
20-34	8	2.8	6	<1	<1	2	4	7	7	7
35-49	6	2.0	2	<1	<1	1	3	4	4	4
50-64	4	8.5	27	3	3	8	12	15	15	15
65+	3	4.3	9	<1	<1	5	6	7	7	7
B. Operated										
0-19 YRS	182	5.0	23	1	2	4	6	9	10	28
20-34	182	3.8	8	1	1	3	4	8	10	15
35-49	115	3.8	8	1	2	3	4	8	10	47
50-64	91	4.8	19	<1	2	3	6	10	16	22
65+	22	7.5	31	3	3	5	9	16	21	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.7	21	<1	<1	1	6	11	12	12
20-34	14	5.8	105	<1	<1	1	5	15	34	39
35-49	11	12.3	150	1	2	5	23	32	34	34
50-64	17	17.4	343	1	2	11	29	62	86	99+
65+	21	21.1	264	2	4	18	29	49	55	57
B. Operated										
0-19 YRS	135	5.1	21	2	2	4	6	8	11	32
20-34	162	4.9	47	1	2	3	5	8	11	45
35-49	131	5.1	32	2	2	4	6	9	10	25
50-64	162	6.3	39	2	2	4	8	12	19	55
65+	67	15.1	196	3	3	11	20	38	53	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	3.5	10	<1	<1	3	5	7	10	15
B. Operated	592	4.5	16	1	2	3	5	9	11	21
2. MULTIPLE DX										
A. Not Operated	69	14.2	244	1	1	8	25	37	53	93
B. Operated	657	6.4	61	2	2	4	7	12	19	54
1. SINGLE DX	627	4.4	15	1	2	3	5	9	11	20
2. MULTIPLE DX	726	7.1	83	1	2	4	7	15	25	60
A. NOT OPERATED	104	10.6	190	<1	1	5	14	30	48	81
B. OPERATED	1249	5.5	40	1	2	4	6	10	15	43
TOTAL 0-19 YRS	337	4.9	21	1	2	4	6	9	11	31
20-34	366	4.3	29	1	1	3	5	8	10	19
35-49	263	4.7	28	1	2	3	5	9	12	33
50-64	274	6.5	58	1	2	4	7	14	20	64
65+	113	14.4	190	3	3	9	19	35	51	76
GRAND TOTAL	1353	5.8	53	1	2	4	6	11	18	52

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	40	6.5	19	1	1	6	9	13	15	18
35-49	54	9.0	30	3	4	8	12	16	19	26
50-64	37	9.1	41	3	3	7	13	19	21	27
65+	16	8.0	23	2	3	7	11	14	18	20
B. Operated										
0-19 YRS	5	4.8	40	1	1	3	5	16	16	16
20-34	26	7.2	39	1	2	5	9	19	21	23
35-49	40	9.1	131	2	2	5	10	19	34	61
50-64	19	7.5	35	1	2	5	13	17	18	18
65+	7	15.7	103	<1	1	19	24	25	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	31	6.2	17	2	2	5	9	13	13	17
35-49	51	11.4	75	2	3	9	15	22	27	46
50-64	81	8.3	30	2	3	7	10	15	20	31
65+	89	10.8	69	3	3	9	13	21	26	48
B. Operated										
0-19 YRS	3	9.0	127	2	2	3	17	22	22	22
20-34	17	11.4	70	1	2	9	14	22	31	35
35-49	30	13.8	63	3	4	13	19	22	31	38
50-64	35	13.6	104	2	4	10	18	32	39	41
65+	25	17.3	107	3	4	15	28	33	35	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	8.2	29	2	3	7	12	16	19	26
B. Operated	97	8.5	83	1	2	5	12	20	24	50
2. MULTIPLE DX										
A. Not Operated	253	9.6	54	2	3	8	12	18	24	34
B. Operated	110	14.0	90	2	3	12	18	30	35	40
1. SINGLE DX	245	8.3	50	2	2	6	12	16	21	31
2. MULTIPLE DX	363	10.9	69	2	3	9	14	21	29	40
A. NOT OPERATED	401	9.1	45	2	3	7	12	17	22	32
B. OPERATED	207	11.4	94	2	2	9	16	23	32	40
TOTAL 0-19 YRS	10	6.7	56	1	1	3	13	19	22	22
20-34	114	7.3	33	1	2	6	10	14	18	27
35-49	175	10.5	74	2	3	8	14	20	26	44
50-64	172	9.4	51	2	3	7	12	18	23	39
65+	137	11.9	79	3	3	10	15	25	30	40
GRAND TOTAL	608	9.9	63	2	3	8	13	19	25	38

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	165	4.2	20	1	1	3	6	8	12	29
20-34	237	5.0	12	1	2	4	7	10	12	17
35-49	249	5.6	35	1	1	4	7	10	13	26
50-64	170	5.4	19	1	2	4	7	11	15	23
65+	85	6.6	21	1	2	6	9	13	16	19
B. Operated										
0-19 YRS	540	6.7	66	<1	1	3	6	19	25	35
20-34	705	4.5	30	1	1	3	4	9	16	30
35-49	477	4.4	38	1	1	3	5	8	12	24
50-64	620	3.8	12	1	2	3	4	7	10	21
65+	294	4.6	45	1	2	3	5	9	15	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	4.7	16	1	1	4	6	10	13	19
20-34	305	6.0	20	1	2	5	8	12	16	22
35-49	381	6.9	30	1	2	6	9	13	15	33
50-64	420	7.4	34	2	2	6	9	14	18	29
65+	437	10.3	98	2	3	8	13	20	25	48
B. Operated										
0-19 YRS	442	6.2	61	1	2	3	5	17	25	36
20-34	686	5.1	43	1	2	3	5	10	16	26
35-49	472	7.0	51	2	2	4	8	16	23	36
50-64	510	7.5	72	2	2	4	9	17	24	42
65+	371	10.3	137	2	2	6	14	24	33	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	906	5.3	22	1	1	4	7	10	13	20
B. Operated	2636	4.8	37	1	1	3	5	10	18	29
2. MULTIPLE DX										
A. Not Operated	1698	7.5	48	1	2	6	9	14	19	34
B. Operated	2481	7.0	71	1	2	4	8	16	23	42
1. SINGLE DX	3542	4.9	33	1	1	3	5	10	16	27
2. MULTIPLE DX	4179	7.2	62	1	2	5	9	15	21	39
A. NOT OPERATED	2604	6.7	40	1	2	5	8	13	17	30
B. OPERATED	5117	5.8	55	1	2	3	6	14	20	36
TOTAL 0-19 YRS	1302	6.0	53	1	1	3	6	17	23	35
20-34	1933	5.0	31	1	1	3	6	10	15	24
35-49	1579	6.0	41	1	2	4	7	12	17	33
50-64	1720	5.9	39	1	2	4	7	12	18	30
65+	1187	8.6	98	2	2	5	11	19	25	46
GRAND TOTAL	7721	6.1	50	1	2	4	7	13	19	35

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	9	5.2	9	<1	<1	6	7	9	10	10
35-49	9	6.7	20	2	2	6	8	14	17	17
50-64										
65+										
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	4	10.3	41	5	5	8	15	19	19	19
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	21	<1	<1	1	7	9	9	9
20-34	25	9.5	45	3	4	7	11	23	25	29
35-49	26	7.8	42	2	2	6	10	17	20	30
50-64	12	9.1	12	3	4	10	11	13	15	15
65+	8	6.9	29	2	2	5	10	16	16	16
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	4	15.8	202	5	5	12	26	35	35	35
35-49	10	11.7	106	3	4	8	16	27	38	38
50-64	6	9.8	10	7	7	9	10	15	16	16
65+	2	9.5	5	8	8	9	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.9	15	<1	1	6	8	10	14	17
B. Operated	9	6.9	30	<1	1	5	9	16	19	19
2. MULTIPLE DX										
A. Not Operated	74	8.3	36	2	3	7	11	15	22	30
B. Operated	24	11.1	79	4	5	8	13	20	36	38
1. SINGLE DX	27	6.3	19	<1	1	6	8	11	17	19
2. MULTIPLE DX	98	9.0	47	2	3	7	11	16	24	37
A. NOT OPERATED	92	7.8	33	1	2	7	10	15	18	30
B. OPERATED	33	10.0	68	2	4	8	11	18	33	38
TOTAL 0-19 YRS	6	4.2	9	<1	<1	4	5	9	9	9
20-34	40	9.0	54	2	3	7	10	20	26	35
35-49	49	8.6	51	2	2	7	11	17	20	38
50-64	19	8.9	14	1	3	9	11	14	16	16
65+	11	6.9	25	2	2	5	10	15	16	16
GRAND TOTAL	125	8.4	42	2	3	7	10	16	20	36

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.7	25	<1	<1	1	2	4	12	29
20-34	4	5.8	8	3	3	5	8	9	9	9
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	3	1.7	1	1	1	1	3	3	3	3
65+										
B. Operated										
0-19 YRS	38	9.7	59	1	2	8	11	17	26	40
20-34	12	11.9	91	1	2	9	15	28	31	32
35-49	8	16.6	68	4	7	15	21	29	30	30
50-64	5	11.0	29	5	5	10	14	19	19	19
65+	2	17.5	365	4	4	17	31	31	31	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	7.8	148	<1	1	4	8	15	37	90
20-34	5	6.0	17	1	1	6	9	11	11	11
35-49	7	6.3	7	3	3	6	8	10	11	11
50-64	2	12.5	5	11	11	12	14	14	14	14
65+	8	10.8	68	3	3	8	15	24	27	27
B. Operated										
0-19 YRS	77	17.2	299	2	3	13	21	36	83	99+
20-34	8	14.4	194	2	2	10	22	37	41	41
35-49	8	16.1	127	4	5	14	21	34	39	39
50-64	7	19.4	117	8	9	17	30	35	35	35
65+	4	28.0	663	7	7	20	45	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.1	23	<1	<1	1	3	7	10	28
B. Operated	65	11.3	71	1	3	9	15	27	30	39
2. MULTIPLE DX										
A. Not Operated	113	7.9	126	<1	1	5	9	15	27	85
B. Operated	104	17.5	274	3	3	14	24	36	68	99+
1. SINGLE DX	122	7.4	65	<1	<1	4	10	18	28	34
2. MULTIPLE DX	217	12.5	219	1	2	8	15	32	45	99+
A. NOT OPERATED	170	6.3	96	<1	<1	3	7	13	20	76
B. OPERATED	169	15.1	204	2	3	11	18	33	41	96
TOTAL 0-19 YRS	254	10.0	184	<1	<1	6	13	26	37	99
20-34	29	10.7	99	1	2	8	12	28	32	41
35-49	25	12.9	82	3	4	11	16	27	32	39
50-64	17	13.0	95	1	2	12	17	31	35	35
65+	14	16.6	279	3	3	11	25	34	58	65
GRAND TOTAL	339	10.7	169	<1	1	7	14	27	36	85

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	175	1.3	1	<1	<1	1	1	2	2	9
20-34	7	1.7		<1	<1	2	2	2	2	2
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
<i>B. Operated</i>										
0-19 YRS	610	2.5	4	<1	1	2	3	4	5	10
20-34	167	2.7	2	<1	<1	2	3	5	6	11
35-49	101	2.8	3	<1	1	2	3	5	6	11
50-64	94	3.2	8	1	2	3	4	4	6	18
65+	93	4.1	18	2	2	3	4	6	11	27
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	52	3.2	82	<1	<1	1	2	4	8	61
20-34	8	1.5	1	<1	<1	<1	2	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	2.8	12	1	1	1	5	8	8	8
65+	4	2.0	1	1	1	2	3	3	3	3
<i>B. Operated</i>										
0-19 YRS	145	3.4	11	1	1	3	4	6	10	22
20-34	61	3.5	4	1	1	3	4	6	7	13
35-49	44	3.2	4	1	2	3	4	5	7	10
50-64	79	3.4	5	1	2	3	4	6	8	12
65+	119	4.0	8	2	2	3	4	6	10	17
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	185	1.3	1	<1	<1	1	1	2	2	9
<i>B. Operated</i>	1065	2.7	5	<1	1	2	3	4	6	12
2. MULTIPLE DX										
<i>A. Not Operated</i>	69	2.9	63	<1	<1	1	2	4	8	55
<i>B. Operated</i>	448	3.6	8	1	1	3	4	6	9	14
1. SINGLE DX	1250	2.5	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX	517	3.5	15	<1	1	3	4	6	9	17
A. NOT OPERATED	254	1.7	18	<1	<1	1	1	2	3	11
B. OPERATED	1513	3.0	6	<1	1	2	4	5	6	13
TOTAL 0-19 YRS	982	2.4	9	<1	<1	2	3	4	6	12
20-34	243	2.8	3	<1	<1	2	4	5	6	11
35-49	148	3.0	3	<1	1	2	4	5	6	11
50-64	178	3.3	6	1	2	3	4	5	7	12
65+	216	4.0	12	2	2	3	4	6	10	17
GRAND TOTAL	1767	2.8	8	<1	<1	2	3	5	6	13

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	41	3.8	11	<1	<1	3	5	8	11	15
20-34	18	4.2	15	1	1	3	7	9	13	15
35-49	8	5.8	12	<1	1	5	8	10	11	11
50-64	11	6.1	32	1	1	2	12	14	15	15
65+	4	2.5	2	1	1	2	3	4	4	4
<i>B. Operated</i>										
0-19 YRS	411	4.5	20	1	2	2	7	11	13	23
20-34	94	7.7	86	1	2	3	11	19	30	46
35-49	56	6.6	100	2	2	3	9	13	15	69
50-64	41	6.7	69	2	2	2	8	19	24	40
65+	17	10.6	98	2	2	5	19	25	31	33
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	145	5.6	70	<1	1	3	6	11	14	47
20-34	51	6.3	35	2	2	4	8	13	22	30
35-49	27	7.7	76	<1	1	6	9	13	35	36
50-64	40	8.4	58	2	3	6	9	18	30	32
65+	48	11.3	78	3	3	8	15	22	33	38
<i>B. Operated</i>										
0-19 YRS	438	6.4	93	1	2	2	8	14	24	55
20-34	95	9.6	96	2	2	5	14	25	37	99+
35-49	68	8.0	54	2	2	4	12	20	28	86
50-64	111	11.8	136	2	2	8	18	26	30	56
65+	55	13.5	91	2	3	13	17	24	29	49
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	82	4.3	15	<1	1	3	6	10	14	15
<i>B. Operated</i>	619	5.5	44	1	2	2	7	12	17	33
2. MULTIPLE DX										
<i>A. Not Operated</i>	311	7.1	68	1	1	5	8	15	23	37
<i>B. Operated</i>	767	8.2	101	2	2	3	11	20	28	57
1. SINGLE DX	701	5.4	41	1	2	2	7	12	16	32
2. MULTIPLE DX	1078	7.9	92	1	2	4	10	19	27	53
A. NOT OPERATED	393	6.5	58	1	1	4	8	13	21	37
B. OPERATED	1386	7.0	78	1	2	3	9	17	25	50
TOTAL 0-19 YRS	1035	5.4	58	1	2	2	7	12	16	45
20-34	258	7.9	77	1	2	4	11	20	30	50
35-49	159	7.3	71	2	2	4	10	16	22	68
50-64	203	9.8	106	2	2	6	14	25	29	52
65+	124	11.9	87	2	3	10	16	23	31	46
GRAND TOTAL	1779	6.9	73	1	2	3	9	16	24	47

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	4.2	21	<1	<1	2	5	12	13	13
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	233	5.4	39	2	2	5	7	8	9	12
20-34	15	4.3	9	2	2	3	6	9	11	12
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	1.8	3	<1	<1	1	2	4	6	8
20-34										
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
B. Operated										
0-19 YRS	173	5.1	7	2	2	5	6	8	9	14
20-34	18	3.9	11	1	1	3	4	7	12	15
35-49	4	4.3	5	2	2	4	6	7	7	7
50-64	3	8.3	50	2	2	7	14	16	16	16
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.2	21	<1	<1	2	5	12	13	13
B. Operated	251	5.4	37	2	2	5	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	36	2.3	13	<1	<1	1	2	5	8	21
B. Operated	199	5.1	9	2	2	5	6	8	10	16
1. SINGLE DX	257	5.3	36	2	2	5	7	8	9	13
2. MULTIPLE DX	235	4.6	10	1	1	4	6	8	9	17
A. NOT OPERATED	42	2.6	14	<1	<1	1	3	6	10	21
B. OPERATED	450	5.2	24	2	2	5	6	8	9	15
TOTAL 0-19 YRS	447	5.0	24	1	2	5	6	8	9	13
20-34	33	4.1	10	1	2	3	5	8	12	15
35-49	6	3.8	4	2	2	3	5	7	7	7
50-64	4	11.5	74	2	2	11	18	21	21	21
65+	2	11.5	25	8	8	11	15	15	15	15
GRAND TOTAL	492	5.0	24	1	2	5	6	8	9	15

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	4.5	21	1	2	3	4	9	12	28
B. Operated										
0-19 YRS	264	4.8	5	2	2	4	6	8	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	5.1	13	<1	1	5	6	11	13	15
B. Operated										
0-19 YRS	51	7.0	11	3	3	6	9	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	4.5	21	1	2	3	4	9	12	28
B. Operated	264	4.8	5	2	2	4	6	8	8	13
2. MULTIPLE DX										
A. Not Operated	21	5.1	13	<1	1	5	6	11	13	15
B. Operated	51	7.0	11	3	3	6	9	11	13	20
1. SINGLE DX	309	4.7	7	2	2	4	6	8	9	13
2. MULTIPLE DX	72	6.4	12	2	2	6	8	11	13	19
A. NOT OPERATED	66	4.7	18	1	2	4	5	10	13	26
B. OPERATED	315	5.1	6	2	2	5	6	8	10	13
TOTAL 0-19 YRS	381	5.0	8	2	2	4	6	8	10	15
GRAND TOTAL	381	5.0	8	2	2	4	6	8	10	15

249 PAS Hospitals, Northeastern Region, January-December 1979

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	3.9	31	<1	<1	2	4	9	13	31
20-34	12	3.2	3	1	1	3	4	6	7	7
35-49	5	2.6	3	<1	<1	2	4	5	5	5
50-64	16	4.0	6	<1	<1	3	6	7	8	9
65+	4	3.0	11	<1	<1	1	5	8	8	8
B. Operated										
0-19 YRS	300	5.5	65	<1	1	3	5	13	18	48
20-34	102	4.0	8	1	1	3	5	8	9	16
35-49	47	4.7	23	<1	1	3	5	11	14	24
50-64	27	7.3	178	1	1	3	8	12	24	71
65+	22	9.4	87	1	2	6	13	24	31	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	6.8	63	1	1	4	7	15	24	45
20-34	11	5.9	28	<1	1	5	7	14	19	20
35-49	12	4.8	7	1	2	4	6	9	10	10
50-64	21	5.2	13	1	1	4	7	10	12	14
65+	44	8.7	40	2	3	7	11	16	21	34
B. Operated										
0-19 YRS	229	9.1	139	1	2	4	12	20	38	99+
20-34	79	6.7	40	2	2	4	8	14	20	30
35-49	56	9.2	74	1	1	7	13	17	24	48
50-64	62	7.8	40	1	2	6	10	18	19	28
65+	60	13.7	141	1	2	12	18	31	49	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	134	3.7	24	<1	<1	2	4	8	12	21
B. Operated										
	498	5.4	57	<1	1	3	5	12	17	46
2. MULTIPLE DX										
A. Not Operated										
	167	6.9	45	1	1	5	8	14	20	40
B. Operated										
	486	9.1	106	1	2	6	13	19	29	77
1. SINGLE DX										
	632	5.0	51	<1	1	3	5	11	16	44
2. MULTIPLE DX										
	653	8.6	92	1	2	5	11	19	28	66
A. NOT OPERATED										
	301	5.5	38	<1	1	4	7	11	15	37
B. OPERATED										
	984	7.2	85	1	1	4	9	16	24	60
TOTAL 0-19 YRS										
	705	6.6	88	<1	1	4	7	15	23	63
20-34	204	5.1	23	1	1	3	6	10	14	29
35-49	120	6.7	49	1	1	4	9	15	21	35
50-64	126	6.8	62	1	1	4	9	15	18	38
65+	130	10.9	100	1	2	8	15	23	35	61
GRAND TOTAL										
	1285	6.8	74	<1	1	4	8	16	22	50

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.0	2	<1	<1	1	3	4	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	701	3.3	3	<1	1	3	4	6	7	9
20-34	46	4.2	4	2	2	4	5	7	8	11
35-49	11	4.1	5	1	1	4	6	7	8	8
50-64	4	3.8	2	3	3	3	5	6	6	6
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	1.6	2	<1	<1	1	2	4	5	8
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	605	3.4	5	<1	1	3	4	6	8	10
20-34	55	5.1	17	2	2	4	6	8	12	26
35-49	15	7.0	14	2	3	6	10	11	14	15
50-64	5	3.8	3	2	2	4	5	6	6	6
65+	6	5.2	11	1	1	6	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	20	2.0	2	<1	<1	1	3	4	5	5
B. Operated										
	765	3.3	3	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
	56	1.6	2	<1	<1	1	2	4	5	8
B. Operated										
	686	3.6	6	<1	1	3	5	6	8	12
1. SINGLE DX										
	785	3.3	3	<1	1	3	4	6	7	9
2. MULTIPLE DX										
	742	3.5	6	<1	1	3	4	6	8	11
A. NOT OPERATED										
	76	1.7	2	<1	<1	1	2	4	5	7
B. OPERATED										
	1451	3.5	5	<1	1	3	4	6	7	10
TOTAL 0-19 YRS										
	1378	3.2	4	<1	1	3	4	6	7	9
20-34	105	4.6	11	2	2	4	5	7	9	21
35-49	26	5.8	12	1	2	5	8	11	12	15
50-64	9	3.8	2	2	2	3	5	6	6	6
65+	9	4.2	9	1	1	4	6	9	10	10
GRAND TOTAL										
	1527	3.4	5	<1	1	3	4	6	7	10

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.4	5	<1	<1	2	3	5	7	12
20-34	21	3.7	20	<1	<1	2	4	8	16	20
35-49	14	3.9	4	1	2	4	5	7	8	8
50-64	9	4.7	17	<1	<1	3	6	12	13	13
65+	9	2.6	5	1	1	2	3	6	8	8
B. Operated										
0-19 YRS	592	5.4	26	<1	<1	3	8	13	15	25
20-34	257	4.2	13	<1	<1	3	8	13	12	19
35-49	54	5.8	22	1	1	4	6	13	16	21
50-64	46	4.4	17	1	2	3	5	9	14	22
65+	24	6.9	22	1	2	6	10	14	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	2.6	6	<1	<1	2	3	7	8	10
20-34	37	6.1	28	1	1	5	8	13	19	24
35-49	32	8.3	106	2	2	6	10	13	19	60
50-64	60	9.5	76	2	2	7	12	20	30	95
65+	42	9.4	27	3	4	8	13	16	19	24
B. Operated										
0-19 YRS	393	6.2	38	<1	1	4	9	15	18	31
20-34	251	5.9	24	1	2	5	8	11	15	26
35-49	124	8.2	62	1	2	6	10	16	25	41
50-64	126	8.8	70	1	2	7	12	19	26	41
65+	94	10.8	146	2	2	8	14	22	27	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	3.2	10	<1	<1	2	4	7	10	17
B. Operated	973	5.1	22	<1	<1	3	7	12	15	21
2. MULTIPLE DX										
A. Not Operated	221	7.2	54	<1	1	5	10	15	20	54
B. Operated	988	7.2	54	1	1	5	9	16	21	35
1. SINGLE DX	1064	4.9	21	<1	<1	3	7	12	14	21
2. MULTIPLE DX	1209	7.2	54	1	1	5	9	15	21	36
A. NOT OPERATED	312	6.0	44	<1	1	4	8	13	18	44
B. OPERATED	1961	6.1	39	<1	1	4	8	14	17	30
TOTAL 0-19 YRS	1073	5.5	30	<1	<1	3	8	13	16	26
20-34	566	5.1	20	<1	1	4	7	11	13	22
35-49	224	7.4	56	1	2	5	9	15	21	41
50-64	241	8.0	63	1	2	6	10	17	23	49
65+	169	9.5	95	2	2	7	13	19	24	60
GRAND TOTAL	2273	6.1	40	<1	1	4	8	14	17	30

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.5	1	<1	<1	1	2	3	3	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	250	4.9	45	1	2	4	6	8	10	25
20-34	30	7.2	26	2	3	6	8	13	18	26
35-49	5	8.8	21	4	4	9	11	16	16	16
50-64	7	8.4	29	3	3	6	14	16	16	16
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	1.4	1	<1	<1	1	1	3	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. Operated										
0-19 YRS	144	5.8	24	2	3	5	6	9	13	31
20-34	55	5.5	4	3	3	5	7	8	10	11
35-49	40	5.4	4	2	3	5	7	8	9	10
50-64	39	5.8	5	3	3	6	6	9	11	13
65+	10	7.6	14	3	3	7	11	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.5	1	<1	<1	1	2	3	3	4
B. Operated	294	5.3	42	2	2	4	6	9	13	26
2. MULTIPLE DX										
A. Not Operated	37	1.4	1	<1	<1	1	1	3	4	4
B. Operated	288	5.8	14	3	3	5	6	9	11	25
1. SINGLE DX	315	5.0	40	1	2	4	6	9	12	25
2. MULTIPLE DX	325	5.3	15	1	2	5	6	9	10	23
A. NOT OPERATED	58	1.4	1	<1	<1	1	2	3	4	4
B. OPERATED	582	5.5	29	2	2	5	6	9	11	26
TOTAL 0-19 YRS	447	4.8	34	1	1	4	6	8	10	27
20-34	88	6.0	13	2	3	5	7	10	12	23
35-49	46	5.7	7	2	3	5	7	9	10	16
50-64	47	6.1	9	3	3	6	7	10	13	16
65+	12	7.1	14	2	3	6	10	12	13	13
GRAND TOTAL	640	5.2	27	1	2	4	6	9	11	25

249 PAS Hospitals, Northeastern Region, January-December 1979

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	195	3.8	24	<1	<1	2	4	9	11	27
20-34	50	5.1	13	<1	1	4	7	10	13	14
35-49	45	3.4	89	1	2	6	11	15	17	62
50-64	39	8.8	37	1	2	8	10	19	24	26
65+	15	12.4	43	4	4	10	15	25	26	27
B. Operated										
0-19 YRS	1128	5.0	33	1	1	3	5	10	14	28
20-34	580	4.1	21	<1	1	3	4	9	14	24
35-49	275	5.4	59	<1	1	3	5	13	17	29
50-64	158	7.1	40	2	2	5	10	15	19	34
65+	31	9.2	56	2	2	7	13	22	25	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	222	5.4	54	<1	1	3	6	13	18	47
20-34	84	9.8	100	1	2	7	12	19	34	52
35-49	87	9.4	66	1	2	7	11	19	28	80
50-64	104	9.7	33	3	3	9	12	18	21	28
65+	98	13.7	109	3	5	11	17	27	43	99+
B. Operated										
0-19 YRS	422	7.7	90	2	2	4	8	20	27	61
20-34	339	5.4	64	1	1	3	5	11	17	38
35-49	217	8.4	81	1	2	4	12	19	27	46
50-64	199	11.0	132	1	2	7	14	25	33	65
65+	80	15.7	190	2	3	12	24	37	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	5.5	39	<1	1	3	8	12	15	27
B. Operated	2172	5.0	35	<1	1	3	5	11	15	28
2. MULTIPLE DX										
A. Not Operated	595	8.7	76	1	1	7	11	19	26	58
B. Operated	1257	8.2	101	1	2	4	10	20	29	57
1. SINGLE DX	2516	5.1	35	<1	1	3	6	11	15	28
2. MULTIPLE DX	1852	8.4	93	1	2	5	11	20	28	57
A. NOT OPERATED	939	7.6	64	<1	1	5	10	17	23	51
B. OPERATED	3429	6.2	61	1	1	3	7	14	21	42
TOTAL 0-19 YRS	1967	5.5	48	<1	1	3	6	11	18	40
20-34	1053	5.0	43	<1	1	3	5	11	16	36
35-49	624	7.2	72	1	1	4	10	16	21	44
50-64	500	9.3	76	2	2	7	12	19	25	39
65+	224	13.7	129	2	3	11	19	27	42	99+
GRAND TOTAL	4368	6.5	62	1	1	4	8	15	22	42

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	778	4.6	30	1	1	3	5	10	15	29
B. Operated										
0-19 YRS	37	7.8	52	<1	1	5	14	21	25	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	508	10.7	147	2	2	7	14	28	51	99+
B. Operated										
0-19 YRS	56	15.8	319	2	2	15	73	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	778	4.6	30	1	1	3	5	10	15	29
B. Operated	37	7.8	52	<1	1	5	14	21	25	99+
2. MULTIPLE DX										
A. Not Operated	508	10.7	147	2	2	7	14	28	51	99+
B. Operated	56	15.8	319	2	2	15	73	99+	99+	99+
1. SINGLE DX	815	4.8	32	1	1	3	5	10	16	29
2. MULTIPLE DX	564	11.2	166	2	2	7	16	36	99+	99+
A. NOT OPERATED	1286	7.0	85	1	2	4	8	17	27	99+
B. OPERATED	93	12.6	227	1	2	10	25	99+	99+	99+
TOTAL 0-19 YRS	1379	7.4	97	1	2	4	9	20	32	99+
GRAND TOTAL	1379	7.4	97	1	2	4	9	20	32	99+

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1639	3.7	9	1	1	3	5	7	9	16
20-34	648	4.7	21	1	1	4	6	8	12	22
35-49	305	5.2	36	1	1	4	6	9	11	20
50-64	303	5.5	21	1	2	4	7	10	13	21
65+	184	6.2	25	1	2	5	8	13	17	34
<i>B. Operated</i>										
0-19 YRS	34	5.4	15	1	2	4	9	11	13	16
20-34	23	4.3	4	2	2	4	5	7	8	9
35-49	18	5.7	12	1	2	5	7	10	13	15
50-64	7	7.9	17	3	3	6	12	13	13	13
65+	7	7.7	20	2	3	7	9	15	16	16
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1836	4.5	19	1	1	3	5	8	11	25
20-34	817	6.5	38	1	2	5	8	13	18	37
35-49	848	7.3	40	1	2	6	9	14	18	28
50-64	916	9.0	77	2	3	7	11	17	23	50
65+	992	10.7	100	2	3	8	13	20	28	57
<i>B. Operated</i>										
0-19 YRS	63	9.4	174	1	2	6	10	17	27	81
20-34	67	9.1	54	2	2	8	12	17	24	89
35-49	94	11.4	130	2	2	8	14	27	35	54
50-64	97	17.2	200	3	4	14	22	31	55	89
65+	114	18.2	213	3	5	15	24	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	3079	4.4	17	1	1	3	5	8	11	19
<i>B. Operated</i>	89	5.6	13	2	2	5	7	10	13	16
2. MULTIPLE DX										
<i>A. Not Operated</i>	5409	7.1	55	1	2	5	9	14	19	38
<i>B. Operated</i>	435	13.8	176	2	2	10	18	29	42	90
1. SINGLE DX	3168	4.4	17	1	1	3	5	8	11	19
2. MULTIPLE DX	5844	7.6	67	1	2	5	9	15	22	45
A. NOT OPERATED	8488	6.1	43	1	2	4	7	12	17	34
B. OPERATED	524	12.4	158	2	2	9	16	27	38	86
TOTAL										
0-19 YRS	3572	4.2	18	1	1	3	5	7	10	21
20-34	1555	5.8	32	1	1	4	7	12	16	35
35-49	1265	7.0	47	1	2	5	9	14	18	35
50-64	1323	8.8	80	2	2	7	11	17	24	55
65+	1297	10.7	106	2	3	8	13	21	29	71
GRAND TOTAL	9012	6.5	52	1	2	4	8	13	18	37

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	455	3.8	14	1	1	3	5	7	8	13
20-34	118	5.3	12	1	2	4	7	10	13	17
35-49	53	6.7	23	1	2	6	8	11	13	31
50-64	85	7.0	30	1	3	5	9	14	16	31
65+	72	8.0	17	3	3	7	11	13	15	21
<i>B. Operated</i>										
0-19 YRS	14	12.2	247	3	3	7	15	27	55	63
20-34	17	11.2	39	4	5	11	15	21	24	25
35-49	14	14.1	166	1	1	10	19	39	40	40
50-64	16	13.7	81	2	3	11	20	28	29	30
65+	15	15.3	102	3	3	14	21	29	37	40
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	615	4.3	16	1	2	3	5	8	10	17
20-34	204	6.5	25	2	2	5	8	12	16	22
35-49	144	7.2	21	2	3	6	9	14	17	28
50-64	291	8.6	65	2	3	6	10	15	23	53
65+	524	10.5	69	3	4	8	13	20	27	52
<i>B. Operated</i>										
0-19 YRS	36	9.6	143	2	2	8	11	17	21	73
20-34	39	20.3	333	3	4	13	27	50	62	75
35-49	52	15.8	147	3	4	13	18	35	47	49
50-64	100	17.5	148	5	6	14	21	30	37	70
65+	110	18.4	117	5	7	16	23	35	40	76
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	783	5.0	19	1	2	4	6	10	12	19
<i>B. Operated</i>	76	13.3	117	2	3	10	17	27	36	57
2. MULTIPLE DX										
<i>A. Not Operated</i>	1778	7.3	47	2	2	5	9	14	20	38
<i>B. Operated</i>	337	17.0	165	3	5	14	21	34	42	73
1. SINGLE DX	859	5.7	33	1	2	4	7	11	15	29
2. MULTIPLE DX	2115	8.9	79	2	2	6	11	18	27	50
A. NOT OPERATED	2561	6.6	40	1	2	5	8	13	17	32
B. OPERATED	413	16.3	158	3	5	13	21	33	41	69
TOTAL										
0-19 YRS	1120	4.4	24	1	2	3	5	8	10	21
20-34	378	7.8	72	2	2	5	9	15	20	51
35-49	263	9.1	66	2	3	7	11	17	27	48
50-64	492	10.3	90	3	3	7	12	21	29	52
65+	721	11.6	81	3	4	9	15	23	30	56
GRAND TOTAL	2974	8.0	67	2	2	5	10	16	23	45

249 PAS Hospitals, Northeastern Region, January-December 1979

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	165	3.6	5	1	1	3	4	6	7	11
20-34	247	4.7	16	1	1	4	6	10	11	23
35-49	164	5.0	15	1	1	4	6	10	13	19
50-64	67	5.1	11	1	2	4	6	9	13	17
65+	34	6.2	22	1	2	5	8	12	15	21
B. Operated										
0-19 YRS	5	3.6	3	2	2	3	5	6	6	6
20-34	26	6.4	28	1	2	5	8	17	19	20
35-49	33	6.2	58	1	2	4	7	14	16	42
50-64	16	3.9	7	2	2	3	4	6	11	13
65+	9	5.8	30	1	1	2	10	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	4.5	10	1	1	4	6	8	10	18
20-34	299	5.8	17	1	2	5	8	11	14	23
35-49	239	6.4	22	2	2	5	8	12	15	26
50-64	181	6.8	19	2	2	6	9	13	14	21
65+	166	7.4	27	2	2	6	9	15	18	88
B. Operated										
0-19 YRS	10	6.6	13	2	2	6	10	11	11	11
20-34	35	8.6	53	2	3	7	10	16	25	37
35-49	33	8.4	20	3	4	7	10	13	19	20
50-64	41	9.2	48	1	2	8	13	18	19	35
65+	30	9.1	29	2	3	8	13	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	677	4.6	13	1	1	4	6	9	12	19
B. Operated	89	5.6	34	1	2	4	7	13	16	33
2. MULTIPLE DX										
A. Not Operated	1018	6.2	20	1	2	5	8	12	15	25
B. Operated	149	8.7	36	2	3	7	11	17	19	35
1. SINGLE DX	766	4.8	16	1	1	4	6	9	12	19
2. MULTIPLE DX	1167	6.5	23	1	2	5	8	12	16	25
A. NOT OPERATED	1695	5.6	18	1	2	5	7	11	14	22
B. OPERATED	238	7.6	38	2	2	6	10	16	19	35
TOTAL 0-19 YRS	313	4.1	8	1	1	3	5	7	10	16
20-34	607	5.6	20	1	2	4	7	11	14	25
35-49	469	6.1	23	1	2	5	8	12	15	24
50-64	305	6.6	22	2	2	5	9	13	15	21
65+	239	7.4	27	2	2	6	9	15	18	43
GRAND TOTAL	1933	5.8	21	1	2	5	8	11	15	23

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.5	3	1	1	2	4	5	6	7
20-34	78	3.7	5	1	1	3	5	7	8	10
35-49	95	4.1	5	1	2	4	6	7	8	11
50-64	161	4.2	5	1	2	4	5	7	8	11
65+	163	4.5	10	1	1	4	5	8	10	20
B. Operated										
0-19 YRS	65	2.4	5	<1	<1	1	2	6	8	10
20-34	47	5.1	9	1	2	5	7	8	10	18
35-49	57	4.7	4	1	2	5	6	7	8	12
50-64	113	5.2	6	2	3	5	6	8	9	16
65+	97	6.2	92	1	2	5	7	8	11	58
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	3.5	7	<1	1	3	5	7	10	10
20-34	37	4.6	10	1	1	4	6	8	12	14
35-49	93	5.2	11	1	2	5	7	8	11	21
50-64	257	5.7	19	1	2	5	7	9	14	26
65+	461	5.9	32	1	2	5	7	12	14	20
B. Operated										
0-19 YRS	15	3.1	12	<1	1	2	3	5	12	15
20-34	36	5.8	15	1	2	5	8	10	12	18
35-49	63	6.7	19	2	3	6	8	10	16	25
50-64	183	7.4	29	2	3	6	9	13	17	29
65+	189	7.8	40	2	3	6	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	533	4.1	6	1	1	4	5	7	8	12
B. Operated	379	4.9	29	1	1	5	6	8	9	15
2. MULTIPLE DX										
A. Not Operated	889	5.6	24	1	2	5	7	10	13	21
B. Operated	486	7.2	31	2	2	6	9	13	18	27
1. SINGLE DX	912	4.4	16	1	1	4	6	8	9	13
2. MULTIPLE DX	1375	6.2	27	1	2	5	8	11	15	25
A. NOT OPERATED	1422	5.0	18	1	2	4	6	9	12	19
B. OPERATED	865	6.2	32	1	2	5	7	11	15	25
TOTAL 0-19 YRS	157	2.8	6	<1	1	2	4	6	8	10
20-34	198	4.6	9	1	1	4	6	8	10	15
35-49	308	5.1	10	1	2	5	6	8	10	20
50-64	714	5.7	18	2	2	5	7	9	13	24
65+	910	6.1	37	1	2	5	7	11	14	23
GRAND TOTAL	2287	5.5	24	1	2	5	7	10	13	22

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	39	3.2	6	<1	<1	2	4	7	9	11
20-34	36	4.1	8	1	1	3	6	8	10	12
35-49	25	4.8	40	<1	1	2	5	15	20	28
50-64	28	3.9	9	<1	1	3	5	8	10	12
65+	18	9.4	176	1	1	5	8	27	45	54
<i>B. Operated</i>										
0-19 YRS	208	2.3	3	<1	1	2	2	4	5	11
20-34	247	3.1	10	<1	<1	2	3	7	8	15
35-49	113	3.5	21	<1	1	2	4	5	9	27
50-64	93	4.3	21	<1	1	2	5	9	15	25
65+	43	5.4	38	<1	2	3	6	12	20	32
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	44	5.0	14	1	2	4	6	11	14	15
20-34	62	4.9	29	1	1	4	6	9	12	37
35-49	49	7.5	137	1	2	4	8	15	24	78
50-64	93	9.4	65	1	2	8	14	22	28	73
65+	132	12.0	103	2	3	10	15	21	27	53
<i>B. Operated</i>										
0-19 YRS	47	4.5	28	1	1	3	5	9	18	29
20-34	87	7.2	50	1	2	5	9	16	19	41
35-49	81	5.8	42	<1	1	4	7	11	16	37
50-64	90	7.8	61	2	2	5	9	19	27	32
65+	83	15.9	225	2	2	11	25	33	43	69
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	146	4.6	36	1	1	3	6	9	12	33
<i>B. Operated</i>	704	3.2	14	<1	1	2	3	6	9	19
2. MULTIPLE DX										
<i>A. Not Operated</i>	380	8.8	83	1	2	6	12	19	25	43
<i>B. Operated</i>	388	8.6	100	1	2	5	11	22	29	49
1. SINGLE DX	850	3.5	18	<1	1	2	4	7	10	21
2. MULTIPLE DX	768	8.7	92	1	2	5	11	20	27	47
A. NOT OPERATED	526	7.6	74	1	1	5	9	16	23	41
B. OPERATED	1092	5.1	51	<1	1	3	5	12	19	35
TOTAL 0-19 YRS	338	3.1	9	<1	1	2	3	6	8	16
20-34	432	4.3	23	<1	1	3	5	8	13	22
35-49	268	5.0	52	1	1	3	5	11	16	37
50-64	304	6.9	50	1	2	4	9	16	24	32
65+	276	12.0	145	2	2	8	16	27	32	63
GRAND TOTAL	1618	5.9	60	<1	1	3	7	14	21	37

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	6	13.2	29	7	7	13	18	20	20	20
65+	25	16.0	218	4	5	10	19	34	53	59
<i>B. Operated</i>										
0-19 YRS	19	5.0	50	<1	1	2	6	13	24	30
20-34	21	4.9	13	<1	1	3	8	10	11	12
35-49	29	11.7	174	2	2	7	14	29	34	63
50-64	59	15.9	223	2	3	12	22	40	67	99+
65+	150	21.5	177	5	6	19	29	44	49	99
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	5	17.0	222	2	2	14	26	40	40	40
35-49	11	14.6	105	3	4	14	24	30	31	31
50-64	62	16.3	150	4	5	12	24	29	44	63
65+	182	15.5	200	3	4	13	19	35	57	99+
<i>B. Operated</i>										
0-19 YRS	16	9.7	120	<1	<1	8	21	82	99+	99+
20-34	33	17.3	385	2	2	13	25	80	99+	99+
35-49	90	20.0	340	2	3	16	30	45	89	99+
50-64	350	30.1	378	7	10	26	46	75	99+	99+
65+	1085	31.8	426	8	11	28	45	72	96	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	36	14.2	166	4	5	10	15	32	46	59
<i>B. Operated</i>	278	16.9	199	2	2	14	25	36	47	99+
2. MULTIPLE DX										
<i>A. Not Operated</i>	263	15.5	182	3	4	12	19	31	49	99+
<i>B. Operated</i>	1574	30.2	421	5	9	27	43	72	99	99+
1. SINGLE DX	314	16.6	195	2	2	13	25	36	47	99+
2. MULTIPLE DX	1837	28.1	414	4	7	24	41	69	95	99+
A. NOT OPERATED	299	15.4	180	3	4	12	19	31	50	99+
B. OPERATED	1852	28.2	410	3	7	25	41	69	94	99+
TOTAL 0-19 YRS	39	6.9	77	<1	1	4	9	28	67	99+
20-34	61	12.7	260	1	2	8	18	45	87	99+
35-49	132	17.5	290	2	3	13	26	40	60	99+
50-64	477	26.4	363	4	7	22	40	65	99+	99+
65+	1442	28.4	405	5	8	24	40	67	91	99+
GRAND TOTAL	2151	26.5	398	3	6	22	38	66	91	99+

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	3.1	5	1	1	3	4	5	6	14
20-34	407	3.8	12	1	1	3	5	7	8	16
35-49	1217	4.0	8	1	2	3	5	7	9	15
50-64	947	4.3	10	1	2	4	5	8	9	17
65+	294	4.5	34	1	1	4	5	8	10	16
B. Operated										
0-19 YRS	7	4.1	16	2	2	3	4	11	13	13
20-34	36	5.2	28	2	2	3	6	12	16	27
35-49	206	3.8	14	2	2	2	4	8	10	16
50-64	201	3.6	10	2	2	2	4	8	11	13
65+	20	5.0	17	2	2	3	8	12	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	3.9	5	1	1	3	5	7	9	10
20-34	537	4.5	8	1	2	4	6	8	10	14
35-49	1949	5.2	12	2	2	4	7	9	11	18
50-64	2665	5.6	18	2	2	5	7	10	13	21
65+	1537	6.2	19	2	2	5	8	11	14	23
B. Operated										
0-19 YRS	4	11.3	251	3	3	4	19	35	35	35
20-34	65	6.6	31	2	2	5	8	12	17	30
35-49	274	5.9	26	2	2	4	8	12	16	25
50-64	372	6.7	41	2	2	4	9	14	17	31
65+	134	10.5	67	2	2	8	14	22	28	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2935	4.1	12	1	1	3	5	7	9	16
B. Operated	470	3.9	14	2	2	2	4	8	11	16
2. MULTIPLE DX										
A. Not Operated	6757	5.5	16	2	2	5	7	10	13	21
B. Operated	849	7.0	43	2	2	5	10	15	18	31
1. SINGLE DX	3405	4.1	12	1	2	3	5	8	9	16
2. MULTIPLE DX	7606	5.7	19	2	2	5	7	10	13	23
A. NOT OPERATED	9692	5.1	15	1	2	4	6	9	12	20
B. OPERATED	1319	5.9	35	2	2	3	8	13	16	30
TOTAL 0-19 YRS	150	3.7	12	1	1	3	5	6	9	15
20-34	1045	4.4	12	1	1	4	5	8	10	16
35-49	3646	4.8	12	1	2	4	6	9	11	17
50-64	4185	5.3	18	2	2	4	7	10	13	22
65+	1985	6.2	26	2	2	5	8	11	15	26
GRAND TOTAL	11011	5.2	17	1	2	4	7	10	12	22

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	3.4	7	1	1	3	4	5	9	11
20-34	42	3.2	7	<1	<1	2	4	7	8	14
35-49	41	4.0	14	<1	1	3	5	9	12	18
50-64	47	5.9	53	<1	1	4	7	10	20	37
65+	49	5.7	41	<1	1	3	7	13	16	38
B. Operated										
0-19 YRS	25	5.4	72	<1	<1	2	5	12	28	38
20-34	47	4.0	17	<1	1	3	5	8	11	25
35-49	85	4.0	22	<1	<1	2	5	9	11	27
50-64	135	5.1	21	1	1	4	7	10	13	23
65+	74	5.3	19	<1	2	4	6	10	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	4.5	18	1	1	3	6	8	13	22
20-34	71	5.2	32	1	1	3	6	10	14	34
35-49	120	6.8	42	1	1	5	9	17	23	29
50-64	298	8.5	61	1	2	7	11	16	21	39
65+	545	10.5	85	2	3	8	13	21	27	64
B. Operated										
0-19 YRS	29	9.0	48	1	2	7	12	18	21	30
20-34	45	6.0	33	2	2	5	8	12	21	99+
35-49	121	7.5	51	1	2	6	9	14	21	42
50-64	289	9.2	74	2	2	7	11	18	23	43
65+	306	12.4	162	2	3	9	15	23	41	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	328	4.2	20	<1	1	3	5	9	10	23
B. Operated	366	4.8	24	<1	1	3	6	10	13	25
2. MULTIPLE DX										
A. Not Operated	1204	8.5	67	1	2	6	11	17	24	42
B. Operated	790	10.0	105	2	2	7	12	18	28	62
1. SINGLE DX	694	4.5	22	<1	1	3	6	9	12	25
2. MULTIPLE DX	1994	9.1	83	1	2	7	11	18	26	50
A. NOT OPERATED	1532	7.5	60	1	1	5	10	16	22	40
B. OPERATED	1156	8.3	85	1	2	6	10	17	23	50
TOTAL 0-19 YRS	373	4.5	21	1	1	3	6	9	13	24
20-34	205	4.7	25	<1	1	3	6	10	14	35
35-49	367	6.1	39	1	1	4	8	13	18	30
50-64	769	8.0	61	1	2	6	10	16	21	40
65+	974	10.4	106	2	2	8	12	20	28	64
GRAND TOTAL	2688	7.9	71	1	2	6	10	16	23	45

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	90	4.0	94	1	1	2	4	5	5	64	
20-34	393	2.6	5	1	1	2	3	5	7	10	
35-49	439	2.8	5	1	1	2	3	5	6	10	
50-64	317	3.1	4	1	1	3	4	6	7	10	
65+	151	4.0	13	1	1	3	5	7	10	22	
B. Operated											
0-19 YRS	174	2.3	8	<1	<1	1	2	4	7	20	
20-34	87	4.7	10	<1	1	4	6	9	12	15	
35-49	105	5.5	22	<1	1	5	7	11	12	28	
50-64	101	6.3	33	<1	2	5	8	12	14	33	
65+	104	8.1	51	2	2	6	10	17	22	39	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	62	3.8	12	<1	1	3	5	8	10	19	
20-34	272	4.0	41	1	1	3	4	6	9	21	
35-49	330	4.4	25	1	1	3	5	8	12	32	
50-64	422	4.6	19	1	1	4	6	9	11	26	
65+	514	8.0	51	1	2	6	10	17	21	39	
B. Operated											
0-19 YRS	118	3.0	13	<1	<1	2	3	6	9	20	
20-34	130	7.1	25	1	2	6	10	13	17	23	
35-49	171	8.2	39	2	3	7	10	15	17	27	
50-64	355	10.2	41	2	3	9	13	17	22	35	
65+	742	13.9	107	3	4	11	18	25	32	58	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	1390	3.0	11	1	1	2	4	5	7	12	
B. Operated											
	571	5.0	27	<1	1	4	7	11	14	29	
2. MULTIPLE DX											
A. Not Operated											
	1600	5.5	37	1	1	4	7	11	17	31	
B. Operated											
	1516	10.9	81	2	2	9	14	21	27	46	
1. SINGLE DX											
	1961	3.6	17	1	1	2	4	7	10	21	
2. MULTIPLE DX											
	3116	8.2	66	1	2	6	11	18	23	40	
A. NOT OPERATED											
	2990	4.4	27	1	1	3	5	9	12	26	
B. OPERATED											
	2087	9.3	73	1	2	7	12	19	25	43	
TOTAL 0-19 YRS											
	444	3.0	28	<1	<1	2	3	5	8	21	
20-34	882	3.9	22	1	1	3	5	8	11	20	
35-49	1045	4.4	22	1	1	3	5	9	12	25	
50-64	1195	6.0	31	1	1	4	8	13	16	29	
65+	1511	10.5	87	2	2	8	14	22	28	51	
GRAND TOTAL											
	5077	6.4	52	1	1	4	8	14	20	34	

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1942	3.0	7	1	1	2	4	5	7	13
20-34	1507	3.6	11	1	1	3	5	7	8	14
35-49	751	4.0	8	1	1	3	5	7	9	13
50-64	505	4.9	14	1	1	4	7	9	11	16
65+	383	5.3	26	1	1	4	7	10	12	17
B. Operated										
0-19 YRS	173	5.0	11	1	2	4	6	9	11	24
20-34	242	4.6	12	1	1	4	6	9	12	19
35-49	117	6.8	104	1	1	4	8	14	20	52
50-64	72	6.3	37	1	1	5	9	11	18	35
65+	37	8.0	34	1	1	8	11	18	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1001	3.5	15	1	1	3	5	7	8	14
20-34	1239	4.3	14	1	1	3	5	8	11	20
35-49	833	5.5	21	1	2	5	7	10	13	20
50-64	959	6.6	30	2	2	5	8	12	15	30
65+	1280	7.5	33	2	2	6	9	14	19	31
B. Operated										
0-19 YRS	132	6.5	36	1	2	5	8	12	17	32
20-34	285	6.7	27	1	2	6	8	12	15	29
35-49	215	8.8	42	2	2	7	11	17	23	30
50-64	206	11.5	112	3	3	9	14	20	26	70
65+	198	12.8	85	2	4	11	16	25	29	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5088	3.7	11	1	1	3	5	7	9	14
B. Operated	641	5.5	33	1	1	4	7	11	14	26
2. MULTIPLE DX										
A. Not Operated	5312	5.6	25	1	2	4	7	11	14	24
B. Operated	1036	9.2	65	2	2	7	11	18	24	37
1. SINGLE DX	5729	3.9	14	1	1	3	5	7	10	17
2. MULTIPLE DX	6348	6.2	33	1	2	5	8	12	16	29
A. NOT OPERATED	10400	4.6	19	1	1	4	6	9	12	21
B. OPERATED	1677	7.8	56	1	2	6	10	16	21	36
TOTAL										
0-19 YRS	3248	3.4	12	1	1	3	4	6	8	15
20-34	3273	4.2	14	1	1	3	5	8	10	20
35-49	1916	5.4	25	1	1	4	7	10	13	24
50-64	1742	6.7	39	1	2	5	8	12	16	32
65+	1898	7.7	41	1	2	6	10	15	19	34
GRAND TOTAL	12077	5.1	25	1	1	4	6	10	13	25

249 PAS Hospitals, Northeastern Region, January-December 1979

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	146	4.0	17	1	1	3	5	8	10	25
20-34	84	3.8	17	<1	1	3	5	8	11	25
35-49	74	4.8	21	1	1	3	7	13	15	18
50-64	77	5.1	39	<1	1	3	5	14	17	34
65+	78	6.3	55	1	1	4	8	9	22	46
<i>B. Operated</i>										
0-19 YRS	20	6.6	19	<1	1	5	9	12	15	17
20-34	43	5.7	20	1	1	5	9	11	13	20
35-49	36	6.3	42	1	1	4	8	14	18	33
50-64	56	7.8	88	<1	<1	4	10	20	29	42
65+	47	8.9	64	2	2	6	12	21	26	38
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	253	4.4	23	1	1	3	5	9	11	33
20-34	143	4.8	20	<1	1	4	6	9	15	20
35-49	178	6.6	37	1	2	5	8	13	17	33
50-64	296	8.4	52	1	2	7	11	18	22	32
65+	609	9.4	62	2	3	7	12	19	27	45
<i>B. Operated</i>										
0-19 YRS	29	5.8	49	1	2	5	8	10	15	40
20-34	74	7.3	30	1	2	6	9	16	21	23
35-49	103	9.3	62	1	2	7	11	18	24	41
50-64	159	16.1	222	2	3	11	20	38	47	83
65+	184	16.0	174	2	3	12	20	34	47	63
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	459	4.7	28	1	1	3	6	9	15	26
<i>B. Operated</i>	202	7.2	54	1	1	5	9	17	22	38
2. MULTIPLE DX										
<i>A. Not Operated</i>	1479	7.6	50	1	2	5	10	16	21	34
<i>B. Operated</i>	549	13.1	155	2	2	9	17	29	41	61
1. SINGLE DX	661	5.4	37	1	1	3	7	12	17	33
2. MULTIPLE DX	2028	9.1	85	1	2	6	11	19	28	49
A. NOT OPERATED	1938	6.9	47	1	1	5	9	15	20	33
B. OPERATED	751	11.5	134	1	2	8	15	25	39	54
TOTAL 0-19 YRS	448	4.5	23	1	1	3	5	9	11	26
20-34	344	5.2	23	1	1	4	7	11	15	22
35-49	391	6.9	43	1	1	5	9	15	18	34
50-64	588	10.0	114	1	2	7	13	22	33	54
65+	918	10.4	92	2	2	8	13	21	30	51
GRAND TOTAL	2689	8.2	75	1	2	6	10	18	25	46

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1078	4.1	18	1	1	3	5	8	11	21
20-34	546	4.5	30	1	1	3	5	8	11	26
35-49	440	5.5	58	1	1	4	6	9	13	52
50-64	599	5.8	44	1	1	4	6	11	17	36
65+	693	8.6	120	1	2	5	9	18	26	64
<i>B. Operated</i>										
0-19 YRS	108	4.0	21	<1	1	2	5	9	11	25
20-34	245	3.2	17	<1	1	2	3	6	9	24
35-49	215	3.8	23	1	1	2	4	7	10	24
50-64	232	4.1	19	<1	1	2	5	10	12	25
65+	123	5.7	39	1	1	3	7	14	18	33
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1030	5.9	36	1	1	4	7	12	17	31
20-34	714	5.1	16	1	1	4	7	10	12	20
35-49	904	6.6	33	1	2	5	8	12	16	35
50-64	2203	7.4	37	2	2	6	9	14	19	34
65+	4467	9.5	68	2	3	7	12	19	24	46
<i>B. Operated</i>										
0-19 YRS	106	8.8	119	1	1	5	12	22	38	99+
20-34	270	6.1	91	1	2	3	6	14	22	71
35-49	287	7.5	82	1	2	4	9	18	29	63
50-64	526	11.0	150	1	2	7	14	25	34	67
65+	784	15.9	198	2	3	12	21	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	3356	5.6	54	1	1	4	6	10	16	44
<i>B. Operated</i>	923	4.0	23	<1	1	2	4	8	12	26
2. MULTIPLE DX										
<i>A. Not Operated</i>	9318	8.0	55	1	2	6	10	16	21	40
<i>B. Operated</i>	1973	11.6	163	2	2	8	15	29	40	89
1. SINGLE DX	4279	5.2	48	1	1	3	6	10	15	39
2. MULTIPLE DX	11291	8.6	74	1	2	6	11	18	24	51
A. NOT OPERATED	12674	7.4	54	1	2	5	9	15	20	40
B. OPERATED	2896	9.2	131	1	2	5	12	22	34	73
TOTAL 0-19 YRS	2322	5.1	32	1	1	3	6	10	15	31
20-34	1775	4.8	33	1	1	3	6	9	12	30
35-49	1846	6.1	47	1	2	4	7	12	16	43
50-64	3560	7.4	57	1	2	5	9	15	21	40
65+	6067	10.2	96	2	3	7	12	20	29	58
GRAND TOTAL	15570	7.7	69	1	2	5	9	16	22	48

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	346	2.8	5	1	1	2	4	5	7	11	
20-34	48	4.3	19	<1	1	3	5	9	11	26	
35-49	23	5.1	24	1	2	3	6	12	16	23	
50-64	13	7.6	46	1	1	5	10	18	23	24	
65+	7	7.6	25	2	2	8	9	15	17	17	
B. Operated											
0-19 YRS	60	8.4	116	2	2	7	9	13	15	77	
20-34	23	8.3	56	1	2	7	10	17	26	34	
35-49	12	11.0	84	5	6	8	10	22	37	39	
50-64	3	19.7	520	6	6	7	36	46	46	46	
65+	4	31.8	1748	6	6	13	56	94	94	94	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	298	4.9	28	1	1	4	6	9	13	30	
20-34	87	7.6	37	1	2	6	10	16	23	27	
35-49	34	10.8	103	2	3	8	14	24	35	47	
50-64	55	10.9	115	2	3	7	14	22	30	66	
65+	42	12.6	128	1	3	8	20	26	38	50	
B. Operated											
0-19 YRS	107	12.9	222	2	2	8	15	37	55	99+	
20-34	86	15.9	322	3	3	12	20	61	99	99+	
35-49	31	16.1	357	2	3	12	22	57	98	99+	
50-64	35	19.9	261	3	3	16	31	53	56	99+	
65+	22	37.2	665	4	5	29	56	78	84	85	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	437	3.3	10	1	1	2	4	7	9	17	
B. Operated	102	9.9	175	2	3	7	10	15	30	88	
2. MULTIPLE DX											
A. Not Operated	516	7.0	59	1	2	5	8	15	23	40	
B. Operated	281	17.0	340	2	3	11	23	50	88	99+	
1. SINGLE DX	539	4.5	48	1	1	3	5	9	12	29	
2. MULTIPLE DX	797	10.5	180	1	2	6	12	27	41	99+	
A. NOT OPERATED	953	5.3	40	1	1	3	6	11	16	32	
B. OPERATED	383	15.1	305	2	3	9	17	41	82	99+	
TOTAL 0-19 YRS											
0-19 YRS	811	5.3	61	1	1	3	6	11	15	44	
20-34	244	10.0	156	1	2	7	12	24	36	99+	
35-49	100	11.2	168	2	2	8	12	30	44	99+	
50-64	106	13.7	181	2	3	10	17	32	48	82	
65+	75	20.4	474	2	3	11	25	50	75	92	
GRAND TOTAL	1336	8.1	135	1	1	4	9	18	32	91	

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	151	3.4	10	1	1	2	4	7	10	97	
20-34	30	4.8	20	1	1	3	6	9	18	20	
35-49	18	5.8	19	1	2	4	7	14	15	15	
50-64	16	8.3	23	2	2	8	12	14	15	16	
65+	5	10.0	65	2	2	10	17	19	19	19	
B. Operated											
0-19 YRS	15	10.2	70	1	2	10	13	15	30	35	
20-34	9	5.4	11	2	2	6	7	10	12	12	
35-49	9	6.2	8	3	3	5	9	10	10	10	
50-64	1	8.0	8	8	8	8	8	8	8	8	
65+	1	6.0	6	6	6	6	6	6	6	6	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	165	5.4	20	1	2	4	6	12	14	22	
20-34	71	7.7	55	1	2	6	10	16	19	43	
35-49	38	9.3	82	2	3	6	11	19	30	46	
50-64	33	7.8	43	2	3	6	10	13	16	38	
65+	35	17.9	272	4	6	12	19	43	50	80	
B. Operated											
0-19 YRS	59	14.3	262	1	2	8	24	64	99+	99+	
20-34	65	18.7	421	3	4	10	31	58	95	99+	
35-49	40	13.6	99	2	3	13	22	33	64	99+	
50-64	18	17.3	217	<1	1	14	24	40	47	51	
65+	18	23.7	525	4	5	15	28	52	76	92	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	220	4.3	16	1	1	3	5	10	15	45	
B. Operated	35	7.8	38	2	2	6	10	13	15	35	
2. MULTIPLE DX											
A. Not Operated	342	7.9	74	1	2	5	10	16	20	47	
B. Operated	200	16.7	304	2	3	11	24	51	94	99+	
1. SINGLE DX											
255	4.8	21	1	1	3	6	11	15	34		
2. MULTIPLE DX											
542	11.1	177	2	2	7	13	28	47	99+		
A. NOT OPERATED											
562	6.5	55	1	1	4	8	14	19	47		
B. OPERATED											
235	15.4	274	2	3	10	21	45	86	99+		
TOTAL 0-19 YRS											
390	6.2	68	1	1	4	7	14	24	99+		
175	11.2	215	1	2	7	12	32	49	99+		
105	10.1	79	2	2	7	14	23	35	99+		
68	10.4	98	2	2	7	13	20	36	49		
59	18.8	335	3	5	12	20	47	52	91		
GRAND TOTAL											
797	9.1	136	1	2	5	11	21	41	99+		

249 PAS Hospitals, Northeastern Region, January-December 1979

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	2.8	11	<1	<1	2	3	6	8	20
20-34	66	3.0	6	<1	<1	2	4	7	9	10
35-49	30	3.7	22	<1	<1	2	4	10	17	19
50-64	12	3.6	13	<1	<1	2	6	10	11	11
65+	26	3.0	5	1	1	3	3	7	8	10
B. Operated										
0-19 YRS	1229	2.3	4	<1	<1	2	3	4	6	12
20-34	1074	3.1	7	<1	1	2	4	6	8	13
35-49	298	3.6	11	<1	1	3	4	7	9	27
50-64	125	3.7	16	<1	1	3	4	9	10	19
65+	50	5.3	34	1	1	3	6	12	18	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	3.2	9	<1	1	2	4	6	8	18
20-34	138	3.1	9	<1	1	2	4	6	8	18
35-49	74	4.8	56	1	1	3	6	9	13	51
50-64	63	5.3	67	1	2	3	5	9	19	52
65+	130	9.6	118	2	2	7	12	17	22	71
B. Operated										
0-19 YRS	785	4.5	26	1	1	3	5	8	12	28
20-34	1107	5.7	42	1	2	4	7	10	14	40
35-49	371	5.9	31	1	2	4	7	13	17	32
50-64	236	6.5	52	1	2	4	7	15	19	49
65+	141	10.2	107	1	2	7	13	24	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	208	3.1	10	<1	<1	2	4	7	9	18
B. Operated										
	2776	2.9	8	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. Not Operated										
	508	5.3	57	1	1	3	6	11	15	35
B. Operated										
	2640	5.7	41	1	2	4	7	11	16	38
1. SINGLE DX	2984	2.9	8	<1	<1	2	3	6	8	13
2. MULTIPLE DX	3148	5.6	44	1	1	4	6	11	16	38
A. NOT OPERATED	716	4.7	45	<1	1	3	5	10	14	30
B. OPERATED	5416	4.2	26	<1	1	3	5	8	12	28
TOTAL										
0-19 YRS	2191	3.2	14	<1	<1	2	4	6	8	18
20-34	2385	4.3	25	1	1	3	5	8	11	25
35-49	773	4.8	26	1	1	3	6	10	14	28
50-64	436	5.4	44	1	1	3	6	11	16	36
65+	347	8.7	98	1	2	6	11	18	31	66
GRAND TOTAL	6132	4.3	26	<1	1	3	5	9	12	28

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	215	7.1	51	1	2	5	9	12	19	44	
20-34	321	6.9	28	1	2	6	9	12	18	28	
35-49	189	7.8	35	2	2	7	10	14	19	37	
50-64	327	9.5	38	2	3	9	12	17	22	31	
65+	413	11.3	45	3	5	10	15	20	23	38	
B. Operated											
0-19 YRS	22	20.1	292	5	7	13	29	48	56	66	
20-34	41	17.3	202	3	5	12	25	36	51	62	
35-49	14	23.1	326	4	7	16	44	51	53	53	
50-64	16	21.9	124	9	10	19	27	37	47	51	
65+	18	16.1	71	3	6	14	20	26	34	38	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	169	8.7	74	2	2	6	10	17	22	51	
20-34	279	9.1	81	2	2	7	11	16	24	59	
35-49	192	11.4	114	2	3	8	14	23	30	55	
50-64	441	12.3	69	3	4	11	16	22	29	41	
65+	1612	14.8	91	4	6	13	19	26	33	51	
B. Operated											
0-19 YRS	65	20.0	221	2	5	16	30	45	49	94	
20-34	99	18.8	268	3	3	13	27	44	56	88	
35-49	59	20.6	337	4	6	15	24	46	63	90	
50-64	84	22.8	268	5	9	20	28	45	83	99+	
65+	200	22.7	221	6	8	20	32	47	61	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1465	8.9	42	2	3	7	11	17	21	34	
B. Operated	111	19.1	202	3	6	14	25	42	51	64	
2. MULTIPLE DX											
A. Not Operated	2693	13.2	92	3	4	11	17	25	31	51	
B. Operated	507	21.4	252	4	6	17	29	46	59	99+	
1. SINGLE DX	1576	9.6	60	2	3	8	12	18	24	43	
2. MULTIPLE DX	3200	14.5	126	3	4	12	18	28	37	67	
A. NOT OPERATED	4158	11.7	79	2	3	9	15	22	28	47	
B. OPERATED	618	20.9	244	4	6	17	28	45	56	99+	
TOTAL											
0-19 YRS	471	10.1	116	2	2	6	11	22	37	57	
20-34	740	9.9	107	2	2	7	11	22	30	61	
35-49	454	11.4	136	2	3	8	13	24	36	73	
50-64	868	12.5	92	3	4	10	16	24	31	51	
65+	2243	14.9	102	4	6	13	19	27	35	60	
GRAND TOTAL	4776	12.9	110	2	4	10	16	25	33	59	

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	17	8.8	73	<1	1	7	11	17	30	36
20-34	9	14.6	264	4	5	8	14	42	56	56
35-49	7	11.3	181	2	2	5	16	35	39	39
50-64	11	8.6	22	2	4	7	11	15	20	20
65+	18	9.1	38	2	3	8	12	19	23	24
<i>B. Operated</i>										
0-19 YRS	7	18.6	222	4	5	15	38	84	99+	99+
20-34	7	32.4	581	9	10	20	54	68	70	70
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	12.0		12	12	12	12	12	12	12
65+	6	12.0	41	5	5	10	19	20	20	20
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	11	15.5	233	3	3	10	24	39	52	53
20-34	15	8.2	18	4	4	6	9	15	17	18
35-49	14	15.9	223	1	1	9	26	43	45	45
50-64	15	12.3	28	7	7	9	17	20	21	22
65+	65	15.2	93	4	5	14	18	26	32	54
<i>B. Operated</i>										
0-19 YRS	13	47.2	279	19	22	54	67	99+	99+	99+
20-34	35	36.7	741	3	9	35	74	99+	99+	99+
35-49	10	39.5	953	5	7	42	96	99+	99+	99+
50-64	5	33.6	1058	9	10	27	89	99	99+	99+
65+	10	30.3	231	14	15	27	42	78	98	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	62	10.0	90	1	2	7	11	20	29	54
<i>B. Operated</i>	22	20.8	312	5	7	17	27	63	80	99+
2. MULTIPLE DX										
<i>A. Not Operated</i>	120	14.1	106	4	5	12	17	26	35	54
<i>B. Operated</i>	73	37.9	629	7	11	40	70	99+	99+	99+
1. SINGLE DX	84	12.8	168	2	3	9	16	29	49	89
2. MULTIPLE DX	193	23.1	435	4	5	17	36	80	99+	99+
A. NOT OPERATED	182	12.7	104	2	4	10	15	25	35	54
B. OPERATED	95	33.9	604	5	8	34	64	99+	99+	99+
TOTAL 0-19 YRS	48	22.1	424	1	3	14	46	66	99+	99+
20-34	66	26.8	635	4	5	18	45	89	99+	99+
35-49	32	22.3	547	1	4	17	41	95	99+	99+
50-64	32	14.3	230	5	6	10	17	25	81	99+
65+	99	15.4	121	4	5	13	20	27	41	81
GRAND TOTAL	277	20.0	376	3	5	14	27	62	95	99+

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	37	2.6	3	1	1	2	3	5	6	8
20-34	69	3.6	5	1	1	3	5	7	8	12
35-49	96	3.6	6	1	1	3	4	6	9	13
50-64	121	4.5	8	1	1	4	6	9	10	12
65+	129	6.5	21	1	2	5	9	13	14	26
<i>B. Operated</i>										
0-19 YRS	4	4.0	5	2	2	4	6	6	6	6
20-34	5	11.6	33	3	3	13	16	17	17	17
35-49	8	9.0	20	4	4	8	13	15	16	16
50-64	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	70	4.4	11	1	1	4	6	8	10	20
20-34	216	5.3	17	1	1	5	7	10	14	25
35-49	326	6.8	33	1	2	6	9	13	17	26
50-64	547	7.9	41	1	2	6	10	15	20	29
65+	969	10.7	80	2	3	8	13	21	27	48
<i>B. Operated</i>										
0-19 YRS	37	9.1	28	2	3	8	11	16	19	28
20-34	124	12.1	102	2	3	9	15	25	37	49
35-49	106	13.1	145	3	3	8	17	32	38	86
50-64	110	16.5	294	2	4	11	20	35	68	93
65+	165	18.6	191	4	6	15	25	35	42	82
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	452	4.6	12	1	1	4	6	9	11	15
<i>B. Operated</i>	19	8.5	24	2	3	6	13	16	17	17
2. MULTIPLE DX										
<i>A. Not Operated</i>	2128	8.6	58	2	2	7	11	17	22	39
<i>B. Operated</i>	542	15.0	180	3	4	11	19	31	40	84
1. SINGLE DX	471	4.7	13	1	1	4	6	9	12	16
2. MULTIPLE DX	2670	9.9	89	2	2	7	12	20	27	53
A. NOT OPERATED	2580	7.9	52	1	2	6	10	16	21	36
B. OPERATED	561	14.8	176	2	4	11	19	31	39	84
TOTAL 0-19 YRS	144	5.2	19	1	1	4	7	10	13	22
20-34	413	7.0	52	1	2	5	9	15	19	44
35-49	533	7.5	59	1	2	5	9	15	22	41
50-64	786	8.6	82	1	2	6	11	17	22	49
65+	1265	11.3	98	2	3	9	14	22	30	59
GRAND TOTAL	3141	9.1	81	1	2	7	11	19	26	47

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	8.0	91	2	2	5	9	15	18	67
20-34	73	11.7	97	1	3	9	14	23	35	52
35-49	38	12.9	135	4	6	9	12	24	46	55
50-64	103	13.5	98	3	5	11	17	24	34	53
65+	351	14.2	75	4	6	13	17	25	30	46
B. Operated										
0-19 YRS	4	23.0	415	3	3	21	40	46	46	46
20-34	7	17.4	156	3	4	14	28	36	37	37
35-49	2	33.0	32	29	29	33	37	37	37	37
50-64	6	27.7	421	8	8	21	50	54	55	55
65+	5	27.8	1503	7	7	13	34	97	97	97
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	128	11.0	94	2	3	9	13	20	28	53
20-34	128	13.0	77	4	4	11	16	26	33	56
35-49	79	16.4	137	4	5	13	21	37	44	51
50-64	179	19.5	176	5	6	17	24	38	47	78
65+	1018	19.2	159	5	7	17	24	35	44	84
B. Operated										
0-19 YRS	64	23.8	310	7	8	17	39	49	63	96
20-34	84	25.8	269	5	8	23	39	48	67	99+
35-49	52	35.9	534	3	7	31	54	71	75	79
50-64	58	34.6	421	7	11	32	51	73	94	99+
65+	136	33.5	413	8	13	28	47	70	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	685	12.7	92	3	4	11	16	24	31	52
B. Operated	24	24.4	476	3	6	14	35	50	68	97
2. MULTIPLE DX										
A. Not Operated	1532	17.9	115	4	6	15	22	34	44	77
B. Operated	394	30.8	400	6	8	27	44	65	79	99+
1. SINGLE DX	709	13.1	109	3	4	11	16	24	33	55
2. MULTIPLE DX	1926	20.5	232	4	6	17	26	42	55	98
A. NOT OPERATED	2217	16.3	141	4	5	14	21	31	40	68
B. OPERATED	418	30.4	406	6	8	26	44	65	79	99+
TOTAL 0-19 YRS	316	12.6	175	2	3	8	14	30	45	70
20-34	292	16.5	174	3	4	13	22	37	45	88
35-49	171	21.7	347	4	6	14	29	52	62	75
50-64	346	20.4	245	5	6	16	27	45	58	99+
65+	1510	19.4	190	5	7	16	24	37	47	91
GRAND TOTAL	2635	18.5	210	4	5	15	23	39	50	88

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	163	4.2	36	1	1	2	4	12	18	29
20-34	33	3.3	5	1	1	3	5	7	7	8
35-49	35	6.0	50	1	1	4	6	13	23	36
50-64	93	5.7	36	1	1	4	7	12	21	30
65+	270	7.8	106	1	1	4	8	22	29	65
B. Operated										
0-19 YRS	637	5.9	46	1	1	3	7	17	21	30
20-34	119	6.3	52	1	1	4	7	14	25	37
35-49	102	8.0	86	1	1	5	10	19	29	48
50-64	194	7.0	53	1	2	5	8	16	23	39
65+	275	9.5	98	2	2	7	12	18	23	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	8.4	134	1	1	3	9	25	37	52
20-34	36	9.9	114	2	3	7	10	27	37	49
35-49	48	9.6	155	2	3	6	10	20	32	70
50-64	156	10.1	100	1	2	6	13	21	33	49
65+	741	13.6	149	2	3	10	18	28	38	87
B. Operated										
0-19 YRS	279	9.7	110	1	2	5	14	24	29	55
20-34	140	11.2	184	1	2	6	14	26	45	56
35-49	102	16.3	376	2	2	8	23	41	59	91
50-64	273	11.0	124	2	2	8	14	27	36	65
65+	601	15.8	178	2	3	12	21	34	43	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	594	6.1	69	1	1	3	6	15	24	42
B. Operated	1327	7.0	63	1	1	4	8	17	22	34
2. MULTIPLE DX										
A. Not Operated	1053	12.4	143	2	3	9	16	27	37	74
B. Operated	1395	13.2	176	2	2	9	17	30	41	76
1. SINGLE DX	1921	6.7	65	1	1	4	8	16	23	38
2. MULTIPLE DX	2448	12.9	162	2	2	9	17	29	39	75
A. NOT OPERATED	1647	10.2	126	1	1	6	13	24	33	65
B. OPERATED	2722	10.2	130	1	2	6	14	24	33	58
TOTAL 0-19 YRS	1151	6.7	69	1	1	3	8	18	24	39
20-34	328	8.5	117	1	1	5	9	21	29	49
35-49	287	11.0	211	1	2	6	11	28	40	77
50-64	716	9.0	92	1	2	6	11	21	30	49
65+	1887	12.9	153	2	3	9	17	28	39	79
GRAND TOTAL	4369	10.2	129	1	2	6	13	24	33	61

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	2.5	28	<1	<1	1	2	4	5	29
20-34	33	2.6	4	<1	1	2	3	5	8	9
35-49	24	4.9	40		<1	3	6	9	16	31
50-64	42	3.6	5	1	1	3	4	7	8	10
65+	56	3.9	12	1	1	3	5	8	11	19
B. Operated										
0-19 YRS	1719	2.2	4	1	1	2	2	4	5	12
20-34	478	3.9	11	1	1	3	5	7	9	16
35-49	432	3.7	10	1	1	3	5	7	9	21
50-64	711	3.4	16	1	1	3	4	6	9	15
65+	593	3.9	13	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	3.1	7	1	1	2	4	6	6	82
20-34	60	6.0	40	1	1	4	7	12	15	35
35-49	48	7.1	117	1	1	4	8	13	23	57
50-64	63	6.7	34	1	2	5	9	13	19	28
65+	158	9.9	69	2	3	7	13	20	26	47
B. Operated										
0-19 YRS	406	5.0	69	1	1	3	5	10	14	52
20-34	336	8.8	146	1	2	5	9	18	26	70
35-49	235	7.8	95	1	2	5	9	14	23	56
50-64	458	8.7	117	1	2	5	10	19	32	62
65+	665	10.0	112	1	2	6	12	22	30	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	3.2	19	<1	1	2	4	6	8	18
B. Operated	3933	3.1	10	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	401	7.3	60	1	1	5	9	17	23	49
B. Operated	2100	8.3	111	1	1	5	9	18	27	59
1. SINGLE DX	4199	3.1	10	1	1	2	4	6	8	15
2. MULTIPLE DX	2501	8.1	103	1	1	5	9	18	26	58
A. NOT OPERATED	667	5.6	47	1	1	4	7	13	19	46
B. OPERATED	6033	4.9	51	1	1	3	5	10	15	40
TOTAL 0-19 YRS	2308	2.7	18	1	1	2	3	5	7	18
20-34	907	5.8	68	1	1	4	6	11	16	46
35-49	739	5.3	48	1	1	3	6	10	15	43
50-64	1274	5.5	59	1	1	3	6	11	17	47
65+	1472	7.3	73	1	1	4	9	17	23	45
GRAND TOTAL	6700	5.0	51	1	1	3	5	10	16	40

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.8	4	1	1	2	4	5	8	9
20-34	35	3.8	6	<1	1	3	5	7	9	11
35-49	26	3.0	2	1	1	3	4	5	6	6
50-64	20	3.5	8	<1	1	3	4	7	10	12
65+	10	7.0	40	1	1	6	14	16	17	17
B. Operated										
0-19 YRS	551	2.3	4	<1	1	2	3	4	6	11
20-34	495	2.7	13	<1	1	2	3	5	6	11
35-49	218	3.1	10	1	1	2	3	5	8	21
50-64	138	3.2	13	1	1	2	4	6	8	15
65+	86	4.3	27	1	1	3	5	8	11	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	3.5	10	<1	1	2	5	8	9	15
20-34	44	7.3	97	1	1	4	8	16	32	47
35-49	32	4.7	16	1	1	5	7	10	11	19
50-64	28	6.5	28	1	1	5	9	12	20	22
65+	85	10.8	104	2	2	8	13	22	28	56
B. Operated										
0-19 YRS	234	4.1	18	1	1	3	4	8	13	23
20-34	318	4.6	34	1	1	3	5	10	15	34
35-49	186	4.8	41	1	1	3	5	9	13	42
50-64	164	6.2	123	1	1	3	6	11	27	76
65+	130	8.9	109	1	2	5	13	19	27	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	3.5	8	1	1	3	5	7	9	15
B. Operated	1488	2.8	10	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	228	7.5	72	1	1	5	9	17	22	45
B. Operated	1032	5.3	57	1	1	3	5	11	17	41
1. SINGLE DX	1620	2.8	10	<1	1	2	3	5	7	14
2. MULTIPLE DX	1260	5.7	61	1	1	3	6	12	19	43
A. NOT OPERATED	360	6.0	52	1	1	4	8	13	19	43
B. OPERATED	2520	3.8	31	1	1	2	4	7	11	28
TOTAL 0-19 YRS	865	2.9	9	<1	1	2	3	5	8	18
20-34	892	3.6	26	1	1	2	4	7	10	27
35-49	462	3.9	23	1	1	3	4	7	11	23
50-64	350	4.9	67	1	1	3	5	8	12	37
65+	311	8.1	88	1	1	5	10	18	25	52
GRAND TOTAL	2880	4.1	34	1	1	2	4	8	12	29

249 PAS Hospitals, Northeastern Region, January-December 1979

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	40	16.7	226	1	2	11	26	37	46	60
20-34	7	16.7	299	1	1	9	29	42	45	45
35-49	21	14.9	476	1	2	7	13	51	70	85
50-64	33	18.3	240	1	1	16	22	40	49	70
65+	211	17.0	203	1	3	14	23	42	58	99+
<i>B. Operated</i>										
0-19 YRS	106	13.6	152	4	4	10	15	30	45	84
20-34	54	16.6	242	3	5	11	20	30	51	90
35-49	92	14.7	70	5	7	13	18	24	31	50
50-64	603	16.8	84	7	8	15	20	27	34	54
65+	2849	21.5	142	9	11	19	25	36	47	88
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	27	23.5	383	2	4	21	31	61	64	67
20-34	9	9.7	94	2	2	7	19	65	99+	99+
35-49	17	15.4	340	1	1	7	21	48	55	59
50-64	79	22.7	447	1	4	16	32	64	73	99
65+	583	22.3	394	3	5	16	29	54	80	99+
<i>B. Operated</i>										
0-19 YRS	64	25.5	196	6	9	22	34	47	54	95
20-34	115	33.3	455	9	11	28	52	70	86	99+
35-49	130	24.0	246	9	11	21	30	50	80	99+
50-64	775	24.4	237	9	11	20	30	49	65	99+
65+	6487	26.6	246	11	13	22	33	50	70	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	312	16.9	227	1	2	14	23	42	54	99+
<i>B. Operated</i>	3704	20.2	137	8	10	18	24	34	44	80
2. MULTIPLE DX										
<i>A. Not Operated</i>	715	22.1	396	3	4	16	29	55	78	99+
<i>B. Operated</i>	7571	26.4	249	10	12	22	33	51	70	99+
1. SINGLE DX	4016	20.0	145	7	9	18	24	35	45	82
2. MULTIPLE DX	8286	26.0	263	9	11	22	33	51	70	99+
A. NOT OPERATED	1027	20.5	350	2	4	16	27	49	70	99+
B. OPERATED	11275	24.4	221	9	11	20	30	46	62	99+
TOTAL										
0-19 YRS	237	18.5	227	3	4	13	27	42	54	75
20-34	185	26.7	441	3	5	21	42	62	80	99+
35-49	260	19.4	226	4	7	16	24	43	58	99+
50-64	1490	21.1	199	7	9	17	25	41	54	86
65+	10130	24.7	231	9	11	21	30	47	64	99+
GRAND TOTAL	12302	24.0	233	8	10	20	30	46	63	99+

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	326	23.7	282	1	2	23	32	46	53	72
20-34	28	32.5	655	1	3	31	48	69	75	80
35-49	12	15.4	220	2	3	10	25	40	43	44
50-64	32	31.3	584	2	4	36	50	73	78	99+
65+	91	26.3	460	3	5	19	44	60	84	99+
<i>B. Operated</i>										
0-19 YRS	373	20.1	247	2	3	18	29	39	49	75
20-34	103	24.6	318	6	8	18	33	53	62	83
35-49	41	28.3	434	6	8	24	41	89	99+	99+
50-64	45	22.6	342	5	7	18	27	47	79	99+
65+	166	28.8	434	9	11	21	38	64	79	99+
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	168	26.2	265	2	3	25	37	51	57	69
20-34	37	39.3	701	2	5	41	57	82	91	99+
35-49	28	22.8	475	3	3	12	33	56	71	76
50-64	52	27.6	511	3	4	25	48	69	98	99+
65+	206	31.4	632	3	5	26	54	79	93	99+
<i>B. Operated</i>										
0-19 YRS	386	28.3	393	3	6	25	42	58	70	99+
20-34	262	33.8	450	9	12	27	49	73	87	99+
35-49	78	34.0	482	8	12	29	58	98	99+	99+
50-64	141	35.0	467	12	14	31	56	92	99+	99+
65+	412	33.3	440	8	11	29	49	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	489	25.0	360	2	3	22	36	52	64	96
<i>B. Operated</i>	728	23.3	328	3	4	19	32	49	65	97
2. MULTIPLE DX										
<i>A. Not Operated</i>	491	29.3	501	3	4	25	47	65	86	99+
<i>B. Operated</i>	1279	32.1	438	6	10	27	47	72	96	99+
1. SINGLE DX	1217	24.0	341	2	4	20	33	50	65	97
2. MULTIPLE DX	1770	31.3	457	4	8	27	47	72	92	99+
A. NOT OPERATED	980	27.2	435	2	3	24	42	61	75	99+
B. OPERATED	2007	28.9	416	4	7	25	42	66	83	99+
TOTAL										
0-19 YRS	1253	24.4	313	2	3	23	34	49	59	89
20-34	430	32.0	469	6	9	26	47	70	82	99+
35-49	159	29.2	474	4	6	25	44	78	99+	99+
50-64	270	31.1	486	5	7	27	50	74	99+	99+
65+	875	31.3	490	5	8	26	48	75	93	99+
GRAND TOTAL	2987	28.4	423	3	6	24	42	64	80	99+

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	310	3.7	14	1	1	3	4	7	10	21
20-34	138	5.2	26	1	1	4	6	10	14	28
35-49	86	6.3	86	1	1	4	7	11	17	61
50-64	114	11.6	166	2	2	7	13	25	47	64
65+	125	10.3	52	2	3	8	13	20	25	34
B. Operated										
0-19 YRS	775	5.2	28	1	1	4	6	10	13	24
20-34	556	7.7	65	1	2	5	9	14	23	42
35-49	315	8.9	57	2	3	7	11	17	24	40
50-64	301	11.2	98	2	3	8	14	22	31	56
65+	167	13.7	132	3	4	10	18	28	34	62
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	7.0	98	1	1	4	8	14	19	63
20-34	90	7.2	31	1	2	6	9	15	19	28
35-49	83	11.5	189	1	2	7	14	22	35	85
50-64	115	13.0	144	2	4	10	15	27	42	80
65+	254	16.1	172	3	4	12	21	33	50	99
B. Operated										
0-19 YRS	366	11.1	155	2	2	8	13	21	39	76
20-34	420	16.6	264	3	4	11	22	40	61	99+
35-49	230	15.4	216	2	4	11	19	33	49	93
50-64	274	17.7	276	3	5	12	22	47	66	99+
65+	280	20.6	254	4	6	17	26	45	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	773	6.5	62	1	1	4	8	14	19	43
B. Operated	2114	7.9	67	1	2	5	10	16	23	43
2. MULTIPLE DX										
A. Not Operated	638	12.3	151	2	2	9	16	26	40	72
B. Operated	1570	16.0	241	2	4	11	21	38	56	99+
1. SINGLE DX	2687	7.5	66	1	2	5	9	15	22	43
2. MULTIPLE DX	2208	15.0	218	2	3	10	19	35	52	99+
A. NOT OPERATED	1411	9.1	111	1	1	6	12	20	29	62
B. OPERATED	3684	11.4	157	1	2	7	14	26	39	79
TOTAL										
0-19 YRS	1547	6.4	67	1	1	4	8	13	19	52
20-34	1204	10.5	148	1	2	6	12	25	38	74
35-49	714	11.0	137	2	2	7	13	23	34	79
50-64	804	13.7	183	2	3	10	16	30	48	94
65+	826	16.2	186	3	4	12	21	34	49	96
GRAND TOTAL	5095	10.8	146	1	2	7	13	24	36	74

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	169	3.6	19	1	1	3	4	7	9	11
20-34	171	4.3	24	<1	1	3	5	9	10	21
35-49	130	5.7	27	1	1	4	7	12	14	31
50-64	166	6.2	30	1	2	5	7	14	16	30
65+	182	8.7	81	1	2	6	10	16	27	51
B. Operated										
0-19 YRS	758	4.7	15	1	1	4	6	8	11	18
20-34	897	6.0	29	1	2	5	7	11	13	25
35-49	668	6.6	32	2	2	5	8	11	15	28
50-64	720	7.9	39	2	3	6	10	13	17	32
65+	474	10.1	47	3	4	9	13	17	22	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	6.1	27	1	1	4	9	13	17	25
20-34	168	6.7	40	1	2	5	7	14	23	28
35-49	100	8.3	108	2	2	6	9	15	21	64
50-64	209	8.3	48	2	2	6	11	15	18	40
65+	345	12.2	99	2	3	9	15	25	37	55
B. Operated										
0-19 YRS	452	8.4	97	2	2	5	9	16	26	59
20-34	740	9.4	100	2	3	6	10	18	30	78
35-49	528	9.4	83	2	3	7	11	17	24	56
50-64	711	11.8	135	3	4	9	13	22	32	75
65+	612	16.8	220	3	5	13	21	33	49	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	818	5.7	41	1	1	4	7	11	15	35
B. Operated	3517	6.8	34	1	2	5	8	12	16	28
2. MULTIPLE DX										
A. Not Operated	921	9.2	76	1	2	7	12	18	26	46
B. Operated	3043	11.3	138	2	3	8	13	22	33	75
1. SINGLE DX	4335	6.6	35	1	2	5	8	12	16	29
2. MULTIPLE DX	3964	10.8	124	2	3	7	13	22	31	69
A. NOT OPERATED	1739	7.6	62	1	2	5	9	15	23	44
B. OPERATED	6560	8.9	87	2	2	6	10	17	24	55
TOTAL										
0-19 YRS	1478	5.8	45	1	1	4	7	11	15	33
20-34	1976	7.2	59	1	2	5	8	13	19	46
35-49	1426	7.7	58	2	2	6	9	14	19	39
50-64	1806	9.3	81	2	3	7	11	17	23	51
65+	1613	12.9	138	3	4	10	15	25	36	68
GRAND TOTAL	8299	8.6	82	1	2	6	10	16	24	51

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	44	2.0	1		1	2	3	3	4	4	
20-34	27	2.5	4	<1	1	2	3	5	7	9	
35-49	11	4.0	15	<1		3	4	9	14	15	
50-64	15	3.8	18	1	1	4	5	10	14	16	
65+	14	7.0	41	1	1	5	10	13	22	25	
<i>B. Operated</i>											
0-19 YRS	46	3.5	4	1	1	3	4	7	8	10	
20-34	31	3.7	4	2	2	3	5	6	7	11	
35-49	12	4.3	8	1	2	4	5	10	10	10	
50-64	9	3.9	4	2	2	4	5	7	8	8	
65+	5	4.4	20	1	1	2	7	12	12	12	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	91	4.0	20	1	1	3	5	8	14	22	
20-34	103	5.3	27	1	1	4	7	11	16	27	
35-49	56	8.3	79	1	2	6	9	18	25	52	
50-64	72	8.2	40	1	2	6	11	18	22	30	
65+	151	11.2	131	2	3	9	13	22	27	74	
<i>B. Operated</i>											
0-19 YRS	47	8.5	154	1	2	4	8	29	41	99+	
20-34	57	9.0	146	1	1	5	11	20	49	97	
35-49	24	16.8	439	2	2	9	18	50	97	99+	
50-64	23	10.0	65	3	3	8	12	21	31	34	
65+	35	16.9	320	2	3	12	22	28	68	78	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	111	3.2	13	1	1	2	4	7	10	20	
<i>B. Operated</i>	103	3.7	5	1	2	3	5	7	9	11	
2. MULTIPLE DX											
<i>A. Not Operated</i>	473	7.7	75	1	1	5	10	18	23	40	
<i>B. Operated</i>	186	11.5	217	1	2	6	14	29	51	99+	
1. SINGLE DX	214	3.5	9	1	1	3	4	7	10	15	
2. MULTIPLE DX	659	8.8	117	1	1	6	11	20	26	76	
A. NOT OPERATED	584	6.9	66	1	1	4	9	15	22	31	
B. OPERATED	289	8.7	155	1	2	5	10	20	32	98	
TOTAL 0-19 YRS	228	4.4	45	1	1	3	4	8	16	44	
20-34	218	5.7	57	1	1	4	7	12	19	62	
35-49	103	9.4	164	1	2	5	10	19	36	98	
50-64	119	7.6	43	1	2	5	10	16	22	32	
65+	205	11.7	160	2	2	9	14	23	28	77	
GRAND TOTAL	873	7.5	96	1	1	4	9	17	24	71	

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.9	39	1	1	2	2	12	21	23
20-34	2	9.0	72	3	3	9	15	15	15	15
35-49	5	8.8	37	3	3	8	11	19	19	19
50-64										
65+										
B. Operated										
0-19 YRS	7	3.7	6	1	1	3	6	7	7	7
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	2	13.5	313	1	1	13	26	26	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	7.2	67	2	2	3	7	24	26	27
20-34	6	4.5	16	1	1	3	5	11	12	12
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	11	18.7	488	2	2	11	23	54	74	76
65+	9	12.4	38	5	5	15	16	21	23	23
B. Operated										
0-19 YRS	11	22.0	541	2	3	15	38	85	98	99+
20-34	12	18.8	152	2	3	18	26	37	39	39
35-49	4	10.5	14	8	8	9	13	16	16	16
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	6	37.2	842	13	15	37	95	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	19	5.7	42	1	1	2	8	17	21	23
B. Operated										
	12	6.5	48	1	1	5	7	15	24	26
2. MULTIPLE DX										
A. Not Operated										
	41	11.0	180	2	2	6	15	24	33	76
B. Operated										
	35	21.3	408	2	3	16	27	87	99+	99+
1. SINGLE DX										
	31	6.0	43	1	1	3	7	17	23	26
2. MULTIPLE DX										
	76	15.8	307	2	2	11	23	45	85	99+
A. NOT OPERATED										
	60	9.4	141	1	2	6	13	23	26	72
B. OPERATED										
	47	17.5	355	1	2	12	26	65	99+	99+
TOTAL 0-19 YRS										
	43	9.5	216	1	1	3	10	24	60	99+
20-34	22	13.1	130	1	2	11	24	30	37	39
35-49	12	9.0	19	3	5	8	9	17	19	19
50-64	13	16.8	430	2	2	9	18	47	71	76
65+	17	21.3	448	3	5	17	26	96	99+	99+
GRAND TOTAL										
	107	12.9	249	1	2	8	17	32	76	99+

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	4	<1	<1	1	2	6	7	7
20-34	15	4.5	15	1	1	3	7	8	13	15
35-49	4	3.0	16	1	1	1	5	9	9	9
50-64	7	2.7	4	1	1	2	4	6	6	6
65+	11	3.5	18	1	1	2	4	11	14	14
B. Operated										
0-19 YRS	123	3.3	4	<1	1	3	4	6	7	9
20-34	287	3.5	4	1	1	3	5	6	7	11
35-49	102	4.2	18	<1	1	4	5	7	10	29
50-64	59	3.3	7	1	1	2	4	7	8	15
65+	77	2	5	1	1	2	4	5	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.7	5	<1	<1	4	6	7	7	7
20-34	18	4.2	9	<1	1	4	5	8	11	12
35-49	13	3.2	3	1	1	3	4	6	6	6
50-64	17	7.4	46	1	1	6	9	20	21	21
65+	30	7.6	54	1	2	5	10	16	24	34
B. Operated										
0-19 YRS	22	6.5	57	1	1	5	7	14	23	36
20-34	66	5.9	21	1	2	5	8	12	14	25
35-49	38	7.4	111	1	1	4	7	14	27	59
50-64	33	7.4	184	1	1	2	7	19	28	73
65+	95	7.2	89	1	1	5	9	18	25	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.4	12	<1	1	2	5	8	10	15
B. Operated	648	3.5	7	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	85	5.8	34	1	1	4	7	12	20	30
B. Operated	254	6.9	83	1	1	5	8	15	25	78
1. SINGLE DX	693	3.5	7	1	1	3	4	6	7	14
2. MULTIPLE DX	339	6.6	71	1	1	4	8	14	22	73
A. NOT OPERATED	130	5.0	27	1	1	3	6	11	15	26
B. OPERATED	902	4.4	30	1	1	3	5	8	12	28
TOTAL										
0-19 YRS	160	3.7	12	<1	1	3	5	7	8	15
20-34	386	4.0	8	1	1	4	5	7	8	16
35-49	157	4.9	41	1	1	4	5	9	12	34
50-64	116	5.0	66	1	1	3	5	10	19	44
65+	213	5.5	54	1	1	3	7	12	19	86
GRAND TOTAL	1032	4.5	30	1	1	3	5	8	12	28

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	3.2	3	1	1	3	5	6	6	7
20-34	38	3.7	9	<1	1	3	5	7	11	14
35-49	16	4.5	18	<1	1	3	6	12	14	15
50-64	13	5.2	13	1	1	5	8	10	11	11
65+	3	4.0	3	2	2	5	5	5	5	5
B. Operated										
0-19 YRS	843	4.9	5	2	3	5	6	7	9	12
20-34	1529	5.2	5	2	3	5	6	8	9	12
35-49	642	5.5	10	2	3	5	6	9	10	19
50-64	368	6.1	11	3	3	5	7	10	12	17
65+	43	8.3	31	2	4	7	11	15	20	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.9	7	<1	<1	2	4	8	9	9
20-34	33	3.4	8	<1	<1	2	5	8	9	10
35-49	17	3.4	23	<1	1	2	4	5	16	21
50-64	7	5.1	13	<1	<1	6	8	10	10	10
65+	10	7.7	38	1	1	6	11	17	21	21
B. Operated										
0-19 YRS	324	6.1	30	2	3	5	7	9	11	30
20-34	579	6.4	21	2	3	5	7	10	14	25
35-49	329	7.7	35	3	3	6	8	14	19	34
50-64	287	8.3	62	3	4	6	10	14	18	44
65+	68	12.6	188	5	5	9	12	25	46	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	3.8	8	1	1	3	5	7	10	14
B. Operated	3425	5.3	7	2	3	5	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	87	3.9	16	<1	<1	2	6	9	10	21
B. Operated	1587	7.2	42	3	3	6	8	12	16	36
1. SINGLE DX	3537	5.3	7	2	3	5	6	8	10	15
2. MULTIPLE DX	1674	7.0	41	2	3	5	8	12	16	35
A. NOT OPERATED	199	3.9	12	<1	1	3	5	8	10	18
B. OPERATED	5012	5.9	19	2	3	5	7	9	11	23
TOTAL										
0-19 YRS	1229	5.1	12	2	3	5	6	8	9	15
20-34	2179	5.5	10	2	3	5	6	8	10	16
35-49	1004	6.2	19	2	3	5	7	10	13	25
50-64	675	7.0	34	3	3	6	8	11	15	34
65+	124	10.5	121	3	4	7	11	18	26	69
GRAND TOTAL	5211	5.8	19	2	3	5	7	9	11	23

249 PAS Hospitals, Northeastern Region, January-December 1979

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	45	4.9	23	<1	1	3	7	12	14	21	
20-34	52	6.9	31	1	2	6	9	12	19	31	
35-49	33	6.7	22	1	1	6	9	13	16	19	
50-64	17	10.9	81	1	2	9	16	25	30	32	
65+	10	4.7	9	2	2	4	5	9	13	13	
B. Operated											
0-19 YRS	232	4.0	33	<1	1	3	4	9	13	29	
20-34	198	5.3	44	1	1	5	5	14	20	35	
35-49	106	5.4	38	1	1	3	6	14	16	33	
50-64	103	5.7	40	1	1	3	7	16	20	30	
65+	53	9.2	119	1	1	4	12	26	30	54	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	30	6.6	28	1	1	5	10	12	17	25	
20-34	96	10.0	40	1	2	9	13	18	21	34	
35-49	56	9.3	42	4	4	8	11	17	20	41	
50-64	46	9.2	55	1	2	8	12	16	21	42	
65+	35	15.7	269	1	3	10	17	43	52	74	
B. Operated											
0-19 YRS	101	10.8	143	1	2	7	13	25	32	64	
20-34	181	10.1	103	1	1	6	15	25	31	59	
35-49	99	11.7	234	1	1	7	13	26	57	90	
50-64	116	12.1	223	1	2	7	16	30	38	99	
65+	64	13.9	204	1	2	8	17	35	44	71	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	157	6.6	33	1	1	5	9	13	18	31	
B. Operated											
	692	5.3	46	1	1	3	6	13	20	32	
2. MULTIPLE DX											
A. Not Operated											
	263	10.1	77	1	3	8	12	18	25	51	
B. Operated											
	561	11.4	170	1	2	7	15	27	37	80	
1. SINGLE DX											
	849	5.5	44	1	1	3	6	13	20	32	
2. MULTIPLE DX											
	824	10.9	140	1	2	8	14	25	34	74	
A. NOT OPERATED											
	420	8.8	63	1	2	7	11	17	21	42	
B. OPERATED											
	1253	8.0	111	1	1	4	10	20	29	59	
TOTAL 0-19 YRS											
	408	6.0	66	1	1	3	7	14	21	42	
20-34	527	8.0	67	1	1	5	11	18	26	39	
35-49	294	8.4	109	1	1	6	10	18	25	69	
50-64	282	9.2	127	1	1	5	12	21	30	72	
65+	162	12.2	186	1	2	7	16	29	43	71	
GRAND TOTAL											
	1673	8.2	99	1	1	5	11	19	27	53	

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	65	3.8	13	1	1	3	5	7	12	20	
20-34	72	3.1	7	<1	1	2	4	6	9	13	
35-49	39	4.9	13	1	1	4	7	10	12	18	
50-64	23	4.9	13	1	1	4	7	10	13	15	
65+	19	7.8	24	2	2	7	11	15	18	18	
B. Operated											
0-19 YRS	171	4.8	6	1	2	4	6	8	9	12	
20-34	241	5.2	12	1	2	5	6	8	10	14	
35-49	67	6.0	26	1	2	5	8	10	17	27	
50-64	37	6.8	15	1	2	6	9	13	15	16	
65+	13	11.5	42	2	4	11	14	23	25	25	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	38	5.3	18	1	1	4	7	13	16	99+	
20-34	55	4.9	24	1	1	3	6	10	13	30	
35-49	31	6.2	16	1	2	5	8	13	15	17	
50-64	36	6.8	18	1	2	6	9	13	16	17	
65+	78	9.1	50	2	3	7	11	17	25	36	
B. Operated											
0-19 YRS	134	6.5	12	2	3	6	8	10	13	20	
20-34	240	6.9	14	2	3	6	9	12	13	20	
35-49	84	7.3	34	2	3	6	8	12	18	35	
50-64	38	10.2	97	3	3	7	10	22	34	49	
65+	35	14.4	178	4	6	11	17	38	92	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	218	4.2	13	1	1	3	5	10	12	18	
B. Operated											
	529	5.4	14	1	2	5	7	9	12	21	
2. MULTIPLE DX											
A. Not Operated											
	238	6.8	32	1	2	5	9	14	17	32	
B. Operated											
	531	7.6	37	2	3	6	9	13	17	38	
1. SINGLE DX	747	5.1	14	1	1	4	6	9	12	18	
2. MULTIPLE DX	769	7.3	36	2	2	6	9	13	17	37	
A. NOT OPERATED	456	5.6	25	1	1	4	7	12	15	27	
B. OPERATED	1060	6.5	27	2	2	5	8	11	14	27	
TOTAL											
0-19 YRS	408	5.2	11	1	2	5	7	9	11	18	
20-34	608	5.6	15	1	2	5	7	10	12	18	
35-49	221	6.3	26	1	2	5	8	11	16	28	
50-64	134	7.4	42	1	2	6	9	14	16	37	
65+	145	10.4	81	2	3	8	13	21	26	99+	
GRAND TOTAL	1516	6.2	26	1	2	5	8	11	15	27	

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	142	5.6	16	1	2	5	8	10	12	18
20-34	1005	7.2	18	2	3	7	9	13	15	22
35-49	949	7.9	29	2	3	7	10	13	17	26
50-64	451	7.7	18	3	3	7	10	13	15	23
65+	114	8.9	29	3	3	8	11	16	18	29
<i>B. Operated</i>										
0-19 YRS	9	7.8	44	3	3	6	9	18	24	24
20-34	176	8.5	50	2	2	7	12	17	21	34
35-49	135	9.9	51	2	3	9	14	19	24	34
50-64	37	9.5	60	2	2	8	12	17	20	45
65+	3	5.3	10	3	3	4	8	9	9	9
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	120	7.2	17	2	2	6	9	13	15	18
20-34	867	8.4	24	3	4	7	10	15	18	24
35-49	942	9.5	29	3	4	8	12	16	20	31
50-64	810	9.9	41	3	4	8	12	17	21	32
65+	524	11.3	76	3	4	9	14	20	26	45
<i>B. Operated</i>										
0-19 YRS	6	8.7	49	2	2	6	17	18	18	18
20-34	126	12.4	78	3	4	11	16	22	24	45
35-49	151	14.5	121	2	3	12	20	29	34	71
50-64	85	14.0	86	4	5	12	18	24	33	51
65+	52	20.2	212	6	7	17	25	37	50	84
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	2661	7.5	23	2	3	7	10	13	16	23
<i>B. Operated</i>	360	9.1	51	2	2	8	13	18	22	36
2. MULTIPLE DX										
<i>A. Not Operated</i>	3263	9.5	39	3	4	8	12	17	21	32
<i>B. Operated</i>	420	14.4	116	3	4	12	18	26	33	63
1. SINGLE DX	3021	7.7	26	2	3	7	10	14	17	26
2. MULTIPLE DX	3683	10.1	50	3	4	8	13	18	23	36
A. NOT OPERATED	5924	8.6	33	2	3	8	11	15	19	29
B. OPERATED	780	11.9	93	2	3	10	16	23	28	50
TOTAL										
0-19 YRS	277	6.4	18	1	2	5	8	12	15	19
20-34	2174	8.1	28	2	3	7	10	14	18	25
35-49	2177	9.2	40	3	3	8	11	16	21	33
50-64	1383	9.4	39	3	4	8	12	16	21	32
65+	693	11.6	85	3	4	9	14	21	27	47
GRAND TOTAL	6704	9.0	41	2	3	8	11	16	20	32

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	257	3.8	9	1	1	3	5	8	11	15
20-34	681	6.5	17	1	2	6	8	12	15	20
35-49	444	7.3	22	2	2	7	9	13	15	21
50-64	213	7.1	17	2	2	6	9	12	15	22
65+	51	7.8	33	2	2	7	9	14	22	26
<i>B. Operated</i>										
0-19 YRS	17	7.0	20	1	2	7	10	12	15	17
20-34	118	6.7	30	1	2	5	9	14	18	26
35-49	79	6.8	25	2	2	5	10	14	16	23
50-64	31	6.3	25	2	2	5	8	11	16	26
65+	2	27.5	545	11	11	27	44	44	44	44
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	344	5.6	13	1	2	5	7	11	13	18
20-34	1573	7.4	20	2	3	7	9	13	16	25
35-49	1120	8.0	21	3	4	7	10	13	16	25
50-64	727	8.9	42	2	3	7	11	15	21	34
65+	325	8.8	33	2	3	8	11	16	20	28
<i>B. Operated</i>										
0-19 YRS	24	8.3	66	1	2	5	12	18	27	36
20-34	140	9.8	44	2	3	8	13	18	24	43
35-49	148	11.1	57	3	3	10	15	21	24	37
50-64	61	11.3	52	3	3	9	16	22	25	27
65+	31	12.6	72	2	3	11	17	25	28	37
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	1646	6.4	19	1	2	6	8	12	15	22
<i>B. Operated</i>	247	6.9	32	1	2	5	10	13	17	26
2. MULTIPLE DX										
<i>A. Not Operated</i>	4089	7.8	25	2	3	7	10	14	17	27
<i>B. Operated</i>	404	10.6	54	2	3	9	14	20	25	37
1. SINGLE DX	1893	6.5	21	1	2	6	9	12	15	22
2. MULTIPLE DX	4493	8.1	29	2	3	7	10	14	18	28
A. NOT OPERATED	5735	7.4	24	2	3	7	9	13	16	25
B. OPERATED	651	9.2	49	2	2	8	12	18	23	36
TOTAL										
0-19 YRS	642	5.0	15	1	1	4	7	10	13	18
20-34	2512	7.3	21	2	3	6	9	13	16	25
35-49	1791	8.0	25	2	3	7	10	14	17	25
50-64	1032	8.6	38	2	3	7	11	15	20	31
65+	409	9.0	40	2	3	8	11	17	22	29
GRAND TOTAL	6386	7.6	27	2	3	7	9	14	17	26

249 PAS Hospitals, Northeastern Region, January-December 1979

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	3.9	15	1	1	3	5	8	11	22
20-34	82	3.7	7	1	1	3	4	7	9	14
35-49	62	3.6	8	1	1	3	4	8	10	14
50-64	44	4.4	24	1	2	3	4	8	16	27
65+	37	5.5	12	1	2	4	8	11	12	13
B. Operated										
0-19 YRS	166	3.4	4	1	1	3	4	6	7	9
20-34	380	3.8	7	1	2	3	5	6	8	12
35-49	281	4.1	6	1	2	4	5	7	8	11
50-64	251	5.2	10	2	2	4	7	9	12	16
65+	67	6.0	9	2	2	6	8	10	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	4.5	9	1	1	4	6	9	10	14
20-34	92	4.1	10	1	1	3	6	9	11	14
35-49	80	5.9	37	1	2	4	6	12	20	33
50-64	102	6.8	69	1	2	5	8	12	14	51
65+	181	8.7	54	2	2	7	12	16	22	99+
B. Operated										
0-19 YRS	59	3.7	6	1	1	3	4	8	9	11
20-34	112	4.5	10	1	2	4	6	9	10	17
35-49	77	5.4	12	1	2	5	6	9	14	17
50-64	117	8.0	52	2	3	6	9	17	19	43
65+	77	9.7	51	2	3	7	13	22	25	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	4.1	13	1	1	3	5	8	11	19
B. Operated	1145	4.3	8	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	511	6.6	45	1	2	5	9	14	18	47
B. Operated	442	6.4	33	1	2	5	8	14	18	26
1. SINGLE DX	1466	4.2	9	1	2	4	5	8	10	15
2. MULTIPLE DX	953	6.5	39	1	2	5	8	14	18	32
A. NOT OPERATED	832	5.6	34	1	1	4	7	12	15	27
B. OPERATED	1587	4.9	16	1	2	4	6	9	12	21
TOTAL										
0-19 YRS	377	3.8	8	1	1	3	5	7	9	14
20-34	666	4.0	8	1	1	3	5	7	10	14
35-49	500	4.5	13	1	2	4	6	8	10	20
50-64	514	6.1	34	1	2	5	7	11	15	26
65+	362	8.1	43	2	2	6	11	15	22	61
GRAND TOTAL	2419	5.1	22	1	2	4	6	10	14	23

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3210	1.9	3	1	1	1	2	3	4	8
20-34	1001	2.5	5	<1	1	2	3	5	7	11
35-49	264	2.9	6	<1	1	2	4	6	8	11
50-64	157	3.1	5	<1	1	2	4	6	8	10
65+	109	4.3	62	1	1	2	5	7	10	49
B. Operated										
0-19 YRS	35	4.6	230	1	1	1	2	5	10	91
20-34	22	4.2	13	<1	1	2	7	11	12	12
35-49	10	5.1	6	2	2	6	7	8	8	8
50-64	5	6.6	25	2	2	4	11	13	13	13
65+	5	5.4	18	2	2	6	11	91	99+	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3190	3.0	13	1	1	2	3	6	8	16
20-34	2391	4.1	17	1	1	3	5	8	11	20
35-49	1012	5.5	47	1	1	4	7	10	14	31
50-64	779	6.2	35	1	1	5	8	13	17	33
65+	808	8.2	73	1	2	6	10	18	25	49
B. Operated										
0-19 YRS	996	5.1	58	1	1	3	5	11	17	45
20-34	1012	5.6	63	1	1	3	6	12	19	46
35-49	386	7.2	73	1	1	4	9	17	23	49
50-64	280	8.3	133	1	1	5	10	19	35	99+
65+	282	10.1	130	1	2	7	12	23	33	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4741	2.2	5	1	1	2	2	4	6	10
B. Operated	77	4.7	110	1	1	2	6	10	12	97
2. MULTIPLE DX										
A. Not Operated	8180	4.5	29	1	1	3	5	9	13	28
B. Operated	2956	6.3	78	1	1	3	7	14	22	54
1. SINGLE DX	4818	2.2	7	1	1	2	2	4	6	10
2. MULTIPLE DX	11136	5.0	43	1	1	3	6	10	15	37
A. NOT OPERATED	12921	3.6	21	1	1	2	4	8	10	23
B. OPERATED	3033	6.3	79	1	1	3	7	14	22	55
TOTAL										
0-19 YRS	7431	2.8	17	1	1	2	3	5	8	19
20-34	4426	4.1	26	1	1	3	5	8	11	26
35-49	1672	5.5	48	1	1	4	7	11	15	39
50-64	1221	6.3	56	1	1	4	8	13	19	53
65+	1204	8.3	87	1	2	6	10	18	26	59
GRAND TOTAL	15954	4.1	33	1	1	2	5	9	13	30

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	634	2.2	12	<1	1	1	2	4	6	20
20-34	158	3.2	30	<1	1	2	4	6	8	24
35-49	47	3.1	6	<1	1	2	4	6	9	12
50-64	54	4.0	16	<1	1	3	5	8	11	24
65+	41	9.0	213	1	1	4	7	29	38	76
B. Operated										
0-19 YRS	41	13.6	256	1	1	9	16	32	55	74
20-34	18	14.9	115	3	4	12	22	38	72	99+
35-49	18	14.8	168	1	1	12	20	33	40	45
50-64	27	15.8	219	3	4	11	17	37	58	61
65+	44	15.3	84	3	6	13	21	26	32	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	630	3.8	39	1	1	2	4	8	13	28
20-34	378	6.5	69	1	1	4	7	15	25	46
35-49	169	6.9	72	1	1	4	8	15	22	42
50-64	154	8.6	76	1	1	6	11	21	28	49
65+	277	10.7	125	1	2	8	14	24	37	99+
B. Operated										
0-19 YRS	183	13.5	348	1	1	7	21	70	99+	99+
20-34	187	22.4	604	1	2	15	40	85	99+	99+
35-49	89	18.4	288	1	2	17	35	96	99+	99+
50-64	111	22.1	446	1	3	17	38	67	99	99+
65+	135	24.9	344	2	5	22	35	56	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	934	2.8	25	<1	1	1	3	5	8	29
B. Operated										
	148	14.8	166	1	2	12	19	32	45	74
2. MULTIPLE DX										
A. Not Operated										
	1608	6.4	74	1	1	3	8	15	23	49
B. Operated										
	705	20.0	439	1	2	14	34	74	99+	99+
1. SINGLE DX										
	1082	4.5	62	<1	1	2	4	11	19	43
2. MULTIPLE DX										
	2313	10.6	224	1	1	5	13	33	56	99+
A. NOT OPERATED										
	2542	5.1	59	1	1	2	6	12	20	44
B. OPERATED										
	853	19.1	395	1	2	13	31	69	99+	99+
TOTAL 0-19 YRS										
	1488	4.6	86	1	1	2	4	11	21	99
20-34	741	10.0	252	1	1	4	11	32	61	99+
35-49	323	10.0	159	1	1	5	13	33	47	99+
50-64	346	12.8	244	1	1	7	17	38	54	99+
65+	497	14.8	227	1	2	10	21	36	53	99+
GRAND TOTAL										
	3395	8.6	181	1	1	3	10	26	44	99+

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.7	1	1	1	2	2	3	3	3
20-34	43	3.8	15	1	1	3	4	7	10	23
35-49	17	3.6	3	1	1	4	5	5	6	7
50-64	12	3.7	5	1	1	3	6	7	7	7
65+	2	10.0	128	2	2	10	18	18	18	18
B. Operated										
0-19 YRS	24	6.4	11	2	2	6	8	12	12	13
20-34	59	6.7	12	2	3	6	8	11	13	21
35-49	21	11.2	143	3	4	7	15	18	37	58
50-64	7	9.7	33	5	5	8	12	19	21	21
65+	5	10.2	56	5	5	8	13	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	4.0	5	1	1	4	5	7	9	10
20-34	69	5.5	22	1	1	5	6	10	12	30
35-49	40	6.8	15	2	3	6	9	13	14	17
50-64	46	8.3	35	2	3	7	10	15	22	31
65+	50	11.2	76	2	3	10	13	21	30	45
B. Operated										
0-19 YRS	86	12.0	102	4	5	9	14	24	30	57
20-34	156	11.9	137	3	4	9	13	21	31	62
35-49	55	15.5	273	3	5	10	20	35	63	99+
50-64	49	15.9	194	4	4	11	21	33	54	61
65+	48	20.8	281	4	5	15	29	49	56	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	3.6	11	1	1	3	5	7	8	21
B. Operated	116	7.8	40	2	3	6	9	13	18	35
2. MULTIPLE DX										
A. Not Operated	235	7.3	38	1	2	6	9	14	18	33
B. Operated	394	14.0	180	4	4	9	16	30	45	70
1. SINGLE DX	204	6.0	32	1	1	5	7	11	16	23
2. MULTIPLE DX	629	11.5	138	2	3	8	13	24	33	61
A. NOT OPERATED	323	6.3	33	1	1	5	8	12	16	32
B. OPERATED	510	12.6	155	3	4	9	14	26	36	64
TOTAL 0-19 YRS	154	8.6	75	1	2	6	10	17	27	54
20-34	327	8.5	85	1	2	6	10	15	22	55
35-49	133	10.7	159	2	3	6	13	23	35	95
50-64	114	11.1	118	3	3	8	12	24	32	58
65+	105	15.5	190	2	3	11	21	34	49	64
GRAND TOTAL	833	10.1	117	1	2	7	12	21	31	59

249 PAS Hospitals, Northeastern Region, January-December 1979

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	298	4.0	11	1	1	3	5	8	10	18
20-34	133	3.7	11	1	1	3	4	9	13	15
35-49	37	3.5	8	1	1	3	5	7	10	13
50-64	21	4.5	4	1	2	4	6	7	8	8
65+	10	4.2	11	1	1	3	6	9	12	12
B. Operated										
0-19 YRS	136	8.3	21	3	4	8	9	13	17	27
20-34	146	9.0	29	3	5	8	10	14	18	31
35-49	32	13.2	74	6	7	11	15	24	33	44
50-64	20	12.4	147	3	4	9	12	19	40	60
65+	8	5.5	16	1	1	5	8	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	254	4.6	12	1	1	4	6	9	10	20
20-34	234	5.3	27	1	2	4	6	10	12	29
35-49	84	6.3	69	1	2	4	6	11	15	56
50-64	62	6.3	20	1	2	5	8	14	16	21
65+	62	9.5	74	2	2	7	13	19	27	45
B. Operated										
0-19 YRS	276	13.8	151	4	5	10	15	27	43	75
20-34	381	15.3	187	4	5	11	17	32	45	79
35-49	134	18.9	309	4	7	12	23	44	62	99
50-64	74	20.4	319	5	6	16	25	54	90	99+
65+	63	23.9	311	5	8	20	33	55	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	499	3.9	10	1	1	3	5	8	11	15
B. Operated	342	9.2	39	3	4	8	11	14	20	34
2. MULTIPLE DX										
A. Not Operated	696	5.6	32	1	1	4	7	11	14	30
B. Operated	928	16.4	220	4	6	11	19	36	52	99
1. SINGLE DX	841	6.1	29	1	1	5	8	12	14	27
2. MULTIPLE DX	1624	11.8	168	2	2	8	14	26	40	82
A. NOT OPERATED	1195	4.9	23	1	1	4	6	9	13	22
B. OPERATED	1270	14.4	181	3	5	10	16	31	44	90
TOTAL										
0-19 YRS	964	7.5	70	1	1	6	9	14	21	50
20-34	894	9.9	117	1	2	7	12	19	31	59
35-49	287	12.6	214	1	2	9	14	30	44	85
50-64	177	12.6	203	2	3	8	16	28	52	99+
65+	143	15.2	231	2	2	11	20	35	52	99+
GRAND TOTAL	2465	9.8	127	1	2	7	11	20	32	69

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.4	27	<1	<1	2	6	11	19	21
20-34	11	3.8	10	<1	<1	3	5	8	12	12
35-49	6	4.0	2	2	2	4	5	5	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-19 YRS	201	3.1	7	1	1	2	4	7	9	13
20-34	91	3.6	9	1	1	3	4	8	10	16
35-49	48	4.4	12	1	1	3	6	10	13	14
50-64	22	3.9	7	<1	1	3	6	10	42	99+
65+	23	3.6	8	1	1	3	5	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.0	10	<1	1	3	6	7	8	18
20-34	15	4.1	12	<1	<1	4	6	7	12	14
35-49	13	5.8	36	<1	1	4	8	13	21	23
50-64	13	4.7	6	2	2	4	6	9	9	9
65+	9	15.3	146	6	6	11	20	36	38	38
B. Operated										
0-19 YRS	198	4.6	17	1	1	3	6	10	12	19
20-34	152	5.1	35	1	1	4	6	10	13	47
35-49	80	6.0	19	1	2	5	7	12	16	22
50-64	45	8.0	62	1	2	5	10	19	22	43
65+	54	7.1	45	1	2	5	9	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	4.2	18	<1	1	3	5	7	13	21
B. Operated	385	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX										
A. Not Operated	87	5.6	37	<1	1	4	7	10	15	37
B. Operated	529	5.5	30	1	1	4	7	11	16	34
1. SINGLE DX	433	3.5	10	1	1	3	5	7	10	15
2. MULTIPLE DX	616	5.5	31	1	1	4	7	11	16	34
A. NOT OPERATED	135	5.1	31	<1	1	4	6	9	15	35
B. OPERATED	914	4.6	22	1	1	3	6	10	13	23
TOTAL										
0-19 YRS	463	3.9	13	1	1	3	5	8	11	18
20-34	269	4.5	24	1	1	3	6	9	12	40
35-49	147	5.4	18	1	1	4	7	11	14	23
50-64	82	6.2	41	1	1	4	8	14	21	81
65+	88	7.0	53	1	2	5	8	15	21	37
GRAND TOTAL	1049	4.7	23	1	1	3	6	10	13	23

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	2.7	5	<1	1	2	3	5	6	12
20-34	77	2.7	12	<1	<1	2	3	5	7	23
35-49	36	3.5	5	<1	1	3	4	6	8	10
50-64	19	3.7	10	<1	1	3	4	10	11	11
65+	16	6.4	49	1	1	2	9	17	21	23
B. Operated										
0-19 YRS	344	2.1	4	<1	1	1	2	4	5	12
20-34	189	2.9	6	<1	<1	2	4	6	7	13
35-49	79	2.9	4	<1	1	2	4	6	7	10
50-64	45	2.8	5	<1	<1	2	3	4	7	14
65+	39	3.2	3	<1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	200	3.0	8	<1	1	2	4	6	8	14
20-34	238	4.1	31	<1	1	3	5	7	10	30
35-49	121	5.1	36	1	1	3	6	10	19	56
50-64	94	5.2	88	1	1	3	6	9	13	59
65+	176	7.5	58	1	2	5	9	15	20	45
B. Operated										
0-19 YRS	631	4.0	36	<1	1	2	5	8	10	26
20-34	683	4.9	52	1	1	3	5	10	16	36
35-49	315	6.3	66	1	1	4	7	13	21	56
50-64	212	7.7	97	1	1	5	9	16	27	52
65+	305	8.8	91	1	2	6	11	19	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	244	3.1	11	<1	<1	2	4	6	9	18
B. Operated	696	2.5	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	829	4.8	41	1	1	3	6	10	14	37
B. Operated	2146	5.7	62	1	1	3	6	12	18	40
1. SINGLE DX	940	2.7	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	2975	5.4	56	1	1	3	6	11	17	40
A. NOT OPERATED	1073	4.4	34	<1	1	3	5	9	13	29
B. OPERATED	2842	4.9	50	1	1	3	6	10	15	35
TOTAL										
0-19 YRS	1271	3.2	21	<1	1	2	4	6	9	18
20-34	1187	4.3	38	<1	1	3	5	8	12	30
35-49	551	5.4	48	1	1	3	6	11	17	43
50-64	370	6.2	82	1	1	4	7	12	20	50
65+	536	7.9	74	1	2	5	10	17	23	46
GRAND TOTAL	3915	4.8	46	<1	1	3	5	10	15	33

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	172	2.5	5	1	1	2	3	4	6	10
20-34	277	2.6	4	1	1	2	3	5	6	9
35-49	98	3.3	6	<1	1	3	4	7	9	12
50-64	30	3.0	6	<1	<1	2	4	6	7	13
65+	9	5.4	16	1	1	4	7	12	14	14
B. Operated										
0-19 YRS	186	3.6	20	<1	1	2	5	7	9	29
20-34	203	5.2	22	<1	1	4	7	10	14	23
35-49	79	6.4	60	1	1	5	7	11	20	48
50-64	31	5.6	22	<1	1	5	7	11	15	22
65+	9	8.3	146	<1	1	4	8	29	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	3.8	30	1	1	3	4	6	7	34
20-34	167	4.5	37	1	1	3	5	8	11	39
35-49	97	6.0	88	1	1	3	6	11	18	64
50-64	42	5.4	23	1	2	4	6	11	17	24
65+	31	8.1	20	2	3	9	11	14	16	19
B. Operated										
0-19 YRS	164	8.8	135	1	2	6	10	15	25	72
20-34	390	10.0	86	1	2	8	12	20	28	54
35-49	123	11.7	148	2	3	8	14	24	34	62
50-64	58	12.0	213	1	2	8	14	36	68	99+
65+	36	12.0	153	2	2	10	17	27	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	586	2.8	5	1	1	2	3	5	7	12
B. Operated	508	4.8	30	<1	1	3	6	9	13	29
2. MULTIPLE DX										
A. Not Operated	432	5.0	45	1	1	3	6	10	14	44
B. Operated	771	10.3	120	1	2	8	12	22	32	74
1. SINGLE DX	1094	3.7	18	<1	1	2	5	8	10	22
2. MULTIPLE DX	1203	8.4	99	1	2	6	10	18	25	60
A. NOT OPERATED	1018	3.7	23	1	1	3	4	7	10	20
B. OPERATED	1279	8.1	91	1	1	6	10	17	25	57
TOTAL										
0-19 YRS	617	4.7	54	1	1	3	5	9	13	40
20-34	1037	6.2	53	1	1	4	8	13	19	38
35-49	397	7.2	91	1	1	4	8	16	23	53
50-64	161	7.3	100	1	1	4	9	16	24	97
65+	85	9.5	92	2	2	8	13	20	29	99+
GRAND TOTAL	2297	6.2	66	1	1	4	7	13	20	47

249 PAS Hospitals, Northeastern Region, January-December 1979

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	119	2.8	4	<1	1	2	4	5	7	11	
20-34	179	2.9	5	<1	1	2	4	6	8	11	
35-49	87	3.1	6	<1	1	3	4	7	8	11	
50-64	31	4.9	70	<1	<1	3	5	8	11	48	
65+	8	4.1	20	<1	1	3	7	66	99+	99+	
B. Operated											
0-19 YRS	948	2.6	11	<1	1	2	3	5	7	12	
20-34	1125	2.8	12	<1	1	2	3	5	7	16	
35-49	497	3.2	31	<1	1	2	3	6	8	38	
50-64	343	3.0	11	1	1	2	3	5	8	18	
65+	100	3.7	14	1	1	3	5	7	11	21	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	104	3.9	9	1	1	3	5	7	9	17	
20-34	180	5.3	32	1	1	4	7	11	14	42	
35-49	64	4.8	22	1	1	3	6	10	14	23	
50-64	51	5.9	31	1	1	5	7	11	19	29	
65+	31	10.6	130	2	2	7	13	23	40	51	
B. Operated											
0-19 YRS	610	3.9	24	1	1	3	5	8	11	34	
20-34	827	4.5	36	1	1	3	5	9	14	32	
35-49	345	5.1	56	1	1	3	5	10	19	42	
50-64	280	4.6	36	1	1	3	5	10	15	31	
65+	123	6.9	92	1	1	4	8	14	24	60	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	424	3.1	10	<1	1	2	4	6	8	12	
B. Operated	3013	2.9	15	<1	1	2	3	5	7	15	
2. MULTIPLE DX											
A. Not Operated	430	5.3	34	1	1	4	6	11	16	35	
B. Operated	2185	4.6	40	1	1	3	5	9	14	36	
1. SINGLE DX	3437	2.9	14	<1	1	2	3	5	8	15	
2. MULTIPLE DX	2615	4.7	39	1	1	3	5	10	14	36	
A. NOT OPERATED	854	4.2	23	<1	1	3	5	9	11	28	
B. OPERATED	5198	3.6	26	1	1	2	4	7	10	28	
TOTAL 0-19 YRS	1781	3.1	15	1	1	2	4	6	9	16	
20-34	2311	3.6	22	<1	1	2	4	7	11	27	
35-49	993	3.9	37	1	1	2	4	7	11	40	
50-64	705	3.9	26	1	1	3	4	8	12	28	
65+	262	6.0	69	1	1	3	7	12	22	55	
GRAND TOTAL	6052	3.7	25	1	1	2	4	7	11	28	

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	187	3.5	11	<1	1	2	4	7	9	17	
20-34	143	3.8	15	<1	1	3	5	7	9	20	
35-49	52	4.1	12	<1	1	3	5	8	9	19	
50-64	20	5.3	21	<1	1	3	7	13	14	16	
65+	11	7.3	53	2	2	6	7	17	27	28	
B. Operated											
0-19 YRS	499	4.8	48	<1	1	3	5	11	15	31	
20-34	328	5.7	48	1	1	4	6	11	16	45	
35-49	117	6.1	82	1	1	3	6	11	20	49	
50-64	77	8.9	136	1	1	5	10	19	31	68	
65+	35	9.7	119	1	2	6	12	21	39	43	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	81	4.7	14	1	1	4	6	9	11	76	
20-34	77	5.1	22	1	1	4	6	9	14	28	
35-49	36	6.6	20	1	2	6	9	13	15	21	
50-64	43	8.1	73	1	2	5	11	19	33	99+	
65+	36	11.6	113	1	3	8	16	28	45	99+	
B. Operated											
0-19 YRS	220	8.8	146	1	1	5	9	19	31	67	
20-34	234	11.6	182	1	2	7	13	28	44	99+	
35-49	92	12.3	309	1	2	7	12	29	62	98	
50-64	77	13.1	177	1	2	11	18	32	55	99+	
65+	75	19.5	331	2	4	12	28	54	61	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	413	3.9	14	<1	1	3	5	8	10	19	
B. Operated	1056	5.7	62	1	1	3	6	12	19	43	
2. MULTIPLE DX											
A. Not Operated	273	6.5	44	1	2	5	8	14	20	86	
B. Operated	698	11.8	211	1	2	7	13	29	52	99+	
1. SINGLE DX	1469	5.2	49	1	1	3	6	11	16	38	
2. MULTIPLE DX	971	10.3	170	1	2	6	12	24	44	99+	
A. NOT OPERATED	686	4.9	28	1	1	4	6	10	15	34	
B. OPERATED	1754	8.1	130	1	1	5	9	19	30	77	
TOTAL 0-19 YRS	987	5.4	63	1	1	3	6	11	18	48	
20-34	782	7.1	89	1	1	4	7	15	27	63	
35-49	297	7.7	142	1	1	5	8	15	25	88	
50-64	217	9.9	133	1	1	6	13	22	41	99+	
65+	157	14.7	235	2	2	9	19	42	54	99+	
GRAND TOTAL	2440	7.2	103	1	1	4	8	16	27	70	

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	14	1.9	2	1	1	1	2	4	6	6
20-34	5	4.4	10	2	2	3	5	10	10	10
35-49	5	4.4	9	1	1	4	6	9	9	9
50-64	2	5.0		5	5	5	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
<i>B. Operated</i>										
0-19 YRS	10	4.1	8	1	1	3	7	8	9	9
20-34	23	7.0	29	1	1	6	11	14	17	21
35-49	13	7.3	49	2	2	4	9	18	24	26
50-64	6	5.3	10	2	2	5	7	10	10	10
65+	2	24.5	181	15	15	24	34	34	34	34
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	12	2.4	2	1	1	2	3	4	5	5
20-34	5	5.4	7	2	2	5	8	8	8	8
35-49	5	6.6	23	3	3	5	8	15	15	15
50-64	6	7.2	34	2	2	5	9	17	18	18
65+	12	8.1	32	1	2	6	12	16	19	20
<i>B. Operated</i>										
0-19 YRS	43	9.0	130	1	1	5	12	16	29	64
20-34	46	13.9	232	1	1	9	20	42	59	99+
35-49	20	10.7	269	1	1	4	12	29	50	70
50-64	11	16.9	318	<1	<1	14	24	48	49	49
65+	5	14.2	134	3	3	14	32	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	27	3.1	6	1	1	2	4	6	9	10
<i>B. Operated</i>	54	7.0	42	1	1	6	9	14	20	34
2. MULTIPLE DX										
<i>A. Not Operated</i>	40	5.7	23	1	1	4	7	13	16	20
<i>B. Operated</i>	125	12.0	207	1	1	6	16	32	50	99+
1. SINGLE DX	81	5.7	33	1	1	4	7	13	15	32
2. MULTIPLE DX	165	10.5	169	1	1	5	14	25	48	95
A. NOT OPERATED	67	4.7	17	1	1	4	6	10	14	20
B. OPERATED	179	10.5	162	1	1	6	14	25	46	90
TOTAL 0-19 YRS	79	6.1	82	1	1	3	7	14	17	58
20-34	79	10.8	157	1	1	6	14	24	46	89
35-49	43	8.4	144	1	2	4	9	18	29	70
50-64	25	10.8	173	<1	2	5	15	25	48	49
65+	20	11.1	86	2	2	9	16	33	64	99+
GRAND TOTAL	246	8.9	129	1	1	5	11	21	34	71

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	33	4.7	16	1	1	4	6	12	16	99+
20-34	48	7.2	41	1	2	6	9	14	21	35
35-49	18	5.9	14	1	2	5	8	12	14	14
50-64	22	9.3	58	1	1	8	12	21	25	29
65+	18	11.6	95	2	2	8	17	24	33	38
<i>B. Operated</i>										
0-19 YRS	229	3.8	15	<1	1	3	4	8	11	21
20-34	344	4.5	29	<1	1	3	5	9	13	35
35-49	151	4.6	26	<1	1	3	5	11	13	25
50-64	120	5.7	25	1	2	4	8	13	16	23
65+	38	11.6	224	1	2	6	12	25	33	84
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	56	5.6	50	<1	1	4	7	14	37	99+
20-34	79	8.4	85	1	1	6	10	17	29	52
35-49	43	10.9	176	1	2	7	13	22	30	80
50-64	57	8.4	66	1	2	6	12	17	31	95
65+	69	15.4	247	2	3	11	21	47	84	99+
<i>B. Operated</i>										
0-19 YRS	127	5.1	42	1	1	3	5	13	19	58
20-34	243	7.3	87	1	2	4	8	17	26	46
35-49	129	9.6	108	2	2	6	12	23	43	99+
50-64	131	9.3	140	2	2	5	11	18	30	69
65+	104	16.7	201	2	3	14	23	34	57	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	139	7.4	45	1	1	5	10	16	22	44
<i>B. Operated</i>	882	4.8	35	<1	1	3	5	10	14	29
2. MULTIPLE DX										
<i>A. Not Operated</i>	304	9.8	135	1	2	6	12	23	40	99+
<i>B. Operated</i>	734	9.0	120	1	2	5	12	22	33	72
1. SINGLE DX	1021	5.1	37	1	1	3	6	12	16	33
2. MULTIPLE DX	1038	9.3	124	1	2	5	12	22	34	99+
A. NOT OPERATED	443	9.1	108	1	2	6	11	21	34	99+
B. OPERATED	1616	6.7	78	1	2	4	7	16	24	53
TOTAL 0-19 YRS	445	4.5	27	1	1	3	5	10	15	47
20-34	714	6.0	58	1	1	3	7	13	19	40
35-49	341	7.4	82	1	2	4	9	16	24	59
50-64	330	7.9	82	1	2	5	10	16	22	60
65+	229	15.0	212	2	3	11	21	34	57	99+
GRAND TOTAL	2059	7.2	85	1	2	4	8	17	25	60

249 PAS Hospitals, Northeastern Region, January-December 1979

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	381	4.7	6	2	2	5	6	7	9	14
20-34	125	3.8	4	1	1	4	5	6	7	32
35-49	48	4.6	10	1	2	4	5	8	10	18
50-64	19	4.2	4	1	1	4	5	7	8	8
65+	3	7.3	44	3	3	4	12	15	15	15
B. Operated										
0-19 YRS	13	9.6	31	2	2	9	12	17	20	21
20-34	9	4.2	19	<1	<1	2	6	12	14	14
35-49	3	3.0	3	1	1	4	4	4	4	4
50-64	1	3.0	3	3	3	3	3	3	3	3
65+	1	4.0	4	4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	4.6	6	1	2	4	6	8	8	15
20-34	119	4.4	10	1	1	4	6	8	10	16
35-49	41	5.8	41	1	2	4	6	10	19	35
50-64	22	6.9	52	1	1	5	9	15	27	29
65+	38	7.4	29	1	2	6	10	14	19	24
B. Operated										
0-19 YRS	27	6.9	22	1	2	6	9	15	16	18
20-34	23	4.7	12	<1	1	4	6	10	13	14
35-49	13	6.3	28	<1	1	5	11	13	17	18
50-64	6	7.3	106	1	1	4	6	26	28	28
65+	12	13.0	642	1	1	4	13	37	84	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	576	4.5	6	1	2	4	5	7	9	15
B. Operated										
	27	6.6	29	1	1	4	10	14	17	21
2. MULTIPLE DX										
A. Not Operated										
	375	5.1	17	1	2	4	6	9	11	25
B. Operated										
	81	7.1	117	1	1	5	8	14	17	72
1. SINGLE DX										
	603	4.6	7	1	2	4	5	7	10	16
2. MULTIPLE DX										
	456	5.5	35	1	1	4	6	10	13	28
A. NOT OPERATED										
	951	4.7	10	1	2	4	6	8	10	18
B. OPERATED										
	108	7.0	94	1	1	5	9	14	16	55
TOTAL										
0-19 YRS	576	4.9	8	1	2	5	6	8	10	16
20-34	276	4.2	8	1	1	4	5	7	9	14
35-49	105	5.3	24	1	2	4	5	10	13	31
50-64	48	5.8	38	1	1	4	6	10	25	29
65+	54	8.6	161	1	2	5	11	14	20	89
GRAND TOTAL										
	1059	5.0	19	1	2	4	6	9	11	21

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	761	2.4	4	1	1	2	3	5	6	11	
20-34	463	3.1	8	<1	1	2	4	6	8	15	
35-49	218	3.7	11	1	1	3	5	8	10	16	
50-64	165	4.0	12	1	1	3	5	9	11	17	
65+	214	6.6	41	1	1	5	9	13	16	26	
B. Operated											
0-19 YRS	126	3.0	7	<1	<1	2	3	6	8	13	
20-34	105	4.5	16	<1	1	3	5	10	14	21	
35-49	57	4.7	25	1	1	2	7	10	17	22	
50-64	57	6.1	64	1	2	4	7	13	15	55	
65+	40	9.9	145	<1	1	5	14	26	34	59	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1071	3.3	8	1	1	2	4	7	9	14	
20-34	1092	4.3	16	<1	1	3	6	9	11	20	
35-49	557	5.5	21	1	1	4	7	11	14	22	
50-64	698	6.6	39	1	2	5	8	13	16	26	
65+	1613	10.3	101	2	3	8	13	21	29	64	
B. Operated											
0-19 YRS	195	5.0	41	1	1	3	6	10	15	36	
20-34	201	6.4	79	<1	1	4	8	12	17	57	
35-49	112	8.1	102	1	1	5	9	16	28	58	
50-64	129	10.3	86	2	2	7	14	21	33	42	
65+	264	15.9	190	2	3	11	21	35	46	57	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	1821	3.4	13	1	1	2	4	7	10	17	
B. Operated											
	385	4.8	38	<1	1	3	5	10	15	31	
2. MULTIPLE DX											
A. Not Operated											
	5031	6.5	53	1	1	4	8	14	19	40	
B. Operated											
	901	9.6	125	1	1	6	12	22	35	53	
1. SINGLE DX											
	2206	3.6	18	1	1	2	4	8	11	20	
2. MULTIPLE DX											
	5932	7.0	65	1	1	5	8	15	21	45	
A. NOT OPERATED											
	6852	5.6	44	1	1	4	7	12	17	33	
B. OPERATED											
	1286	8.2	104	1	1	5	10	19	31	52	
TOTAL 0-19 YRS											
	2153	3.1	10	1	1	2	4	6	8	15	
20-34	1861	4.3	21	<1	1	3	5	9	12	21	
35-49	944	5.3	30	1	1	4	7	11	15	27	
50-64	1049	6.6	44	1	2	5	8	14	18	33	
65+	2131	10.6	112	2	2	8	13	22	31	60	
GRAND TOTAL											
	8138	6.0	55	1	1	4	7	13	18	40	

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	3.9	16	1	1	2	5	10	13	18
20-34	32	4.6	32	1	1	2	6	9	20	26
35-49	19	5.1	19	1	2	4	6	9	16	21
50-64	10	4.4	3	1	2	4	5	7	7	7
65+	2	12.5	61	7	7	12	18	18	18	18
B. Operated										
0-19 YRS	23	7.9	146	1	1	5	8	16	42	52
20-34	60	6.0	65	<1	1	3	5	13	31	36
35-49	35	4.9	26	1	1	3	5	9	16	26
50-64	24	8.0	83	1	1	4	10	22	32	33
65+	3	3.0	3	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	4.1	12	1	1	3	6	8	13	15
20-34	45	4.7	13	1	1	4	6	9	13	15
35-49	23	3.7	8	1	1	3	5	9	10	11
50-64	13	6.8	37	<1	1	5	9	18	20	20
65+	11	10.7	61	1	2	9	16	22	26	26
B. Operated										
0-19 YRS	52	10.7	204	1	2	6	14	22	29	89
20-34	89	8.7	113	1	1	4	12	24	33	51
35-49	63	11.9	177	1	2	5	15	34	42	57
50-64	35	9.5	118	1	1	6	13	24	34	49
65+	14	12.6	285	1	2	5	10	39	53	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	4.5	21	1	1	3	6	9	14	23
B. Operated	145	6.3	70	1	1	3	6	14	30	38
2. MULTIPLE DX										
A. Not Operated	127	5.1	21	1	1	4	6	11	15	21
B. Operated	253	10.2	157	1	1	5	13	26	37	57
1. SINGLE DX	259	5.5	49	1	1	3	6	12	21	36
2. MULTIPLE DX	380	8.5	117	1	1	5	10	21	32	53
A. NOT OPERATED	241	4.8	21	1	1	3	6	10	15	22
B. OPERATED	398	8.8	128	1	1	4	10	24	34	54
TOTAL										
0-19 YRS	161	6.7	102	1	1	4	7	15	21	52
20-34	226	6.6	71	1	1	4	7	14	27	40
35-49	140	7.9	102	1	2	4	9	21	32	50
50-64	82	8.0	82	1	1	5	9	20	28	45
65+	30	10.9	159	1	2	6	14	28	37	57
GRAND TOTAL	639	7.3	92	1	1	4	8	17	27	49

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	11	1.5	1	<1	<1	1	2	3	3	3	
20-34	2	3.0	2	2	2	3	4	4	4	4	
35-49	3	1.3		1	1	1	2	2	2	2	
50-64	1	3.0		3	3	3	3	3	3	3	
65+											
B. Operated											
0-19 YRS	14	1.6	3	1	1	1	2	3	6	7	
20-34	13	1.8	1	<1	<1	1	2	4	4	4	
35-49	5	1.4		1	1	1	2	2	2	2	
50-64	2	2.0	2	1	1	2	3	3	3	3	
65+	3	1.7	1	<1	<1	1	2	3	3	3	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	4.7	16	1	1	4	8	9	9	9	
20-34	3	1.3		1	1	1	2	2	2	2	
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	8	4.3	9	<1	1	3	6	9	9	9	
20-34	6	5.7	13	2	2	4	9	11	11	11	
35-49	2	4.5	25	1	1	4	8	8	8	8	
50-64	4	2.5	3	1	1	2	4	4	4	4	
65+	1	2.0		2	2	2	2	2	2	2	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	17	1.8	1	<1	<1	1	2	3	4	4	
B. Operated											
	37	1.7	2	<1	1	1	2	3	4	7	
2. MULTIPLE DX											
A. Not Operated											
	6	3.0	10	1	1	2	4	8	9	9	
B. Operated											
	21	4.2	9	<1	1	4	6	9	10	11	
1. SINGLE DX											
	54	1.7	1	<1	<1	1	2	3	4	7	
2. MULTIPLE DX											
	27	4.0	9	<1	1	3	5	9	10	11	
A. NOT OPERATED											
	23	2.1	3	<1	<1	1	3	4	6	9	
B. OPERATED											
	58	2.6	6	<1	1	2	3	6	9	11	
TOTAL											
0-19 YRS	36	2.4	5	<1	<1	1	3	7	9	9	
20-34	24	2.8	6	<1	1	2	4	5	10	11	
35-49	10	2.0	5	1	1	1	2	5	8	8	
50-64	7	2.4	2	1	1	3	4	4	4	4	
65+	4	1.8	1	<1	<1	1	2	3	3	3	
GRAND TOTAL											
	81	2.5	5	<1	1	2	3	5	8	10	

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	556	1.5	1	<1	<1	1	2	3	3	7	
20-34	133	2.0	2	<1	<1	1	2	4	6	23	
35-49	142	1.6	1	<1	1	1	2	3	4	6	
50-64	157	1.8	2	<1	1	1	2	3	5	8	
65+	126	2.2	8	1	1	1	2	4	5	16	
<i>B. Operated</i>											
0-19 YRS	126	2.2	5	<1	<1	1	2	5	7	10	
20-34	37	2.8	5	<1	<1	2	4	7	8	8	
35-49	27	3.5	10	<1	1	2	6	8	10	13	
50-64	38	3.5	13	1	1	2	4	9	12	15	
65+	24	6.1	128	<1	<1	2	4	12	35	52	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	91	3.1	12	<1	<1	2	4	6	7	23	
20-34	45	4.5	107	<1	1	2	5	9	9	70	
35-49	55	4.6	70	1	1	3	5	8	11	59	
50-64	109	3.6	19	1	1	2	4	8	10	25	
65+	172	5.0	27	1	1	3	6	11	16	27	
<i>B. Operated</i>											
0-19 YRS	52	5.2	139	<1	1	2	5	9	15	83	
20-34	28	8.1	43	1	1	6	11	17	20	28	
35-49	30	6.1	41	<1	1	3	8	15	22	25	
50-64	62	8.6	92	1	1	6	9	24	28	46	
65+	80	9.2	88	1	2	6	13	19	24	53	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>											
	1114	1.7	2	<1	<1	1	2	3	4	8	
<i>B. Operated</i>											
	252	3.0	19	<1	<1	2	3	7	8	17	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
	472	4.2	35	1	1	2	5	9	11	28	
<i>B. Operated</i>											
	252	7.7	90	1	1	5	9	17	25	47	
1. SINGLE DX	1366	1.9	6	<1	<1	1	2	3	5	10	
2. MULTIPLE DX	724	5.4	57	1	1	3	6	11	18	36	
A. NOT OPERATED	1586	2.4	13	<1	<1	1	2	5	7	19	
B. OPERATED	504	5.4	60	<1	1	3	7	13	18	41	
TOTAL 0-19 YRS											
	825	2.0	13	<1	<1	1	2	4	6	11	
20-34	243	3.3	30	<1	<1	2	4	7	10	30	
35-49	254	3.0	24	<1	1	2	3	6	9	22	
50-64	366	3.7	29	1	1	2	4	8	11	29	
65+	402	5.0	45	1	1	3	6	12	18	33	
GRAND TOTAL	2090	3.1	26	<1	<1	2	3	7	10	25	

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	33	7.7	61	1	2	5	10	16	27	35	
20-34	19	6.8	45	1	1	5	10	14	21	27	
35-49	11	8.3	47	2	2	6	13	18	23	23	
50-64	10	12.9	47	6	7	11	16	23	29	29	
65+	3	7.3	33	4	4	4	12	14	14	14	
B. Operated											
0-19 YRS	80	15.8	224	1	2	10	27	39	56	87	
20-34	71	10.2	117	1	2	8	12	19	35	58	
35-49	36	12.8	121	1	3	10	15	28	34	53	
50-64	32	19.4	259	3	4	14	31	46	54	61	
65+	8	38.5	399	8	12	35	60	61	61	61	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	57	9.5	92	1	2	7	10	23	30	50	
20-34	37	11.8	226	1	2	8	13	24	26	91	
35-49	22	13.1	154	3	4	9	16	28	41	57	
50-64	26	12.1	72	2	3	12	16	20	32	36	
65+	31	19.9	451	5	5	12	22	49	72	96	
B. Operated											
0-19 YRS	83	23.5	334	2	3	23	37	47	71	99+	
20-34	99	21.4	339	3	3	16	34	52	76	99+	
35-49	93	25.5	507	3	3	19	37	63	77	99+	
50-64	72	28.6	537	3	4	24	47	70	84	99+	
65+	60	34.8	534	6	7	30	48	76	84	99	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	76	8.2	53	1	1	6	12	16	26	33	
B. Operated	227	14.9	212	2	2	10	21	36	53	61	
2. MULTIPLE DX											
A. Not Operated	173	12.7	198	2	3	9	15	26	35	87	
B. Operated	407	26.0	455	3	4	21	39	63	78	99+	
1. SINGLE DX	303	13.2	180	1	2	9	17	32	42	61	
2. MULTIPLE DX	580	22.0	415	2	3	15	33	54	74	99+	
A. NOT OPERATED	249	11.3	158	1	2	8	14	24	31	73	
B. OPERATED	634	22.0	396	2	3	16	33	54	69	99+	
TOTAL 0-19 YRS											
20-34	253	15.8	244	1	2	9	27	39	50	98	
35-49	226	15.1	257	1	2	10	20	39	53	99+	
50-64	162	19.8	384	2	3	13	27	51	64	98	
65+	140	22.3	397	3	4	16	33	54	72	99+	
65+	102	29.8	540	5	5	25	44	66	82	98	
GRAND TOTAL	883	19.0	352	2	3	12	28	48	63	99+	

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	332	5.5	25	1	1	4	7	11	14	25
20-34	151	5.5	30	1	1	3	8	13	14	27
35-49	90	6.3	38	1	1	4	8	15	19	29
50-64	40	7.1	33	1	2	6	10	15	19	23
65+	21	13.1	159	3	4	7	20	33	44	48
B. Operated										
0-19 YRS	68	10.8	123	1	1	8	13	25	35	61
20-34	33	8.8	70	1	2	7	10	19	25	41
35-49	27	9.6	83	<1	<1	8	13	21	26	40
50-64	11	12.9	78	3	4	11	20	26	29	29
65+	10	24.0	376	6	6	17	35	53	67	67
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	572	6.6	35	1	1	5	8	14	19	28
20-34	314	6.7	66	1	1	4	9	15	21	32
35-49	177	8.1	75	1	1	6	11	18	26	51
50-64	138	9.7	73	1	1	8	13	22	26	60
65+	110	15.7	218	3	4	11	18	35	50	73
B. Operated										
0-19 YRS	138	14.4	155	2	3	10	22	32	44	67
20-34	112	13.6	205	2	3	9	18	27	40	75
35-49	77	15.4	169	2	3	11	20	38	49	86
50-64	62	23.8	388	2	4	19	33	50	58	94
65+	54	31.0	540	5	6	25	44	67	75	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	634	6.0	35	1	1	4	8	12	17	29
B. Operated	149	11.2	127	1	2	8	14	25	35	66
2. MULTIPLE DX										
A. Not Operated	1311	7.9	74	1	1	5	10	18	24	47
B. Operated	443	17.7	282	2	3	12	23	42	58	83
1. SINGLE DX	783	7.0	56	1	1	5	9	14	21	39
2. MULTIPLE DX	1754	10.4	144	1	2	7	13	23	34	66
A. NOT OPERATED	1945	7.3	62	1	1	5	9	16	22	42
B. OPERATED	592	16.1	251	2	3	11	22	36	50	80
TOTAL										
0-19 YRS	1110	7.5	60	1	1	5	9	17	23	42
20-34	610	7.8	91	1	1	5	9	18	23	49
35-49	371	9.3	96	1	1	6	12	21	34	50
50-64	251	12.9	183	1	2	9	17	27	43	82
65+	195	20.1	354	3	5	12	27	50	64	84
GRAND TOTAL	2537	9.3	120	1	1	6	11	21	29	60

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.8	29	<1	1	2	4	7	9	32
20-34	52	4.2	14	1	1	3	5	9	13	16
35-49	18	5.5	34	<1	<1	3	7	17	19	19
50-64	19	8.6	60	1	2	6	12	22	24	25
65+	7	8.7	58	<1	<1	8	16	19	19	19
B. Operated										
0-19 YRS	82	3.2	7	1	1	2	3	6	7	16
20-34	132	3.1	12	1	1	2	3	5	10	19
35-49	58	4.3	26	<1	1	3	4	10	12	29
50-64	32	2.8	3	1	1	2	3	5	6	10
65+	7	9.0	50	1	1	9	15	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	7.2	221	<1	1	3	6	15	22	86
20-34	55	6.4	38	1	1	5	9	13	16	36
35-49	40	7.6	26	1	2	6	10	15	17	23
50-64	41	9.3	34	2	3	8	11	19	22	24
65+	44	12.9	116	2	3	10	17	28	38	48
B. Operated										
0-19 YRS	86	4.2	68	1	1	2	4	7	8	55
20-34	126	7.6	209	1	1	3	6	22	52	99+
35-49	51	7.6	129	1	1	3	7	21	30	66
50-64	37	8.3	260	1	1	4	6	12	37	92
65+	14	10.7	108	1	2	7	21	26	32	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	5.2	32	<1	1	3	6	12	19	26
B. Operated	311	3.5	14	1	1	2	4	6	11	20
2. MULTIPLE DX										
A. Not Operated	214	8.7	84	1	2	6	11	18	23	44
B. Operated	314	6.9	160	1	1	3	6	16	31	85
1. SINGLE DX	441	4.0	20	1	1	2	4	9	13	23
2. MULTIPLE DX	528	7.6	130	1	1	4	8	18	26	81
A. NOT OPERATED	344	7.3	67	1	1	5	9	16	22	37
B. OPERATED	625	5.2	90	1	1	2	4	10	20	68
TOTAL										
0-19 YRS	236	4.2	64	1	1	2	4	7	9	37
20-34	365	5.3	88	1	1	3	5	12	17	79
35-49	167	6.2	60	<1	1	3	7	15	20	33
50-64	129	7.3	100	1	1	5	8	17	23	54
65+	72	11.7	102	1	2	9	17	24	34	46
GRAND TOTAL	969	6.0	83	1	1	3	6	14	21	63

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	281	2.9	6	1	1	2	3	6	7	14
20-34	214	4.3	52	1	1	3	5	7	11	32
35-49	88	5.0	21	1	1	4	7	9	11	28
50-64	64	6.1	32	1	2	5	8	12	15	34
65+	32	5.7	13	1	1	5	9	11	12	13
B. Operated										
0-19 YRS	84	5.1	45	<1	1	2	6	12	20	35
20-34	97	5.8	33	1	1	4	7	14	20	27
35-49	43	6.3	27	1	2	4	8	16	17	19
50-64	23	8.2	154	<1	1	4	7	25	41	53
65+	13	10.1	93	2	2	5	15	22	33	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	295	4.4	23	1	1	3	5	8	11	28
20-34	301	5.2	42	1	1	4	6	10	13	58
35-49	188	7.3	64	1	2	5	9	15	21	43
50-64	183	7.6	51	1	2	6	10	15	22	34
65+	246	12.0	140	2	3	9	15	25	44	99+
B. Operated										
0-19 YRS	106	10.7	164	1	2	6	16	28	48	99+
20-34	204	11.0	166	1	2	6	14	30	42	86
35-49	76	13.0	208	2	2	7	14	31	53	65
50-64	68	14.4	205	1	2	11	21	39	53	92
65+	75	18.8	377	3	4	13	24	66	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	679	4.0	26	1	1	3	5	8	11	22
B. Operated	260	6.1	50	<1	1	3	7	15	20	35
2. MULTIPLE DX										
A. Not Operated	1213	7.1	70	1	1	5	9	15	22	55
B. Operated	529	12.8	212	1	2	7	17	34	55	99+
1. SINGLE DX	939	4.6	34	1	1	3	5	9	13	29
2. MULTIPLE DX	1742	8.8	120	1	2	5	11	20	33	76
A. NOT OPERATED	1892	6.0	56	1	1	4	7	12	17	45
B. OPERATED	789	10.6	169	1	2	6	14	28	42	99+
TOTAL 0-19 YRS	766	4.8	45	1	1	3	5	10	17	37
20-34	816	6.5	81	1	1	4	7	14	25	62
35-49	395	7.8	85	1	2	5	9	16	24	58
50-64	338	8.7	93	1	2	6	11	19	30	55
65+	366	12.8	187	2	3	9	15	28	51	99+
GRAND TOTAL	2681	7.3	94	1	1	4	8	16	27	66

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1363	2.3	11	<1	1	2	3	4	6	12
20-34	895	2.7	17	<1	1	2	3	5	6	18
35-49	312	3.0	11	<1	1	2	3	5	9	19
50-64	157	4.4	42	1	1	3	5	10	14	28
65+	80	6.4	74	1	1	4	7	12	21	53
B. Operated										
0-19 YRS	6	2.8	5	<1	<1	2	5	6	6	6
20-34	9	2.7	3	1	1	2	3	6	7	7
35-49	6	2.7	1	1	1	3	3	4	4	4
50-64	3	8.7	100	1	1	5	16	20	20	20
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1409	4.3	38	1	1	3	5	9	14	38
20-34	2423	5.0	48	<1	1	3	5	11	16	41
35-49	1334	6.1	47	1	1	4	8	14	19	34
50-64	863	7.7	72	1	1	5	9	16	23	45
65+	1166	9.8	79	2	3	8	12	19	26	58
B. Operated										
0-19 YRS	30	6.4	36	1	1	5	7	15	20	27
20-34	97	12.5	159	1	2	9	15	28	42	57
35-49	77	14.4	183	2	4	11	20	31	65	99+
50-64	79	14.2	108	2	2	11	21	27	33	49
65+	130	17.3	137	4	5	14	25	34	42	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2807	2.7	17	<1	1	2	3	5	7	18
B. Operated	26	3.4	14	<1	1	3	3	6	10	20
2. MULTIPLE DX										
A. Not Operated	7195	6.1	57	1	1	4	8	14	20	42
B. Operated	413	14.2	145	2	2	11	20	30	41	66
1. SINGLE DX	2833	2.7	17	<1	1	2	3	5	7	18
2. MULTIPLE DX	7608	6.6	65	1	1	4	8	15	22	45
A. NOT OPERATED	10002	5.2	48	1	1	3	6	12	17	38
B. OPERATED	439	13.6	144	1	2	10	19	29	41	66
TOTAL 0-19 YRS	2808	3.4	26	<1	1	2	4	7	10	27
20-34	3424	4.6	45	<1	1	2	5	10	15	39
35-49	1729	5.9	51	1	1	3	7	14	20	37
50-64	1102	7.7	75	1	1	5	9	17	24	44
65+	1378	10.3	90	2	2	8	13	21	30	58
GRAND TOTAL	10441	5.5	55	1	1	3	6	13	19	41

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	694	2.8	10	<1	1	2	3	7	8	16
20-34	292	1.8	2	<1	1	1	2	4	5	9
35-49	158	2.5	55	<1	<1	1	2	4	5	8
50-64	89	2.2	2	1	1	2	3	4	5	8
65+	34	5.4	231	<1	1	2	4	8	13	90
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	8	3.6	7	1	1	3	5	8	8	8
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	372	4.4	30	1	1	2	6	11	15	36
20-34	256	4.1	41	<1	<1	2	5	9	18	46
35-49	225	4.0	20	<1	1	3	5	9	12	22
50-64	164	4.8	22	1	1	3	6	11	15	29
65+	108	9.8	165	1	1	5	10	26	44	59
B. Operated										
0-19 YRS	11	7.6	52	1	1	6	15	46	92	99+
20-34	15	14.7	163	2	3	12	21	30	43	47
35-49	12	13.8	179	1	1	9	18	38	41	42
50-64	15	18.5	187	2	3	19	45	99+	99+	99+
65+	16	26.6	304	12	12	19	36	59	61	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1267	2.6	20	<1	1	1	3	6	7	15
B. Operated	11	7.8	124	1	1	4	8	23	39	40
2. MULTIPLE DX										
A. Not Operated	1125	4.8	45	<1	1	3	6	11	17	44
B. Operated	69	17.0	215	1	2	15	24	49	94	99+
1. SINGLE DX	1278	2.6	21	<1	1	1	3	6	7	15
2. MULTIPLE DX	1194	5.5	62	<1	1	3	6	14	22	55
A. NOT OPERATED	2392	3.6	33	<1	1	2	4	8	12	33
B. OPERATED	80	15.8	211	1	2	13	23	47	73	99+
TOTAL										
0-19 YRS	1078	3.4	18	1	1	2	4	7	11	27
20-34	571	3.2	28	<1	1	1	3	7	12	39
35-49	395	3.7	42	<1	1	2	4	7	11	33
50-64	269	4.7	36	1	1	3	5	12	18	99+
65+	159	10.7	226	1	1	5	12	30	47	70
GRAND TOTAL	2472	4.0	43	<1	1	2	4	8	15	44

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	457	3.6	19	1	1	3	4	7	10	20	
20-34	177	3.4	19	<1	1	2	4	7	9	18	
35-49	113	3.2	11	1	1	2	4	7	9	20	
50-64	85	4.1	16	1	1	3	5	9	11	23	
65+	66	5.2	30	1	1	4	6	11	16	32	
B. Operated											
0-19 YRS	2	7.5	85	<1	<1	7	14	14	14	14	
20-34	12	11.5	39	1	2	11	15	19	22	23	
35-49	5	6.2	34	2	2	4	9	16	16	16	
50-64	8	16.6	200	4	4	12	24	39	44	44	
65+	6	21.8	478	7	8	14	16	61	66	66	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	390	5.7	70	1	1	3	6	12	17	39	
20-34	195	4.9	25	1	1	3	6	11	14	30	
35-49	159	4.7	13	1	1	4	6	10	13	16	
50-64	298	7.6	93	1	1	5	9	14	25	52	
65+	465	8.9	67	2	2	7	12	18	22	53	
B. Operated											
0-19 YRS	12	7.8	56	<1	<1	6	10	19	26	27	
20-34	28	15.7	409	1	1	7	19	56	64	71	
35-49	35	13.0	176	2	2	8	19	28	57	99+	
50-64	56	19.0	303	2	2	12	31	56	88	99+	
65+	76	19.6	367	2	3	17	27	52	84	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated 898 3.7 19 1 1 2 4 7 10 20											
B. Operated 33 13.6 166 1 2 12 16 24 42 66											
2. MULTIPLE DX											
A. Not Operated 1507 6.9 64 1 1 5 9 14 20 42											
B. Operated 207 17.1 312 2 2 11 24 52 73 99+											
1. SINGLE DX 931 4.0 27 1 1 3 5 8 12 24											
2. MULTIPLE DX 1714 8.1 105 1 1 5 10 18 27 71											
A. NOT OPERATED 2405 5.7 50 1 1 4 7 12 17 37											
B. OPERATED 240 16.6 292 2 2 11 23 49 67 99+											
TOTAL 0-19 YRS 861 4.6 44 1 1 3 5 10 14 32											
20-34 412 5.2 58 1 1 3 6 11 15 46											
35-49 312 5.1 39 1 1 3 6 11 16 36											
50-64 447 8.5 124 1 1 5 9 20 33 73											
65+ 613 10.0 119 1 2 7 12 21 32 83											
GRAND TOTAL 2645 6.7 82 1 1 4 8 15 21 58											

Distribution Tables

249 PAS Hospitals, Northeastern Region, January-December 1979

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	3.8	21	<1	1	2	5	7	9	27
20-34	62	3.6	27	<1	1	2	4	7	11	34
35-49	34	6.0	128	<1	1	3	4	8	40	52
50-64	43	5.3	35	1	1	3	6	13	19	27
65+	89	6.6	63	1	1	4	8	14	18	47
B. Operated										
0-19 YRS	210	5.1	36	<1	1	3	6	11	15	38
20-34	408	3.9	20	<1	<1	2	4	8	13	25
35-49	272	6.7	78	1	1	3	8	17	23	56
50-64	511	8.9	98	1	2	5	12	19	26	49
65+	1117	8.7	117	2	2	5	10	20	29	69
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	5.7	43	1	1	3	6	15	20	33
20-34	66	7.1	73	1	1	4	8	19	23	50
35-49	62	7.7	62	<1	1	5	10	17	24	37
50-64	88	8.4	98	1	2	5	10	15	24	60
65+	201	9.7	81	1	2	7	13	22	27	42
B. Operated										
0-19 YRS	208	9.2	87	1	2	6	11	20	28	52
20-34	401	7.5	123	<1	1	3	8	19	27	72
35-49	402	9.0	114	1	2	5	12	22	31	64
50-64	850	12.6	189	1	2	8	17	28	43	81
65+	2108	12.6	189	2	2	8	16	29	44	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	265	5.2	53	<1	1	3	6	10	16	45
B. Operated										
	2518	7.4	90	1	1	4	9	17	24	50
2. MULTIPLE DX										
A. Not Operated										
	462	8.4	78	1	2	5	11	20	25	43
B. Operated										
	3969	11.5	173	2	2	7	14	27	39	78
1. SINGLE DX										
	2783	7.2	87	1	1	4	8	17	24	50
2. MULTIPLE DX										
	4431	11.2	164	1	2	7	14	26	38	74
A. NOT OPERATED										
	727	7.2	71	1	1	4	9	16	23	43
B. OPERATED										
	6487	9.9	145	1	2	6	12	23	34	71
TOTAL										
0-19 YRS	500	6.8	61	<1	1	4	8	15	21	40
20-34	937	5.6	72	<1	1	3	6	13	21	40
35-49	770	7.9	99	1	1	4	10	19	28	58
50-64	1492	10.9	152	1	2	7	14	24	34	66
65+	3515	11.0	160	2	2	7	14	25	38	75
GRAND TOTAL	7214	9.7	138	1	2	5	12	22	33	69

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
I. SINGLE DX										
A. Not Operated										
0-19 YRS	149	1.8	2	<1	1	1	2	3	4	10
20-34	226	2.7	6	1	1	2	3	5	6	10
35-49	122	3.3	10	1	1	3	4	6	8	19
50-64	143	4.0	6	1	1	4	5	7	9	13
65+	157	5.0	14	1	2	4	6	9	12	24
B. Operated										
0-19 YRS	127	2.9	69	1	1	2	2	4	7	31
20-34	183	2.5	4	<1	1	2	3	5	6	12
35-49	111	4.2	18	1	1	3	4	8	11	26
50-64	69	4.9	21	1	1	4	5	9	17	24
65+	62	6.2	18	1	2	5	8	10	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.7	8	1	1	3	5	7	10	12
20-34	80	3.4	7	<1	1	3	5	7	9	12
35-49	43	5.3	18	1	2	4	7	10	13	23
50-64	84	6.0	42	1	2	4	7	10	16	41
65+	176	6.5	38	1	2	5	7	13	17	37
B. Operated										
0-19 YRS	32	5.7	41	<1	1	3	7	15	23	25
20-34	88	4.9	15	1	1	4	6	11	13	18
35-49	54	5.6	22	1	1	4	7	10	16	23
50-64	55	7.5	47	1	1	5	10	13	21	37
65+	77	11.6	142	2	3	9	14	19	34	65
SUBTOTALS:										
I. SINGLE DX										
A. Not Operated										
	797	3.3	9	1	1	2	4	6	9	14
B. Operated										
	552	3.7	27	1	1	2	4	7	10	22
2. MULTIPLE DX										
A. Not Operated										
	407	5.5	30	1	1	4	7	10	14	29
B. Operated										
	306	7.2	63	1	1	5	9	15	19	46
I. SINGLE DX										
	1349	3.5	16	1	1	2	4	7	9	18
2. MULTIPLE DX										
	713	6.3	45	1	1	4	7	13	18	38
A. NOT OPERATED										
	1204	4.1	17	1	1	3	5	8	10	24
B. OPERATED										
	858	4.9	43	1	1	3	6	10	15	27
TOTAL										
0-19 YRS	332	2.7	33	<1	1	2	2	5	8	21
20-34	577	3.1	7	1	1	2	4	6	8	14
35-49	330	4.2	16	1	1	3	5	8	11	23
50-64	351	5.2	26	1	1	4	6	10	13	26
65+	472	6.8	49	1	2	5	8	13	18	39
GRAND TOTAL	2062	4.4	28	1	1	3	5	9	12	26

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	70	6.4	18	1	2	5	8	12	15	21	
20-34	140	6.6	26	2	2	6	8	12	15	22	
35-49	105	7.8	58	2	3	6	9	14	17	49	
50-64	94	9.1	44	2	3	8	11	16	20	37	
65+	48	9.6	34	3	3	9	12	17	24	27	
<i>B. Operated</i>											
0-19 YRS	59	6.9	23	1	2	6	10	14	18	20	
20-34	107	8.2	47	2	2	6	11	17	22	35	
35-49	99	9.2	48	1	2	7	12	18	21	37	
50-64	87	11.1	87	2	3	8	14	22	30	44	
65+	64	13.8	121	2	3	11	19	26	36	58	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	37	8.9	81	2	3	6	9	19	30	45	
20-34	73	8.1	42	1	2	6	11	17	21	30	
35-49	69	7.8	22	2	3	7	10	14	17	22	
50-64	114	10.8	54	3	4	9	13	21	26	38	
65+	143	14.5	146	4	6	11	18	26	40	72	
<i>B. Operated</i>											
0-19 YRS	22	13.3	198	2	2	8	16	26	43	66	
20-34	76	13.1	139	2	3	9	16	29	40	57	
35-49	75	13.0	142	2	3	9	16	28	41	55	
50-64	133	17.7	230	3	4	13	24	37	46	77	
65+	137	16.8	170	4	5	13	23	36	52	99+	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	457	7.7	38	2	3	6	10	14	17	33	
<i>B. Operated</i>	422	9.7	68	2	2	8	13	19	25	43	
2. MULTIPLE DX											
<i>A. Not Operated</i>	436	10.9	86	3	3	8	14	21	27	43	
<i>B. Operated</i>	443	15.6	182	3	4	11	22	35	45	74	
1. SINGLE DX	879	8.7	53	2	3	7	11	17	21	41	
2. MULTIPLE DX	879	13.3	140	3	4	10	16	28	38	67	
A. NOT OPERATED	893	9.3	64	2	3	7	11	17	24	41	
B. OPERATED	865	12.8	135	2	3	9	16	27	38	63	
TOTAL 0-19 YRS	188	7.9	57	2	2	6	9	16	20	41	
20-34	396	8.6	61	2	2	6	11	17	23	46	
35-49	348	9.3	70	2	3	7	11	18	24	45	
50-64	434	12.6	124	3	3	9	15	26	36	50	
65+	392	14.6	141	3	5	11	19	29	40	78	
GRAND TOTAL	1758	11.0	102	2	3	8	14	23	32	57	

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	22	3.6	17	<1	<1	2	5	8	15	16	
20-34	56	4.4	18	<1	1	3	6	10	13	22	
35-49	44	5.9	18	1	1	5	9	13	14	15	
50-64	59	8.6	51	2	3	7	11	16	24	42	
65+	41	9.2	202	1	2	6	10	16	24	90	
<i>B. Operated</i>											
0-19 YRS	51	5.1	54	<1	<1	3	6	10	22	36	
20-34	150	6.3	71	1	1	3	7	14	19	50	
35-49	122	6.4	61	1	1	4	8	14	20	76	
50-64	129	7.2	81	<1	1	4	9	17	26	40	
65+	143	8.1	85	1	1	5	11	18	25	48	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	49	5.1	22	1	1	3	8	12	16	21	
20-34	71	6.5	55	1	1	4	8	13	21	42	
35-49	92	7.3	28	1	1	6	10	14	18	23	
50-64	131	10.2	131	1	2	7	12	21	34	97	
65+	172	12.0	108	2	3	9	15	24	32	52	
<i>B. Operated</i>											
0-19 YRS	66	7.9	67	1	1	5	10	19	22	44	
20-34	130	9.7	127	1	2	7	13	22	29	56	
35-49	153	12.3	146	2	3	8	16	28	44	98	
50-64	270	15.9	223	1	2	12	22	39	54	95	
65+	380	14.6	232	2	3	10	19	33	48	98	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	222	6.6	64	1	1	5	8	13	16	36	
<i>B. Operated</i>	595	6.9	73	<1	1	4	8	15	22	48	
2. MULTIPLE DX											
<i>A. Not Operated</i>	515	9.3	90	1	2	7	12	19	26	51	
<i>B. Operated</i>	999	13.5	198	1	2	9	18	31	46	93	
1. SINGLE DX	817	6.8	71	1	1	4	8	15	20	44	
2. MULTIPLE DX	1514	12.1	165	1	2	8	16	28	39	85	
A. NOT OPERATED	737	8.5	83	1	1	6	11	17	24	47	
B. OPERATED	1594	11.0	162	1	2	7	14	27	37	82	
TOTAL 0-19 YRS	188	5.9	47	<1	1	4	7	13	20	36	
20-34	407	7.2	82	1	1	4	9	15	22	46	
35-49	411	8.7	88	1	2	6	11	19	27	68	
50-64	589	12.0	168	1	2	8	16	29	41	79	
65+	736	12.5	179	1	2	8	16	27	37	89	
GRAND TOTAL	2331	10.2	138	1	2	6	13	24	34	75	

249 PAS Hospitals, Northeastern Region, January-December 1979

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	3.7	3	2	2	3	5	6	6	9
20-34	15	4.3	14	1	1	3	5	11	12	13
35-49	10	4.9	10	1	1	4	6	10	11	11
50-64	9	5.3	11	1	1	5	9	9	9	9
65+	6	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	31.3	836	9	9	21	53	64	64	64
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	2	5.5	25	2	2	5	9	9	9	9
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.8	7	2	2	3	4	7	9	13
20-34	14	4.8	9	<1	1	5	7	8	10	11
35-49	11	7.4	158	1	1	3	6	25	42	44
50-64	19	10.6	211	1	1	7	10	24	46	64
65+	24	5.9	59	1	1	4	7	12	22	37
B. Operated										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	1	13.0		13	13	13	13	13	13	13
35-49	4	17.8	138	6	6	15	25	34	34	34
50-64	10	7.6	37	1	1	5	14	17	19	19
65+	8	16.5	335	3	4	12	16	47	60	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	76	3.9	7	1	1	3	5	9	10	13
B. Operated										
	9	13.8	400	1	1	9	16	47	64	64
2. MULTIPLE DX										
A. Not Operated										
	92	6.3	83	1	1	3	7	12	22	56
B. Operated										
	25	12.4	151	2	3	10	15	19	40	60
1. SINGLE DX										
	85	5.0	54	1	1	3	5	9	12	49
2. MULTIPLE DX										
	117	7.6	102	1	1	5	8	15	24	61
A. NOT OPERATED										
	168	5.3	50	1	1	3	6	10	13	43
B. OPERATED										
	34	12.8	207	1	2	9	15	22	55	64
TOTAL										
0-19 YRS	64	3.8	5	2	2	3	5	6	8	13
20-34	33	7.2	124	1	1	4	8	13	20	64
35-49	27	8.0	101	1	1	5	10	16	35	44
50-64	40	8.4	114	1	1	6	9	17	23	64
65+	38	7.3	126	1	1	4	8	15	29	60
GRAND TOTAL	202	6.5	83	1	1	4	7	13	18	62

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	44	1.4	2	<1	<1	<1	1	2	4	7
35-49	16	1.6	1	<1	<1	1	2	4	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. Operated										
0-19 YRS	33	1.9	1	<1	<1	2	2	3	4	5
20-34	5589	2.1	4	<1	<1	2	3	4	5	7
35-49	2722	2.1	5	<1	<1	2	2	4	4	6
50-64	42	1.8	9	<1	<1	1	2	3	10	99+
65+	7	2.3	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	72	2.5	53	<1	<1	1	2	4	6	50
35-49	31	1.5	2	<1	<1	1	1	4	7	99+
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. Operated										
0-19 YRS	23	3.0	17	<1	<1	2	3	5	11	21
20-34	3598	2.5	6	<1	<1	2	3	5	6	8
35-49	2319	2.5	5	<1	<1	2	3	5	6	9
50-64	19	2.6	6	<1	<1	2	3	5	8	11
65+	6	2.2	?	1	1	2	2	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	61	1.5	1	<1	<1	<1	1	3	4	7
B. Operated										
	8393	2.1	5	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated										
	104	2.2	38	<1	<1	1	1	4	6	79
B. Operated										
	5965	2.5	5	<1	<1	2	3	5	6	8
1. SINGLE DX										
	8454	2.1	5	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
	6069	2.5	6	<1	<1	2	3	5	6	9
A. NOT OPERATED										
	165	1.9	24	<1	<1	1	1	3	6	54
B. OPERATED										
	14358	2.3	5	<1	<1	2	3	4	5	8
TOTAL										
0-19 YRS	56	2.3	7	<1	<1	2	2	4	5	20
20-34	9303	2.3	5	<1	<1	2	3	4	5	8
35-49	5088	2.3	5	<1	<1	2	3	4	5	8
50-64	63	2.0	8	<1	<1	1	2	4	7	89
65+	13	2.2	2	<1	<1	2	3	5	5	5
GRAND TOTAL										
	14523	2.3	5	<1	<1	2	3	4	5	8

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	82	3.8	3	1	2	3	4	6	7	8
1000-1499	16	7.7	127	<1	<1	3	5	30	35	37
1500-1749	16	11.1	354	<1	<1	5	7	27	62	76
1750-2499	1834	4.3	8	2	2	4	5	7	9	17
2500+	117302	3.7	2	2	2	3	4	6	7	8
B. Operated										
1-999 G	2	53.5	221	43	43	53	64	64	64	64
1000-1499										
1500-1749										
1750-2499	1	6.0		6	6	6	6	6	6	6
2500+	68	4.7	4	2	3	4	6	8	8	11
2. MULTIPLE DX										
A. Not Operated										
1-999 G	88	26.2	1126	<1	<1	6	73	99+	99+	99+
1000-1499	339	36.8	472	<1	<1	40	52	65	71	99+
1500-1749	424	26.1	174	<1	9	26	33	40	46	68
1750-2499	5633	9.2	53	3	3	7	13	19	23	35
2500+	49078	4.7	7	2	3	4	6	7	8	13
B. Operated										
1-999 G	23	45.3	1457	<1	1	81	99+	99+	99+	99+
1000-1499	104	44.1	541	<1	<1	49	62	76	81	99+
1500-1749	63	33.0	266	1	10	33	42	61	82	99+
1750-2499	252	17.8	161	1	5	16	23	33	41	69
2500+	790	8.6	81	3	3	6	9	16	24	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	119250	3.7	2	2	2	3	4	6	7	8
B. Operated										
	71	6.1	73	2	3	4	6	8	10	60
2. MULTIPLE DX										
A. Not Operated										
	55562	5.5	29	2	3	4	6	8	12	31
B. Operated										
	1232	15.4	302	2	3	8	20	45	64	99+
1. SINGLE DX	119321	3.7	3	2	2	3	4	6	7	8
2. MULTIPLE DX	56794	5.8	37	2	3	4	6	8	14	36
A. NOT OPERATED	174812	4.3	12	2	3	4	5	6	7	17
B. OPERATED	1303	14.9	294	2	3	8	19	43	63	99+
TOTAL										
1-999 G	193	19.0	884	<1	<1	5	65	99+	99+	99+
1000-1499	461	37.5	515	<1	<1	41	54	67	75	99+
1500-1749	503	26.5	203	<1	5	27	34	42	50	86
1750-2499	7720	8.3	53	2	3	6	11	18	23	35
2500+	167238	4.0	4	2	3	4	5	6	7	10
GRAND TOTAL	176115	4.4	15	2	3	4	5	7	8	19

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	3	8.3	6	6	6	8	10	11	11	11
1000-1499										
1500-1749	2	20.0	72	14	14	20	26	26	26	26
1750-2499	242	6.1	16	3	3	5	7	10	14	27
2500+	1115	5.0	5	3	3	5	6	7	8	11
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
1-999 G	13	42.2	1647	<1	<1	60	80	98	99+	99+
1000-1499	74	39.4	332	<1	20	42	50	65	77	99+
1500-1749	120	24.6	138	4	6	24	32	38	44	57
1750-2499	866	10.4	51	3	4	8	14	21	24	34
2500+	582	5.8	5	3	3	6	7	8	10	15
B. Operated										
1-999 G	4	28.3	1064	<1	<1	23	55	66	66	66
1000-1499	22	44.6	393	1	20	44	51	80	90	99+
1500-1749	14	29.9	279	3	10	28	35	47	67	73
1750-2499	22	24.7	430	5	6	20	28	46	82	88
2500+	8	7.0	17	3	3	6	9	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	1362	5.2	8	3	3	5	6	8	9	16
B. Operated										
	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
	1655	11.3	132	3	3	7	14	25	35	60
B. Operated										
	70	30.2	490	1	4	26	44	69	79	97
1. SINGLE DX	1364	5.2	8	3	3	5	6	8	9	16
2. MULTIPLE DX	1725	12.1	160	3	3	7	15	28	41	68
A. NOT OPERATED	3017	8.6	85	3	3	6	8	17	27	50
B. OPERATED	72	29.5	492	1	4	26	44	67	79	97
TOTAL										
1-999 G	20	34.4	1366	<1	<1	11	75	94	99	99+
1000-1499	96	40.6	347	<1	20	43	51	66	83	99+
1500-1749	136	25.1	152	4	7	25	32	39	44	61
1750-2499	1130	9.8	58	3	3	7	13	19	24	33
2500+	1707	5.3	5	3	3	5	6	8	8	13
GRAND TOTAL	3089	9.1	104	3	3	6	8	20	30	56

249 PAS Hospitals, Northeastern Region, January–December 1979

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
1-999 G	1	2.0		2	2	2	2	2	2	2	
1000-1499	2	2.0	2	<1	<1	1	3	3	3	3	
1500-1749	1	16.0		16	16	16	16	16	16	16	
1750-2499	11	4.6	5	3	3	4	7	8	8	8	
2500+	303	3.3	3	1	2	3	4	4	6	9	
B. Operated											
1-999 G											
1000-1499											
1500-1749											
1750-2499											
2500+	2	4.5	1	4	4	4	5	5	5	5	
2. MULTIPLE DX											
A. Not Operated											
1-999 G											
1000-1499	4	35.5	770	<1	<1	36	55	68	68	68	
1500-1749	10	22.5	35	13	13	24	27	28	29	29	
1750-2499	58	12.4	62	3	3	11	16	23	29	35	
2500+	113	5.3	26	1	2	4	5	10	14	31	
B. Operated											
1-999 G	1	90.0		90	90	90	90	90	90	90	
1000-1499	2	36.0	338	23	23	49	87	99+	99+	99+	
1500-1749	3	34.7	65	26	26	36	40	42	42	42	
1750-2499	4	28.8	138	17	17	26	36	45	45	45	
2500+	8	13.5	275	3	3	8	13	42	53	53	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	318	3.4	4	1	2	3	4	4	6	10	
B. Operated	2	4.5	1	4	4	4	5	5	5	5	
2. MULTIPLE DX											
A. Not Operated	185	9.1	86	2	3	5	13	22	27	41	
B. Operated	18	27.2	505	3	5	26	44	75	95	99+	
1. SINGLE DX	320	3.4	4	1	2	3	4	4	6	10	
2. MULTIPLE DX	203	10.7	147	2	3	6	13	26	35	78	
A. NOT OPERATED	503	5.5	42	2	2	3	5	12	18	32	
B. OPERATED	20	24.9	501	3	4	23	43	68	94	99+	
TOTAL											
1-999 G	2	46.0	3872	2	2	46	90	90	90	90	
1000-1499	8	27.3	621	<1	<1	31	54	87	99+	99+	
1500-1749	14	24.6	67	13	13	26	28	37	41	42	
1750-2499	73	12.1	79	3	3	10	16	26	30	43	
2500+	426	4.0	16	1	2	3	4	6	8	23	
GRAND TOTAL	523	6.2	72	2	2	3	5	14	24	46	

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	34	3.6	11	<1	1	2	5	9	12	12	
20-34	23	2.3	1	<1	<1	2	3	4	5	5	
35-49	13	4.2	23	<1	<1	3	4	13	16	17	
50-64	15	3.1	5	<1	1	2	4	6	9	10	
65+	6	14.2	860	<1	<1	2	4	67	74	74	
B. Operated											
0-19 YRS	677	3.2	14	<1	1	2	4	6	7	14	
20-34	960	2.9	5	<1	1	2	3	5	6	11	
35-49	407	3.5	26	<1	1	3	4	6	9	18	
50-64	457	3.9	14	<1	1	3	4	7	11	21	
65+	268	7.1	85	1	2	4	8	15	22	54	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	16	3.1	15	<1	1	2	4	7	13	16	
20-34	6	2.0	4	<1	<1	1	2	6	6	6	
35-49	9	2.3	3	<1	<1	2	3	5	5	5	
50-64	8	6.3	65	<1	<1	2	11	20	21	21	
65+	7	6.4	77	<1	<1	2	8	22	25	25	
B. Operated											
0-19 YRS	121	4.8	16	1	2	4	5	10	14	20	
20-34	150	4.9	21	2	2	3	6	9	15	23	
35-49	113	5.5	32	1	2	4	6	10	15	36	
50-64	140	6.4	38	2	2	4	8	13	20	31	
65+	178	12.3	169	2	3	9	15	24	39	68	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	91	4.0	64	<1	<1	2	4	7	12	51	
B. Operated	2769	3.6	21	<1	1	3	4	6	9	21	
2. MULTIPLE DX											
A. Not Operated	46	3.8	29	<1	<1	2	4	10	18	25	
B. Operated	702	7.1	72	2	2	4	8	16	22	45	
1. SINGLE DX											
A. Not Operated	2860	3.6	22	<1	1	3	4	6	9	21	
2. MULTIPLE DX											
A. Not Operated	748	6.9	70	1	2	4	8	16	21	41	
A. NOT OPERATED											
A. NOT OPERATED	137	3.9	52	<1	<1	2	4	8	12	31	
B. OPERATED											
B. OPERATED	3471	4.3	33	<1	1	3	5	8	13	29	
TOTAL											
0-19 YRS	848	3.4	15	<1	1	2	4	6	9	18	
20-34	1139	3.1	7	<1	1	2	3	5	7	16	
35-49	542	3.9	27	<1	1	3	4	7	10	20	
50-64	620	4.5	21	1	2	3	5	9	14	29	
65+	459	9.2	132	2	2	5	11	21	26	65	
GRAND TOTAL	3608	4.3	34	<1	1	3	4	8	13	29	

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2*	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	1.2		1	1	1	1	2	2	3
20-34	296	1.2	1	1	1	1	1	2	2	4
35-49	94	2.3	5	1	1	2	2	3	6	14
50-64	215	1.8	3	1	1	1	2	2	4	10
65+	304	1.6	1	1	1	1	2	2	2	6
B. Operated										
0-19 YRS	16	1.7	2	<1	<1	<1	2	4	5	5
20-34	31	2.1	6	<1	<1	<1	2	7	9	9
35-49	39	2.1	9	<1	<1	<1	2	4	7	18
50-64	63	2.8	24	<1	<1	<1	2	6	13	29
65+	25	4.3	22	<1	1	2	4	14	16	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.1		<1	<1	1	1	2	2	2
B. Operated	4	3.5	14	<1	<1	2	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	961	1.6	2	1	1	1	2	2	3	9
B. Operated	174	2.6	16	<1	<1	<1	2	6	10	18
1. SINGLE DX	14	1.8	4	<1	<1	1	2	3	8	9
2. MULTIPLE DX	1135	1.7	4	<1	1	1	2	2	4	11
A. NOT OPERATED	971	1.6	2	1	1	1	2	2	3	9
B. OPERATED	178	2.7	15	<1	<1	<1	2	6	10	18
TOTAL 0-19 YRS	74	1.3	1	<1	<1	1	1	2	3	5
20-34	330	1.3	2	<1	1	1	1	2	2	8
35-49	136	2.2	6	<1	<1	2	2	4	6	16
50-64	278	2.0	8	<1	<1	1	2	3	6	15
65+	331	1.8	3	1	1	1	2	2	3	11
GRAND TOTAL	1149	1.7	4	<1	1	1	2	2	4	11

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1401	3.3	19	<1	<1	2	4	6	10	22
20-34	1319	2.9	22	<1	<1	1	3	6	9	21
35-49	530	3.4	37	<1	<1	2	4	7	11	30
50-64	732	3.5	36	<1	<1	2	3	8	11	30
65+	516	5.6	72	<1	<1	3	7	14	27	99+
B. Operated										
0-19 YRS	637	3.1	37	<1	<1	2	3	6	9	32
20-34	2083	2.7	12	<1	<1	1	3	6	8	14
35-49	1156	3.5	16	<1	<1	2	4	9	11	17
50-64	989	4.7	26	<1	1	2	7	11	14	24
65+	1058	5.2	34	<1	1	3	7	12	15	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1129	3.7	35	<1	<1	2	4	8	12	34
20-34	1458	4.7	50	<1	<1	3	5	10	16	40
35-49	1513	4.7	45	<1	<1	2	5	11	17	36
50-64	3307	5.2	56	<1	1	3	6	11	19	37
65+	2971	7.5	111	<1	1	4	9	19	30	66
B. Operated										
0-19 YRS	316	5.9	75	<1	<1	3	6	14	20	53
20-34	1838	4.1	38	<1	<1	2	4	8	11	33
35-49	1783	4.2	42	<1	<1	2	4	10	14	30
50-64	1846	7.4	107	1	1	3	9	17	28	58
65+	2324	8.0	97	1	1	4	11	19	27	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4507	3.5	32	<1	<1	2	4	7	11	30
B. Operated	5923	3.7	23	<1	<1	2	4	9	12	22
2. MULTIPLE DX										
A. Not Operated	10378	5.6	69	<1	<1	3	6	13	21	49
B. Operated	8107	6.0	76	<1	<1	3	7	14	21	50
1. SINGLE DX	10430	3.6	27	<1	<1	2	4	8	12	26
2. MULTIPLE DX	18485	5.8	72	<1	<1	3	6	14	21	49
A. NOT OPERATED	14885	4.9	58	<1	<1	2	5	11	18	44
B. OPERATED	14030	5.0	55	<1	<1	2	6	12	17	40
TOTAL 0-19 YRS	3483	3.6	33	<1	<1	2	4	8	12	33
20-34	6698	3.5	30	<1	<1	2	4	7	11	27
35-49	4991	4.1	36	<1	<1	2	5	10	14	31
50-64	6874	5.5	65	<1	1	2	6	13	19	43
65+	6869	7.2	93	<1	1	3	9	17	26	61
GRAND TOTAL	28915	5.0	57	<1	<1	2	5	12	18	43

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

**Distribution of U.S. Patients and Days of Care
by ICD-9-CM List A: Hospital Diagnosis Groups
1979**

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1 Intestinal infectious disease	44,002	45.5	203	28.6
2 Respiratory tuberculosis	4,408	4.6	73	10.2
3 Nonrespiratory tuberculosis	917	0.9	13	1.9
4 Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5 Septicemia	9,877	10.2	137	19.3
6 Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8 Viral diseases with exanthem	12,459	12.9	89	12.5
9 Viral hepatitis	9,561	9.9	84	11.8
10 Infectious mononucleosis	8,802	9.1	47	6.6
11 Viral warts	9,242	9.6	26	3.6
12 Miscellaneous viral diseases	24,590	25.5	111	15.6
13 Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14 Syphilis and other venereal diseases	4,524	4.7	27	3.8
15 Mycoses	3,473	3.6	35	4.9
16 Helminthiases	823	0.9	5	0.7
17 Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18 Late effects of infectious and parasitic diseases	375	0.4	4	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20 Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21 Malignant neoplasm of stomach	7,393	7.7	126	17.8
22 Malignant neoplasm of small intestine	871	0.9	16	2.2
23 Malignant neoplasm of colon	31,020	32.1	525	73.8
24 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26 Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27 Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28 Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30 Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31 Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32 Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35 Malignant neoplasm of ovary	10,687	11.1	115	16.1
36 Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37 Malignant neoplasm of prostate	34,890	36.1	369	51.9
38 Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39 Malignant neoplasm of bladder	29,683	30.7	248	34.8
40 Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41 Malignant neoplasm of eye	751	0.8	4	0.6
42 Malignant neoplasm of brain	5,497	5.7	97	13.7
43 Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44 Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45 Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46 Hodgkin's disease	5,389	5.6	51	7.1
47 Lymphoid leukemia	5,098	5.3	52	7.3
48 Leukemia, except lymphoid	7,237	7.5	87	12.3
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50 Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51 Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52 Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53 Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54 Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55 Benign neoplasm of breast	16,452	17.0	43	6.0
56 Uterine leiomyoma	60,817	62.9	443	62.3
57 Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58 Benign neoplasm of ovary	9,110	9.4	71	9.9
59 Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60 Benign neoplasm of male genital organ	637	0.7	3	0.4
61 Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62 Benign neoplasm of eye	466	0.5	1	0.2
63 Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64 Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65 Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66 Carcinoma in situ of cervix	13,481	14.0	73	10.3
67 Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68 Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69 Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70 Other diseases of thyroid gland	15,530	16.1	120	16.8
71 Diabetes mellitus without complication	80,254	83.1	733	103.1
72 Diabetic acidosis or coma	18,113	18.7	153	21.5
73 Other complicated diabetes mellitus	47,044	48.7	543	76.3
74 Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97 Childhood psychosis	132	0.1	3	0.4
98 Major depressive psychoses	19,908	20.6	339	47.7
99 Other affective psychoses	13,937	14.4	235	33.0
100 Miscellaneous psychoses	15,142	15.7	229	32.2
101 Anxiety states	20,037	20.7	135	19.0
102 Neurotic depression	55,160	57.1	723	101.6
103 Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104 Alcoholic dependence syndrome	74,022	76.6	841	118.2
105 Opioid dependence	3,067	3.2	39	5.5
106 Drug dependence except opioid	2,943	3.0	46	6.4
107 Nondependent abuse of alcohol	6,255	6.5	24	3.4
108 Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109 Psychophysiologic disorder	9,037	9.4	52	7.4
110 Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111 Miscellaneous mental disorders	29,450	30.5	302	42.5
112 Mental retardation	1,484	1.5	17	2.3
113 Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114 Parkinson's disease	7,479	7.7	96	13.5
115 Multiple sclerosis	6,590	6.8	79	11.1
116 Epilepsy	18,925	19.6	114	16.1
117 Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118 Migraine	14,859	15.4	74	10.4
119 Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120 Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121 Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122 Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123 Other glaucoma	3,460	3.6	17	2.3
124 Senile cataract	133,514	138.2	506	71.1
125 Cataract, except senile	5,170	5.4	18	2.5
126 Strabismus	19,678	20.4	43	6.1
127 Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128 Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129 Other disorders of eye	2,850	2.9	13	1.9
130 Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131 Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132 Vertiginous syndromes	19,199	19.9	103	14.5
133 Otosclerosis	7,447	7.7	21	2.9
134 Miscellaneous diseases of ear	19,521	20.2	53	7.5
135 Rheumatic fever, acute	2,345	2.4	22	3.1
136 Chronic rheumatic heart disease	12,895	13.3	125	17.6
137 Essential hypertension	58,878	60.9	418	58.8
138 Hypertensive heart disease	31,356	32.5	306	43.0
139 Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140 Acute myocardial infarction	119,295	123.5	1,770	248.8
141 Angina pectoris	77,141	79.8	515	72.4
142 Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143 Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144 Pulmonary embolism and infarction	18,875	19.5	257	36.1
145 Acute and subacute endocarditis	1,553	1.6	48	6.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146 Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147 Atrial fibrillation and flutter	33,541	34.7	243	34.2
148 Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149 Heart failure	133,282	137.9	1,478	207.8
150 Miscellaneous diseases of heart	42,868	44.4	386	54.3
151 Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152 Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153 Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154 Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155 Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156 Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157 Precerebral occlusion with paralysis	830	0.9	15	2.2
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160 Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161 Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162 Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163 Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164 Atherosclerosis	20,362	21.1	265	37.3
165 Aortic aneurysm	10,542	10.9	152	21.3
166 Aneurysm except aortic	2,596	2.7	35	5.0
167 Arterial embolism and thrombosis	18,242	18.9	242	34.0
168 Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169 Phlebitis and thrombophlebitis	48,488	50.2	512	72.0
170 Varicose veins of lower extremities	27,241	28.2	231	32.5
171 Hemorrhoids	54,894	56.8	328	46.2
172 Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173 Acute URI except streptococcal	83,925	86.9	327	46.0
174 Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175 Deviated nasal septum	41,665	43.1	118	16.6
176 Nasal polyp	6,660	6.9	19	2.7
177 Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178 Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179 Pneumonia	196,466	203.3	1,627	228.8
180 Influenza	12,797	13.2	66	9.2
181 Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182 Emphysema	15,061	15.6	152	21.4
183 Asthma	98,950	102.4	597	84.0
184 Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185 Spontaneous pneumothorax	10,306	10.7	86	12.1
186 Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	73,154	75.7	181	25.4
188	Disease of mouth, except dental	10,919	11.3	50	7.0
189	Diseases of esophagus	36,229	37.5	255	35.9
190	Gastric ulcer without complication	19,941	20.6	172	24.1
191	Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192	Nongastric peptic ulcer without complication	42,538	44.0	302	42.5
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194	Peptic ulcer with obstruction	4,138	4.3	61	8.6
195	Gastritis and duodenitis	83,397	86.3	495	69.7
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197	Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198	Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199	Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200	Inguinal hernia without complication	153,037	158.4	730	102.6
201	Inguinal hernia, complicated	9,473	9.8	63	8.8
202	Umbilical hernia without complication	12,340	12.8	53	7.4
203	Ventral hernia without complication	22,390	23.2	167	23.4
204	Diaphragmatic hernia without complication	36,418	37.7	250	35.1
205	Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206	Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207 Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208 Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209 Diverticula of intestine	63,333	65.5	562	79.0
210 Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211 Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212 Alcoholic liver disease	14,279	14.8	192	27.1
213 Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214 Miscellaneous diseases of liver	11,592	12.0	122	17.1
215 Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216 Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217 Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218 Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219 Diseases of pancreas	34,416	35.6	355	49.9
220 Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221 Intestinal malabsorption	3,103	3.2	32	4.5
222 Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223 Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224 Chronic renal failure	13,269	13.7	140	19.7
225 Other renal failure	5,375	5.6	75	10.6
226 Acute pyelonephritis	15,135	15.7	104	14.7
227 Miscellaneous kidney infections	18,290	18.9	136	19.1
228 Calculus of kidney	26,594	27.5	182	25.5
229 Calculus of ureter	69,126	71.5	345	48.5
230 Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231 Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232 Cystitis	38,879	40.2	205	28.8
233 Urethral stricture	35,333	36.6	143	20.1
234 Miscellaneous urinary diseases	105,221	108.9	667	93.7
235 Hyperplasia of prostate	88,976	92.1	791	111.2
236 Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237 Hydrocele	10,165	10.5	41	5.8
238 Orchitis and epididymitis	9,645	10.0	58	8.1
239 Redundant prepuce and phimosis	19,255	19.9	47	6.6
240 Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241 Benign mammary dysplasia	52,574	54.4	156	21.9
242 Miscellaneous diseases of breast	20,590	21.3	76	10.6
243 Ovarian cyst	37,240	38.5	216	30.4
244 Pelvic inflammatory disease	65,002	67.3	390	54.8
245 Endometriosis	40,030	41.4	260	36.6
246 Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248 Genital prolapse	58,313	60.4	486	68.3
249 Metrorrhagia	7,921	8.2	24	3.4
250 Other disorders of menstruation	128,423	132.9	439	61.7
251 Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252 Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253 Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254 Ectopic pregnancy	13,749	14.2	81	11.5
255 Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256 Other induced abortion	91	0.1	<1	0.0
257 Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258 Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259 Threatened abortion	11,635	12.0	33	4.6
260 Other early pregnancy hemorrhage	890	0.9	2	0.3
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262 Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263 False labor	52,644	54.5	69	9.7
264 Placenta previa without delivery	3,385	3.5	13	1.8
265 Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266 Infections of pregnancy without delivery	8,022	8.3	29	4.1
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268 Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288 Major puerperal infections	1,766	1.8	8	1.2
289 Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290 Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291 Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293 Pilonidal cyst	19,359	20.0	86	12.1
294 Sebaceous cyst	8,630	8.9	22	3.1
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296 Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297 Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298 Osteoarthritis (osteoarthritis), except spine	48,590	50.3	611	85.9
299 Other arthropathies	15,245	15.8	147	20.7
300 Internal derangement of knee joint	46,879	48.5	227	31.9
301 Other disorders of joint	36,115	37.4	204	28.7
302 Ankylosing spondylitis	767	0.8	7	1.0
303 Spondylosis and allied disorders	31,466	32.6	294	41.3
304 Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305 Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306 Sacroiliac joint disorder	13,734	14.2	119	16.7
307 Sciatica	7,643	7.9	73	10.3
308 Other dorsopathies	80,127	82.9	693	97.4
309 Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310 Bunion and deformities of toe	38,223	39.6	184	25.9
311 Ganglion and cyst	24,035	24.9	65	9.1
312 Osteomyelitis	8,377	8.7	141	19.8
313 Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314 Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316 Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317 Somatic dysfunction	1,650	1.7	13	1.8
318 Congenital anomaly of nervous system	2,128	2.2	20	2.8
319 Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320 Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321 Cleft palate and lip	2,923	3.0	12	1.7
322 Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324 Undescended testicle	7,383	7.6	26	3.6
325 Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326 Clubfoot	3,936	4.1	19	2.6
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328 Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329 Convulsions	44,153	45.7	240	33.7
330 Pyrexia of unknown origin	18,430	19.1	118	16.6
331 Headache	24,243	25.1	129	18.2
332 Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333 Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334 Gangrene	8,776	9.1	190	26.7
335 Chest pain	82,485	85.4	392	55.1
336 Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337 Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338 Abdominal pain	90,476	93.6	429	60.4
339 Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340 Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341 Fracture of vault of skull	7,686	8.0	55	7.8
342 Fracture of base of skull	5,163	5.3	41	5.7
343 Fracture of face bones	32,005	33.1	138	19.5
344 Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345 Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346 Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347 Fracture of pelvis	14,592	15.1	239	33.6
348 Fracture of humerus	24,980	25.9	208	29.3
349 Fracture of radius and ulna	38,411	39.8	168	23.7
350 Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351 Fracture of neck of femur	64,926	67.2	1,320	185.6
352 Other femoral fracture	18,072	18.7	440	61.8
353 Fracture of tibia and fibula	29,683	30.7	284	39.9
354 Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355 Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356 Fracture of multiple bones	551	0.6	7	0.9
357 Dislocation of shoulder	7,163	7.4	29	4.1
358 Dislocation of knee	36,668	38.0	190	26.7
359 Other dislocation	9,705	10.0	72	10.1
360 Sprains and strains of knee and leg	11,291	11.7	61	8.6
361 Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362 Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363 Other sprains and strains	16,347	16.9	77	10.9
364 Concussion	65,726	68.0	242	34.1
365 Intracranial injury, except concussion	21,788	22.6	174	24.5
366 Internal injury to thoracic region	5,701	5.9	51	7.2
367 Internal injury, except chest	13,906	14.4	133	18.7
368 Laceration or enucleation of eye	6,227	6.4	27	3.8
369 Other laceration of head and neck	24,345	25.2	106	14.9
370 Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371 Open wound of upper limb	35,490	36.7	124	17.4
372 Open wound of lower limb	16,440	17.0	108	15.2
373 Injury to blood vessels	1,622	1.7	14	1.9
374 Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375 Contusion of eye and adnexa	5,678	5.9	26	3.6
376 Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377 Miscellaneous crushing injury	4,231	4.4	29	4.1
378 Foreign body on external eye	420	0.4	1	0.2
379 Foreign body entering through other body orifice	10,444	10.8	32	4.5
380 Third degree burns	6,105	6.3	110	15.5
381 Other burns	15,932	16.5	143	20.1
382 Injury to nerve and spinal cord	5,731	5.9	34	4.8
383 Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384 Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386 Miscellaneous adverse effects	15,811	16.4	93	13.0
387 Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388 Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389 Postoperative wound infection	10,950	11.3	107	15.1
390 Other complications of surgical procedures	14,627	15.1	128	18.0
391 Other complications of medical care, except drugs	1,126	1.2	7	0.9
392 Admission for prophylactic sterilization	79,132	81.9	168	23.6
396 Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397 Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

**Ranking of ICD-9-CM List A Diagnosis Groups by Live Discharges
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)**

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
179	Pneumonia	196,466	1	1	1	1	2
177	Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200	Inguinal hernia without complication	153,037	3	2	5	5	3
143	Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208	Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398	Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215	Gallbladder disease with calculus	134,463	7	9	6	8	7
124	Senile cataract	133,514	8	6	11	10	5
149	Heart failure	133,282	9	4	8	14	10
250	Other disorders of menstruation	128,423	10	8	9	6	19
140	Acute myocardial infarction	119,295	11	7	13	13	11
211	Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
234 Miscellaneous urinary diseases	105,221	14	22	14	7	21
183 Asthma	98,950	15	14	15	20	13
304 Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338 Abdominal pain	90,476	17	32	22	15	17
235 Hyperplasia of prostate	88,976	18	15	25	21	15
173 Acute URI except streptococcal	83,925	19	33	18	22	26
257 Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195 Gastritis and duodenitis	83,397	21	37	17	19	40
335 Chest pain	82,485	22	40	27	16	18
071 Diabetes mellitus without complication	80,254	23	25	19	24	56
308 Other dorsopathies	80,127	24	39	24	26	16
174 Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392 Admission for prophylactic sterilization	79,132	26	24	26	23	35
141 Angina pectoris	77,141	27	29	28	27	20
104 Alcoholic dependence syndrome	74,022	28	16	23	51	34
187 Disease of teeth and jaws	73,154	29	10	30	31	92
252 Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229 Calculus of ureter	69,126	31	43	44	18	38
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184 Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364 Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
244 Pelvic inflammatory disease	65,002	35	50	33	35	36
130 Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351 Fracture of neck of femur	64,926	37	31	41	41	23
209 Diverticula of intestine	63,333	38	36	37	34	51
045 Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056 Uterine leiomyoma	60,817	40	28	52	38	44
148 Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137 Essential hypertension	58,878	42	58	32	37	91
248 Genital prolapse	58,313	43	60	47	36	43
384 Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376 Other superficial injuries	55,654	45	62	39	49	45
102 Neurotic depression	55,160	46	79	36	42	64
171 Hemorrhoids	54,894	47	52	51	39	68
197 Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316 Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186 Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027 Malignant neoplasm of bronchus, lung, and trachea	53,623	51	46	59	45	49
263 False labor	52,644	52	61	35	78	58
241 Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthritis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
178 Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329 Convulsions	44,153	69	54	70	68	83
001 Intestinal infectious disease	44,002	70	77	76	58	57
362 Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150 Miscellaneous diseases of heart	42,868	72	76	69	71	63
192 Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175 Deviated nasal septum	41,665	74	41	84	93	67
309 Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216 Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161 Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120 Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245 Endometriosis	40,030	79	96	79	73	65
207 Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232 Cystitis	38,879	81	97	66	76	131
349 Fracture of radius and ulna	38,411	82	84	77	100	72
117 Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310 Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
353 Fracture of tibia and fibula	29,683	105	106	105	110	90
111 Miscellaneous mental disorders	29,450	106	140	95	94	118
119 Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344 Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305 Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053 Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170 Varicose veins of lower extremities	27,241	111	95	109	127	120
081 Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228 Calculus of kidney	26,594	113	118	112	101	147
084 Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172 Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127 Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
251 Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348 Fracture of humerus	24,980	118	123	114	133	106
193 Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012 Miscellaneous viral diseases	24,590	120	109	130	116	119
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369 Other laceration of head and neck	24,345	122	133	118	130	112
331 Headache	24,243	123	227	116	91	163
090 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	124	120	128	117	122
311 Ganglion and cyst	24,035	125	132	121	112	153
337 Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196 Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203 Ventral hernia without complication	22,390	128	127	132	135	126
230 Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
297 Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365 Intracranial injury, except concussion	21,788	131	145	123	143	132
068 Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268 Miscellaneous complications of pregnancy without delivery	20,818	134	146	124	168	129
242 Miscellaneous diseases of breast	20,590	135	134	153	129	143
164 Atherosclerosis	20,362	136	168	134	142	124
339 Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168 Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101 Anxiety states	20,037	139	192	119	139	194
190 Gastric ulcer without complication	19,941	140	174	136	126	187
098 Major depressive psychoses	19,908	141	130	131	174	155
126 Strabismus	19,678	142	135	143	146	149
134 Miscellaneous diseases of ear	19,521	143	162	151	140	128
293 Pilonidal cyst	19,359	144	111	147	159	195
239 Redundant prepuce and phimosis	19,255	145	137	160	114	250
132 Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
198 Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103 Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116 Epilepsy	18,925	149	150	144	150	151
144 Pulmonary embolism and infarction	18,875	150	138	158	151	150
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346 Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396 Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330 Pyrexia of unknown origin	18,430	154	161	168	134	158
227 Miscellaneous kidney infections	18,290	155	172	148	137	183
167 Arterial embolism and thrombosis	18,242	156	131	175	169	137
051 Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072 Diabetic acidosis or coma	18,113	158	154	161	158	145
350 Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352 Other femoral fracture	18,072	160	158	164	156	142
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
240 Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151 Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374 Late effects of injury, poisoning, non- medicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110 Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094 Paranoid schizophrenia	17,159	168	149	186	196	109
156 Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055 Benign neoplasm of breast	16,452	170	143	195	138	221
372 Open wound of lower limb	16,440	171	193	179	154	169
363 Other sprains and strains	16,347	172	195	163	194	138
246 Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336 Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
034 Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128 Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381 Other burns	15,932	177	185	166	175	189
386 Miscellaneous adverse effects	15,811	178	180	170	182	178
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070 Other diseases of thyroid gland	15,530	180	194	169	161	216
299 Other arthropathies	15,245	181	213	184	178	166
082 Iron deficiency anemia	15,239	182	167	177	173	220
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100 Miscellaneous psychoses	15,142	184	184	187	185	176
226 Acute pyelonephritis	15,135	185	228	180	166	182
182 Emphysema	15,061	186	205	174	183	192
118 Migraine	14,859	187	247	165	172	203
236 Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390 Other complications of surgical procedures	14,627	189	199	198	197	139
347 Fracture of pelvis	14,592	190	181	190	201	168
383 Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212 Alcoholic liver disease	14,279	192	147	208	214	152
388 Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
213 Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099 Other affective psychoses	13,937	195	201	185	217	174
367 Internal injury, except chest	13,906	196	191	204	195	164
254 Ectopic pregnancy	13,749	197	187	206	200	165
306 Sacroiliac joint disorder	13,734	198	241	162	220	197
066 Carcinoma in situ of cervix	13,481	199	208	202	188	199
224 Chronic renal failure	13,269	200	157	228	189	196
162 Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332 Epistaxis	13,169	202	204	196	205	202
370 Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086 Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136 Chronic rheumatic heart disease	12,895	205	175	205	226	180
180 Influenza	12,797	206	317	189	203	162
054 Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008 Viral diseases with exanthem	12,459	208	229	197	207	217
258 Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202 Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
087 Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325 Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131 Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191 Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031 Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259 Threatened abortion	11,635	216	230	182	239	267
214 Miscellaneous diseases of liver	11,592	217	212	218	212	210
121 Retinal detachment and defects	11,462	218	182	260	218	167
360 Sprains and strains of knee and leg	11,291	219	255	212	250	171
328 Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092 Alcoholic psychoses	10,957	222	170	270	222	184
389 Postoperative wound infection	10,950	223	240	232	228	186
206 Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
199 Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188 Disease of mouth, except dental	10,919	226	222	226	213	223
019 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035 Malignant neoplasm of ovary	10,687	228	207	225	233	222
165 Aortic aneurysm	10,542	229	224	239	223	207
379 Foreign body entering through other body orifice	10,444	230	216	240	230	211
185 Spontaneous pneumothorax	10,306	231	225	238	215	235
217 Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237 Hydrocele	10,165	233	226	227	238	234
079 Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320 Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333 Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146 Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005 Septicemia	9,877	238	211	249	234	229
359 Other dislocation	9,705	239	246	236	245	218
238 Orchitis and epididymitis	9,645	240	253	223	229	261
009 Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
201 Inguinal hernia, complicated	9,473	242	200	242	262	242
319 Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011 Viral warts	9,242	244	238	229	243	288
058 Benign neoplasm of ovary	9,110	245	232	246	257	231
109 Psychophysiologic disorder	9,037	246	282	219	235	273
262 Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069 Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231 Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010 Infectious mononucleosis	8,802	251	245	216	266	300
334 Gangrene	8,776	252	214	257	240	287
294 Sebaceous cyst	8,630	253	197	261	248	301
314 Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078 Obesity of nonendocrine origin	8,527	255	328	215	254	256
312 Osteomyelitis	8,377	256	242	266	256	241
007 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
266 Infections of pregnancy without delivery	8,022	258	275	253	246	274
249 Metrorrhagia	7,921	259	244	258	255	291
064 Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028 Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341 Fracture of vault of skull	7,686	262	268	265	268	240
307 Sciatica	7,643	263	248	245	290	277
113 Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114 Parkinson's disease	7,479	265	257	255	273	282
133 Otosclerosis	7,447	266	262	274	265	248
021 Malignant neoplasm of stomach	7,393	267	234	279	278	252
324 Undescended testicle	7,383	268	254	269	272	259
040 Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026 Malignant neoplasm of pancreas	7,278	270	258	282	270	249
048 Leukemia, except lymphoid	7,237	271	261	262	282	262
357 Dislocation of shoulder	7,163	272	293	259	279	244
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122 Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

		All Hospitals			Rank by Region		
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North - east (4)	North Central (5)	South (6)	West (7)
083	Sickle-cell anemia and trait	6,949	275	278	267	242	336
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139	Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296	Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176	Nasal polyp	6,660	279	249	276	299	276
115	Multiple sclerosis	6,590	280	272	254	314	283
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107	Nondependent abuse of alcohol	6,255	282	288	263	297	297
323	Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368	Laceration or enucleation of eye	6,227	284	291	294	269	260
218	Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355	Fracture of other bones	6,154	286	302	280	287	266
380	Third degree burns	6,105	287	301	285	267	275
004	Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382 Injury to nerve and spinal cord	5,731	290	297	298	289	257
366 Internal injury to thoracic region	5,701	291	305	299	283	255
375 Contusion of eye and adnexa	5,678	292	290	291	292	285
029 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042 Malignant neoplasm of brain	5,497	294	298	293	295	280
046 Hodgkins' disease	5,389	295	277	288	309	306
225 Other renal failure	5,375	296	283	302	286	311
017 Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030 Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025 Malignant neoplasm of abdominal cavity except specified intes- tinal tract and pancreas	5,194	299	294	300	303	289
125 Cataract, except senile	5,170	300	284	308	301	279
342 Fracture of base of skull	5,163	301	309	304	308	253
047 Lymphoid leukemia	5,098	302	286	301	310	293
050 Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
265 Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205 Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289 Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080 Gout	4,619	307	312	303	296	325
067 Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014 Syphilis and other venereal diseases	4,524	309	315	310	304	303
002 Respiratory tuberculosis	4,408	310	304	318	294	323
006 Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377 Miscellaneous crushing injury	4,231	313	321	305	320	304
044 Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194 Peptic ulcer with obstruction	4,138	315	319	317	307	309
397 Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326 Clubfoot	3,936	318	320	307	325	312
154 Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
020 Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074 Ovarian dysfunction	3,696	321	322	315	313	334
015 Mycoses	3,473	322	345	321	327	292
123 Other glaucoma	3,460	323	307	331	319	322
264 Placenta previa without delivery	3,385	324	326	320	326	317
076 Nutritional deficiencies	3,341	325	325	327	322	318
063 Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052 Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221 Intestinal malabsorption	3,103	328	329	323	329	331
105 Opioid dependence	3,067	329	196	360	368	352
106 Drug dependence except opioid	2,943	330	316	324	338	347
321 Cleft palate and lip	2,923	331	332	335	323	316
290 Other puerperal complications	2,886	332	331	328	340	319
129 Other disorders of eye	2,850	333	339	329	324	333
038 Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166 Aneurysm except aortic	2,596	335	330	339	332	329
135 Rheumatic fever, acute	2,345	336	338	334	337	342
091 Arteriosclerotic dementia	2,283	337	347	336	331	349
093 Drug psychoses	2,243	338	340	342	343	320
036 Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
322 Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065 Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318 Congenital anomaly of nervous system	2,128	342	348	341	336	341
152 Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108 Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057 Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345 Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288 Major puerperal infections	1,766	347	352	344	347	337
317 Somatic dysfunction	1,650	348	366	326	369	367
373 Injury to blood vessels	1,622	349	353	349	345	346
089 Transient organic psychotic conditions	1,564	350	349	355	350	339
095 Acute schizophrenic episode	1,556	351	346	351	359	332
145 Acute and subacute endocarditis	1,553	352	337	354	353	348
061 Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112 Mental retardation	1,484	354	354	347	346	357
223 Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
013 Rickettsioses and other arthropod- borne diseases	1,347	356	360	368	330	360
077 Cystic fibrosis	1,248	357	350	353	354	355
391 Other complications of medical care, except drugs	1,126	358	356	357	356	350
003 Nonrespiratory tuberculosis	917	359	357	364	357	356
059 Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260 Other early pregnancy hemorrhage	890	361	363	356	361	366
022 Malignant neoplasm of small intestine	871	362	359	359	363	359
157 Precerebral occlusion with paralysis	830	363	365	361	365	353
016 Helminthiasis	823	364	368	365	355	362
302 Ankylosing spondylitis	767	365	372	362	360	364
085 Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041 Malignant neoplasm of eye	751	367	362	366	364	363
155 Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060 Benign neoplasm of male genital organ	637	369	367	369	367	368
356 Fracture of multiple bones	551	370	369	370	370	370
043 Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062 Benign neoplasm of eye	466	372	370	371	372	373
378 Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
018 Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097 Childhood psychosis	132	375	375	377	375	376
153 Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256 Other induced abortion	91	377	377	376	377	377
All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
140 Acute myocardial infarction	1,770	1	1	2	2	1
179 Pneumonia	1,627	2	3	1	1	2
149 Heart failure	1,478	3	2	3	5	5
351 Fracture of neck of femur	1,320	4	4	6	6	3
143 Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215 Gallbladder disease with calculus	1,302	6	5	5	4	6
304 Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211 Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104 Alcoholic dependence syndrome	841	9	13	7	33	9
235 Hyperplasia of prostate	791	10	8	14	11	14
045 Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071 Diabetes mellitus without complication	733	12	15	11	13	47
200 Inguinal hernia without complication	730	13	11	15	17	15
102 Neurotic depression	723	14	41	10	16	24
340 Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
027 Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208 Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308 Other dorsopathies	693	18	31	16	18	8
398 Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184 Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234 Miscellaneous urinary diseases	667	21	29	19	10	31
161 Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298 Osteoarthritis (osteoarthritis), except spine	611	23	34	18	32	13
295 Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183 Asthma	597	25	22	23	25	22
209 Diverticula of intestine	562	26	21	29	23	32
073 Other complicated diabetes mellitus	543	27	23	22	48	44
096 Miscellaneous schizophrenia	537	28	20	27	49	27
023 Malignant neoplasm of colon	525	29	17	35	38	33
141 Angina pectoris	515	30	37	30	28	29
169 Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
186 Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124 Senile cataract	506	33	27	38	37	23
148 Other arrhythmia and conduction disorders	498	34	24	36	39	36
195 Gastritis and duodenitis	495	35	46	26	31	55
248 Genital prolapse	486	36	53	34	24	34
174 Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032 Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313 Localized disorders of bone and cartilage	449	39	43	41	44	25
207 Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056 Uterine leiomyoma	443	41	38	50	35	41
352 Other femoral fracture	440	42	42	47	41	28
250 Other disorders of menstruation	439	43	58	39	30	63
338 Abdominal pain	429	44	67	46	26	43
142 Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137 Essential hypertension	418	46	54	33	43	107
291 Cellulitis and abscess, except digit	416	47	35	48	56	45
117 Miscellaneous disease of central nervous system	410	48	40	45	61	39
335 Chest pain	392	49	77	54	36	51
244 Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
160 Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150 Miscellaneous diseases of heart	386	52	56	49	5	46
361 Sprains and strains of sacroiliac region	384	53	69	42	51	60
163 Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216 Gallbladder disease without mention of calculus	370	55	59	59	45	74
037 Malignant neoplasm of prostate	369	56	50	62	55	49
354 Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177 Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219 Diseases of pancreas	355	59	51	63	60	58
229 Calculus of ureter	345	60	74	70	40	67
181 Bronchitis, chronic and unspecified	339	61	89	60	53	68
098 Major depressive psychoses	339	62	44	56	89	80
387 Complications peculiar to certain specified procedures	339	63	57	73	75	30
171 Hemorrhoids	328	64	85	64	52	91
173 Acute URI except streptococcal	327	65	93	58	63	93
316 Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
344 Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362 Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252 Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138 Hypertensive heart disease	306	70	70	71	62	116
192 Nongastric peptic ulcer without complication	302	71	105	67	54	112
090 Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111 Miscellaneous mental disorders	302	73	97	61	72	99
220 Gastrointestinal hemorrhage	302	74	52	80	76	65
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303 Spondylosis and allied disorders	294	76	101	65	73	88
353 Fracture of tibia and fibula	284	77	80	79	81	56
376 Other superficial injuries	281	78	90	72	83	82
384 Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094 Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
120 Peripheral nervous system disorder, except sciatica	273	81	104	75	84	71
305 Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162 Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164 Atherosclerosis	265	84	99	83	82	75
253 Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245 Endometriosis	260	86	114	84	80	66
158 Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144 Pulmonary embolism and infarction	257	88	79	98	86	84
297 Rheumatoid arthritis, except spine	256	89	108	82	85	86
189 Diseases of esophagus	255	90	102	87	74	109
197 Acute appendicitis without peritonitis	253	91	96	88	96	64
204 Diaphragmatic hernia without complication	250	92	119	91	66	128
081 Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
039 Malignant neoplasm of bladder	248	95	62	95	108	103
147 Atrial fibrillation and flutter	243	96	71	106	98	94
364 Concussion	242	97	61	94	130	96
167 Arterial embolism and thrombosis	242	98	65	112	100	85
168 Miscellaneous diseases of arteries	241	99	63	109	91	113
329 Convulsions	240	100	72	102	94	121
347 Fracture of pelvis	239	101	91	101	106	78
099 Other affective psychoses	235	102	106	77	127	97
193 Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170 Varicose veins of lower extremities	231	104	82	99	105	120
100 Miscellaneous psychoses	229	105	107	92	104	108
300 Internal derangement of knee joint	227	106	113	104	123	53
172 Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084 Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243 Ovarian cyst	216	109	110	111	95	110
348 Fracture of humerus	208	110	100	113	117	106
232 Cystitis	205	111	128	90	111	164
301 Other disorders of joint	204	112	127	114	124	73
001 Intestinal infectious disease	203	113	122	116	101	102
103 Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
212	Alcoholic liver disease	192	115	88	137	140	70
358	Dislocation of knee	190	116	139	117	122	90
334	Gangrene	190	117	78	128	120	165
198	Acute appendicitis with peritonitis	190	118	111	121	129	95
309	Bursitis and synovitis, except spine	188	119	134	115	118	118
230	Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310	Bunion and deformities of toe	184	121	138	105	157	111
228	Calculus of kidney	182	122	118	122	107	151
187	Disease of teeth and jaws	181	123	103	118	116	182
151	Cardiovascular disease, unspecified	177	124	145	156	79	159
365	Intracranial injury, except concussion	174	125	144	129	126	104
190	Gastric ulcer without complication	172	126	157	119	109	156
156	Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349	Fracture of radius and ulna	168	128	129	124	142	119
392	Admission for prophylactic sterilization	168	129	130	127	115	167
210	Anal fissure, fistula, and abscess	167	130	131	133	119	138
203	Ventral hernia without complication	167	131	124	131	133	132
178	Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
068 Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196 Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241 Benign mammary dysplasia	156	135	161	141	114	162
346 Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213 Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072 Diabetic acidosis or coma	153	138	137	142	141	133
257 Spontaneous and unspecified abortion	153	139	150	125	148	168
182 Emphysema	152	140	147	134	143	144
110 Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165 Aortic aneurysm	152	142	133	153	139	123
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299 Other arthropathies	147	144	167	145	146	124
130 Otitis media, chronic and unspecified	145	145	171	146	134	147
233 Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
381	Other burns	143	147	173	147	135	148
312	Osteomyelitis	141	148	126	159	159	127
224	Chronic renal failure	140	149	125	176	145	135
343	Fracture of face bones	138	150	159	154	151	134
005	Septicemia	137	151	117	165	162	140
337	Signs and symptoms referable to urinary system	137	152	132	150	153	204
034	Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227	Miscellaneous kidney infections	136	154	175	151	137	176
101	Anxiety states	135	155	211	126	150	207
339	Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367	Internal injury, except chest	133	158	170	171	155	115
075	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331	Headache	129	160	244	148	121	197
390	Other complications of surgical procedures	128	161	172	167	171	114
082	Iron deficiency anemia	128	162	151	155	158	208
191	Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217	Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
021 Malignant neoplasm of stomach	126	165	120	177	183	150
026 Malignant neoplasm of pancreas	126	166	143	169	172	152
136 Chronic rheumatic heart disease	125	167	142	163	191	137
371 Open wound of upper limb	124	168	181	160	167	145
214 Miscellaneous diseases of liver	122	169	155	173	170	160
070 Other diseases of thyroid gland	120	170	180	158	160	210
306 Sacroiliac joint disorder	119	171	201	143	194	161
051 Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175 Deviated nasal septum	118	173	135	178	188	177
330 Pyrexia of unknown origin	118	174	174	188	152	166
035 Malignant neoplasm of ovary	115	175	156	179	184	169
116 Epilepsy	114	176	176	174	173	175
374 Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292 Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
086 Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019 Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012 Miscellaneous viral diseases	111	181	178	187	166	178
380 Third degree burns	110	182	207	189	154	163
372 Open wound of lower limb	108	183	203	186	163	170
389 Postoperative wound infection	107	184	194	196	185	130
040 Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369 Other laceration of head and neck	106	186	195	183	175	174
336 Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226 Acute pyelonephritis	104	188	216	181	169	185
053 Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132 Vertiginous syndromes	103	190	209	168	186	198
206 Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113 Inflammatory diseases of central nervous system	101	192	208	198	182	155
042 Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
114	Parkinson's disease	96	194	168	193	208	218
119	Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386	Miscellaneous adverse effects	93	196	202	194	199	203
383	Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092	Alcoholic psychoses	89	198	177	248	206	139
008	Viral diseases with exanthem	89	199	218	197	200	206
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048	Leukemia, except lymphoid	87	201	188	200	233	191
185	Spontaneous pneumothorax	86	202	196	211	196	205
293	Pilonidal cyst	86	203	184	204	209	253
009	Viral hepatitis	84	204	217	209	193	211
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028	Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254	Ectopic pregnancy	81	207	213	213	214	189
127	Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
078 Obesity of nonendocrine origin	81	209	292	182	215	215
370 Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218 Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115 Multiple sclerosis	79	212	206	190	272	229
128 Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296 Diffuse diseases of connective tissue	79	214	210	215	218	217
255 Legally induced abortion	78	215	154	253	231	234
363 Other sprains and strains	77	216	238	207	234	188
251 Menopausal and postmenopausal disorders	76	217	205	223	203	257
079 Miscellaneous metabolic disorders	76	218	223	208	222	225
242 Miscellaneous diseases of breast	76	219	225	225	198	226
225 Other renal failure	75	220	200	228	216	239
328 Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118 Migraine	74	222	277	201	217	244
066 Carcinoma in situ of cervix	73	223	236	222	204	233
307 Sciatica	73	224	198	206	263	252
002 Respiratory tuberculosis	73	225	212	230	213	251
359 Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
154	Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058	Benign neoplasm of ovary	71	228	219	227	238	219
139	Miscellaneous hypertensive disease	70	229	231	231	212	241
246	Inflammatory disease of cervix uteri	70	230	264	214	205	250
325	Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320	Congenital anomaly of heart and circulatory system	70	232	239	235	242	186
263	False labor	69	233	252	205	250	236
396	Aftercare for removal of internal fixation device	69	234	215	236	248	209
236	Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240	Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121	Retinal detachment and defects	66	238	204	276	241	179
180	Influenza	66	239	328	221	225	192
268	Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332	Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
311	Ganglion and cyst	65	242	249	233	220	261
350	Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201	Inguinal hernia, complicated	63	244	199	246	265	247
194	Peptic ulcer with obstruction	61	245	247	247	239	223
360	Sprains and strains of knee and leg	61	246	262	239	264	196
031	Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020	Malignant neoplasm of esophagus	58	248	221	250	255	264
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238	Orchitis and epididymitis	58	250	256	240	243	279
199	Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388	Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231	Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341	Fracture of vault of skull	55	254	248	267	259	220
063	Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134 Miscellaneous diseases of ear	53	257	272	262	244	245
202 Umbilical hernia without complication	53	258	257	255	245	276
109 Psychophysiologic disorder	52	259	290	243	253	282
385 Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047 Lymphoid leukemia	52	261	240	258	278	259
366 Internal injury to thoracic region	51	262	280	273	254	222
069 Simple and non-toxic nodular goiter	51	263	287	265	235	288
046 Hodgkin's disease	51	264	232	257	282	278
333 Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146 Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083 Sickle-cell anemia and trait	50	267	263	261	236	334
188 Disease of mouth, except dental	50	268	267	268	261	260
145 Acute and subacute endocarditis	48	269	220	298	289	243
152 Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
239	Redundant prepuce and phimosis	47	271	269	271	240	332
010	Infectious mononucleosis	47	272	260	245	294	314
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106	Drug dependence except opioid	46	274	265	249	287	308
314	Acquired deformities of limbs, except toe	45	275	285	256	292	274
076	Nutritional deficiencies	44	276	254	283	277	263
126	Strabismus	43	277	283	280	276	266
030	Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055	Benign neoplasm of breast	43	279	268	285	256	310
006	Miscellaneous bacterial diseases	42	280	282	292	266	267
017	Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087	Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237	Hydrocele	41	283	276	275	283	295
342	Fracture of base of skull	41	284	289	290	296	232
007	Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064	Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	40	288	275	274	293	296
355 Fracture of other bones	39	289	295	282	285	269
105 Opioid dependence	39	290	140	352	360	339
131 Other inflammation of ear and mastoid	38	291	281	297	281	289
345 Fracture of vertebral column with cord injury	38	292	307	305	274	248
262 Excessive vomiting in pregnancy	36	293	306	279	295	293
080 Gout	35	294	300	287	284	311
166 Aneurysm except aortic	35	295	284	300	297	283
261 Hypertension complicating preg- nancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015 Mycoses	35	297	337	289	298	254
382 Injury to nerve and spinal cord	34	298	305	306	288	271
067 Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315 Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
259 Threatened abortion	33	301	313	272	312	331
044 Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379 Foreign body entering through other body orifice	32	303	293	310	301	286
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221 Intestinal malabsorption	32	305	303	294	317	297
091 Arteriosclerotic dementia	32	306	299	301	291	325
122 Open angle and primary closure glaucoma	31	307	279	315	306	305
205 Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258 Other pregnancy with abortive outcome	30	309	308	302	308	307
266 Infections of pregnancy without delivery	29	310	317	308	299	309
357 Dislocation of shoulder	29	311	321	304	314	291
377 Miscellaneous crushing injury	29	312	322	303	322	285
014 Syphilis and other venereal diseases	27	313	324	313	310	301
368 Laceration or enucleation of eye	27	314	315	325	305	294
319 Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
036 Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375 Contusion of eye and adnexa	26	317	309	322	315	303
324 Undescended testicle	26	318	310	316	319	316
011 Viral warts	26	319	323	311	311	342
107 Nondependent abuse of alcohol	24	320	331	312	318	344
095 Acute schizophrenic episode	24	321	298	321	347	287
249 Metrorrhagia	24	322	332	318	309	328
065 Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004 Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294 Sebaceous cyst	22	325	312	326	320	348
135 Rheumatic fever, acute	22	326	318	323	327	326
038 Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133 Otosclerosis	21	328	329	332	325	320
155 Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050 Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093 Drug psychoses	21	331	334	328	336	304
089 Transient organic psychotic conditions	20	332	311	342	326	315
318 Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176 Nasal polyp	19	335	319	331	337	335
326 Clubfoot	19	336	342	327	341	323
108 Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125 Cataract, except senile	18	338	330	340	338	321
074 Ovarian dysfunction	17	339	345	338	328	345
112 Mental retardation	17	340	339	336	340	356
123 Other glaucoma	17	341	326	346	335	340
052 Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022 Malignant neoplasm of small intestine	16	343	338	341	346	329
157 Precerebral occlusion with paralysis	15	344	349	339	348	327
373 Injury to blood vessels	14	345	351	351	339	338
003 Nonrespiratory tuberculosis	13	346	341	357	343	343
077 Cystic fibrosis	13	347	335	345	352	355
129 Other disorders of eye	13	348	353	343	342	357
264 Placenta previa without delivery	13	349	347	347	350	349
317 Somatic dysfunction	13	350	366	320	369	365
321 Cleft palate and lip	12	351	348	355	345	336
265 Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290 Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
223 Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289 Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057 Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322 Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043 Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288 Major puerperal infections	8	359	361	359	357	350
013 Rickettsioses and other arthropod- borne diseases	8	360	365	369	333	363
397 Aftercare involving intermittent dialysis	8	361	355	356	366	372
302 Ankylosing spondylitis	7	362	370	361	356	360
061 Benign neoplasm of urinary organ	7	363	354	362	362	367
391 Other complications of medical care, except drugs	7	364	363	363	364	351
356 Fracture of multiple bones	7	365	360	364	361	361
016 Helminthiasis	5	366	369	366	363	364
085 Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153 Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041 Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North- east (4)	North Central (5)	South (6)	West (7)
059 Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018 Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060 Benign neoplasm of male genital organ	3	372	373	373	371	373
097 Childhood psychosis	3	373	367	374	374	370
260 Other early pregnancy hemorrhage	2	374	374	372	373	374
062 Benign neoplasm of eye	1	375	375	375	376	376
378 Foreign body on external eye	1	376	376	376	375	375
256 Other induced abortion	0	377	377	377	377	377
All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290 Other puerperal complications

646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4

380 Third degree burns

941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis — <i>see Appendicitis, acute</i>
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction — <i>see Dependence</i>
	Adenocarcinoma — <i>see Neoplasm, malignant</i>
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — <i>see Valvular disease</i>
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — <i>see Arteriosclerosis</i>
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — <i>see Neoplasm, malignant</i>
	Carcinoma — <i>see Neoplasm, malignant</i>
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — <i>see Effect, adverse</i>
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — <i>see Anomaly, congenital</i>
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — see <i>Cerebrovascular accident</i>
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meiere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	DIAGNOSIS INDEX (continued)
Title	
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — <i>see Ulcer, duodenal</i>
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — <i>see Ulcer, gastric</i>
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
253	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — <i>see Valvular disease</i>
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involucional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial in- farction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — <i>see Diabetes mellitus</i>
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cir- rhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — <i>see Valvular disease</i>
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

**Group
Number Title**

Neoplasm, benign (continued)

63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva

Neoplasm, malignant

44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	 Paget's disease — <i>see Disease, Paget's</i>
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — <i>see Ulcer, peptic</i>
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — <i>see Valvular disease</i>

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — <i>see Neoplasm, malignant, connective tissue</i>
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — <i>see Valvular disease</i>
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — <i>see Ulcer, gastric</i>
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — <i>see Organic brain syndrome</i>
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — <i>see</i> <i>Valvular disease</i>
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — <i>see Laceration</i>
12	Yellow fever